10-challenges

January 13, 2020

1 Challenges

In this episode, we will provide two different challenges for you to attempt, based on the skills you have acquired so far. One of the challenges will be related to the shape of objects in images (morphometrics), while the other will be related to colors of objects in images (colorimetrics). We will not provide solution code for either of the challenges, but your instructors should be able to give you some gentle hints if you need them.

1.0.1 Bacteria Colony Counting

As mentioned in the workshop *introduction*, your first final challenge is to determine how many bacteria colonies are in each of these images. As you already know, these images can be found in the /data/ directory of the repository.

Write a Python program that uses skimage to count the number of bacteria colonies in each image, and for each, produce a new image that labels the colonies. Your output should be similar to this image:

This time you won't get detailed instructions for every step. Instead, try to come up with a solution strategy yourself.


Hint: You might want to use most of the analysis operations you already learned during the workshop, it's OK to copy code from preceding episodes!

Bonus Task: Generate a histogram plot, which shows the colony size distributions.


Hint: This is a good opportunity to use the convenience Matplotlib plt.hist() function, read the docs here.

```
In []: import skimage
    import skimage.io
    import skimage.filters
    import numpy as np
    import matplotlib.pyplot as plt
    # 'magic' to display plots in the jupyter notebook
    %matplotlib inline


# read the image data
    col1 = skimage.io.imread('../data/coloniesO1.tif', as_gray = True)
    col2 = skimage.io.imread('../data/coloniesO2.tif', as_gray = True)
```




Colony image 1



Colony image 2



Colony image 3



colonies01 result

```
col3 = skimage.io.imread('../data/colonies03.tif', as_gray = True)
        # organize the data in a dictionary
        dishes = {'Dish 1' : col1, 'Dish 2' : col2, 'Dish 3' : col3}
In [ ]: # blurr the images
        sigma = .7
        blurred_dishes = {}
        for name, image in dishes.items():
            blurred = skimage.filters.gaussian(image, sigma)
            blurred_dishes[name] = blurred
In []: # we need histograms again
        def plot_histogram(image):
            histogram, bin_edges = np.histogram(image, bins = 256, range = (0,1))
            plt.figure()
            plt.plot(bin_edges[:-1], histogram, color = 'k')
            plt.xlabel('Pixel value')
            plt.ylabel('Counts')
            plt.title('Grayscale Histogram')
In [ ]: for name, image in blurred_dishes.items():
            plot_histogram(image)
            plt.title(name)
In [ ]: # create the masks
        # as in episode 07, the colonies are
        # at the far left end of the histogram
        dish_masks = {}
        thresh = 0.1
        for name, image in blurred_dishes.items():
            mask = image < thresh</pre>
            dish_masks[name] = mask
            # generate plots for visual inspection
            plt.figure(figsize = (10,10))
            plt.imshow(mask, cmap = 'gray')
            plt.title(name)
In []: # run a CCA on the mask
        from skimage.morphology import label
        label_arrays = {}
        for name, mask in dish_masks.items():
```

```
label_arr = label(mask)
            label_arrays[name] = label_arr
            # generate plots for visual inspection
            plt.figure(figsize = (10,10))
            plt.imshow(label_arr, cmap = 'cividis')
            plt.title(name)
In []: # count the number of unique labels
        # -> get the number of colonies
        for name, label_arr in label_arrays.items():
            Ncolonies = len(np.unique(label_arr)) - 1
            print(f'{name} has {Ncolonies} colonies')
In [ ]: # create the overlays
       from skimage.color import label2rgb
        for name in label_arrays.keys():
            image = blurred_dishes[name]
            label = label_arrays[name]
            # skimage.color.label2rgb takes bg_label = -1 as default, however
            # skimage.morphology.label (CCA) returns bg_label = 0!
            overlay = label2rgb(label, image, alpha = 0.5, bg_label = 0)
            plt.figure(figsize = (10,10))
            plt.imshow(overlay)
            plt.title(name)
In [ ]: # BONUS task solution
        # Dish 1 yields no meaningful statistics..
        # collection of sizes per dish
        col sizes = {}
        for name, label_arr in label_arrays.items():
            # the sizes per colony
            sizes = []
            labels = np.unique(label_arr)
            # exclude first value -> background label
            for label in labels[1:]:
                size = np.sum(label_arr == label)
                sizes.append(size)
            col_sizes[name] = sizes
```