



Pitch Deck


Part 2




Arkive's Project DeFi.




The reason.




Frontier AI is the **most capable** tool traders have ever had access to. It can synthesize, reason, recall, and reflect across more context than any other source available to them.



Nothing currently exists to integrate that capability into DeFi trading in an intelligent, structured way.



Project DeFi serves as a concrete example of the **value of compounding context**, by applying the Arkive structure to a profit-based and rapid-feedback domain.




Project DeFi is Arkive's **first core practice**. Core practices are built by the Arkive team and optimized for their respective domains.




An arkive, applied to trading.


An Arkive's folder types adjust as follows when applied to on-chain trading through the DeFi project:



Journal
Trades, conversations, research, daily entries. Logged automatically by AI.



Context
The current operating state, read at the start of every session. Watchlist, rules, positions, capital, and more.



Skills
The AI's playbook for specific trading scenarios. Bounded by trader limits and updated with user approval.

Total Notes 1,248	Connected Ideas 8,432	Active Pr 12
Knowledge Growth	Insights Generated	Retrieval

Insights
Proposed changes to skills, rules, watchlist, and more. Pushed through only with trader approval.



The execution layer.

Trading on Arkive happens in conversation, with the trader prompting their AI for a trade.

Users may prompt their AI for a specific trade (e.g. Buy 500 PEPE tokens), or tell the AI to come up with one it thinks is appropriate (e.g. I think PEPE is going up, suggest a trade based on my profile).



Transactions never execute without the user's manual signature.



¹ User prompts their AI for a trade.



² Transaction appears in Arkive as a proposal card.



³ The trader reviews & signs the transaction.



Project DeFi, in practice.

The following are examples of interactions between a trader and their Arkive-connected model.

1 Rule enforcement

Open a 5x long on \$PEPE

Above your max leverage. Your trading rule caps memecoin positions at [2x](#) — you set it [Mar 4](#) after the [\\$WIF](#) liquidation, journaling 'no high-leverage on memes, ever.' Want to override (logged permanently in your Arkive), drop to 2x, or pass?



2 Memory recall

Why did I buy \$JUP?

Your rule says no policy citations older than [two years](#) for current-state arguments. [That Brookings paper](#) is from [2022](#) and the underlying data is from 2021. Want to override, or want me to find something more recent?



3 Pattern recognition

I think \$TIA is setting up for a breakout, want to size 5%.

You've taken similar breakout setups [7 times](#) this year — win rate [43%](#), average outcome [-2.1%](#). The pattern was always entering inside the consolidation, not waiting for confirmation. The two that worked, you waited for a clean retest. Want to size 5% on the breakout itself, or wait for retest and size 3%?



Resources

Website

Docs

Telegram

Twitter (X)

↩ Pitch Deck Part 1

