



VEERČA

Your friendly Redirects Editor

User guide

Opening, checking, editing and exporting redirect policies

Contents

1	What Veerča does	2	7	Akamai's size limit	12
2	Opening a policy	3	8	Rules in their own tabs	14
3	Finding your way around	5	9	Errors and warnings	16
4	Reading the rule list	7	10	Review and export	18
5	Reading a rule	8	11	Saving, closing and privacy	20
6	Making changes	9	12	Quick answers	21


1 What Veerča does

Veerča opens a redirect policy for one Ford market site, shows every rule in it, checks the rules for mistakes, lets you edit them, and saves a new file for the Akamai team. It replaces Veera.

Veerča runs entirely in your browser: the policy is read on your computer, the exported file is created there too, and nothing is sent to a server.

A **policy** is the list of redirects for one site, such as `www.ford.hu`. The Akamai team keeps the live version and sends you a copy when you ask. You make your changes in Veerča and send the file back; the Akamai team checks it against changes from other teams and imports it. Nobody on our side uploads anything to Akamai directly.

The round trip




Words used in this guide

Policy	All the redirect rules for one site. Arrives from Akamai as a zip (for example <code>Policy46008Version329.zip</code>) with a CSV inside.
Rule	One redirect: a set of paths, and the address visitors are sent to from any of them.
Path	The part of an address after the domain, such as <code>/suv</code> . A rule can have one path or hundreds.
Redirect URL	Where visitors end up, such as <code>https://www.ford.co.uk/cars/ford-suv</code> .

2 Opening a policy

Start from the start screen: pick a file, drop one in, or carry on with a policy you worked on before.




The start screen, with three policies in the recent list.

- 1 Click **Select a policy from your computer**, or drag the file onto the start screen.
- 2 Use the zip exactly as the Akamai team sent it. Veerča opens the CSV inside. A CSV on its own works too, including files exported from Veerča or Veera.
- 3 Veerča recognises the market from the hostnames in the rules and shows its name, such as **United Kingdom**.

Working in Excel?

Excel workbooks can't be opened directly. In Excel, use **Save As** and choose **CSV UTF-8**, then open that file. Veerča only accepts UTF-8, because other CSV types can turn accented characters into gibberish.

Recent policies



Every policy you open is saved in your browser as you work, together with your changes. Click one to carry on exactly where you left off.

- **One entry per market.** Opening a newer file for the same market replaces the older entry.
- The right side shows **changes not exported** (in orange), **changes, exported**, or **No changes**.
- After 30 days an entry reads *Opened 41 days ago, so there may be a newer version*. Ask the Akamai team for the latest before editing it.
- **x** removes one entry, and asks first if it has changes you haven't exported. **Clear all** removes them all, after asking.

Opening a file for a market that's already in the list


- **The same file again:** Veerča picks up your saved changes automatically.
- **A different file, and the saved one has changes you haven't exported:** Veerča asks first. Choose **Replace**, **Open saved copy** or **Cancel**.
- **A different file otherwise:** it simply takes the market's place in the list.

Only you see your recent list

The list lives in this browser on this computer. Colleagues have their own, and you won't see yours on a different computer or browser. Clearing your browsing data, or using a private window, also clears it.

3 Finding your way around

Once a policy is open, the screen has a header for the market, a list of rules on the left and the selected rule on the right.




- 1 **Top bar.** The name of the file you opened, **Open another file**, **Close**, and the light and dark switch.
- 2 **Market**, its site, and how many rules and paths the policy has. Click the address to open the live site.
- 3 **Errors:** problems from your changes, and problems already in the policy. Click either to list them.
- 4 **New rule**, and **Review and export** once you've changed something.
- 5 **Search** rule names, paths and addresses, or limit it to one of them.
- 6 **Show** all rules, or only rules with errors.
- 7 **Rule list**, in the order Akamai checks the rules.
- 8 **The selected rule:** where it sends visitors, its settings and its paths. The icon next to its name opens it in its own tab.

Searching

Type in the search box to filter the list. By default it searches **Everything**: rule names, paths and redirect addresses. Choose **Names**, **Paths** or **Addresses** to narrow it down.

Every match is highlighted: in rule names, in redirect addresses, and in the matching path, which appears under the rule. You can paste a full address such as `https://www.ford.co.uk/suv` ; Veerča searches for its path.




Keyboard shortcuts

/	Jump to the search box.
↑ ↓	Move through the rule list.
Enter / Esc	Save or cancel while editing a rule or a path.
Enter in Add paths	Add the paths you've typed or pasted.
Ctrl + click	Open a rule on its own page in a new tab. On a Mac, ⌘ + click. Middle-click works too.

The round button at the right end of the top bar switches between automatic, light and dark appearance.

4 Reading the rule list

The list shows every rule in the order Akamai checks them. For each visitor, Akamai uses the first rule that matches, so the order matters.



1,574 rules, in the order Akamai checks them

Show	All rules	Errors from your changes	Errors already in the policy
1,574 rules, in the order Akamai checks them			
/account-management/			
13	shop.ford.co.uk7		2
https://shop.ford.co.uk/collections/tow-bars?_pf&pf_pt_product_t...			
14	shop.ford.co.uk1		6
https://shop.ford.co.uk/pages/accessories			
15	Dashboard	302	1
/account-management/			
16	/cars2		139
/cars			
17	/cars3		191
/cars			
18	/cars		138
/cars			
19	shop.ford.co.uk4		4
https://shop.ford.co.uk/collections/protection?_pf&pf_pt_produ...			
20	homepage		39
/			


Each row shows the rule's position, its name, and where it sends visitors. On the right:

- 302 The status code, shown only when it isn't the usual 301.
- 139 How many paths the rule has.
- Always checked last. The trailing slash rule stays at the end of the policy, as it did in Veera.
- You've changed this rule, or added it.
- An error from your changes. It has to be fixed before you can export.
- A warning from your changes. Worth a look, but it doesn't block export.
- A problem that was already in the policy when you opened it.

In the example, rule 13 was changed. Rule 19 was changed too, and the change created an error, which also put a warning on rule 14. Rule 15 had a problem before anyone touched it. Rules 16 to 18 are one redirect spread over three rules because it has so many paths; that's fine (see chapter 7).

Showing only rules with problems

Use **Show** above the list to switch between **All rules**, **Errors from your changes** and **Errors already in the policy**. Clicking either count under **Errors** in the header does the same.




2 of 1,574 rules

Show	All rules	Errors from your changes	Errors already in the policy
2 of 1,574 rules			
14	shop.ford.co.uk1		6
https://shop.ford.co.uk/pages/accessories			
19	shop.ford.co.uk4		4
https://shop.ford.co.uk/collections/protection?_pf&pf_pt_produ...			

Only the rules affected by your changes.

5 Reading a rule

Click a rule in the list to see it on the right: its name and place in the policy, any problems, its settings, and its paths.



The settings panel: the rule's summary at a glance.

Under the name, a line says where the rule sits, for example **Rule 51 of 1,574**. If the redirect address is itself redirected again by another rule, a line under **Redirect URL** says where to and by which rule.

The settings

Redirect URL	Where visitors are sent. Usually a full address on the same site. An address written without <code>https://</code> , such as <code>www.ford.co.uk/pro/</code> , works too: Akamai adds the <code>https://</code> itself.
Status code	What kind of redirect it is. See the table below; 301 is right for almost every vanity URL.
Use query string	Yes: anything after <code>?</code> in the visitor's address, such as tracking parameters, is passed on to the new address. No: it's dropped.
Case sensitive	Yes: <code>/Kuga</code> and <code>/kuga</code> are different paths. No: either one matches.
Regex	An optional pattern for advanced rules. Most rules leave it empty.
Host	The site the rule applies to. It's taken from the policy and can't be changed in Veerča.

Status codes


301 Permanent	Browsers and search engines treat the new address as the page's real home. The usual choice.
302 Temporary	The old address stays the page's real home.
303 See other	Meant for form submissions; rarely right for vanity URLs.
307 Temporary	Like 302, and the browser repeats the request method unchanged.
308 Permanent	Like 301, and the browser repeats the request method unchanged.

6 Making changes

Every change is checked as you make it, and saved in your browser straight away.

Editing a rule


- 1 Select the rule and click **Edit** in its top right corner.
- 2 Change the name at the top, or any of the settings. The name is easiest to find later if it includes the ticket number.
- 3 Click **Save** or press . **Cancel** or leaves the rule as it was.



The screenshot shows a 'Redirect' rule in 'Editing' mode. The 'Redirect URL' field contains 'https://www.ford.co.uk/cars/ford-suv'. Below this, there are three sections: 'Status code' with buttons for 301, 302, 303, 307, and 308 (301 is selected); 'Use query string' with 'Yes' and 'No' buttons (Yes is selected); and 'Case sensitive' with 'Yes' and 'No' buttons (No is selected). At the bottom, there are two fields: 'Regex' with 'None' and 'Host' with 'www.ford.co.uk'.

A rule's settings while editing.

Paths



The screenshot shows the 'Paths' management interface. At the top, it says 'Paths 3' and has three buttons: '+ Add paths', '⇌ Move selected', and '🗑 Remove selected'. Below this is a list of paths. At the top of the list is a bar with a minus icon, 'Select all', '2 paths selected', and a 'Clear' link. The list contains three items: '/ford-suv' (checked), '/suv' (unchecked), and '/suvs' (checked). Each item has 'Edit' and 'Delete' buttons to its right.

Everything for paths sits in one bar above the list. Two paths are ticked here.

- **Add paths** opens the Add paths dialog (below).
- **Tick paths** to **Move selected** to another rule or **Remove selected**. **Select all**, at the top of the list, ticks every path; **Clear** unticks them.
- Rules with more than 5 paths get a **Filter paths** box. With a filter typed in, **Select all** ticks just the matching paths, for example to move one group of paths at once.
- Each path has its own **Edit** and **Delete**.
- Selecting part of the list and copying it gives just the paths, one per line, without the buttons.

Adding paths

Add paths

To "vanity-cars-ford-suv". One path per row. Paste a list and it's split into rows; full www.ford.co.uk addresses work too.

- / ford-suvs
- / suv-range
- / suv
- cars/focus-rs

Already in this rule, so it's skipped.

+ Another row

Cancel Add 3 paths

One row per path, like in Veera. The `/` is added for you.

- **One path:** type it and press `Enter`. That's it.
- **A list:** paste it. It's split into rows straight away, and full addresses such as `https://www.ford.co.uk/suv-range` become paths.
- Each row says if a path is **already in this rule** (it's skipped) or **also in another rule** (it's added, but shows under Errors until one copy is gone).
- The button counts what will be added, for example **Add 3 paths**.

Adding a rule

New rule

You add its paths next, in the rule's details.

Rule name
AER-4120 Puma Gen-E vanity

Redirect URL
https://www.ford.co.uk/cars/puma-gen-e

Regex
Optional

Status code
301 Permanent >

Use query string
Yes No

Case sensitive
Yes No

Everything except Regex is required.


Cancel Add rule

Click **New rule** in the header. Fill in the name, the redirect URL, the status code, and both Yes or No choices; only Regex is optional. Click **Add rule**, and the Add paths dialog opens for the new rule.


Names and addresses

Every rule needs a name of its own. Veerča won't create or save a rule with a name that's already taken, capitals or not. Choose another name, or open the existing rule to add paths to it.

A second rule for the same address, with the same settings, is allowed after a warning. Usually it's simpler to add your paths to the existing rule, so that's the main button; **I know what I'm doing, create anyway** creates the second rule right after the first. When the existing rule is nearly full, the dialog says so and offers **Create a second rule** instead (see chapter 7).



A name that's taken: no way around it.



An address that has a rule: a warning you can override.

Deleting and undoing

- **Delete rule**, next to **Edit**, removes the whole rule. Veerča asks first. If some of its paths were moved there from another rule, you can choose to put them back.
- A rule you've changed has **Undo all changes to this rule** at the bottom. Moved paths are undone as moves: they go back to the rule they came from, so nothing disappears.
- A rule you've added is marked **Added by you**. If it holds paths moved from another rule, it offers **Remove this rule and put its paths back**.
- To throw away every change at once, use **Discard changes** in **Review and export**.

7 Akamai's size limit

Akamai keeps all of a rule's paths in one cell of the file, which can hold at most 8,192 characters. If any rule is over that, Akamai refuses the whole file with a message like *[row 294] [col 3] Value is too long (max=8192)*.

This is why some redirects are spread over several rules, like */cars*, */cars2* and */cars3*: with hundreds of paths, they wouldn't fit in one. Veerča keeps an eye on it for you.

/hilfe

Rule 293 of 1,072

From your changes

The paths in this rule add up to 9,311 characters. Akamai accepts at most 8,192 per rule and refuses the whole file otherwise.
[Move the extra paths to a second rule](#)

Redirect

Redirect URL
<https://www.ford.de/hilfe>

Status code	Use query string	Case sensitive
301 Permanent	Yes	Yes
Regex	Host	
None	www.ford.de	

Paths 115 **9,311 / 8,192 characters**

[+ New rule for more paths](#) [+ Add paths](#) [Move selected](#) [Remove selected](#)

The rule Akamai refused in the Germany policy, version 792.

From 7,000 characters	A grey counter appears next to Paths , for example <i>7,450 / 8,192 characters</i> .
From 8,000	The counter turns orange, and New rule for more paths appears. It adds paths to a rule that already sends visitors to the same address and has room, or to a new rule right after this one.
Over 8,192	The counter turns red, and an error blocks export, even if the rule was like that in the file you received: Akamai would refuse the file anyway. Move the extra paths to a second rule fixes it in one click.

The one-click fix moves paths from the end of the rule until it's back under 8,000. They go to a rule that already sends visitors to the same address with the same settings and has room, or to a new rule called, for example, */hilfe (part 2)*, right after the full one. In the Germany policy, it moved 17 paths from */hilfe* into rule 871, which already went to the same address.

Adding paths near the limit

The Add paths dialog shows how much room is left. Rows that would take the rule over the limit say *Doesn't fit*, and a second button puts them where there's room, for example **Put the other 2 in rule 871**, or in a new rule.

Moving paths like this is undone as a move, too: see **Deleting and undoing** in chapter 6.

Add paths

To "/hilfe". One path per row. Paste a list and it's split into rows; full www.ford.de addresses work too.

Room left in this rule: 236 of 8,192 characters.

/	hilfe/fahrzeug-und-service/neue-anleitung-zum-beispie	×
/	hilfe/fahrzeug-und-service/neue-anleitung-zum-beispie	×
/	hilfe/fahrzeug-und-service/neue-anleitung-zum-beispie	×
/	hilfe/fahrzeug-und-service/neue-anleitung-zum-beispie	×
/	hilfe/fahrzeug-und-service/neue-anleitung-zum-beispie	×
/	fe/fahrzeug-und-service/neue-anleitung-zum-beispiel-6	×

Doesn't fit: the rule would go over Akamai's limit of 8,192 characters.

Doesn't fit: the rule would go over Akamai's limit of 8,192 characters.

+ Another row

Cancel Put the other 2 in rule 871 Add 4 paths

8 Rules in their own tabs


Any rule can open on a page of its own in a new tab, like a rule page in Veera. Keep several open at once, for example to compare rules or to move paths between them.

Opening a rule page



The icon next to the rule's name opens it in a new tab.

- Click the icon next to the rule's name.
- Ctrl-click a rule in the list (⌘-click on a Mac), or middle-click it.
- Right-click a rule and choose **Open link in new tab**.
- The same works for the "Open ..." links in problem messages.



A rule page: just the one rule, without the list, search or filters.

Everything on a rule page works as usual: editing, paths, Select all, moving paths and the one-click fixes. An "Open ..." link in a problem message moves the page on to that rule. To turn the tab into the full editor, click **All rules** in the top bar, or the market's name above the rule. **New rule** and **Review and export** are in the full editor only.

All tabs stay in step

A change made in one tab shows up in the others straight away: in the list, the counts, the errors and the rule on screen.

- If the rule on screen is deleted in another tab, the page says so.
- If you're editing a rule that another tab changes, you keep your edit and get a warning. Saving it replaces the other tab's change: the last save wins.
- If another tab opens a newer file for the same market, every tab switches to it.

Addresses and closing

- **Each rule page has its own address**, ending in `&view=rule`. You can bookmark it, reload it, or paste it into another tab. The main editor's address names just the market, so reloading it brings you back into the policy.
- **Links only work in your browser**. The policy is saved in the browser where you opened it, not on a server, so a link sent to a colleague won't open anything for them.
- **Closing a rule page never asks first**. Every change you make there is already in the main tab and in the recent list. Only text you've typed but not applied, such as paths in an open Add paths dialog, is lost. The main editor always asks.

9 Errors and warnings

Veerča checks the whole policy every time something changes, and sorts what it finds by who caused it.

United Kingdom
www.ford.co.uk

1,574
rules

4,735
paths

Errors
2 from your changes 413 already in the policy

New rule

Review and export

From your changes

Problems your edits created. **Errors** have to be fixed before you can export. **Warnings** don't block anything, but are worth a look. When there are none, the header says **Nothing from your changes**.

Already in the policy

Problems that were there when you opened the file. They're shown for information and never block export. Fixing them is welcome, and each fix becomes part of your changes.

Select a rule to see its problems above its settings. Many come with a one-click fix, and a link to the other rule involved.

From your changes

!

/OwnerServices/FordAccessories/AccessoriesPromotions never takes effect: the rule "shop.ford.co.uk1" comes earlier and already handles it.
[Remove this path](#) [Open "shop.ford.co.uk1"](#)

An error from your changes, with its fix and a link to the earlier rule.

Already in the policy Not caused by you, won't block export

!

Visitors land on /cars/gt, which the rule "/cars2" redirects again to https://www.ford.co.uk/cars.
[Send visitors straight to the final address](#)

A warning that was already in the policy.

Every check, and what to do

Messages are shortened here. The one-click fix, where there is one, is in the last column.

Errors

MESSAGE	WHAT IT MEANS	WHAT TO DO
<i>Give this rule a name. · Add the address visitors should be sent to. · Choose a redirect status code. · Add at least one path.</i>	A required part of the rule is missing. A rule without paths could catch every page on the site.	Fill it in.
<i>The ... contains a quote mark or a line break, which would break the file.</i>	A character in the name or address would damage the exported CSV.	Edit the rule and remove it.
<i>... contains a space, tab or quote mark.</i>	Paths are separated by spaces in the file, so this path would split in two.	Remove this path , then add it again correctly.
<i>Rule ... already has this name. Every rule needs a name of its own.</i>	Two rules share a name. Not allowed, see chapter 6.	Rename this rule.
<i>The paths in this rule add up to ... characters. Akamai accepts at most 8,192 per rule...</i>	Akamai would refuse the whole file. Blocks export even if it was already in the file you received.	Move the extra paths to a second rule (chapter 7)
<i>... never takes effect: the rule "... " comes earlier and already handles it.</i>	The same path is in an earlier rule. Akamai uses the first match, so this copy does nothing.	Remove this path , or remove it from the earlier rule if that one is wrong.
<i>... sends visitors to its own address, so they would bounce in a loop.</i>	The path redirects to itself.	Remove this path

Warnings

MESSAGE	WHAT IT MEANS	WHAT TO DO
<i>Visitors land on ..., which the rule "... " redirects again to ...</i>	A chain: visitors are redirected twice. It works, but it's slower, and search engines prefer a single redirect.	Send visitors straight to the final address
<i>... is also listed in "... " further down, where it never takes effect.</i>	The other side of the error above, shown on the earlier rule.	Fix it in the later rule.
<i>... is listed twice in this rule.</i>	A repeated path.	Remove the duplicate
<i>This rule has an empty path entry.</i>	Usually a double space in the file.	Remove empty entries
<i>"..." doesn't start with /.</i>	Often the leftover half of a path that contained a space.	Remove this path , and check the path next to it.
<i>The redirect address is neither a full address nor a path starting with /.</i>	The address looks malformed.	Check and correct it.
<i>This rule sends visitors to the same address as "... " (rule ...), with the same settings, and its paths would fit there.</i>	A second rule for the same address that isn't needed for size. Allowed, but one rule is simpler.	Move its paths there and delete this rule

10 Review and export

When you're done, click **Review and export** in the header. It's available once you've changed something.

Review and export

2 rules changed.

- "AER-3092": added /kuga-ph
- "EU Vehicle Maintenance 301 Redirect Request": status code changed from 301 to 302

"Copy summary" puts this list on your clipboard, ready to paste into your email to the Akamai team.

File name

www_ford_hu_v330.csv

You opened version 329, so this suggests 330. Change it if you're resending a corrected file.

[Discard changes](#) [Copy summary](#) [Download CSV](#)

- 1 Check the list of changes. Every change is listed in plain words.
- 2 Click **Copy summary** to put the list on your clipboard, ready to paste into the email.
- 3 Check the file name and the version number (see below).
- 4 Click **Download CSV** and attach the file to your email to the Akamai team, with the summary.

Discard changes throws away everything you changed in this policy, after asking.

The file name

The Akamai team sends `Policy46008Version329.zip`; we send back `www_ford_hu_v330.csv`. Veerča fills in that name for you. The policy name and the version number can both be changed. The cursor starts in the number, and change it by one.

You opened Akamai's file, version 329	Suggests <code>www_ford_hu_v330.csv</code> , one up.
---------------------------------------	--

You opened one of our files, <code>www_ford_hu_v331.csv</code>	Suggests the same number, <code>v331</code> , since it's the same round.
--	--

You've downloaded this policy before	Suggests the name you used last time, so a corrected file goes out under the same version.
--------------------------------------	--

There's no version anywhere	Builds the policy name from the site (<code>www_ford_co_uk</code>) and leaves the number to you.
-----------------------------	--

When export is blocked

If your changes caused errors, Review and export lists them and **Download CSV** stays greyed out. Click a rule's name in the list to go straight to it, fix it, and come back. Warnings don't block export; the dialog just mentions them. Problems that were already in the policy never block it.

Review and export

2 rules changed.

- "shop.ford.co.uk7": added /shop/gift-ideas
- "shop.ford.co.uk4": added /OwnerServices/FordAccessories/AccessoriesPromotions, /shop/x

Fix 1 problem from your changes before exporting.

- [shop.ford.co.uk4](#):
/OwnerServices/FordAccessories/AccessoriesPromotions never takes effect: the rule "shop.ford.co.uk1" comes earlier and already handles it.

"Copy summary" puts this list on your clipboard, ready to paste into your email to the Akamai team.

File name

www_ford_co_uk_v834 .csv

The same version as the file you opened. Change it if this is a new round.

[Discard changes](#) [Copy summary](#) [Download CSV](#)

What's in the exported file

The CSV has the same columns and layout as Veera's export, so the Akamai team can import it as before. Rules you didn't touch are written exactly as they were in the file you opened. The few header lines Akamai puts at the top of its own files, starting with #, aren't included.

11 Saving, closing and privacy


There's no Save button: Veerča saves your work in your browser as you go.

- **Every change is saved** about half a second after you make it, in the recent policies list on the start screen.
- **Text you've typed but not applied yet**, such as paths in an open Add paths dialog or an unsaved rule edit, isn't saved. Add or save it first.
- **Reloading or closing the main editor** asks you to confirm first, changed or not. After a reload you're back in the same policy. Rule pages close without asking.

Closing a policy

Close in the top bar takes you back to the start screen. It always asks first and tells you what happens to your work: it stays in the recent list, changes included.

To switch to another policy, close the current one first, or use **Open another file**. Dropping a file onto Veerča only works on the start screen, so a stray drag can't swap out the policy you're working on.



Coming back to an exported file

If the Akamai team asks for a correction, carry on from the recent list instead of opening the CSV you exported. The list still holds the original policy, so the summary covers everything you changed. Opening the exported CSV starts a fresh round, and the summary then only lists changes made since that file.

Privacy

Policies are read and saved only in your own browser. Nothing is uploaded, and no account is needed. Other people using Veerča don't see your recent list, and you won't see theirs.

12 Quick answers

"Excel workbooks can't be opened directly."	Open the file in Excel, use Save As , choose CSV UTF-8 , and open that file instead.
"This file isn't saved as UTF-8."	Same fix: save it from Excel as CSV UTF-8 .
I dropped a file and nothing happened.	A policy is already open. Close it first, or use Open another file .
Review and export is greyed out.	You haven't changed anything yet.
Download CSV is greyed out.	Your changes caused an error that needs fixing first, or the file name is empty.
My recent policies are gone.	The list belongs to one browser on one computer. It's empty in a different browser, in a private window, or after clearing browsing data.
The policy shows lots of errors I didn't cause.	They're under Errors already in the policy . They don't block anything; fix them if you have time.
Which version number should the file have?	Use what Veerča suggests unless the Akamai team expects something else. Keep the same number when resending a corrected file.
Akamai says "Value is too long (max=8192)".	One rule's paths are over Akamai's limit. Open the file in Veerča: that rule shows a red counter and an error with a one-click fix. See chapter 7.
Can I see two rules side by side?	Open one, or both, on their own pages in new tabs. See chapter 8.
A rule link doesn't open for my colleague.	Links only work in the browser where the policy was opened, because that's where it's saved. Send them the file instead.
Does a redirect URL need https:// in front?	It's better to include it, but an address without it works: Akamai adds it.