

Experiment - 08

Student Name: Kushagra Vashistha
Branch: CSE - AIML
Semester: 5
Subject Name: ADBMS

UID: 24BAI70915
Section/Group: 24AIT_KRG-1_B
Date of Performance: 7/9/26
Subject Code: 24CSP-310

(A)

A company maintains customer information, product information, and sales order information in three separate tables: `customer_master`, `product_catalog`, and `sales_orders`.

The company wants to provide an order report to an external client. The report must contain the Order ID, Order Date, Customer Name, Product Name, and Final Amount.

For every order, first calculate the Gross Amount using:

Gross Amount = Unit Price × Quantity

Then calculate the Discount Amount using:

Discount Amount = Gross Amount × Discount Percentage / 100

Finally, calculate the Final Amount using:

Final Amount = Gross Amount – Discount Amount

Create a complex view using the three tables to generate this report. The view should expose only the required five columns and should not expose the customer's phone/email, product brand/unit price, or the order's quantity/discount percentage. The company also wants to provide access to an external client. Create a PostgreSQL user named `client_user` and give this user only SELECT permission on the view. The client must not have direct access to the three original tables and must not be allowed to modify the view data.

Output:

order_id	order_date	full_name	product_name	final_amount
1	2025-09-01	Amit Sharma	Smartphone X100	47500.00
2	2025-09-02	Priya Verma	Laptop Pro 15	58500.00
3	2025-09-03	Ravi Kumar	Wireless Earbuds	15000.00
4	2025-09-04	Neha Singh	Smartwatch Fit	27600.00
5	2025-09-05	Arjun Mehta	Gaming Console	39600.00
6	2025-09-06	Priya Verma	Smartphone X100	23750.00
7	2025-09-07	Amit Sharma	Wireless Earbuds	10000.00

Solution:

Create or replace view vw_final_amount_calculation as

```

  Select o.order_id, o.order_date, c.full_name, p.product_name,
  Round((p.unit_price*o.quantity
p.unit_price*o.quantity*o.discount_percent/100.0), 2) as final_amount
  From sales_orders as o join
  product_catalog as p
  On o.product_id = p.product_id join
  customer_master as c
  On o.customer_id=c.customer_id

```

Select * from vw_final_amount_calculation; create user

client_1234

Password '12345';

```

Grant      select      on      vw_final_amount_calculation      to
client_1234

```

(B)

An e-commerce company wants to regularly analyze the performance of its product categories.

The company stores product, category, customer, and order information in separate tables. To generate the category performance report, the database needs to perform multiple JOINS, GROUP BY, aggregate functions, DISTINCT counting, calculated values, and CASE statements.

Since the same report is generated frequently, executing the complete analytical query every time can increase database workload.

Create a PostgreSQL Materialized View named: mv_category_sales

Also demonstrate that when new order data is inserted, the Materialized View does not automatically reflect the change and must be refreshed.

Finally, use EXPLAIN ANALYZE to compare the performance of the original analytical query with the Materialized View query.

Output:

category_id	category_name	total_products_sold	total_orders	unique_customers	total_revenue	avg_revenue_per_order	category_performance
C1	Electronics	5	4	3	12000	3000.00	Excellent
C2	Clothing	4	3	2	10000	3333.33	Excellent
C3	Books	3	1	1	1500	1500.00	Low

Solution:

Explain analyze

```

Select cat.category_id, cat.category_name, sum(o.quantity) as total_products_sold,
       count(distinct o.order_id) as total_orders, count(distinct o.customer_id) as
       unique_customers, sum(o.quantity*o.unit_price) as total_revenue,
       round(sum(o.quantity*o.unit_price)/count(distinct
O.order_id), 2) as average_revenue_per_order, case
           When    sum(o.quantity*o.unit_price)           >= 10000 then
'Excellent'
           When    sum(o.quantity*o.unit_price)           >= 6000  then
'Good'

```

```

                When    sum(o.quantity*o.unit_price)           >=3000    then
'Average'

```

```

                Else 'low'

```

```

                End as category_performance from
order_details as o
Join product_master as p
On o.product_id=p.product_id join
category_master as cat
On p.category_id=cat.category_id
Group by cat.category_id, cat.category_name

```

```

Create materialized view mv_category_sales as

```

```

Select cat.category_id, cat.category_name, sum(o.quantity) as total_products_sold,
       count(distinct o.order_id) as total_orders, count(distinct o.customer_id) as
       unique_customers, sum(o.quantity*o.unit_price) as total_revenue,
       round(sum(o.quantity*o.unit_price)/count(distinct
O.order_id), 2) as average_revenue_per_order, case

```

```

                When    sum(o.quantity*o.unit_price)           >= 10000 then
'excellent'

```

```

                When    sum(o.quantity*o.unit_price)           >= 6000  then
'Good'

```

```

                When    sum(o.quantity*o.unit_price)           >=3000    then
'Average'

```

```

                Else 'low'

```

```

                End as category_performance from
order_details as o
Join product_master as p
On o.product_id=p.product_id join
category_master as cat
On p.category_id=cat.category_id
Group by cat.category_id, cat.category_name

```

```

Explain analyze

```

```

Select * from mv_category_sales

```

```

Refresh materialized view mv_category_sales

```