C1 Houlsby with 400-word output cap: Methodology and Evidence

CS781 Capstone – Krishna K Karthikeya G N

12 November 2026

Status. Post-run methodology reconstruction grounded in archived source and reports. This document is not an executed historical notebook.

Research question

Check whether C1's generated answer length is mismatched to the reference summaries. The cap was selected on 32 validation examples by approximate ROUGE-1 F1 and tested on a distinct 64-example confirmation set.

Architecture and mechanism

The existing C1 Houlsby output is truncated at 400 whitespace-delimited words; the model weights and adapter architecture are unchanged.

Measured result

Scored submission	1030822
Codabench BERTScore F1	0.7750
Archived local metric	not reported

The proxy rose from 0.29545 to 0.30539 on validation and 0.28951 to 0.29776 on confirmation; Codabench BERTScore F1 was 0.7750, compared with 0.7700 for the original export.

Limitations and next check

Do not interpret this as a new trained model or as evidence that a 400-word cap generalizes to every dataset. Local, pilot, and hidden metrics are deliberately kept distinct. A single scored run does not establish a causal architecture effect or statistical significance.

Source and reproducibility

Original source modules: c1_houlsby.py, train_phase6.py. SHA-256 hashes, the original report, and the prediction ZIP receipt are in the companion provenance file. The explanatory notebook was written after the historical run; original execution output is never implied. Reproduction requires authorized course data, the Phase 1 parent weights/tokenizer, and the dependencies in the archived source.

Documentation disclosure

AI assistance was used to organize the archived evidence and draft this explanatory document. All numerical claims above come from saved run records or the provided finished-submission screenshot; missing evidence is labelled as such.