
Z_ALGORITHM EXECUTION

INPUT: z_algo.txt




Best Case Scenario:

- Input: A short text file containing a pattern that appears at the beginning.
- Expected Output: Pattern found at index 0

Worst Case Scenario:

- **Input**: A large text file containing a pattern that doesn't exist
- **Expected Output:** No pattern found.



Corner Cases:

Empty File


- Input: An empty text file.
- Expected Output: Error reading the file.

```
Enter the filename: z_algo.txt
Enter the pattern: abba
Error reading from file.

Process exited after 7.736 seconds with return value 1
Press any key to continue . . .
```

NO TEXT FILE FOUND

- Input: No file such file exists.
- Expected Output: Error in opening the file.



Pattern Length > Text Length

- Input: A text file with shorter content than the pattern.
- Expected Output: No pattern found

```
Enter the filename: z_algo.txt
Enter the pattern: abbadcaddbaccdabcabaacacba
Pattern Not Found
------
Process exited after 18.74 seconds with return value 0
Press any key to continue . . .
```

Empty Pattern

- Input: A text file with some content and an empty pattern.
- Expected Output: No pattern found

```
Enter the filename: z_algo.txt
Enter the pattern:
Empty pattern

Process exited after 7.12 seconds with return value 0
Press any key to continue . . .
```