



INSTALLATION PLANNING GUIDE FOR K2VIEW FABRIC SERVICES ON GCP

K2view Data Product Platform Services

Version: 1.2

Date: 3 November 2025

This document contains copyrighted work and proprietary information belonging to K2view. All intellectual property rights (including, without limitation, copyrights, trade secrets, trademarks, etc.) evidenced by or embodied in and/or attached, connected, or related to this document, as well as any information contained herein, are and shall be owned solely by K2view. K2view does not convey to you an interest in or to this document, the information contained herein, or its intellectual property rights, but only a personal, limited, fully revocable right to use the document solely for review purposes. Unless explicitly set forth otherwise, you may not reproduce by any means any document and/or copyright contained herein.

Information in this document is subject to change without notice. Corporate and individual names and data used in the examples herein are fictitious unless otherwise noted.

Copyright © 2024 K2view Ltd. / K2VIEW LLC. All rights reserved.

The following are trademarks of K2view: K2view logo, K2view's platform.

K2view reserves the right to update this list document from time to time.

Overview

This document is a planning guide for installing K2view Fabric Services on Google GCP. It details all necessary steps, prerequisites, and configurations to ensure a successful deployment and is designed for IT professionals, system administrators, and project owners who are involved in implementing K2view Fabric's Data Product Platform on GCP infrastructure.

The guide outlines the process, from initial planning and prerequisite validation to provisioning resources, configuring security settings, and setting up container registries and TLS certificates. It includes a checklist and worksheet to capture essential information required at each stage, making the process more manageable and organized.

Following this guide will help you prepare for deploying K2view Fabric Services.

Table of Contents


Overview	2
1. Planning and Installation Step Overview	5
Step 1 – Obtaining Environment Information	5
Step 2 – Provisioning	5
Step 3 – Install the K2view Fabric Services	6
Step 4 – Populate the Container Registry with K2view Docker images	6
Step 5 – Share Container Registry and Domain Name information with K2view	6
Step 6 – Create the K2view Project	6
Step 7 - Create a K2view Space	6
2. Provisioning	7
2.1. Information Required by K2view – Before the Installation	7
2.2. K2view Provisioning	7
2.3. Information Required by K2view – Before Proceeding to Step 5	8
3. Prerequisites	8
3.1. Internet Access	8
3.2. Whitelisting	8
3.3. DNS	9
3.4. TLS keys and certificates	9
3.5. Permissions and Roles	9
3.5.1. Terraform Installation Permissions	9
3.5.2. Helm Agent Installation Permissions	10
3.5.3. Runtime GCP Permissions (Service Accounts for Spaces)	10
3.6. Persistent Storage	11
3.7. Tools	11
3.8. Git Code Repository	11
3.9. Container Registry	11
4. Installation Checklist Worksheet	13
5. Instructions Summary	16
5.1. GCP Privileges	16
5.1.1. Installation-Time Privileges (Terraform)	16
5.1.2. Helm Agent Installer Permissions (Kubernetes)	16
5.1.3. Runtime Privileges (Fabric Spaces)	16
5.2. Runtime IAM Policy Examples	17
5.3. Cloning the K2view Blueprints	17
5.4. Configuring Your Deployment	18
5.5. Populating Your Container Registry	19
5.5.1. Commands to Pull Containers from the K2view Container registry	19
5.5.2. Commands to Push Containers to your Container Registry	20
5.6. Sign In to K2cloud	21

5.7.	Create the Project	22
5.8.	Creating Your First Fabric Space	25

1. Planning and Installation Step Overview

Planning and capturing the necessary information before installing K2view Fabric Services on Google GCP will help ensure a smooth installation experience. The customer and K2view will gather and share information used to provision the environment.

The Installation steps



Step 1 – Obtaining Environment Information

A K2view representative will discuss the prerequisites to complete and review the [Prerequisites](#) section and the [Installation Checklist Worksheet](#).

This review should be used to determine the components to be provisioned based on your use case.

Step 2 – Provisioning

K2view Provisioning

K2view will create a Container registry account, user accounts, and associated configurations for you. Some of the information needed to carry out this function will be obtained during Step 1. Other information K2view needs to complete your environment's configuration will need to be provided by you during Step 5.

Customer Preparation

You will need to gather the information described in the [Prerequisites](#) section. You can use the [Installation Checklist Worksheet](#) to capture this information. This includes Git details, obtaining a TLS certificate (PEM encoded) and its private key (PEM encoded), and the names of entities. The certificate and private key files need to be base64 encoded. You must also review what is required to perform the installation. These are listed in the [Prerequisites](#) section.

Step 3 – Install the K2view Fabric Services

Privileges

The installation will be run by someone with the necessary [roles and privileges](#) within your GCP Project.

Blueprints

The installation requires configuring the GKE Terraform configuration you generated using the K2view Terraform Blueprints. To obtain the blueprint, follow the instructions in the [Cloning the K2view Blueprints](#) section.

Configuring your Terraform and Performing the Installation

The [Configuring Your Deployment](#) section describes the choices you can make to configure your environment. K2view can assist you in configuring your environment.

Step 4 – Populate the Container Registry with K2view Docker images

The K2view project owner will load the selected Container Registry with K2view Docker images identified by your K2view representative during Step 1. Refer to the [Populating Your Container Registry](#) section for instructions.

Step 5 – Share Container Registry and Domain Name information with K2view

The customer project owner must share the following information to complete the configuration for the tenant's creation of Projects and Spaces.

- The fully qualified domain name (FQDN) used for your Domain Ingress
- The list of Container Registry locations of your Docker images

This information may have been identified during pre-planning, but the specific information should be confirmed to avoid misconfiguration. We recommend that you track this information using the [Installation Checklist Worksheet](#).

Step 6 – Create the K2view Project

To create the K2view Project, refer to the [Creating Your Fabric Project](#) section.

Step 7 - Create a K2view Space

To create your K2view Space refer to the [Creating Your First Fabric Space](#) section.

2. Provisioning

2.1. Information Required by K2view – Before the Installation

Before the installation. K2view needs information to provision your environment.

- **First Admin user:** the user that will set up the K2view project and create the first space. Additional user accounts can also be created.

The information required for users includes:

- Name
 - Email address
 - Phone number with country code included
- **A site name and purpose** (could be something like POT, DEV, NPRD, PROD). This information will be used by K2view to better differentiate your first site from others you might create in the future.
 - **The domain name of your Kubernetes Ingress Controller.** If not available before the installation, it can be provided before proceeding to Step 5. You will need this domain name to create your Ingress Controller, register a DNS A record, and create a certificate to secure access to your K2view spaces.

2.2. K2view Provisioning

K2view will provision several things for you:

- Your tenant and its configurations
- Your initial K2view Admin user
- A K2view Container registry account for you to access K2view images
- A K2view Cloud Mailbox ID for you to connect to the K2cloud Orchestrator service

K2view will also provide you with additional information, such as:

- In consultation with your K2view representative, Docker images and their associated versions will be recommended. You will need this information to use docker pull commands to obtain images such as fabric, fabric-studio, and the k2-cloud-deployer images.
- K2view may also provide you access to k2exchange.k2view.com, depending on your needs and those identified by your K2view representative.

2.3. Information Required by K2view – Before Proceeding to Step 5

Before you proceed to Step 5, you must pause to provide K2view with information that will allow it to finalize the configuration of your environment. K2View needs:

- The location of the images you loaded to your container registry from the K2view Container registry.
 - For example, if you pushed fabric-studio:8.1.0_199 to your container registry, you will need to provide K2view with its location value in the form of [yourRegistry]/k2view/fabric-studio:8.1.0_199 (or the location you configured)
- We need to know the specific images (e.g. fabric-studio) and versions (e.g., 8.1.0_199) you used. A K2view representative will recommend these.

3. Prerequisites

Specific prerequisites must be met, and planning steps must be taken to install K2view Fabric Services, set up the Container Registry, and create a K2view Project and a Space.

3.1. Internet Access

K2view Software

1. The installation presumes that you have Internet access from which to obtain Fabric images from the K2view Container registry and perform a Git clone to your machine
2. You need a K2view Container registry account to obtain a Fabric Studio docker image. Your K2view account representative can arrange this for you. It is required as part of Step 4 of the installation.

Internet Access Required

Internet access is required to perform this installation. You will need access to:

1. Github.com to clone K2view's blueprints at <https://github.com/k2view/blueprints.git>
2. K2view's Container registry Docker Image repository at <https://docker.share.cloud.k2view.com>
3. If you plan to install TDM, you will need access to K2view's Exchange

3.2. Whitelisting

Certain functions require HTTPS access over port 443:

- **K2view Agent** – makes outbound REST calls to <https://cloud.k2view.com> to obtain deployment and configuration instructions via the K2cloud Orchestrator's Mailbox service
- **For Installations and Updates** –
 - <https://share.cloud.k2view.com> to fetch K2view Fabric, Web Studio and k2-agent images
 - <https://github.com> to pull K2view blueprints
 - <https://github.com> to pull K2view deployment Helm charts

You may need to whitelist data sources/targets and open HTTPS ports to meet your needs.

3.3. DNS

The required DNS record needs to be a domain. K2view Spaces will use this domain when the administrator or users create them. The Terraform configuration can create a Cloud DNS Zone by default. It will configure everything you need to get up and running.

If you use a preexisting DNS zone, you need this domain name to create your Ingress Controller and register a DNS A record. You must create a DNS record pointing to the node hosting the K8s Ingress Controller (it can point to a private or a public IP). The DNS record for the server hosting the K8s node does not need to be registered in the public DNS. The only requirement is that users can resolve the DNS name internally to the customer's environment.

3.4. TLS keys and certificates

To use K2view's GCP [GKE Blueprint and Terraform](#), you need a TLS PEM certificate and its associated TLS PEM Key file.

Your network team must create a TLS certificate for the domain you selected as your Domain Ingress. The entire certificate authority chain needs to be present. During the installation, you must specify the path to your PEM TLS certificate and its associated private key.

Please note that K2view can provide both domain and certificates for a Proof of Technology (POT) environment if you find this useful.

3.5. Permissions and Roles

Two permission models are involved in the installation and operation of K2view Fabric on GCP:

3.5.1. Terraform Installation Permissions

To provision the infrastructure (using K2view's GCP Terraform blueprint), the user executing Terraform must have owner-level permissions in the target GCP project or equivalent custom roles. These permissions include:

- **Project IAM Administration:**
 - `resourcemanager.projects.get`
 - `resourcemanager.projects.setIamPolicy`
 - `iam.roles.*`, `iam.serviceAccounts.*`
- **Service Account Creation:**
 - `iam.serviceAccounts.create`
 - `iam.serviceAccounts.setIamPolicy`
- **GKE Cluster Management:**
 - `container.clusters.*`
 - `container.nodePools.*`

- **VPC and Networking:**
 - compute.networks.*
 - compute.firewalls.*
 - compute.subnetworks.*
 - compute.addresses.*
- **Persistent Disks and Storage:**
 - compute.disks.*
 - compute.instances.*
 - compute.instanceGroups.*
 - compute.backendServices.*
- **Cloud DNS:**
 - dns.* (if using Terraform to manage DNS)

3.5.2. Helm Agent Installation Permissions

After Terraform completes, deploying the K2view Agent requires Kubernetes permissions to create:

- Namespaces
- ServiceAccounts
- Roles and RoleBindings
- Secrets and ConfigMaps
- Deployments and Jobs

The installer must have cluster-admin or equivalent namespace-scoped admin permissions to deploy the Agent Helm chart.

3.5.3. Runtime GCP Permissions (Service Accounts for Spaces)

Fabric Spaces use dynamic GCP IAM roles for runtime resource provisioning:

- GCP Cloud SQL (Postgres) permissions
- Google Storage (GCS) bucket permissions
- Google Secret Manager (if applicable)
- Google Pub/Sub (if applicable)

Runtime Service Accounts are created automatically for each Fabric Space using GCP Workload Identity and bound to Fabric namespace ServiceAccounts.

3.6. Persistent Storage

Please refer to this [README](#) for instructions to configure your GCP Storage class.

3.7. Tools

The following tools are required to perform the installation by the user with the required [Permissions and Roles](#).

Please install the following tools:

- Terraform – version 1.9.x - [HashiCorp install guide](#)
- Kubectl – version 1.14.0 - [Kubectl install guide](#)
- Google Cloud CLI - [gcloud install guide](#)
- Helm – version 2.13.0 - [Helm install guide](#)
- Docker – latest version - You can use the tools provided by your container registry to pull from the K2view Container registry and push to your registry. Docker or an OCI-compatible tool will likely be needed for this.

3.8. Git Code Repository

A Git code repository is required for your Fabric Project. Three pieces of information will be required to create your K2view project including:

- Repository URL
- Git token
- Git Branch / Tag

3.9. Container Registry

K2view will create a Container registry account, user accounts, and associated configurations for you. You will use the K2view Container registry account to obtain K2view Docker images. In Step 5, K2view will require the location of the images you push to your Container Registry.

You must populate your Container Registry by pulling and pushing docker images. Docker must be installed on a computer to pull and push docker images from the K2view Container registry to the Container created. You will need a K2view Container registry account you can obtain from your K2view representative

Outbound HTTPS/443 Access

You need to confirm outbound HTTPS access over port 443 for:

- The host “pulling” from K2view’s Container registry has outbound HTTPS access over port 443.
- Users have HTTPS access to the K2view Cloud Manager over port 443.


Extracting and pushing Docker images to your Container Registry

- You will need the K2view Container registry account to perform the “pull” action. This will be provided to you by your K2view representative.
- You will need access to your Container Registry to publish K2view and other Docker images.
- You must note the location of the required Docker Images posted to your Container Registry. K2view needs this information to complete your provisioning in Step 5.

4. Installation Checklist Worksheet

Use this section to gather the information you need before installing. For more information, please consult the [Prerequisites](#) section.

At various steps during the installation, you must obtain information from K2view and, in Step 5, provided information to K2view.



The following summarizes the information you and K2view require.

Assets you will need for your installation

As input to your [Terraform-based installation](#), you will need to have obtained:

- [] **Domain Ingress FQDN:** _____
Subdomain of your cluster. A DNS A record of site.domain.com will point to the load balancer IP.
- [] **TLS PEM certificate file:** A file
A full CA chain certificate for the Domain Ingress (e.g., fullchain.pem of site.domain.com)
- [] **Associated TLS PEM Private Key:** A file

You have confirmed Internet connectivity to specific locations

Certain functions require HTTPS access:

- [] **K2view Agent** – makes outbound REST calls to <https://cloud.k2view.com> (port 443) to obtain deployment and configuration instructions via the K2cloud Orchestrator's Mailbox service.
- [] **<https://share.cloud.k2view.com>** (port 443) to fetch K2view Fabric, Web Studio and k2-agent images.
- [] **<https://github.com>** (port 443) to pull K2view blueprints and deployment Helm charts.
- [] You may need to whitelist specific data sources/targets and open HTTPS ports as required to meet your needs.

Please share with K2view – Required for Step 2

Please share this with your K2view representative for this information.

[] K2view Admin user:

○ Name: _____

○ Email address: _____

○ Phone number with country code included: _____

Please request a K2view Container registry Account – Required for Step 3

Please request that your K2view representative provide you with an account for the **K2view Container registry**. This account is a shared account intended for your entire organization.

Shared by K2view – Required for Step 3

Once the above is shared with your K2view representative you will be provided the following information.

[] K2view Cloud Mailbox ID provided to you by K2view: _____

[] K2view Container registry Account supplied by K2view: _____

[] List of Docker images to pull from the Container registry:

Recommended by K2view. Please consult with your K2view representative for this information.

After completing Step 4—the image population of your Container Registry—and before creating your K2view Project and your first Space, you must provide the following to K2view.

[] List of Docker images you pushed to your Container Registry:

Please share this information with your K2view representative. After you have populated your container registry, this list of locations must be shared with your representative K2view.

[] Domain Name of your Ingress Controller: _____

It can be shared with K2view before the installation if you have selected the domain

[] Cloud Provider: _____

This information will help K2view better understand your deployment.

[] A site name and purpose: _____

This optional information such as POT, DEV, NPRD, PROD will be used by K2view to differentiate your first site better from others you might create in the future

K2view Project Creation Step – Required for Step 6

You will need the following information to create your project in Step 6.

[] Git Repository URL: _____

[] Git token (do not share): _____

[] Git Branch / Tag: _____

5. Instructions Summary

5.1. GCP Privileges

The following GCP permissions are required for the deployment and operation of K2view Fabric.

5.1.1. Installation-Time Privileges (Terraform)

GCP Service	Permissions
IAM	iam.serviceAccounts.*, iam.roles.*, iam.serviceAccountKeys.*
GKE	container.*
Compute Engine (Networking & Load Balancing)	compute.*
DNS	dns.*
Storage	storage.* (if bucket management via Terraform)
Resource Manager	resourcemanager.*

Note: The default GCP Project Owner role includes all necessary permissions for initial provisioning.

5.1.2. Helm Agent Installer Permissions (Kubernetes)

The user deploying the Helm chart requires the ability to:

- Create namespaces (k2view-agent)
- Create ServiceAccounts and RBAC Roles/Bindings
- Create Deployments, Jobs, Secrets, ConfigMaps
- Manage Kubernetes API objects in the agent namespace

Typically, cluster-admin role is granted for agent installation.

5.1.3. Runtime Privileges (Fabric Spaces)

For ongoing Fabric operation:

- Runtime Service Accounts are provisioned per Fabric Space via Workload Identity Federation.
- These Service Accounts are granted permissions on:
 - Cloud SQL
 - Google Storage (GCS)
 - Pub/Sub (if applicable)
 - Google Secret Manager

The IAM permissions for these runtime roles are generated automatically during Space creation, based on Space Profile.

5.2. Runtime IAM Policy Examples

Below are sample permissions typically granted to Fabric runtime Service Accounts:

5.2.1 Cloud SQL (Postgres)

- roles/cloudsql.client
- roles/cloudsql.instanceUser
- roles/cloudsql.admin (optional)

5.2.2 Google Storage (GCS)

- roles/storage.admin
- roles/storage.objectAdmin
- roles/storage.objectCreator

5.2.3 Secret Manager

- roles/secretmanager.secretAccessor
- roles/secretmanager.admin (optional)

5.2.4 Pub/Sub (optional feature use)

- roles/pubsub.publisher
- roles/pubsub.subscriber
- roles/pubsub.editor

5.2.5 Logging and Monitoring (optional)

- roles/logging.logWriter
- roles/monitoring.metricWriter

5.2.6 Service Account Token Creation (for Workload Identity)

- roles/iam.serviceAccountTokenCreator

Note: These roles are granted per Fabric Space during runtime orchestration.

5.3. Cloning the K2view Blueprints

After installing a Git client on your machine, you must “clone” the K2view Blueprints. The blueprints incorporate the Fabric Docker Compose Runtime blueprint.

Select a directory to host the K2view Blueprints (Internet access required). Using a shell, change to your Git directory and run the following command:

```
git clone https://github.com/k2view/blueprints.git
```

5.4. Configuring Your Deployment

Various configurable settings are available when using K2view's [GKE Blueprint and Terraform](#). Some of these are noted here. Please review the [Terraform variables file](#) to see a full list of configurable values. K2view can provide you with assistance in configuring your environment.

Notable settings include the following:


- Project ID. The project ID to host the network in.
- Region. The GCP Region of the cluster.
- Machine Type: The GCP VM type for cluster workers.
- Domain. The domain name of the Ingress Controller.
- Cluster Name. The name of your cluster.
- Min/Max/Desired Workers. Values associated with worker nodes you intend to employ for auto-scaling.
- Ingress Creation. Whether to deploy and Nginx Ingress Controller.
- Mailbox ID. The Mailbox ID will be provided to you by K2view.

Network Configuration

The configurable values of the [Terraform variables file](#) can also be used to configure various settings. Default values are provided. If you have specific needs, please review this configuration file where you will find these.

Other parameters are specified and should be consulted.

5.5. Populating Your Container Registry



To populate your Container Repository, you will need

1. K2view Container registry Account supplied to you by K2view
2. Obtained the list of Docker images to pull from the Container registry and push to in consultation with K2view
3. Docker installed on the computer used to pull and push Docker images to your ACR

The [Planning](#) section describes what is necessary to be ready to perform this step.

5.5.1. Commands to Pull Containers from the K2view Container registry

The list of K2view service Docker images will be discussed and recommended to you in consultation with your K2view representative.

For these instructions we will “pull” from the K2view Container registry three images of a specific version: fabric-studio, fabric, and the k2-cloud-deployer Docker images.

Docker tools need to be installed on the computer you are performing this installation. You can download these from <https://docker.com>.

First Login

Command:

```
docker login -u [your K2view Container registry username]
https://docker.share.cloud.k2view.com
```

Second, pull the required images. In this example, we pull three.

Commands: In succession, please run the following three commands. Keep in mind that the version and docker images needed may differ.

```
docker pull docker.share.cloud.k2view.com/k2view-images/fabric-studio:8.3.0_291
docker pull docker.share.cloud.k2view.com/k2view-images/fabric:8.3.0_291
docker pull docker.share.cloud.k2view.com/k2view/k2-cloud-deployer:1.8.14
```

5.5.2. Commands to Push Containers to your Container Registry

Now that you have “pulled” images from the K2view Container registry, you can “push” these to your container registry.

First, obtain the credentials required to perform a Docker Push to your container registry.

Second, perform the Docker Push to your container registry.

Use the Docker login command to login to your container registry

```
docker login -u [your username] [the Container Registry Login server]
```

Third, tag each image you pulled from the K2view Container registry

Tags are used for version control. Tagging Docker images allows you to maintain different versions of the same application, making it easier to roll back to a previous version if needed. This can be especially useful in cases where a new release introduces a bug or breaks compatibility with other components.

In our example, we used the following three commands, respectively, for the fabric-studio, fabric, and k2-cloud-deployer Docker images. Note that the [registry] value is the name used in our example; you will need to use the one associated with your container registry.

```
docker tag docker.share.cloud.k2view.com/k2view-images/fabric-studio:8.3.0_291  
[registry]/k2view-images/fabric-studio:8.3.0_291
```

```
docker tag docker.share.cloud.k2view.com/k2view-images/fabric:8.3.0_291  
[registry]/k2view-images/fabric:8.3.0_291
```

```
docker tag docker.share.cloud.k2view.com/k2view/k2-cloud-deployer:1.8.14  
[registry]/k2view/k2-cloud-deployer:1.8.14
```

Fourth, push images to your container registry

Next, you need to push the Docker images you pulled from the K2view Container registry to your container registry using the command:

```
docker push [image location]
```

In our example, we used:

```
docker push [registry]/k2view-images/fabric-studio:8.3.0_291
```

```
docker push [registry]/k2view-images/fabric:8.3.0_291
```

```
docker push [registry]/k2view/k2-cloud-deployer:1.8.14
```


Fifth, please provide the locations you used to K2view

K2view needs these container registry locations of your images to finalize your site's configuration. Please note that you will share these locations with K2view as described in the [Installation Checklist Worksheet](#) section.

5.6. Sign In to K2cloud

To sign in, access cloud.k2view.com using Chrome, Microsoft Edge, or Firefox web browsers.


When prompted to sign in, enter your email address. This account needs to have been provisioned for you by K2view. Please refer to the [Prerequisites](#) section.



If provisioned by K2view, you will receive an access code via email you will then enter in the prompt window that is shown when you press Next.

You will be directed to the Spaces page, where you will eventually create spaces. First, you need to create a project.

5.7. Create the Project



You create a project by selecting the Projects top-level navigation tab and pressing “Create Project”. A project requires a name and an associated Git repository. You must provide Git-related information to create a project. To learn more about Git and how to obtain the Repository URL you will use, a branch, and your token, please review the [GitHub](#) section.


The Fabric spaces you implement are based on a “Space Profile”. You can configure more than one Space Profile per Project. If you need assistance, a K2view representative will assist you. Some of this information will have been shared with you during the [Planning](#) phase.

To create a Space Profile, you need to:

- Give it a name that will have significance to your users
- Select an Image Profile identified in consultation with K2view, and
- Define the site where this space will operate within. K2view will help you define this list.


Creating a Project

After pressing Create Project, an empty project will be created.




Provide the project with a name and select your space profiles. Again, K2view will have provided this.


You also need to provide the details of your Git source control system.



For example, you can obtain the URL from your Git repository, as shown here in our example.



And, finally, please select the site created from the site's dropdown.



The screenshot shows the K2view cloud interface with the 'Projects' tab selected. The top navigation bar includes 'Spaces' and 'Projects' links. The main content area displays a table of projects with columns: Name, Source, Created at, Created by, Last modified, and Actions. A project named 'acmK2view360' is highlighted. Below the table, a form is open for editing the project. The form includes fields for Name, Source Type (GitHub), Repository URL, Path, Branch / Tag, and Token. A 'Space Profiles' section is also visible, showing a table with columns: Name, Profiles, and Site. The 'Profiles' dropdown is open, showing 'Studio-8.1.0' and 'acm-k2view - acm' as options.

Name	Source	Created at	Created by	Last modified	Actions
acmK2view360	https://github.com/luccllement/k2view360.git	10/25/24 8:54:40 AM	luc.clement@k2view.com	10/25/24 8:54:40 AM	

Project Configuration Form:


- Name ***: acmK2view360
- Source Type ***: GitHub
- Repository URL ***: https://github.com/luccllement/k2view360.git
- Path**: Path
- Branch / Tag**: main
- Token ***:

Space Profiles *

Name	Profiles	Site
Studio-8.1.0	Studio-8.1.0	Select...

Dropdown options for Site: acm-k2view - acm

5.8. Creating Your First Fabric Space



After your Project is created, you can create a Fabric Space. Here, we show an example of an existing space and a new space being defined.

To create a space

- Give it a name,
- Select the project you created,
- Select your intended profile, one recommended by K2view given your intended purpose, and
- Select site.

If you need to install a K2view extension such as TDM, you must go to your space and install the extension from K2exchange.

When ready, press Create to trigger the space's creation.

The screenshot shows the K2cloud interface with the 'Spaces' tab selected. A 'New Space' modal is displayed with the following details:

- Space Name ***: acmK2view360
- Project ***: acmK2view360
- Profile ***: Studio-8.1.0
- Site ***: acm-k2view - acm

Buttons for 'Cancel' and 'Create' are at the bottom of the modal. The background shows a list of existing spaces and a 'Create Space +' button.

The Space creation process begins and may take a few minutes to complete.

The screenshot shows the K2view Spaces dashboard. At the top, there's a navigation bar with 'k2 cloud', 'Spaces', and 'Projects'. Below this, the 'Spaces' section has a header with 'Show My Spaces' (selected), 'Show All Spaces', 'Create Space +', 'Refresh', and 'Auto Refresh' (checked). The main content area displays a space named 'acmk2view360' in a 'Creating' state. The space details include:

- Project:** acmk2view360 (main)
- Profile:** Studio-8.1.0
- Site:** acm-k2view
- Modules:** Fabric, Studio
- Created By:** luc.clement
- Creation Date:** 10/25/24 8:59:53 AM
- Status Change:** 10/25/24 8:59:55 AM
- Last Deployment:** N/A

Performance metrics are shown in two charts:

- mDB Reads & Writes:** mDB Reads (0-200), mDB Writes (0-200). Both are N/A.
- API Calls:** Count (Overall) (0-200), Errors (0-200). Both are N/A.

A large 'Create Space' button is visible on the right side of the dashboard. A 'Help Center' button is located at the bottom right.

Once complete your site is displayed to you.

The screenshot shows the K2view Spaces dashboard after the space has been successfully created. The space 'acmk2view360' is now in a ready state, indicated by a blue header bar. The details and performance metrics remain the same as in the previous screenshot. The 'Create Space' button is still present, and the 'Help Center' button is at the bottom right.

You have successfully created your Project and Space and are ready to begin working with K2view.