Status	Finished
Started	Sunday, 18 October 2026, 8:57 AM
Completed	Sunday, 18 October 2026, 9:05 AM
Duration	7 mins 32 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. Error

b. (1,2,3,3,2,1)

c. (1,2,3,4,5,6) ✓

d. (1,2,3)(4,5,6)

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,ii

c. i,iii ✓

d. iii,iv

Question **3**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['8', '30', '3', '2'] ✓

b. ['30', '8', '3', '2']

c. ['2', '3', '8', '30']

d. ['2', '3', '30', '8']

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. It will throw an error as there are two 0 while creating the set.

c. {9}

d. {0,9} ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl= (5,2,7,0,3)?

a. tupl.append(2)

b. tupl[1]=2

c. tupl1=tupl+tupl ✓

d. tupl.sort()

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, 50, 20, 60, 30}

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, '10', 50, 20, 60, 30} ✓

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

b. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

c. Name Error

d. TypeError: update() doesn't allow list as a argument.

Question **8**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11,3,11,11,3,11,11,11,3)

b. (11,3)(11,3)(11,3)

c. (11, 3, 11, 3, 11, 3) ✓

d. [11,11,11,3,3,3]

Question **9**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. False

b. True ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,1}

b. {3} ✓

c. {}

d. {2,5,3,1}

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. False
True

c. True
False

d. True ✓
True

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40)

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50)(40, 50, 60, 70, 80)

d. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓

True

True

b. True

True

False

c. False

False

False

d. False

True

True

Question **14**

Correct

Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2.

b. A new set will be created with the elements of both set1 and set2 ✓

c. Elements of set1 will get appended to set2

d. Elements of set2 will get appended to set1

Question **15**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain both integers and strings as its elements. ✓

d. In Python, a tuple can contain either string or integer but not both at a time.