

Dezzy Magazine — Plugin Guide

An illustrated, screenshot-by-screenshot reference for the Dezzy Magazine Figma plugin.

Dezzy Magazine automates luxury single-property magazines. You **tag** each placeholder in a template once (which text box is the price, which frame is a kitchen photo), then fill the whole issue from a form and a folder of photos and **Apply** — the plugin pours text and images into every tagged spot in one undoable step. Because tags live on the layers, you tag the template once and every future listing is a duplicate.

The plugin has five tabs, used roughly left to right: **Tag** • **Content** • **Photos** • **Apply** • **Bulk**. The workflow is two phases — **Part A: tag the template** (done once) and **Part B: build a listing** (repeated per property).

Every image in this document is a labelled screenshot of the plugin's own interface, reconstructed faithfully from the plugin source. Each figure is referenced directly by the explanation next to it.

Part A — Tag the template (do once per template)

Figure 1. Bulk tab — Auto-number photo slots




Figure 1 — Bulk tab — Auto-number photo slots.

On the Bulk tab, **Auto-number photo slots** walks the page frames in reading order (Cover_Outside, Insert Page 1, and so on), finds every placeholder rectangle, and tags them photo.slot.001, photo.slot.002, and so on. Two matching boxes across facing pages are detected as a spread and share one number.

In this screenshot (Figure 1): The Bulk tab's Auto-number tool row, with the blue-outlined **Number** button highlighted and a cursor about to click it.

Figure 2. Bulk tab — Scan layer names




Figure 2 — Bulk tab — Scan layer names.

On the Bulk tab, **Scan layer names** converts naming conventions into tags in one pass: a text layer named price / description / feature1 / caption.1.body becomes the matching field, and any layer named #something becomes a custom tag. It is idempotent, so already-tagged layers are skipped.

In this screenshot (Figure 2): The Bulk tab's Scan tool row with the **Scan** button highlighted and a cursor on it.

Figure 3. Tag tab — category photo slots




Figure 3 — Tag tab — category photo slots.

Category slots are what make a kitchen photo land in a kitchen frame automatically. Name a frame Master Bath 2 and the scan tags it photo.masterbath.02, or on the Tag tab open the **Photos (image)** picker and choose a “Kitchen slot (next #)” entry, which auto-picks the next free number.

In this screenshot (Figure 3): The Tag tab's Photos (image) picker set to “Kitchen slot (next #)”, highlighted, with the Assign button beside it.

Figure 4. Tag tab — assign a field by hand




Figure 4 — Tag tab — assign a field by hand.

Select a layer (or several) on the canvas, then use the picker that fits: **Content (text)** for text fields, or **Photos (image)** for photo slots. Each picker has its own Assign button, so the tag type is never ambiguous. Here the selected Price layer is being tagged as the price field.

In this screenshot (Figure 4): The Tag tab's Selection card: a selected “Price · Display” layer shown with a purple text chip, the Content picker set to “Price (price)”, and the blue **Assign** button highlighted.

Figure 5. Tag tab — couple spread & alignment




Figure 5 — Tag tab — couple spread & alignment.

When one image bleeds across two facing frames, select both boxes and click **Couple 2 as spread** — they share one photo and pin to opposite edges, reading as one continuous picture with no seam. Any image tag can also pin its crop with the **Align** toggle: ◀ Left, Center, Right ▶.

In this screenshot (Figure 5): The Tag tab's Spread & alignment controls: the highlighted “Couple 2 as spread” button above the Align toggle (Left / Center / Right), with Center active.

Figure 6. Tag tab — lock a layer




Figure 6 — Tag tab — lock a layer.

Under **Locks** in the Tag picker, mark permanent artwork with `photo.locked` and boilerplate or disclaimers with `text.locked`. Locked layers are skipped everywhere and reported as “N locked” rather than flagged empty, so the plugin never overwrites them.

In this screenshot (Figure 6): The Tag tab's Photos picker showing the highlighted “🔒 Locked — keep current image” option, with a line noting “3 locked containers — kept as-is.”

Figure 7. Tag tab — the Tag index





Figure 7 — Tag tab — the Tag index.

The **Tag index** card lists every field and how many layers carry it (img / txt chips, the field name, and a ×count). Click any row to select and zoom to those layers on the canvas — the fastest way to confirm you tagged the right box. Rebuild index rennumbers category slots by layer order.

In this screenshot (Figure 7): The Tag index list with a highlighted “price” row and a cursor on it; image rows like `photo.kitchen.01` show a `x2 ⇄` spread marker.

Part B — Build a listing (repeat per property)

Figure 8. Content tab — enter listing details



The screenshot shows a web form titled "CONTENT TAB · PROPERTY". It contains two input fields. The first field is labeled "Price" and has a green "x1" icon to its right; it contains the text "\$4,750,000". The second field is labeled "Tagline" and has a grey "untagged" icon to its right; it contains the text "Modern Mountain Living...". The "Tagline" field is highlighted with a thick pink border.

Figure 8 — Content tab — enter listing details.

On the Content tab you fill the form (Property, Features, Agent, Captions). Values autosave into the file as you type. Each field shows how many layers carry it; **untagged** means a value there won't land anywhere — a sign you missed a tag back in Part A.

In this screenshot (Figure 8): The Content form's Property fields: "Price x1" filled in, and a "Tagline" field flagged **untagged** and highlighted.

Figure 9. Photos tab — upload the shoot




Figure 9 — Photos tab — upload the shoot.

On the Photos tab, drag-and-drop the whole shoot at once. Full print resolution is preserved (images are only downscaled past Figma's 4096px hard limit), and photos are processed one at a time so peak memory stays at about one image no matter how large the batch.

In this screenshot (Figure 9): The Photos tab's upload dropzone, highlighted in magenta as if a drag is in progress, with a cursor over it.

Figure 10. Photos tab — auto-assign photos




Figure 10 — Photos tab — auto-assign photos.

Click **Auto-assign by filename order** and the plugin reads each filename: master-bath-2.jpg goes to a master-bath slot, Kitchen2.jpg to a kitchen slot; anything unrecognized flows into generic numbered slots. Then adjust any individual slot with its dropdown.

In this screenshot (Figure 10): The Photos tab's Slots card: the highlighted “Auto-assign by filename order” button above slot rows mapping photo.kitchen.01 and photo.master.01 to filenames.

Figure 11. Apply tab — dry run preview




Figure 11 — Apply tab — dry run preview.

On the Apply tab, **Dry run** shows instantly and with no canvas changes: how many text layers will update, which tagged fields are still empty, and which values have nowhere to go. Click any row to select those layers. Check magazine goes deeper and flags spread drift.

In this screenshot (Figure 11): The Dry run card: “42 text layers will update across 18 fields”, a green **ready** row, and a highlighted grey **empty** row for caption.5.body.

Figure 12. Apply tab — apply everything




Figure 12 — Apply tab — apply everything.

Apply all text pours text into every tagged layer; **Apply photos** cover-fits each assigned photo, renders coupled spreads seamlessly, and fills any unassigned slot solid magenta so empty placeholders are obvious. Each apply is a single Undo step and can be cancelled mid-run.

In this screenshot (Figure 12): The Apply card: the highlighted “Apply everything (18 fields + 12 photo slots)” button above the “Apply all text” and “Apply photos” buttons.

Newer features (recently added)

Capabilities added since the first release — all in the tabs you already know.

Figure 13. Tag tab — partial text tagging (templates)




Figure 13 — Tag tab — partial text tagging (templates).

Some text layers mix fixed words with data — “Offered at \$4,750,000 · 5 bd / 4.5 ba”. On the Tag tab, expand **Tag part of this text (template)**, highlight just the part that changes, pick a Content field, and click **Wrap selection** — it becomes a `{{field}}` token while the rest stays literal. One layer can hold several tokens.

In this screenshot (Figure 13): The template editor: a text box reading “Offered at `{{price}}` · `{{bedrooms}}` bd / `{{bathrooms}}` ba”, with a highlighted “Wrap selection as `{{price}}`” button and a “Save template” button.

Figure 14. Bulk tab — rename layers to tags




Figure 14 — Bulk tab — rename layers to tags.

Rename layers to tags (Bulk tab) renames every tagged layer to its tag — price, photo.kitchen.01, and so on — so the Figma layers panel mirrors your tagging and is easy to scan. Layers inside component instances inherit the main component's name and are left alone.

In this screenshot (Figure 14): The Bulk tab's “Rename layers to tags” tool row (pencil icon) with the highlighted **Rename** button and a cursor on it.

Figure 15. Apply from the Content & Photos tabs




Figure 15 — Apply from the Content & Photos tabs.

You no longer have to switch to the Apply tab to commit. The **Content** tab now has an **Apply all content** button and the **Photos** tab an **Apply photos** button, each pinned at the bottom with its own progress bar. The Apply tab still holds the dry run, magazine check, and per-group applies.

In this screenshot (Figure 15): A pinned action bar at the bottom of the Content tab with a highlighted full-width “Apply all content” button.

Full-tab reference panels

These are complete screenshots of each tab, for orientation.

Figure 16. Full reference — Bulk tab




Figure 16 — Full reference — Bulk tab.

The complete Bulk tab: the Tagging tools (Scan layer names, Auto-number photo slots, Retag containers from images) and the Save state tools (Download / Upload a .zip that bundles field values, assignments, and images).

In this screenshot (Figure 16): The whole Bulk tab panel, showing both the Tagging and Save state tool groups with their action buttons.

Figure 17. Full reference — Tag tab




Figure 17 — Full reference — Tag tab.

The complete Tag tab: the Selection card (with Content and Photos pickers, the Couple/Align controls) and the Tag index card (Rebuild index, Clear all tags, and the list of every tagged field).

In this screenshot (Figure 17): The whole Tag tab panel, showing a two-layer selection, both assign pickers, the spread/align controls, and the tag index.

Figure 18. Full reference — Content tab




Figure 18 — Full reference — Content tab.

The complete Content tab: the Download / Import CSV buttons on top, then the schema-driven form of Property, Features, Agent, and Caption fields, each with its live tag count.

In this screenshot (Figure 18): The whole Content tab panel, showing the CSV buttons and Property fields with ×1 tag counts and one untagged field.

Figure 19. Full reference — Photos tab




Figure 19 — Full reference — Photos tab.

The complete Photos tab: the upload dropzone, the Slots card (Auto-assign, per-slot dropdowns, Apply photos), and the photo Library gallery with thumbnails and slot badges.

In this screenshot (Figure 19): The whole Photos tab panel, showing the dropzone, slot assignments, and a thumbnail gallery with a kitchen.01 badge.

Figure 20. Full reference — Apply tab




Figure 20 — Full reference — Apply tab.

The complete Apply tab: the Magazine check summary, the Dry run report of ready vs empty fields, and the Apply buttons (Apply everything, Apply all text, Apply photos).

In this screenshot (Figure 20): The whole Apply tab panel, showing the check summary, the dry-run field list, and all three apply buttons.

Troubleshooting

Symptom	Cause & fix
A value didn't show up	The field is untagged (see Figure 8) — check the count on the Content tab, then tag the layer on the Tag tab (Figure 4).

A frame came out solid magenta	Its slot was unassigned — pick a photo on the Photos tab (Figure 10) and re-apply.
Some text didn't apply	The layer is text-locked (Figure 6), or its font is missing (check the apply report).
A spread has a visible seam	Spread drift — the two halves changed size. Run Check magazine, then use “Align spread fills”.
A thumbnail is blank	The photo was lost before the image vault existed — re-upload the same file and it re-links automatically.
Gallery looks empty on reopen	Normal — thumbnails rebuild themselves as the plugin pulls image bytes back from Figma.

The 30-second version

Once per template: Auto-number (Fig 1) → Scan layer names (Fig 2) → categorize & hand-tag the rest (Figs 3–6) → check the Tag index (Fig 7).

Per listing: Duplicate the template → Content form (Fig 8) → Photos upload (Fig 9) → Auto-assign (Fig 10) → Dry run (Fig 11) → Apply everything (Fig 12) → export from Figma.