

Dezzy Magazine

A product presentation — the property-magazine engine for Figma.

A luxury single-property magazine is a hundred pages of beautiful layout — and until now, every new listing meant rebuilding it by hand. Retyping the price into a dozen layers. Dragging photos into eighty frames. Fixing the spread that broke when a frame moved. Days of production work, per property, forever.

Dezzy Magazine ends that. You teach your template **once** — tagging each placeholder with what it is — and from then on, every listing is three moves: fill a form, drop in the photo shoot, click Apply. The plugin pours text and imagery into every tagged layer across the entire book in a single, undoable step.


Tag once. Pour forever.

Five tabs, one workflow: **Tag** teaches the template, **Content** and **Photos** take the listing in, **Apply** commits it, and **Bulk** holds the one-click power tools. Here it is, act by act.

Act I — Teach your template

Everything begins on the template. You teach it once — after that, it teaches every magazine that follows.


This is the Tag tab



The Tag tab: the selection pickers, the spread and alignment controls, and the tag index.

Meet the heart of the product. Select any layer on the canvas and tell Dezy what it is — the price, a kitchen photo, half of a spread. Tags are written onto the layers themselves as shared plugin data, which means they survive copy, paste, and file duplication. Set up a template once, and every future listing inherits the whole system for free. Tags on a component even propagate to every instance of it on the page — tag it once, and every copy is tagged.


One click, every page numbered



The Auto-number tool on the Bulk tab, one click from tagging every placeholder in the file.

Click **Number**, and Dezzy walks your page frames in reading order, finds every placeholder rectangle, and tags them photo.slot.001, 002, 003... all the way through the book. It even detects spreads on its own: two same-size rectangles sitting at the same canvas position on adjacent pages are recognized as one image crossing the fold, and share a single slot number.


Your layer names are already the interface



The Scan tool: naming conventions become tags in one pass.

If a text layer is named price, description, or caption.1.body, it becomes that field. Name any layer #something and it becomes a custom tag. The scan is idempotent — run it a hundred times, and layers that are already tagged are simply skipped. Good layer hygiene turns into a tagged template in one pass.


It knows what a kitchen is



The category picker: “Kitchen slot (next #)” auto-numbers itself.

This is the part we're proudest of: a tagging system that understands houses. Fifteen room categories — entry, kitchen, dining, living, master bed, master bath, secondary bed and bath, office, amenities, garage, outdoor, exterior, floor plan, interior — recognized in **both** directions: in layer names when you tag, and in photo filenames when you assign. The hierarchy has real logic in it. First match wins, and bath outranks bedroom — so “Master Bath 2” classifies as a master bath, never as a master bedroom, and a plain “bathroom” lands in secondary bath. Interior and exterior aren't categories at all — they're **pools** that draw from every room in the house, so an interior slot can show the kitchen, and photos can repeat where it makes editorial sense.


Surgical tagging, when you want it



The two pickers: Content for text, Photos for frames — each with its own Assign button.

For everything else, tagging is two clicks: select a layer, pick a field, hit **Assign**. Text and image pickers are separate, so the tag type is never ambiguous. Named slots — the cover, the hero, the agent's headshot — stay deliberately human: automation never touches them.


Tag half a sentence



The template editor: {{price}} and {{bedrooms}} tokens living inside literal text.

Real layouts mix fixed words with live data — “Offered at \$4,750,000 · 5 bd / 4.5 ba”. Highlight just the part that changes, click **Wrap selection**, and it becomes a {{field}} token while everything around it stays literal. One layer can hold any number of tokens. The sentence stays designed; the data stays data.


One photo, two pages



Couple 2 as spread: two frames on facing pages, one shared image.

Select the two halves of a spread and click **Couple 2 as spread**. From that moment they share one photo and pin to opposite edges of the image. Hold the thought — what happens to that spread at apply time is Act III's best moment.


Some things are sacred



The lock markers: this image, this text, never touched.

Brand marks, legal boilerplate, permanent artwork — mark them **Locked** and every automated pass walks around them. Locked layers are skipped by apply, ignored by retagging, and reported as “locked” instead of being nagged about as empty.


A live map of everything



The Tag index: every field, its layer count, spread markers — click a row to select them on canvas.

The Tag index is the template's table of contents: every field and how many layers carry it. Click any row and Dezzy selects and zooms to those layers on the canvas. Dead references heal themselves out of the index automatically. And when you're done — one click renames every tagged layer to its tag, so the Figma layers panel reads exactly like the system underneath it.

The layers panel, cleaned up



Rename layers to tags: the layer list becomes the tag list.

That rename lives on the Bulk tab and finishes the setup. Save the file. You will never do this part again — every listing from here on starts as a duplicate of this template, tags and all.

Act II — Feed it a listing

Template done. Now watch how little work a new property takes.

A form that talks back

The screenshot shows a design tool window titled 'Dezzy Magazine' with a close button (X) in the top right. Below the title bar is a tabbed interface with four tabs: 'Tag', 'Content' (which is selected and underlined), 'Photos', 'Apply', and 'Bulk'. Below the tabs are two buttons: 'Download CSV' and 'Import CSV'. A note states: 'Values autosave into this Figma file and stay with it when duplicated.' Below this is a section titled 'PROPERTY' containing four form fields, each with a live tag count on the right:

- Street** (x1): A text input field containing '538 Outlook Trail'.
- Price** (x1): A text input field containing '\$4,750,000'.
- Tagline** (untagged): A text input field containing 'Modern Mountain Living...'.
- Description** (x1): A text input field containing 'Perched on a private ridge in Big Sky's coveted Cascade neighborhood, 538 Outlook Trail is a study in warm contemporary design...'.

The Content tab: the listing form, with a live tag count on every field.

Duplicate the template, open the Content tab, and type. Everything autosaves into the Figma file itself, so the data travels with the design. And every field answers back: **x1** means one layer is listening; **untagged** means the value has nowhere to land yet. There's a CSV round-trip too — download the field list as a fill-in template for a coordinator, import it back, done.

You always know what will land

◆ CONTENT TAB · PROPERTY

Price x1

\$4,750,000


Tagline untagged

Modern Mountain Living...

Tag counts on the form: Price $\times 1$, and a Tagline flagged untagged.

No silent failures. The form shows you, before you ever apply, exactly which values will land and which need a tag first.


Drop in the whole shoot



The Photos tab: dropzone, slot assignments, and the photo library.

Now the photo engine. Drag the entire shoot — forty, sixty, a hundred frames — into the dropzone at once.


A pipeline built for print



The dropzone in its active state: the whole shoot, one drag.

Here's what happens under the hood. Photos are processed **one at a time**, so peak memory stays at roughly a single image no matter how big the batch. Your pixels are left untouched unless a photo exceeds Figma's hard 4096-pixel ceiling — only then is it scaled down, as JPEG at quality 90, so print fidelity survives. WebP and AVIF are converted automatically, because Figma can't ingest them. Every file is fingerprinted by content hash, so re-uploading the same shot never duplicates it. And because Figma quietly garbage-collects images nothing references yet, Dezzy maintains an invisible, locked **image vault** — a tiny off-canvas rectangle whose fills pin every library photo's bytes into the file, so an uploaded shoot can never evaporate between sessions.

Auto-assign thinks like an art director




Auto-assign by filename order: kitchen-01.jpg already routed to photo.kitchen.01.

One click, and the photo hierarchy logic goes to work in four passes. **First**, full-page slots consume the shoot in room-progression order — front porch, living room, kitchen, dining, master bed, master bath, second bed, second bath, office, amenities, garage, outdoor, exterior — the order a magazine walks a house. **Second**, filenames route to their matching category slots: master-bath-2.jpg to a master-bath frame. **Third**, the interior and exterior pools fill, preferring photos not yet used anywhere and cycling when slots outnumber photos. **Fourth**, everything left flows into the numbered slots in filename order. Name your files after rooms, and assignment is essentially finished before you touch a dropdown.

Act III — The apply moment

Everything so far was preparation. This is the payoff.


Rehearse before you commit



The Apply tab: magazine check, dry run, and the apply buttons.

Nothing writes to the canvas until you say so. The **dry run** computes instantly — how many layers will update, which fields are still empty, which values have nowhere to go — and clicking any row selects those layers. **Check magazine** goes deeper: it re-verifies every tag and even catches **spread drift**, where a spread's two halves have quietly changed size and would break the seamless fill.


Zero surprises



The dry run: 42 layers ready to update, one caption still empty.

Ready fields show green. Empty ones are called out before anything happens. The rehearsal costs nothing and touches nothing.


One click. The whole book.



Apply everything: 18 fields and 12 photo slots, one button.

Click **Apply everything** and the engine takes over: every font is deduplicated and preloaded once; the writer yields every ten layers so Figma never freezes; dead tags heal themselves; a missing font is skipped and reported, never fatal. Coupled spreads get the signature move — the image is cover-fit to the **combined** bounding box of both frames across both artboards, and each half receives its exact crop window, so the two fills tile with zero duplicated and zero missing pixels, gutter accounted for. Any slot you forgot floods solid magenta, impossible to miss. And the entire run — a hundred pages of text and imagery — is **one undo step**, cancellable mid-flight.

Apply from wherever you're standing




The pinned action bar: Apply all content, right on the Content tab.

Late tweak to a caption? The Content and Photos tabs each carry their own pinned apply button with its own progress bar. Change, apply, export — without ever leaving the tab you're in.

One more thing

A listing isn't just a file. It's data, photos, assignments, and tags — so Dezzy treats it that way.

The whole listing, in one file



The Bulk tab: the bulk tagging tools, and save state — download and upload.

Save state exports everything — every field value, every photo at full quality, every slot assignment, and every layer tag — into a single zip. Upload it into any copy of the template and the tags re-apply instantly, the photos re-import through the same deduplicating pipeline, and the assignments re-link by filename. Hand a colleague one file, and they have the entire magazine. There's even a reverse gear: **Retag containers from images** reads what's already placed on the canvas, identifies each photo by its fingerprint, and rebuilds the tags to match — with a preview before it changes anything.

Tag once. Pour forever.

That's Dezzzy Magazine. A tagging system that survives duplication. A photo pipeline that protects print quality and never runs out of memory. Assignment logic that walks a house the way a

magazine does. Spreads that tile to the pixel. And a hundred-page apply that's one click, one undo step. Teach your template once — then duplicate, fill, drop, apply, export. Magazine done.

Field notes

If you see this	It means
A frame filled solid magenta	That photo slot was never assigned — the plugin flags it rather than hiding it. Assign a photo and apply again.
A field marked “untagged”	The value has no layer to land in yet — tag a layer for it, or wrap part of a text layer as a <code>{{field}}</code> token.
Text that didn't update	The layer is locked, or its font is missing — the apply report lists exactly what was skipped, and nothing fails silently.
“Spread drift” in the magazine check	A spread's two halves changed size; Align spread fills re-tiles them perfectly.
Blank photo thumbnails on reopen	Thumbnails rebuild automatically in seconds — and the image vault prevents the underlying photos from ever being lost.