

5.8 Release a New Version of the CD Help

The CD Help PDF is included in the build of the CD application. On the Friday before code complete (DoD) for a release, Metis Tech Docs builds an updated version of the CD Help PDF.

To get the updated CD Help PDF into the build, two things need to happen:

1. Metis Tech Docs pushes the updated CD Help PDF to the Bitbucket repository **CD-CDSI-Help**.
2. A developer triggers a build of CDSIResources.

When CDSIResources builds, it pulls in the CD Help PDF from the CD-CDSI-Help repository.

The following topics describe the tasks Metis Tech Docs performs to get the CD Help into the build:

[5.8.1 Prerequisites for Releasing the CD Help](#)

[5.8.2 Update Variables and Build the Help PDF](#)

[5.8.3 Clone the CD-CDSI-Help Repository](#)

[5.8.4 Push the CD Help PDF](#)

[5.8.5 Create a Branch for the Release](#)

5.8.1 Prerequisites for Releasing the CD Help

The following items are prerequisites:

- You have a [Bitbucket](#) account.
- You know you're Crowd user name and password. [Reset your Crowd password if necessary.](#)
- You have Git Bash installed.

- You have permission to commit directly to the Develop branch of the CD-CDSI-Help repository without a pull request.

5.8.2 Update Variables and Build the Help PDF

Before you build the PDF that you will push to the CD-CDSI-Help repo, use the following steps to update variables so that the version and date information in the PDF are correct.

1. Open the CD-Help Flare project.
2. On the **Source Control** tab, select **Pull** to ensure your local repository is up to date.
3. In the CD Flare project:
 - a. Navigate to the **Project Organizer**. Expand the **Targets** folder and double-click the target **CD-Help-PDF (Primary)**.
 - b. Select the **Variables** tab and then select **MyVariables**.
 - c. Change **UpdatedDate** to the current date.
 - d. Change the **Version** to the [version number for the current release](#).
4. Save your changes.
5. Build the target **CD-Help-PDF (Primary)**.
6. When the CD Help PDF opens:
 - a. Save the PDF as **Conservation_Desktop_Comprehensive_Users_Manual**.
 - b. Save the PDF either to your desktop or to a location you'll remember.
7. If you haven't already cloned the CD-CDSI-Help repository, continue to [Clone the CD-CDSI-Help Repository](#). If you already cloned the CD-CDSI-Help repository, go to [Push the CD Help PDF to the CD-CDSI-Help Repo](#).

5.8.3 Clone the CD-CDSI-Help Repository

Use the following steps *only* if you haven't already cloned the CD-CDSI-Help repo. If you have already cloned the CD-CDSI-Help repo, continue to [the next section](#).

1. Use Windows Explorer to create a folder called **CD-CDSI-Help**.
2. Right-click on the new **CD-CDSI-Help** folder and select **Git Bash Here**.
3. Enter the following command:

```
git clone https://bitbucket.fpac.usda.gov/scm/nrcsapps/cd-cdsi-help.git
```

Note: If cloning fails with an error that says [SSL certificate problem: self signed certificate in certificate chain](#), enter the following syntax to clone the repository:
`git -c http.sslVerify=false clone <repository-name>`

The cloning operation begins and may take several minutes to complete.

4. When the cloning operation completes, continue to the section [Push the CD Help PDF to the CD-CDSI-Help Repo](#).

5.8.4 Push the CD Help PDF

Use the following steps *only* if you cloned the CD-CDSI-Help repo previously. If you *haven't* already cloned the CD-CDSI-Help repo, use the steps in [Clone the CD-CDSI-Help Repository](#) before continuing.

1. Use Windows Explorer to navigate to your **CD-CDSI-Help** folder.
2. Right-click on your **CD-CDSI-Help** folder, and select **Open Git Bash Here**.
3. In Git Bash, enter the following command to check the status of the working directory and the staging area:

```
git status
```

4. Pull changes from the remote repository:`git pull --all`

Note: If you get an error that says [SSL certificate problem: self signed certificate in certificate chain](#), enter the following command:
`git -c http.sslVerify=false pull`

5. Use Windows Explorer to copy the CD Help PDF you saved to your desktop to your **CD-CDSI-Help** folder.

6. In Git Bash, enter the following command to check the status of the working directory and the staging area:

```
git status
```

7. Stage your files to be committed:


```
git add .
```

8. Commit your files adding a comment in quotes:

```
git commit -m "your comment here"
```

Note: The best practice is to indicate the version number and release name in your comment.

9. Use one of the following commands to push your changes to the remote repository. If you previously got an SSL certificate error, use the second option:
- `git push`
 - `git -c http.sslVerify=false push`
10. Go to the [CD-CDSI-Help repository in Bitbucket](#) and select the **Commits** icon. Confirm that the new PDF was pushed to the repository.



11. To ensure that the CD Help PDF gets into the build, contact Robert Waasbergen and ask him to kindly trigger a build of CDSIResources for Dev2.


5.8.5 Create a Branch for the Release

The last release activity is to create a branch for the release. If there is ever a need to update the help for a specific release, the branch you create will give you a way to do so.

1. Use Windows Explorer to navigate to your **cd-help** folder. Right-click on the **cd-help** folder and select **Open Git Bash Here**.


When Git Bash opens, you should see that you are on the **team-develop** branch.

Note: If you are not on the team-develop branch, use the command `git checkout team-develop` to switch to the team-develop branch. If you don't see a branch, verify that you're in the correct directory.



The screenshot shows a Git Bash terminal window titled "MINGW64; /c/My Projects/CD-Help-New/cd-help". The prompt is "Kathryn.Erickson@AFP5DE00HS42GR3 MINGW64 ~". The user has entered the command `cd /c/My\ Projects/CD-Help-New/cd-help`. The prompt now shows the current directory: "Kathryn.Erickson@AFP5DE00HS42GR3 MINGW64 /c/My Projects/CD-Help-New/cd-help". The current branch is indicated as "(team-develop)" in a yellow box.

2. In Git Bash:
 - a. Enter the following command to create a new branch for the current release:
`git checkout -b CD-Help-Vers-<#.##>-<Release-Name>`
For example, the branch for the latest release is *CD-Help-Vers-4.36-Kohlrabi*. Use the version number that you used for the **Version** variable in Flare.
 - b. Push the new branch to the repository:
`git push -u origin CD-Help-Vers-<X.YZ>-<Release-Name>`
3. Go to the [CD-Help repository in Bitbucket](#) and verify that the new branch appears.



4. Switch back to the team-develop branch:

```
git checkout team-develop
```