




Intro to the cloud-native world with Kubernetes

Lucas Käldeström - luxas labs

8th of June 2018 - Lyon

Image credit: [@ashleymcnamara](#)

\$ whoami



 **CLOUD NATIVE**
COMPUTING FOUNDATION
AMBASSADOR

Lucas Käldestrom, Upper Secondary School Student,
18 years old

**CNCF Ambassador, Certified Kubernetes
Administrator and Kubernetes SIG Lead**



Speaker at **KubeCon** in **Berlin, Austin and Copenhagen**

Kubernetes approver and subproject owner, active in
the community for ~3 years

Driving **luxas labs** which currently performs contracting
for Weaveworks

A guy that has never attended a computing class





CLOUD NATIVE COMPUTING FOUNDATION

= OPEN SOURCE CLOUD COMPUTING FOR APPLICATIONS


Database and Data Warehouse




Streaming




Source Code Management



Application Definition and Image Build



Continuous Integration / Continuous Delivery (CI/CD)



App Definition and Development


Scheduling & Orchestration



Coordination & Service Discovery



Service Management



Orchestration & Management

Cloud-Native Storage



Container Runtime




Cloud-Native Network



Runtime


Host Management / Tooling




Infrastructure Automation




Container Registries



Secure Images



Key Management




Provisioning

Public



Private



l.cncf.io

This landscape is intended as a map through the previously uncharted terrain of cloud native technologies. There are many routes to deploying a cloud native application, with CNCF Projects representing a particularly well-traveled path.

CLOUD NATIVE Landscape
CLOUD NATIVE COMPUTING FOUNDATION
Redpoint Amplify

Platforms

Certified Kubernetes - Distribution



Certified Kubernetes - Hosted




Certified Kubernetes - Installer



Non-Certified Kubernetes



PaaS/Container Service



Observability & Analysis

Monitoring



Logging



Tracing



Serverless



Kubernetes Certified Service Provider



Kubernetes Training Partner



Special



Cloud

What is CNCF?

A non-profit foundation for getting Cloud Native:

- a) open source projects
- b) companies
- c) enthusiasts

to **come together in a neutral place.**

CNCF was founded in December 2015 and is a part of **The Linux Foundation.**

CNCF curates and **promotes a toolkit of trusted projects** for modern applications.

Helps hosted **projects** to **succeed** in various ways, one of them is by **organizing events** where the community can meet in person.

Sustaining and Integrating Open Source Technologies

The Cloud Native Computing Foundation builds sustainable ecosystems and fosters a community around a constellation of high-quality projects that orchestrate containers as part of a microservices architecture.

CNCF serves as the vendor-neutral home for many of the fastest-growing projects on GitHub, including Kubernetes, Prometheus and Envoy, fostering collaboration between the industry's top developers, end users, and vendors.



23,228

of contributors to
CNCF projects



24,389

Registered for free
Kubernetes EdX
course



59

Certified
Kubernetes
Distributions and
Platforms



67,653

CNCF Meetup
members

What projects does CNCF host?

Up to date: <https://www.cncf.io/projects>

Graduated




Kubernetes

Orchestration




What projects does CNCF host?

Incubating



What projects does CNCF host?



CNCF Platinum members




From Virtualization to Cloud Native



kubernetes

- Cloud native computing uses an open source software stack to:
 - segment applications into *microservices*,
 - packaging each part into its own *container*
 - and dynamically *orchestrating* those containers to optimize resource utilization



What is the “Cloud Native” mindset?

Cloud Native computing uses an open source software stack that is:

1. Containerized
2. Dynamically orchestrated
3. Microservices oriented

There are three main keywords:

1. Speed
2. Freedom
3. Trust

Alexis Richardson, CEO of Weaveworks, gave a good [keynote](#) on this topic at KubeCon Berlin 2017



EVERYONE'S EXCITED ABOUT
KUBERNETES



Most importantly: What does “Kubernetes” mean?

Kubernetes
= Greek for “pilot” or
“helmsman of a ship”

What is Kubernetes?

= A Production-Grade Container Orchestration System

Google-grown, based on **Borg** and **Omega**, systems that run inside of Google right now and are proven to work at Google for over 10 years.

Google spawns [2 billion containers per week](#) with these systems.

Created by three Google employees initially during the **summer of 2014**; grew exponentially and became the first project to get donated to the CNCF.

Hit the first production-grade version **v1.0.1 in July 2015**.

Has continually released a new minor version every three months since *v1.2.0 in March 2016*. Lately **v1.10.0** was released in **March 2018**.

So what does Kubernetes *actually* do?

One thing: ***Abstract away the underlying hardware***. Abstract away the concept **Node**.

Principle: Manage your applications like **Cattle** (generic, bulk operations) instead of like **Pets** (every operation is customized with care and love for the individual)

Kubernetes is the ***Linux for distributed systems***.

In the same manner Linux (an OS) abstracts away the hardware differences (with different CPU types, etc.), Kubernetes abstracts away the fact that you have 5 000 nodes in the node pool and provides consistent UX and operation methods for apps

You (the admin) declares the **desired state**, Kubernetes' main task is to ***make the desired state the actual state***.




A couple of Kubernetes case stories



Kubernetes' popularity measured briefly

Google Search interest over time in the [8.6.2013-8.6.2018 timespan](#)



[Kubernetes is one of the fastest moving open source projects in history](#) (5th of June, 2017)

[Measuring the popularity of Kubernetes using BigQuery](#) (27th of February, 2017)

The Kubernetes project's incredible velocity

39 000+
users on Slack

43 000+
commits
the latest year

24 000+
edX course enrolls

5 000+
unique authors

14 000+
Kubernetes jobs

40 000+
opened
Pull Requests
the latest year

20 000+
opened issues
the latest year

~20 PRs
merges/day
in the core repo

50 000+
Kubernetes
professionals

Last updated: 8.6.2018


[Source 1](#)

[Source 2](#)

[Source 3](#)

[Source 4](#)

Kubernetes' high-level component architecture



Certified Kubernetes Conformance

- CNCF launched the software [conformance](#) program for Kubernetes
 - Implementations run conformance tests and upload results, which can be rerun by end users
 - New mark and more flexible use of Kubernetes trademark for conformant implementations
 - 40 Certified Kubernetes [Partners](#)
 - Now working on profiles (e.g., bare-metal, cloud, beta)
 - Amazon has committed to certifying EKS, which is the last of the distributions and platforms of any size
 - Great press [pickup](#)



Training and Certification

- Over 16,000 people have registered for the free Introduction to Kubernetes [course](#)
- 2,451 people have registered for the \$299 Kubernetes Fundamentals [course](#)
- 487 people have already enrolled to take the CKA [exam](#)
- 23 companies are [Kubernetes Certified Service Providers](#)



Fresh docs on how to extend Kubernetes

Brand new docs on how to extend Kubernetes

Kubernetes has *many* extension mechanisms:

- [API Aggregation](#) (beta)
- [kubectI plugins](#) (alpha)
- [CustomResourceDefinitions](#), [Example intro](#) (beta)
- [Container Network Interface](#) plugins (stable)
- Scheduler [webhook](#) & [multiple](#) (beta)
- [Device plugins](#) (alpha)
- [Initializers](#) & [Admission webhook](#) (beta)
- [External Cloud Provider Integrations](#) (alpha)
- API Server [authn](#) / [authz](#) webhooks (stable)
- [Container Runtime Interface](#) plugins (alpha)
- [Container Storage Interface](#) plugins (alpha)



Kelsey Hightower ✓

@kelseyhightower

Följer

Kubernetes is a platform for building platforms. It's a better place to start; not the endgame.

Översatt från engelska

23:04 - 27 nov. 2017

153 Retweetar 464 gilla-markeringar



9

153

464



Asim Aslam

@chuhnk

Följer

Kubernetes is not the end game but for those using it as their foundation it's a pretty damn good place to start. My advice, build a platform as API service extensions. I seriously see this being a huge thing over the next couple years.

Översatt från engelska

19:00 - 17 jan. 2018

5 Retweetar 17 gilla-markeringar





2

5

17





Free ebooks from The New Stack to dive into



[The State of the Kubernetes Ecosystem](#) & [Kubernetes Deployment and Security Patterns](#)

Excellent Kubernetes books



[Kubernetes: Up and Running](#) & [Cloud Native Infrastructure](#) & [Kubernetes Cookbook](#)

The core primitive: A Pod

The basic, atomically deployable unit in Kubernetes.

A [Pod](#) consists of one or many co-located containers.

The containers in a Pod share the loopback interface (localhost) and can share mounted directories.

A Pod represents *a single instance of an application*.

Each Pod has its own, uniquely assigned and internal IP.

Pods are **mortal**, which means that if the node the Pod runs on becomes unavailable, the workload also goes

```
apiVersion: v1
kind: Pod
metadata:
  name: nginx
  namespace: default
  labels:
    app: nginx
spec:
  containers:
  - image: nginx:1.13.9
    name: nginx
    ports:
    - name: http
      containerPort: 80
```

A replicated, upgradeable set of Pods: A Deployment

With a [Deployment](#), you can manage Pods in a declarative and upgradable manner.

Note the *replicas* field. Kubernetes will make sure that amount of Pods created from the template always are running.

When the Deployment is updated, Kubernetes will perform a rolling update of the Pods running in the cluster. Kubernetes will create one new Pod, and remove an old until all Pods are new.

```
apiVersion: apps/v1
kind: Deployment
metadata:
  labels:
    app: nginx
  name: nginx
spec:
  replicas: 3
  selector:
    matchLabels:
      app: nginx
```





```
template:
  metadata:
    labels:
      app: nginx
  spec:
    containers:
      - image: nginx:1.13.9-alpine
        name: nginx
        ports:
          - name: http
            containerPort: 80
```

The Pod Template

Various possible Deployment upgrade strategies

The built-in Deployment behavior

The other strategies can be implemented fairly easily by talking to the API.



Access your replicated Pods by creating a Service

A [Service](#) exposes one or many Pods via a stable, immortal, internal IP address in the cluster, a ClusterIP. The ClusterIP can be declaratively specified, or dynamically allocated.

The service is also reachable via cluster-internal DNS: `{service-name}.{namespace}.svc.cluster.local` or `nginx.default.svc.cluster.local`

The Service selects Pods based on the label key-value selectors (here `app=nginx`)

A Service can expose multiple ports.

```
apiVersion: v1
kind: Service
metadata:
  name: nginx
  namespace: default
  labels:
    app: nginx
spec:
  type: ClusterIP
  ports:
    - name: http
      port: 80
      targetPort: 80
  selector:
    app: nginx
```

The Pod Selector

Expose your Service to the world with an Ingress

A Service is by default only reachable inside of the cluster.

In order to expose the Service to the internet, you must deploy an Ingress controller, like [Traefik](#), and create an [Ingress Rule](#) 

The Ingress rule is the Kubernetes-way of mapping hostnames and paths from internet requests to cluster-internal Services.

The Ingress controller is a loadbalancer that looks at the API when creating the rules.

```
apiVersion: extensions/v1beta1
kind: Ingress
metadata:
  name: nginx
  namespace: default
  labels:
    app: nginx
spec:
  rules:
  - host: nginx.demo.kubernetesfinland.com
    http:
      paths:
      - path: /
        backend:
          serviceName: nginx
          servicePort: 80
```

The Service reference


Put all your stuff in a Namespace

A [Namespace](#) is a logical isolation method, most resources are namespace-scoped.

You can group logically similar workloads in one namespace and enforce different policies.

You can e.g. have one namespace per team, and let them play in their own virtual environment.

[Role Based Access Control \(RBAC\)](#) can be used to control what Kubernetes users can do, and what resources in what namespaces an user can access is one of the parameters to play with there.



How do I kick the tires with Kubernetes?



[Play with Kubernetes](#) right away in your browser!

Create a single-node cluster on your laptop or workstation with [minikube](#)

Create a real cluster with only a couple of commands with [kubeadm](#)

Create a production-ready cluster on AWS with [kops](#)

Create a Kubernetes cluster on GCE with [GKE](#) (Google Kubernetes Engine)

[kubicorn](#) is a Kubernetes installer project which has gained some traction

Create a cluster with kubeadm

1. Provision a Linux machine with Ubuntu, Debian, RHEL, CentOS or Fedora
2. [Install kubeadm](#):

```
curl -s https://packages.cloud.google.com/apt/doc/apt-key.gpg | apt-key add -  
echo "deb http://apt.kubernetes.io/ kubernetes-xenial main" > /etc/apt/sources.list.d/kubernetes.list  
apt-get update && apt-get install -y kubeadm docker.io
```

3. Make kubeadm set up a master node for you:

```
kubeadm init
```

4. Install a Pod Network solution from a third-party provider:

```
kubectl apply -f https://git.io/weave-kube-1.6
```


5. Repeat step 1 & 2 on an other node and join the cluster:

```
kubeadm join --token <token> <master-ip>:6443
```

A couple of core Kubernetes features...

- **Self-healing:** Restarts containers that fail, replaces and reschedules containers when nodes die, kills containers that don't respond to your user-defined health check, and doesn't advertise them to clients until they are ready to serve
- **Automatic binpacking:** Automatically places containers based on their resource requirements and other constraints, while not sacrificing availability. Mix critical and best-effort workloads in order to drive up utilization and save even more resources.
- **Horizontal scaling and autoscaling:** Scale your application up and down with a simple command, with a UI, or automatically based on CPU usage or custom metrics
- **Automated rollouts and rollbacks:** Kubernetes progressively rolls out changes to your application or its configuration, while monitoring application health to ensure it doesn't kill all your instances at the same time. If something goes wrong, Kubernetes will rollback the change for you.
- **Service Discovery and Load Balancing:** No need to modify your application to use an unfamiliar service discovery mechanism. Kubernetes gives containers their own IP addresses and a single DNS name for a set of containers, and can load-balance across them
- **Secret and configuration management:** Deploy and update secrets and application configuration without rebuilding your image and without exposing secrets in your stack configuration
- **Storage Orchestration:** Automatically mount the storage system of your choice, whether from local storage, a public cloud provider such as GCP or AWS, or a network storage system such as NFS, iSCSI, Gluster, Ceph, Cinder, or Flocker
- **Batch Execution:** In addition to services, Kubernetes can manage your batch and CI workloads, replacing containers that fail, if desired

Everything is done in SIGs (Special Interest Groups)



Special Interest Groups manage Kubernetes' various components and features.

All code in the Kubernetes Github organization should be owned by one or more SIGs; with directory-level granularity.

SIGs have regular (often weekly) video meetings where the attendees discuss design decisions, new features, bugs, testing, onboarding or whatever else that is relevant to the group. Attending these meetings is the best way to get to know the project

Next steps?



Follow the [Kubernetes blog](#), [YouTube channel](#) & [Twitter feed](#)

Do as 24 000+ others and take the [free edX "Introduction to Kubernetes" course](#)

Join 39 000+ others in the Kubernetes Slack: <http://slack.k8s.io>

Prep for and take the [Certified Kubernetes Administrator](#) or [Certified Kubernetes Application Developer](#) exam

Join a [Special Interest Group](#) and attend the weekly meetings

Kick the tires with Kubernetes on your machines with [minikube](#) or [kubeadm](#)

Check out the weekly [Kubernetes Community Meeting](#) or [Kubernetes Office Hours](#) on Zoom

An aerial photograph of the Shanghai skyline at sunset. The sun is low on the horizon, casting a warm orange and yellow glow across the sky, which is filled with scattered clouds. The city's dense collection of skyscrapers is visible, with the Oriental Pearl Tower standing out prominently in the center. The Huangpu River flows through the city, with several boats visible on its surface. The overall scene captures the vibrant energy and architectural grandeur of Shanghai during the 'golden hour' of sunset.

Join the community in Shanghai & Seattle!

Thank you!

[@luxas](#) on Github

[@kubernetesonarm](#) on Twitter

lucas@luxaslabs.com