

UNCLASSIFIED



**JOINT REQUIREMENTS
OVERSIGHT COUNCIL**


**THE JOINT STAFF
WASHINGTON, D.C. 20318-5000**

**JROCM 116-12
06 August 2012**

MEMORANDUM FOR: Distribution List

Subject: Contingency Basing Initial Capabilities Document

The Joint Capabilities Board (JCB) reviewed and approves the Contingency Basing Initial Capabilities Document and assigns a Joint Staffing Designator of "JCB Interest."


**LISA S. DISBROW
Acting JROC Secretary**

Distribution:

**Under Secretary of Defense for Acquisition, Technology and Logistics
Under Secretary of Defense for Intelligence
Under Secretary of Defense for Policy
Vice Chief of Staff, Army
Vice Chief of Naval Operations
Vice Chief of Staff, Air Force
Assistant Commandant of the Marine Corps
Commanders of the Combatant Commands
Director, Cost Assessment and Program Evaluation
Director, Operational Test and Evaluation**

UNCLASSIFIED

UNCLASSIFIED

PAGE INTENTIONALLY LEFT BLANK

UNCLASSIFIED

**Initial Capabilities Document
(ICD)
For
Contingency Basing**

Validation Authority: JCB
Approval Authority: JCB
Milestone Decision Authority (MDA): JCB
Joint Staffing Designation (JSD): JCB Interest

Sponsoring Organization:

Primary POC		Secondary POC
LTC Dean Wilt, USAR	<u>Name</u>	LTC Dan Irwin, USA
JS J4/OCSS	<u>Title/Rank</u>	JS J4/ENG
Comm. 571-256-1004	<u>Phone</u>	Comm. 703-571-9778
dean.wilt@js.pentagon.mil	<u>NIPRNET</u>	daniel.irwin@js.pentagon.mil
dean.wilt@js.smil.mil	<u>SIPRNET</u>	daniel.irwin @js.smil.mil

Date approved: 6 August 2012

UNCLASSIFIED

PAGE INTENTIONALLY LEFT BLANK

UNCLASSIFIED

Executive Summary

The National Security Strategy and National Defense Strategy are used to determine the potential for the commitment abroad of US military forces to achieve national goals. In many cases, US forces have had to remain in areas far longer than initially anticipated, resulting in the evolving of temporary locations (bivouac sites and assembly areas) into contingency locations without appropriate long-range planning and design. In every conceivable scenario, our military forces will require secure locations in which to rearm, refuel, and refit, and from which they can project power or conduct military engagement activities. While seabasing can provide these capabilities for some operations, most will require land-based locations – contingency locations – at which to assemble, employ, sustain and reconstitute forces. To provide this physical location for operations, the Joint Force will require capabilities to plan and design, construct, operate, manage, and transition-or-close contingency locations in the most effective and efficient manner.

The purpose of this Initial Capabilities Document (ICD) is to identify and prioritize the gaps and capabilities in contingency basing for the 2015-2024 timeframe. The Army's Capability Based Assessment (CBA) for Base Camps serves as the principal foundation for this ICD: it identified 195 gaps and analyzed 120 for solutions. The CBA and its findings have been endorsed by the other Services as Joint capability requirements. The ICD addresses the Doctrine, Organization, Training, Materiel, Leadership and Education, Personnel, Facilities, and Policy (DOTMLPF-P) integration challenges and seeks to provide potential solutions for capability gaps, most of which are non-materiel in nature. The principal materiel capability gaps tend to be in the nature of integration challenges between existing materiel systems across multiple user proponents, rather than individual capability gaps with single materiel system solutions. The Contingency Basing capability gaps can be categorized into 3 areas:

- Time and Location. Time-related gaps address those from the early-entry, austere-theater phase through the developed theater with long-term Combat and/or Stability Operations. Location-related gaps address climate and terrain constraints, proximity to a civilian population, proximity to construction materials, etc.
- Size and Type. Size-related capability gaps cover the range of population and geographic considerations for contingency locations while type-related gaps cover infrastructure, force protection and quality of life features.
- Integration. Integration-related gaps generally fall into areas of: Master Planning, Design and Construction; the Generation, Distribution and/or Management of Power, Water, Waste (solid and liquid), and Construction Materials; and the Transition and Closure of Bases. Integration-related challenges include synchronizing and managing design, planning and construction requirements; and synchronizing the delivery and set-up/employment of multiple-materiel systems from multiple types of military units.

Future joint Contingency Basing capabilities must be better integrated from the earliest phases of planning and design through the final phase of transition or closure. The goal is to produce timely and integrated bases that meet the evolving missions and force protection requirements of deployed forces, while continuously providing the necessary support and services for sustained operations. This ICD has been developed in collaboration with the Global Defense Posture effort so as to align the policies for “contingency” and “enduring” locations.

UNCLASSIFIED

PAGE INTENTIONALLY LEFT BLANK

Table of Contents

Executive Summary	i
Points of Contact	iv
1 Concept of Operations Summary	1
1.1 Background	1
1.2 US Army CBA	1
1.3 Purpose	1
1.4 Other JCIDS Efforts	2
1.5 Operational Outcomes	2
1.6 Capabilities to Achieve Outcomes	2
1.7 How Capabilities Complement Integrated Joint Warfighting Force	2
2 Joint Capability Areas (JCAs)	3
2.1 Applicable JCAs	3
2.2 Range of Military Operations	3
2.3 Timeframe and Justification	3
2.4 Defense Planning Scenarios	3
3 Required Capability	3
3.1 Military Objective Achieved	3
3.2 Pertinent Directive Compliance	3
3.3 Prioritized Capability Requirements	3
4 Capability Gaps and Overlaps or Redundancies	5
4.1 Attributes and Outcomes	5
4.2 Overlaps and Redundancies	5
4.3 Capability Gap Table	5
5 Threat and Operational Environment	7
5.1 Operational Environment	7
5.2 Threat Summary	7
6 Ideas for Non-Materiel Approaches (DOTMLPF-P Analysis)	7
6.1 DOTMLPF-P Analysis Summary	7
6.2 Joint DOTMLPF-P Changes Summary	8
7 Final Recommendations	9
7.1 Recommendations for Non-Materiel Approaches	9
7.2 Recommendations for Materiel Solutions	9
Appendices	
A Integrated Architecture Products	10
B References	11
C Acronym List	12
D Glossary	13

UNCLASSIFIED

Points of Contact

Service	Rank	Name	Title	Phone	Email
USA	LTC	Dean WILT	JS J4 OCSS	571-256-1004	NIPR: dean.wilt@js.pentagon.mil SIPR: dean.wilt@js.smil.mil
USA	LTC	Dan IRWIN	JS J4 ENG	703-571-9778	NIPR: daniel.irwin@js.pentagon.mil SIPR: daniel.irwin@js.smil.mil
USAF	Col	Rob HOFF	Chief, JS J4 OCSS	703-571-9803	NIPR: robert.hoff@js.pentagon.mil SIPR: robert.hoff@js.smil.mil
USAF	Col	Mike MYERS	Chief, JS J4 ENG	703-692-5034	NIPR: michael.myers@js.pentagon.mil SIPR: michael.myers@js.smil.mil

1 Concept of Operations Summary

1.1 Background

1.1.1 The National Security Strategy and National Defense Strategy are used to determine the potential for the commitment abroad of US military forces to achieve national goals. These operations will vary in size, purpose, length and combat intensity, and span the full range of military operations. They will take place under varied climatic conditions and within countries with reasonably well-developed infrastructure to those that are almost undeveloped. In many cases, US forces have had to remain in areas far longer than initially anticipated resulting in the evolving of temporary locations (bivouac sites and assembly areas) into contingency locations without appropriate long-range planning and design. In every conceivable scenario, our military forces will require secure locations in which to rearm, refuel, and refit, and from which they can project power or conduct military engagement activities. While seabasing can provide these capabilities for some operations, most will require locations on land in which to close, assemble, employ, sustain and reconstitute forces. Those locations in or near the Joint Operations Area (JOA) are contingency locations.

1.1.2 The lack of a holistic system of systems approach for contingency basing results in enormous effort without sufficient standards in planning and design, construction and deconstruction, and operations and management of contingency locations. No current systems or processes treat contingency locations as complete, integrated systems deployable to any site in any combatant commander's JOA. Contingency locations that employ comprehensive master planning and design techniques at their initial stages are far less expensive to construct, operate, manage, and/or deconstruct. Inconsistent joint and multinational force construction standards and ambiguous project scoping processes lead to higher costs, shorter materiel and system life spans, and increased maintenance requirements.

1.2 US Army Capabilities Based Assessment (CBA). The US Army conducted a CBA on Base Camps (references a-c) during 2009-11 and presented the results to the other Services at a conference on 3-4 May 2011. The CBA identified 195 gaps and analyzed 120 for solutions. At the conclusion of the conference, the representatives from the US Air Force, US Navy, and US Marine Corps endorsed the CBA and its findings as Joint capability requirements. The CBA for Base Camps serves as the principal foundation for this Contingency Basing ICD. Additional solutions for non-materiel gaps are being addressed in four draft Army DOTMLPF-P-Integrated Capabilities Recommendations (DICRs): "*Strategic Integration (Policy)*"; "*Management*"; "*Engineering*"; and "*Base Camp Sustainment*".

1.3 Purpose. This Contingency Basing ICD identifies and prioritizes the gaps and necessary capabilities for contingency locations and identifies potential solutions that provide these capabilities. The following definitions will be proposed for inclusion in Joint Publication 1-02:

- Contingency Basing. The life-cycle process of planning, designing, constructing, operating, managing, and transitioning or closing a non-enduring location supporting a combatant commander's requirements.

- Contingency Location. A non-enduring location (not on the approved DoD Enduring Locations Master List) outside of the United States that supports and sustains operations during named and unnamed contingencies or other operations as directed by appropriate authority and is categorized by mission life-cycle requirements as initial, temporary, or semi-permanent.

1.4 Other Joint Capability Integration and Development System (JCIDS) Efforts. The ICD reinforces and expands upon the capability gaps identified in previously approved JCIDS documents (references d-f). It also identifies and prioritizes capability gaps taken from more recent sources (references g-j).

1.5 Operational Outcomes. The key operational outcome is to provide the Joint Forces, operating in a Joint, Interagency, Intergovernmental, and Multinational (JIIM) environment at all levels, contingency locations that can enable force projection and application.

1.6 Capabilities to Achieve Outcomes. To provide this physical location for force application, the Joint Force will require capabilities to plan and design, construct, operate, manage, and transition or close contingency locations in the most effective and efficient manner. These capabilities must support the operational mission in the most effective, efficient, and sustainable manner. They also must be approached in a manner that capitalizes on their interdependence in order to provide the combatant commander the following force multiplying effects:

- Reduced threat opportunities for attacks due to smaller logistics footprints while still supporting the same level of operational capabilities and readiness.
- Increased flexibility in base operations support through improved standardized designs that are modular, scalable, and adaptable, and are interoperable between the Services.
- Decreased construction and deconstruction requirements (time, material, equipment, manpower).
- Improved operations management (power, water, and waste) that reduce military, civilian, or contractor oversight and support.
- Improved design of major utility backbones that support operational agility because they are designed for maximum occupancy and duration, or are extensible as plans change.
- Improved safety and occupational health elements for all aspects of contingency location life-cycle to prevent and minimize casualties, damage to property, and minimize risks of acute or chronic illness or disabilities.
- Improved security and protection (including chemical, biological, radiological, and nuclear (CBRN)) that reduces diversion of manpower and other resources from operational missions.

1.7 How Capabilities Complement Integrated Joint Warfighting Forces. Improved master planning and design, prioritized and synchronized construction efforts, and more efficient operations and management will provide the Joint Force with a Contingency Basing capability that is versatile and responsive to a Combatant Commander's needs. The development of an

integrated systems approach to contingency basing by the Services will increase a Joint Force Commander's (JFC's) operational flexibility and decrease overall resource requirements.

2 Joint Capability Areas

2.1 Applicable Joint Capability Areas (JCAs). Contingency basing capabilities span multiple JCAs but the majority of the capabilities addressed in this ICD fall under the Logistics Joint Capability Area 4. To achieve the desired objective of an integrated set of capabilities for contingency basing, elements must be drawn from the other JCAs of Force Support, Battlespace Awareness, Logistics, Command and Control, Net-Centric, Protection, Corporate Management and Support.

2.2 Range of Military Operations (ROMO). Contingency locations are essential to support the full ROMO. They are and will be developed to support JIIM partners as per combatant commander requirements. The scope of contingency locations is not limited to any specific echelon, nor limited to any size of unit or activity during operations. Actions pertaining to the contingency location life cycle are handled at every echelon from policy decisions at the Joint level down to execution tasks conducted by Service and Special Operations Force units.

2.3 Timeframe and Justification. Joint capabilities are required to support the lifecycle management of contingency locations during the 2015-2024 timeframe. Justification for the required capabilities described in this ICD are contained in numerous lessons learned and after actions reports based on operations in Iraq, Afghanistan, and in the Balkans.

2.4 Defense Planning Scenarios. This ICD is applicable to full range of Defense Planning Scenarios.

3 Required Capability. Commanders at all levels of operations require the capability to protect, support, and sustain forces in order to accomplish their assigned missions in a JIIM environment across the full ROMO. Contingency basing is comprised of enabling governance and the integrated processes and resources to plan and design, construct, operate, manage, and transition or close a site in the most effective and efficient manner.

3.1 Military Objective Achieved. Effective and efficient contingency basing facilitates force projection and application which enables the JFC's scheme of maneuver.

3.2 Pertinent Directive Compliance. A number of Executive Orders, Department of Defense Directives (DoDDs), DoD Instructions (DoDIs), Joint Directives, and Service and Combatant Commander regulations address aspects of contingency basing.

3.3 Prioritized Capability Requirements. The six capabilities listed below in prioritized order represent the logical groupings of 254 contingency basing tasks and associated 195 capability gaps as analyzed by the Army's Base Camp CBA:

3.3.1 Strategic Synchronization and Policy Integration. The Joint Force requires the capability to integrate contingency location efforts at the national and strategic levels as a holistic system to provide consistent policy and doctrine, comprehensive training, integrated

command and control (C2), and coordinated resource support of contingency locations in contingency operations.

3.3.2 Planning and Design. The Joint Force requires the capability to develop master plans and design facilities for contingency locations. Planning actions maintain flexibility in designs, scalability, sustainability, and adaptability to support environmental or operational changes that could impact the mission of the contingency location. Design of component systems (life support areas, quality of life (QoL) facilities, dining facilities, storage areas, security systems, communications, utilities, etc.) takes into account their impact on the other systems, environment, and occupants within the base. Power demands, water demands, waste generation, food/water vulnerabilities, and personnel requirements, which all add additional resource and logistics requirements, are recognized and taken into account as part of the planning and design process ensuring optimized use of limited resources.

3.3.3 Construction. The Joint Force requires the capability to contract for and construct contingency locations. Contingency location construction units must be capable of interoperability with construction units from other Services and coalition partners/allies to gain and maximize efficiencies through interdependencies. Construction methods, techniques and equipment must reflect mission requirements, the operational environment, and the availability of materials locally when related component systems, plans, designs and standard operating procedures are implemented. Equipment capabilities necessary for base construction reflect the requirements of modular and scalable components that are adaptable to alternative construction techniques and allow responsiveness to the operational situation. The Joint Force requires access to versatile, multi-use construction materials, and locally procured/regional materials as well as organic structures to construct contingency locations.

3.3.4 Operations. The Joint Force requires the capability to operate contingency locations in support of operating forces. Contingency location operations staffs must provide protection, supply, field, base camp, and personnel support services. They are further required to manage real property and be capable of maintaining and upgrading base camp infrastructure to address changes in mission. Personnel are trained to operate contingency locations at all echelons with clearly defined roles and responsibilities. Key base functions (operations centers, emergency services, etc.) are supported with interoperable, deployable and maintainable systems. A Service or Agency is designated a lead with support from tenant Services/Agencies/units.

3.3.5 Management. The Joint Force requires the capability to manage and integrate contingency location operations in a manner that utilizes resources efficiently, reduces financial costs, reduces manpower requirements, reduces overall base logistics requirements, protects the environment and health of personnel, and improves base QoL. Contingency location operations staffs have clear lines of authority and chain of command, are flexible, scalable, and tailorable to address changes in mission (type, scope, support level, etc.).

3.3.6 Transition/Closure. The Joint Force requires the capability to transition/close contingency locations. Contingency locations are transitioned or closed according to applicable guidance and agreements with all stakeholders. Transitioning the responsibility for overall base management to an operational partner or back to the host nation is done in accordance with a

codified process and procedures. Combatant commands may transition base status from contingency to enduring in accordance with a codified process and procedures. Base records and historical documents are archived and maintained according to guidance and policy that ensure areas such as environmental compliance and long-term funding issues are addressed. Combatant commands close contingency locations with consideration for all environmental and cultural issues.

4 Capability Gaps and Overlaps or Redundancies. Commanders at all levels of operations lack sufficient and proficient capability to protect, support, and sustain forces in order to accomplish their assigned missions in a JIIM environment across the full ROMO. Contingency basing is comprised of enabling governance and the integrated processes and resources to plan and design, construct, operate, manage, and transition or close a site in the most effective and efficient manner. The Capability Gap Table in section 4.3 lists individual capability gaps prioritized by life-cycle order. For more detailed information see reference c.

4.1 Attributes and Outcomes. Commanders at all levels of operations are able to protect, support, and sustain forces to accomplish their assigned missions in a JIIM environment across the full ROMO. The envisioned contingency location capability is governed by comprehensive policy; planned and designed with effective and integrated systems, economically and sufficiently agile and tailorable to be constructed in response to combatant command requirements; operated and managed in accordance with sustainability and survivable principles, and effectively transitioned or closed through simple processes.

4.2 Overlaps and Redundancies. While each Service has some degree of contingency basing capability, no single Service or combination of Services can efficiently and effectively meet Combatant Commanders' requirements or adequately anticipate increasing need for joint basing interdependence. Gaps identified in this ICD do not reflect the capabilities of all Services; a Joint capability gap exists if one Service has a deficiency.

4.3 Capability Gap Table

Prioritized Capability Requirements	Associated Tier 1 & 2 JCAs	Attributes	Description	Metrics	Minimum Value
1. Integration and synchronization of contingency basing as a holistic system does not exist in the Joint Force.	1. Force Support 2. Battlespace Awareness 4. Logistics 5. Command and Control 6. Net-Centric 7. Protection 9. Corporate Management and Support	Strategic Synchronization and Policy Integration - Interoperability - Comprehensive - Sustainability - Simplicity	Describe the contingency basing policy and master concept to the Joint Force that projects power in a scalable, interoperable manner.	Policy and doctrine stated in applicable DODDs, DODI's, and Joint Pubs	Publications completed by 2013

UNCLASSIFIED

Prioritized Capability Requirements	Associated Tier 1 & 2 JCAs	Attributes	Description	Metrics	Minimum Value
2. The Joint Force lacks sufficient capability for contingency location master planning and facilities design.	4.6 Engineering 7. Protection	Planning and Design - Effective - Integrated	The ability to produce the intended effect or end state via the application of the most suitable and efficient means. <i>Composed of elements that function together seamlessly with unity of effort. Capable of substitution without loss of capability or effectiveness.</i>	Days to plan and design	Plan/design contingency location within Joint Task Force (JTF) timelines (approx. 90 days)
				Joint/multi-Service planning tools	Interoperable planning tools within 36 months of ICD approval
3. The Joint Force lacks sufficient and proficient capabilities for contract management and construction of contingency locations.	4.4 Logistic Services 5. Command and Control 5.5. Direct 7. Protection	Operations - Responsive - Attainability - Sustainability - Flexibility - Economy - Survivable	The ability to command and control the required capability (or mix of capabilities) to accomplish the assigned task(s).	Establishment of base commander (Mayor)	Within 30 days after base operations begin
				Joint/multi-Service modular and multi-functional designs	Interoperable designs and material solutions within 36 months of ICD approval
4. The Joint Force lacks sufficient and proficient functional area capabilities to operate contingency locations.	4.4 Logistic Services 4.5 Operational Contract Support 4.6 Engineering 4.7 Base and Installation Support	Construction - Responsive - Expeditionary - Economy - Agile/Tailorable - Accountable	Organized and postured for rapid global deployment and employment. Capable of strategic and operational movement via air, sea, and rail followed by immediate employment in support of forward deployed elements. <i>The ability to react quickly and adapt to dynamic conditions and missions, scalable to provide the required capacity and effects.</i>	Days for contract approval	Within 90 days after start of operation
				Days to establish initial base operations support services	Within 6 months after start of operation
5. The Joint Force lacks sufficient and proficient capabilities to manage and integrate contingency location operations.	4.4 Logistic Services 4.5 Operational Contract Support 4.6 Engineering 5. Command and Control 5.1 Organize 6. Net-Centric 7. Protection	Management - Responsive - Attainability - Sustainability - Flexibility - Economy - Survivable - Interoperability	The ability to effectively manage a contingency location and the ability of Service equipment to plug and play (interoperable) in any operation	Joint/multi-Service management process(es)	Common processes in place within 24 months of ICD approval
				Common and/or interoperable Service equipment	Within 10 years, 90% of all Service basing equipment is inter-operable

Prioritized Capability Requirements	Associated Tier 1 & 2 JCAs	Attributes	Description	Metrics	Minimum Value
6. The Joint Force lacks sufficient guidance and proficient capabilities to transition/close contingency locations.	4.5 Operational Contract Support 4.7 Base and Installations Support	Transition and Closure - Effective - Attainability - Flexibility - Simplicity - Economy	The ability to close bases, environmentally restore land to prior occupation, and transition or return base to operational partner or host nation, or transition to an enduring location	Days for transition or closure	Within 6 months after post-operation decision, close or transition base to follow-on entity(ies)

5 **Threat and Operational Environment**

5.1 Operational Environment. Over the next two decades, US forces will operate in a global environment of considerable uncertainty and an era of persistent conflict. This era will be characterized by protracted confrontation among numerous actors using violence to achieve their political and ideological desired end states. Military operations will most likely involve the commitment of US forces to operations in environments characterized by complex and urban terrain, lack of front lines, insecure flanks, dismounted combat, and constantly-fluctuating situations. Many operations will take place over large areas in austere environments, making the safety of lines of communications and force protection for logistics units an operational imperative of the JFC.

5.2 Threat Summary. Contingency locations may be subject to conventional and unconventional attacks. “Hybrid” threats consisting of combinations of regular and irregular forces, criminals and terrorists will conduct complex, irregular warfare, characterized by dispersed operations. They will conduct attacks against contingency locations from standoff range and employ other elusive tactics, techniques, and procedures (TTPs), which allow for direct attacks at the perimeter and from within the perimeter, such as advanced rocket propelled grenades, anti-tank guided missiles, and improvised explosive devices. They will possess advanced reconnaissance, surveillance, and target acquisition capabilities integrated with networked local information systems. The enemy will possess modern communication capabilities and compete for control of cyberspace and the electromagnetic spectrum. Enemies will incorporate lessons learned from ongoing operations against US forces and exploit these lessons. They will possess knowledge regarding vulnerable areas and TTPs for systems, adaptive targeting that reflects their experience, and available information on survivability and protection enhancements.

6 **Ideas for Non-Materiel Approaches (DOTMLPF-P Analysis)**

6.1 DOTMLPF-P Analysis Summary. The Army’s Base Camp CBA determined that the majority of the identified capability gaps could be addressed by non-materiel solutions. For additional detail on these gaps, see reference c, “*Functional Solutions Analysis (FSA) for Base Camps*”. Materiel solutions needed to resolve the remaining gaps will require follow-on Capability Development Documents (CDDs) and Capability Production Documents (CPDs).

6.2 Joint DOTMLPF-P Changes Summary. The following were general findings identified as the major solution sets:

- **Doctrine.** Develop Joint doctrine to address contingency basing. Publish a Joint Publication, or include in current Joint pubs, the preferred or best practices for organizing, designing, managing, operating, and transitioning or closing a contingency location.
- **Organization.** Organize the Services to provide dedicated, scaleable, interoperable, and deployable capabilities to plan, design, construct, operate, manage, and transition or close contingency locations. Services are organized with standard methods and structures, and are interoperable.
- **Training.** Ensure the Services develop and standardize comprehensive contingency location training to eliminate the ad-hoc execution of contingency location tasks, and to ensure consistent and integrated contingency location management. Include consideration of contingency locations throughout their lifecycle in war games and exercises.
- **Materiel.** Ensure cross-Service integrated development, testing, and evaluation of contingency location solutions.
- **Leadership and Education.** Ensure the Services develop or modify leadership training and professional military education that trains all levels of leadership on the new contingency location doctrine and policy.
- **Personnel.** Ensure the Services are capable of providing personnel with the appropriate competencies to support JFCs on contingency location requirements.
- **Facilities.** Recommend the establishment of a location that enables cross-Service integrated development, testing, and evaluation of contingency location solutions.
- **Policy.** Recommend the Office of the Secretary of Defense assign an Office (or Offices) of Primary Responsibility (OPR), a Lead Service, or an Executive Agent (EA) for contingency locations with the following responsibilities: lead the Joint effort to develop materiel and non-materiel solutions; develop DoD policy for contingency location standards, resourcing and integration; and synchronize Service and Combatant Command actions related to contingency locations.

7 **Final Recommendations.** Current Service materiel efforts provide varied contingency basing capabilities in an inefficient manner. DoD lacks an integrated approach to provide combatant commanders' with Joint solutions. Service efforts are underway to improve equipment interoperability but they are not grounded by an overarching capability document that describes a contingency location as a holistic system. Additional analysis will be required to determine which JCIDS approach to use in further defining the specific capability gaps and potential solutions and determining the appropriate next step (e.g., DOTMLPF-P Change Recommendation (DCR), CDD, or CPD.)

7.1 Recommendations for Non-Materiel Approaches. Develop DCRs addressing the solution approaches identified in paragraph 6.


7.2 Recommendations for Materiel Solutions. Three types of approaches should be pursued to resolve contingency basing gaps:

- **Interoperability.** Develop solutions that provide common support for the planning, design, construction, and management of contingency locations; and support the development of knowledge management, reach-back, and data management capabilities that facilitate operational command and control of contingency location functions for use by all Services.

- **Evolutionary.** Increase interoperability of existing equipment used to provide logistic services and security; support development of improved strategic planning tools for the Joint planner to integrate contingency locations into strategic and operational plans.

- **Transformational.** Support the development of sustainable energy generation equipment; common standards and designs for contingency location construction that consider the total lifecycle of contingency locations and the regional availability of materials; and interoperable software for financial management of contingency basing.

Appendix A: Integrated Architecture Products



Combatant Commanders' requirements drive the development of potential contingency locations. The life-cycle of planning, designing, constructing, operating, managing, and transitioning or closing of a location is accomplished in accordance with approved doctrine and policy. Contingency locations are developed with the concepts of:

- Promoting interoperable capabilities that support JIIM partners;
- Providing common standards for planning, design, construction, services, equipment, base operations, and transitions to support scalable contingency basing;
- Using operational energy more efficiently, minimizing waste, and conserving water and other resources;
- Integrating comprehensive risk management for force protection, environment, safety, explosives safety, and occupational health into planning, design, and operations;
- Reducing the logistics footprint by streamlining the delivery of innovative material solutions, contracting practices, and services delivery;
- Providing the optimal mix of military, civilian, and contractor personnel competencies in the DoD Total Force planning process;
- Conducting contingency basing education and training for military and civilian personnel;
- Reducing adverse impacts on local populations and cultural resources.

Appendix B: References

- a. United States Army (USA), “*Functional Area Analysis (FAA) for Base Camps for Full Spectrum Operations (2015-2024)*”, March 22, 2010
- b. USA Maneuver Support Center of Excellence (MSCOE), “*Functional Needs Analysis (FNA) for Base Camps for Full Spectrum Operations (2015-2024)*”, November 29, 2010
- c. USA MSCOE, “*Functional Solution Analysis (FSA) for Base Camps for Full Spectrum Operations (2015-2024)*”, April 19, 2011
- d. Catalog of Approved Requirement Documents (CARD) # 06043, “*Air and Ground Line of Communication Repair and Construction ICD*”
- e. CARD # 06053, “*Theater Infrastructure Repair & Restoration ICD*”
- f. CARD# 1052, “*Integrated Unit, Base and Installation Protection (IUBIP) ICD*”
- g. “*Joint Forward Operations Base (JFOB) Handbook*”
- h. Draft Army “*ICD for Operational Energy*”, April 2011
- i. Draft “*USMC Expeditionary Energy, Water and Waste (E2W2) ICD*”, 23 March 2012

Appendix C: Acronym List

CARD	Catalog of Approved Requirement Documents
CBA	capabilities based assessment
DoD	Department of Defense
DoDD	DoD Directive
DoDI	DoD Instruction
DOTMLPF-P	Doctrine, Organization, Training, Materiel, Leadership and Education, Personnel, Facilities, and Policies
FAA	functional area analysis
FNA	functional needs analysis
FSA	functional solutions analysis
ICD	initial capabilities document
JCA	joint capability area
JCIDS	Joint Capability Integration and Development System
JIIM	joint, interagency, intergovernmental, and multinational
JFC	joint force commander
JOA	joint operations area
MSCOE	Maneuver Support Center of Excellence (US Army)
OV-1	operational view
QoL	quality of life
ROMO	range of military operations
TTP	tactics, techniques, and procedures
USA	United States Army
USAF	United States Air Force

Appendix D: Glossary

contingency basing – the life-cycle process of planning, designing, constructing, operating, managing, and transitioning or closing a non-enduring location supporting a combatant commander's requirements.

contingency location – a non-enduring location (not on the approved DoD Enduring Locations Master List (ELML)) outside of the United States that supports and sustains operations during named and unnamed contingencies or other operations as directed by appropriate authority and is categorized by mission life-cycle requirements as initial, temporary, or semi-permanent.

UNCLASSIFIED

PAGE INTENTIONALLY LEFT BLANK