

# Cucumber Report

15 sep. de 2023 11:59:28

Start : sep. 15, 11:59:23.419 a. m.

End : sep. 15, 11:59:28.280 a. m.

Duration : 4.861 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 5  
SKIPPED - 0


PASSED - 8  
FAILED - 5  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Employees endpoint</u>	4.861 s	6	1	5	0	18	8	5	5

#	Feature Name	Scenario Name
1	<u>Employees endpoint</u>	<u>/create should create an employee</u>
2		<u>/delete/{id} should delete an employee</u>
3		<u>/employee/{id} should return the employee selected</u>
4		<u>/update/{id} should update the employee</u>
5		<u>/update/{id} should not update the employee</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@getAll	1	1	0	0	1	0	1	0
@post	1	0	1	0	1	0	1	0
@delete	1	0	1	0	1	0	1	0
@getByID	1	0	1	0	1	0	1	0
@put	1	0	1	0	1	0	1	0
@putWithInvalidValues	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Employees endpoint	6	1	5	0	4.861 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Employees endpoint</u>	<u>/employees should return all the employees</u>	3	3	0	0	1.769 s
2		<u>/create should create an employee</u>	4	1	1	2	0.682 s
3		<u>/delete/{id} should delete an employee</u>	3	1	1	1	0.686 s
4		<u>/employee/{id} should return the employee selected</u>	3	1	1	1	0.612 s
5		<u>/update/{id} should update the employee</u>	3	1	1	1	0.530 s
6		<u>/update/{id} should not update the employee</u>	2	1	1	0	0.557 s

## Employees endpoint



<b>FAILED</b>	DURATION - 4.861 s	Scenarios		Steps	
/ 11:59:23.419 a. m. // 11:59:28.280 a. m. /		Total - 6		Total - 18	
		Pass - 1		Pass - 8	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 5	

## /employees should return all the employees

<div>PASSED</div> <div>DURATION - 1.769 s</div>	<div></div>	Steps	<div></div>
<div>/ 11:59:23.421 a. m. // 11:59:25.190 a. m. /</div>		Total - 3	
<div>Employees endpoint</div>		Pass - 3	
<div>@getAll</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to the employees endpoint	PASSED	1.384 s
2	Then I verify status code 200 is returned	PASSED	0.013 s
3	And I verify that the body does not have size 0	PASSED	0.362 s



## /create should create an employee

FAILED	DURATION - 0.682 s		Steps	
/ 11:59:25.196 a. m. // 11:59:25.878 a. m. /			Total - 4	
Employees endpoint			Pass - 1	
@post			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given I perform a POST to the create endpoint with the following data Diego 3500 26	PASSED	0.669 s
2	Then I verify status code 200 is returned java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Mis%20Archivos%20Personales/Descargas/RestAssuredExample/src/test/resources/Employees.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.011 s
3	And I verify that the body does not have size 0	SKIPPED	0.001 s
4	And I verify the following data in the body response Diego 3500 26	SKIPPED	0.000 s





**/delete/{id} should delete an employee**

<div>FAILED</div> <div>DURATION - 0.686 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 11:59:25.885 a. m. // 11:59:26.571 a. m. /</div>			
<div>Employees endpoint</div>			
<div>@delete</div>			

#	Step / Hook Details	Status	Duration
1	Given I DELETE a employee with the ID "23"	PASSED	0.684 s
2	Then I verify status code 200 is returned  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;429&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Mis%20Archivos%20Personales/Descargas/RestAssuredExample/src/test/resources/Employees.feature:24) * Not displayable characters are replaced by '?'.		
3	And I verify that the employee "23" was deleted	SKIPPED	0.000 s



### /employee/{id} should return the employee selected

<b>FAILED</b> DURATION - 0.612 s / 11:59:26.574 a. m. // 11:59:27.186 a. m. / Employees endpoint @getByID		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I GET a employee by ID "23"	PASSED	0.610 s
2	Then I verify status code 200 is returned java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30)   at ?.I verify status code 200 is returned(file:///D:/Mis%20Archivos%20Personales/Descargas/RestAssuredExample/src/test/resources/Employees.feature:30)   * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that I obtain the employee 23	SKIPPED	0.000 s

### /update/{id} should update the employee

FAILED	DURATION - 0.530 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:59:27.189 a. m. // 11:59:27.719 a. m. /				
Employees endpoint				
@put				

#	Step / Hook Details	Status	Duration
1	Given I PUT a employee by ID "21"	PASSED	0.526 s
	Nicolas 5743 20		
2	Then I verify status code 200 is returned	FAILED	0.004 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;429&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) </pre>		

#	Step / Hook Details	Status	Duration	
	<pre>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30) at ?.I verify status code 200 is returned(file:///D:/Mis%20Archivos%20Personales/Descargas/RestAssuredExample/src/test/resources/Employees.feature:37) * Not displayable characters are replaced by '?'. </pre>			
3	And I verify the following data in the body response	SKIPPED	0.000 s	
	<table><tr><td>Nicolas</td><td>5743</td><td>20</td></tr></table>			Nicolas
Nicolas	5743	20		

### /update/{id} should not update the employee

<b>FAILED</b> DURATION - 0.557 s / 11:59:27.723 a. m. // 11:59:28.280 a. m. / Employees endpoint @putWithInvalidValues		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I PUT a bad parameters employee by ID "21"	PASSED	0.552 s
	<div><div></div><div></div><div></div></div>		
2	Then I verify status code 400 is returned	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;429&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)   at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)   at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:30)   at ?.I verify status code 400 is returned(file:///D:/Mis%20Archivos%20Personales/Descargas/RestAssuredExample/src/test/resources/Employees.feature:45) * Not displayable characters are replaced by '?'. </pre>		