@eshaaldev

Day 2

CSS

Text Styling and Colors

Introduction

CSS units define the size of elements — like fonts, margins, paddings, and layout dimensions — in your web designs.

They tell the browser how **big** or **small** something should be.

@eshaaldev

Fonts

Property	Description	Example
`font-family`	Sets typeface stack	`font-family: 'Roboto', sans-serif;`
`font-size`	Sets size of text	`font-size: 16px;`
`font-style`	Italic or normal style	`font-style: italic;`
`font-weight`	Thickness of text (`normal` , `bold` , `400`)	`font-weight: 700;`
`font-variant`	Small caps and other variants	`font-variant: small-caps;`
`font-stretch`	Expands/narrows font horizontally	`font-stretch: expanded;`
`font-display`	Controls how fonts render while loading	`font-display: swap;` (in `@font-face`)
`@font-face`	Imports custom fonts	`@font-face { ... }`
`unicode-bidi`	Used with `direction` for bidirectional text	`unicode-bidi: bidi-override;`

@eshaaldev

Font Units

Unit	Relative To	Ideal Use Case
`px`	Fixed size	Icons, borders, exact spacing
`em`	Parent element's font size	Padding, scaling text
`rem`	Root element's font size	Global, consistent typography
`%`	Relative to parent (100%)	Widths, font scaling
`vw/vh`	Viewport width/height	Responsive layouts

@eshaaldev

Typography

Property	Description	Example
`text-align`	Aligns text horizontally (`left` , `center` , `right`)	`text-align: center;`
`text-transform`	Controls letter casing (`uppercase` , `capitalize`)	`text-transform: uppercase;`
`text-decoration`	Adds lines (`underline` , `line-through`)	`text-decoration: underline;`
`text-shadow`	Adds shadow effect to text	`text-shadow: 2px 2px 5px #000;`
`letter-spacing`	Space between letters	`letter-spacing: 0.1em;`
`word-spacing`	Space between words	`word-spacing: 5px;`
`line-height`	Vertical space between lines of text	`line-height: 1.6;`
`white-space`	How text handles spaces & wraps (`nowrap` , `pre` , etc.)	`white-space: nowrap;`
`direction`	Sets text direction (`ltr` , `rtl`)	`direction: rtl;`
`hyphens`	Allows word breaks/hyphens in long text	`hyphens: auto;`

@eshaaldev

Colors

Property	What It Does	Example
`color`	Text color	`color: #fff;`
`background-color`	Background fill	`background-color: rgba(0,0,0,0.5);`
`opacity`	Transparency (0 to 1)	`opacity: 0.75;`
`border-color`	Color of element borders	`border-color: #333;`
`outline-color`	Color of outline around focused elements	`outline-color: red;`

@eshaaldev

HTML

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <title>CSS</title>
    <link rel="stylesheet"
    href="styles.css">
</head>
<body>
        <h1 >Heading</h1>
        <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit.
            Iusto fugiat voluptatem
            aut saepe accusantium minima?
            Inventore nostrum saepe molestiae
            ex placeat assumenda quae,
            expedita laboriosam iure, quo architecto aut illum?</p>
</body>
</html>
```

@eshaaldev

CSS

```
@import url('https://fonts.googleapis.com/css2?family=Noto+Sans:ital

/* import url for the font you want to use from Google fonts
or use html link tag in the head section of your html file */

html{
   font-size: 20px;
   background-color: #14162f;
}
h1{
   font-family: "Noto Sans", sans-serif;
   font-size: 50px;
   font-weight: bolder;
   text-align: center;
   font-variant: small-caps;
   color: #9da0d4;
   text-shadow: 0px 0px 3px #000;
   letter-spacing: 2px;

}
p {
   font-family: "Noto Sans", sans-serif;
    font-size: 1rem; /*rem_value × root_font_size = px */
   font-weight: 400;
   font-style: italic;
   color: white;
  word-spacing: 5px;
  word-wrap: break-word;
  text-decoration: underline;
  text-overflow: clip;
  text-decoration-color: #9da0d4;

}
/* vh_value × viewport_height or width / 100 = px * view port /

```

@eshaaldev

Output

Heading

Lorem ipsum dolor, sit amet consectetur adipisicing elit. Iusto fugiat voluptatem aut saepe accusantium minima? Inventore nostrum saepe molestiae ex placeat assumenda quae, expedita laboriosam iure, quo architecto aut illum?