@eshaaldev

Day 1

HTML

Basics

What is HTML ?

HTML stands for Hyper Text Markup Language.

It was first created by **Tim Berners-Lee** in 1993.

Its **purpose** is:
1. to **describe** the **structure** for a web page.
2. tell browser how to **display content**.

It is generally not **case sensitive.**



@eshaaldev

HTML Structure

```html
<!DOCTYPE html>
<!--  tells the browser about the HTML Version -->
<!-- HTML 5 is the latest version of HTML. -->
<html lang="en">
  <!--start of html document   -->
  <!-- lang = en  specifies the language of the document.-->
  <head>
    <!-- Contains things which are necessary for browser-->
    <!--  such as title, meta tags, links to CSS files, etc.-->
    <title>Layout</title>
  </head>
  <body>
    <!--start of main content of the document-->
    <h1>First</h1>
    <!--  Heading text on page for display -->
  </body>
  <!-- end of main content of the document-->
</html>
<!-- end of html document  -->
```

@eshaaldev

OUTPUT

<title> Layout </title



<h1> First </h1

@eshaaldev

Tags

Keywords enclosed in " <> " to represent content on browser

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>

    <h1>First</h1> <!-- pair tag: needs start and end   -->
    <br> <!-- self closing: needs only start  -->

  </body>
</html>

```

@eshaaldev

Elements

start tag some content end tag.

```
<tagname>Content goes here...</tagname>
```

@eshaaldev

Atrributes

Provides additional information about HTML elements.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
    <a href="https://www.youtube.com">Youtube</a>
  </body>
</html>
```

Youtube

https://www.youtube.com

Recommendations

Always Use Lowercase Attributes

Always Quote Attribute Values (single or double)

ID

- Unique identification of HTML Elements.
- It is case sensitive.
- Representation: "#idName"
- It must have one character.
- It cannot start with a number and have spaces.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
    <h1 id="Heading"></h1>
  </body>
</html>
```

Classes

- Identification of HTML Elements that can be shared
- Used mainly for grouping
- Representation: ".className"
- It is case sensitive.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
    <h1 class="Heading">Helo</h1>
    <h1 class="Heading">World</h1>
  </body>
</html>
```