@eshaaldev

Day 2

HTML

Structural Tags

@eshaaldev

What are Structural Tags ?

These are the tags that define the layout and semantics of a web page

@eshaaldev

In the last post we covered a few structural tags
Now we will discuss some more.

```html
<!DOCTYPE html>
<!--  tells the browser about the HTML Version -->
<!-- HTML 5 is the latest version of HTML. -->
<html lang="en">
  <!--start of html document   -->
  <!-- lang = en  specifies the language of the document.-->
  <head>
    <!-- Contains things which are necessary for browser-->
    <!--  such as title, meta tags, links to CSS files, etc.-->
    <title>Layout</title>
  </head>
  <body>
    <!--start of main content of the document-->
    <h1>First</h1>
    <!--  Heading text on page for display -->
  </body>
  <!-- end of main content of the document-->
</html>
<!-- end of html document  -->
```

Footer

Represents the bottom part of a section or page.
Used for copyright notices, links, and contact info.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
   <footer>
    copyright &copy; eshaaldev 2025
   </footer>
  </body>
</html>
```

copyright © eshaaldev 2025

Section

Group related content in a SEO friendly form. You can give ids to them for better identification.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
   <section id="home">Home</section>
   <section id="about">About</section>
  </body>
</html>
```

Home
About

Article

Represents independent, self-contained content.
Often used for blog posts or news articles.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
  <article>
    Here is the article text
  </article>
  </body>
</html>
```

Here is the article text

Aside

Represents side content, such as a sidebar or pull quotes.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
  <aside>
    Sidebar
  </aside>
  </body>
</html>
```

Sidebar

Nav

Contains navigation links which are core components of any web page.

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
 <nav> Links</nav>
</html>
```

Links

Main

Represents the **primary content** of the document.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
  <main>Main content</main>
  </body>
</html>
```

Div

A very commonly generic container for block-level content often used with CSS. You can create a div inside a div. (nested).

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
 <div class="box">
    <div class="box-header">Header</div>
    <div class="box-body">Body</div>
    <div class="box-footer">Footer</div>
  </div>
</html>
```

@eshaaldev

Span

Generic inline container.
Useful for styling parts of text.
A div cannot be created inside a span.

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Layout</title>
  </head>
  <body>
 <span>Hey <span style="color: blue;" >Blue</span></span>
</html>

```

Hey Blue