

ServiceNow UI Policy

UI Policies are mainly used for **client-side** operations to dynamically change the behavior of information during the process of custom tasks.

- UI Policies can:
 - Make fields **Read Only, Read-only & Mandatory**.
 - **Hide other fields**.
- They **do not need coding**.
- **Run Scripts** can be used for **complex actions**.
- We can use **Client Scripts**, but **UI Policies are faster and easier** for these types of requirements.

Warning: Before creating new UI policies for the Incident table, we first need to deactivate all existing UI policies for Incident Table

Example: creating a Sample UI policy

Set up a **UI policy** to enforce controls on the Incident form when the status changes to **Resolved**.

Before you begin

Role required: ui_policy_admin, admin

About this task

This example shows how to apply the following controls.

- Make a **Close Notes** field mandatory.
- Hide the **Opened by** field.
- Make the **Priority, Severity, and Urgency** fields read-only.
- Run a client script that displays an **alert message**

Procedure

1. Navigate to **All > System UI > UI Policies**.
2. Click on **New**.
3. Provide the following information

Name	Input
Table	Incident
Reverse if false	Select this check box. If the incident state is not Resolved, the UI policy is reversed.
On load	Select this check box to perform the actions when the form is loaded or when the condition changes.
Conditions	[Incident state] [is] [Resolved]

4. **Right-click the form header** and select Save from the context menu. The **UI Policy Actions** related list appears.
5. In the related list, **click New**.
6. Provide the following information

UI Policy Action

Name	Input
Field name	Close notes. This UI action makes the Close notes field mandatory.
Mandatory	True
Visible	leave alone
Read Only	leave alone

7. Click Submit.
8. Repeat the process to create UI policy actions to hide the Opened by field, and to make the Priority, Severity, and Urgency fields read-only.

Here are some alternative UI Policy practice examples you can use in ServiceNow, focusing on different scenarios and field behaviours

Exercise 1 – Incident form fields: Mandatory and Read-Only

Scenario: The **Number** and **Priority** fields must be set to read-only, while the **Caller** and **Short Description** fields must be made mandatory for all states in the [Incident] table

- Set the **Number** and **Priority** fields to read-only.
- Make the **Caller** and **Short Description** fields mandatory.

Procedure

1. Navigate to **System UI > UI Policies**.
2. **Click on New**
3. Fill in the details on the form
4. Click on **Submit**

Exercise 2 – Incident form fields: Mandatory and Visible

Scenario: When the **Incident State** is set to **On-Hold**, the **On Hold Reason** field must be both visible and mandatory.

- **Condition:** [State] [Is] [On Hold]
- 1. **Action:** Set the **On Hold Reason** field to **Visible (True)** and **Mandatory (True)**

Procedure

1. Navigate to **System UI > UI Policies**.
2. Click on **New**.
3. Fill in the details on the form
4. Submit
5. Create **UI Policy Action**
6. Click on **Update**

Exercise 3 – Incident form fields: In Visible and Hide

Scenario: When the **Incident** state is **Resolved**, the **Assigned to** and **Assignment Group** fields should not be visible

- **Condition:** [State] [Is] [Resolved]
- 1. **Action:** Set **Assigned To** visibility to **False**.
- 2. **Action:** Set **Assignment Group** visibility to **False**.

Procedure

1. Navigate to **System UI > UI Policies**.
2. Click on **New**.
3. Fill in the details on the form
4. Click in Submit
5. Create **UI Policy Actions**
6. Click on **Update**

Exercise 4 – Incident form fields: Mandatory

Scenario: When the **Incident** state is **Resolved**, the **Resolution Code** and **Resolution Notes** fields should be mandatory.

- **Condition:** [State] [Is] [Resolved]
- 1. **Action:** Set Resolution Code to **Mandatory (True)**.
- 2. **Action:** Set Resolution Notes to **Mandatory (True)**.

Procedure

1. Navigate to **System UI > UI Policies**.
2. Click on **New**.
3. Fill in the details on the form
4. Click on **Submit**
5. Create **UI Actions**
6. Click on **Update**

Exercise 5 – Incident form fields: Visible and In Visible

Scenario: When the **Incident Category** is set to **Inquiry/Help**, the **Subcategory** field must be hidden

- **Condition:** [Category] [Is] [Inquiry/Help]

1. **Action:** Subcategory Visible False

Procedure

1. Navigate to **System UI > UI Policies**.
2. Click on **New**.
3. Fill in the details on the form
4. Click on **Submit**
5. Create **UI Actions**
6. Click on **Update**

Creating a UI Policy through the Form Builder

Exercise 6 – Incident form fields: Read-only and Writable

Scenario: When the **Incident State** is 'Closed' or 'Cancelled,' the following fields should be set to 'Read Only': **Number, Caller, Category, Impact, Urgency, State, Work Notes, Closed Code, Closed Notes, Assigned To, Assignment Group, Additional Comments, Knowledge, Configuration Item, Short Description** and **Description**.

1. Navigate to **All > Incident> Create New**
2. **Right click on** Form Header
3. **Configure> Form Builder**
4. Creating a **UI Policy** from **Form Bulder**
5. Set up your **UI Policy**
6. When these **Conditions** are met
7. Perform fields actions **+Add**

8. Click on **Add UI Policy**
9. Click on **Save** and **Preview**

Exercise 7 – Incident form Related List: Hide and Visible

Scenario: When the incident state changes to '**Closed**' the related list on the form should be hidden

1. Navigate to **All > Incident> Create New**
2. **Right click on** Form Header
3. **Configure> UI Policy**
4. Click on **New**
5. Fill in the details on the form
6. Click on **Submit**
7. Creating **UI Policy Actions**

Case Studies

Case Study 1: Global IT Company	
Background	A large telecommunications provider wanted to improve the efficiency of its incident management process.
Challenge	A global IT company used ServiceNow to manage its IT services and support requests.
Solution	The company implemented UI Policies to guide agents in filling out incident tickets correctly.
UI Policy Implementation	
Mandatory Fields	When the incident state was set to "In Progress," fields such as "Assigned To" and "Resolution Target Date" were made mandatory.
Field Locking	Once an incident was marked "Closed," the "Resolution Notes" field was set to read-only to maintain record integrity
Outcome	This led to improved ticket quality, better tracking of incidents, and enhanced accountability among the support team.

Case Study 2: Telecommunication Description

Background	A large telecommunications provider wanted to improve the efficiency of its incident management process.
Challenge	The company noticed that agents were frequently missing mandatory fields when logging incidents, leading to incomplete data and delays in resolution.
Solution	They implemented UI Policies to enforce mandatory fields based on incident categories.
UI Policy Implementation	
Mandatory Fields	If the incident category was "Service Outage," fields like "Affected Service" and "Impact" were made mandatory.
Dynamic Visibility	Technical Contact" field was made visible only when the "Escalation" checkbox was selected.

Case Study 3: Educational Institution (Incident Table)

Background:	A large university used ServiceNow to manage student service requests and IT incidents.
Challenge	Students often submitted incomplete requests, causing delays in responses.
Solution:	The university implemented UI Policies to improve data entry for service requests
UI Policy Implementation	
Actions	"IT Support" requests, fields like "Device Type" and "Issue Description" were made mandatory. The "Priority" field appeared only when requests were marked as "Urgent."
Outcome	This led to better quality service requests, faster response times, and higher student satisfaction

Case Study 4: Global IT Company (Incident Table)

Background	A large telecommunications provider wanted to improve the efficiency of its incident management process.
Challenge	A global IT company used ServiceNow to manage its IT services and support requests.
Solution	The company implemented UI Policies to guide agents in filling out incident tickets correctly.
UI Policy Implementation	
Actions	When the incident state was set to "In Progress," fields such as "Assigned To" and "Resolution Target Date" were made mandatory. Once an incident was marked "Closed," the "Resolution Notes" field was set to read-only to maintain record integrity
Outcome	This led to improved ticket quality, better tracking of incidents, and enhanced accountability among the support team.

Case Study 5: Mandatory Fields for Problem Creation (Problem Table)

Scenario	When creating a new problem record, specific fields must be filled out if the "Known Error" checkbox is checked.
Condition	Condition: current. known error == true
UI Policy Actions	
Actions	Set Workaround to Mandatory (True). Set Root Cause to Mandatory (True).

Case Study 6: Different Fields for Different Change Types (Change Table)

Scenario	To ensure that the Change Management form captures relevant information specific to the type of change being requested (e.g., Emergency, Normal, and Standard changes).
Condition	When the "Change Type" is set to "Emergency."
UI Policy Actions	
Actions	Visible Field: Display the "Rollback Plan" field. Mandatory Field: Make the "Business Justification" field mandatory. Hide Field: Hide the "Implementation Plan" field, which is only relevant for Standard changes
Benefit	Tailors the form based on the change type, ensuring that only necessary information is collected for each scenario.

Case Study 7: Change Management: Scheduled Change Visibility (Change)	
Scenario	Show specific fields for scheduled changes.
Condition	When the "Change State" is set to "Scheduled."
UI Policy Actions	
Actions	Visible Fields: Display "Scheduled Start" and "Scheduled End Time" fields. Mandatory Fields: Make the "Notification List" field mandatory to ensure stakeholders are informed. Read-only Fields: Set the "Change Owner" field as read-only after submission to maintain accountability.
Benefit	Ensures that high-severity problems are investigated thoroughly and documented correctly, facilitating better resolution in future incidents.

Case Study 8: Problem Management: Root Cause Analysis (Problem Table)

Scenario	Focus on Root Cause Analysis Based on Problem Severity
Condition	When the "Change Type" is set to "Emergency."
UI Policy Actions	
Actions	Visible Fields: Display the "Root Cause" field immediately. Mandatory Fields: Make the "Workaround" field mandatory to encourage timely solutions. Read-only Fields: Set the "Status" field as read-only to prevent changes while investigation is ongoing.
Benefit	Ensures that high-severity problems are investigated thoroughly and documented correctly, facilitating better resolution in future incidents.

Case Study 9: Dynamic Fields for Hardware Incidents (Incident Table)

Scenario	Display specific fields for hardware-related incidents.
Condition	When the "Category" field is set to "Hardware."
UI Policy Actions	
Actions	Visible Fields: Show fields for "Device Type" and "Serial Number." Mandatory Fields: Make "Warranty Status" mandatory to assess support options.
Benefit	Ensures that hardware incidents are documented with the necessary details for effective troubleshooting.