




React Folder Structure

- node modules
- public
- src
- .gitignore
- package-lock.json
- package.json
- README.md



Folder Structure

The React folder structure looks like this.
Let's understand each folder one by one



Folder Structure

node_modules

This folder contains all the npm packages that your application depends on. It is automatically generated when you run **npm install** or **yarn install**.

public

This folder contains the static files for your application. The most important file here is **index.html**, which serves as the entry point for your web application.

Folder Structure

`src`

This is where all your source code lives. It typically contains the JavaScript/TypeScript code and other resources such as CSS, images, and fonts.

`src/index.js`

The main entry point for your React application. This file typically renders the root component (e.g., `<App />`) into the DOM.

`src/App.js`

The root component of your application. It is usually a good place to set up routing and global state providers.

Common Subdirectories within src

components

This folder contains reusable UI components. Components should be small, focused, and reusable throughout the application.

pages

This folder contains components that represent the different pages/screens of your application. These components are usually connected to routes.

styles

This folder contains global CSS styles, as well as CSS modules or styled-components for individual components.

Folder Structure

.gitignore

This file specifies which files and directories should be **ignored by Git**.

package.json

This file contains **metadata** about your project, including dependencies, scripts, and other configurations.

package-lock.json

Locks the versions of dependencies for consistent installs

README.md

This file typically contains information about the project, how to set it up, and how to use it.