



Props in React





Props are short for "properties," are a fundamental concept in React used to pass data from one component to another. They allow components to communicate with each other and make it possible to create dynamic and reusable components.

Key Points About Props

- Props are read-only, meaning they cannot be modified by the component that receives them.
- Props allow you to pass data and event handlers down to child components.
- By using props, you can create components that are more flexible and reusable.

Let's say we have a simple React app with a Greeting component that displays a message.

ParentComponent.js

```
import React from 'react';
import Greeting from './Greeting';

function ParentComponent() {
  return (
    <div>
      <Greeting name="John" />
      <Greeting name="Jane" />
    </div>
  );
}

export default ParentComponent;
```

Greeting.js

```
import React from 'react';

function Greeting(props) {
  return <h1>Hello, {props.name}!</h1>;
}

export default Greeting;
```

Explanation :

The `ParentComponent` renders the `Greeting` component twice, passing `different name props` each time.

```
<Greeting name="John" />
<Greeting name="Jane" />
```

The `Greeting` component receives the `name prop` and uses it to display a personalized greeting.

```
function Greeting(props) {
  return <h1>Hello, {props.name}!</h1>;
}
```

In this example The `ParentComponent` passes the `name prop` to the `Greeting` component. The `Greeting` component uses `props.name` to display the greeting message

Summary

Props are used to pass data and event handlers from parent to child components.

Props cannot be modified by the receiving component.

Using props helps in creating flexible and reusable components.