

HTML (Hyper Text Markup Language)

✓ Tags in HTML :-

- A tag in HTML is a special keyword written inside angle brackets (< >).
- Tags are the building blocks of an HTML document.
- They tell the browser how to display content.

HTML Tags

- HTML tags are like keywords which defines that how web browser will format and display the content.

<tag> content </tag>

Unclosed HTML Tags

- **
 Tag:** br stands for break line, it breaks the line of the code.
- **<hr> Tag:** hr stands for Horizontal Rule. This tag is used to put a line across the webpage.

1. <p> – Paragraph

HTML Paragraph

- HTML paragraph or HTML p tag is used to define a paragraph in a webpage.
- An HTML <p> tag indicates starting of new paragraph.

<p>This is first paragraph.</p>

<p>This is second paragraph.</p>

2. <h1> to <h6> – Headings

HTML Heading

- A HTML heading or HTML h tag can be defined as a title or a subtitle
- There are six different HTML headings which are defined with the <h1> to <h6> tags

<h1>Heading no. 1</h1>

<h2>Heading no. 2</h2>

<h3>Heading no. 3</h3>

<h4>Heading no. 4</h4>

<h5>Heading no. 5</h5>

<h6>Heading no. 6</h6>

3. vs – Bold Text

Bold Text

- The HTML element is a physical tag which display text in bold font

bold text.

- The HTML tag is a logical tag, which displays the content in bold font and informs the browser about its logical importance.

strong text.

4. <i> – Italic Text

Italic Text

- The HTML <i> element is physical element, which display the enclosed content in italic font

<i>Italic text.</i>

HTML Marked formatting

- If you want to mark or highlight a text, you should write the content within <mark>.....</mark>.

<h2> Hyper Text <mark> Markup</mark> Language</h2>

5. <u> – Underline



- If you write anything within <u>.....</u> element, is shown in underlined text.

```
<u> underlined text. </u>
```

6. <pre> - Preformatted Text.



- The **HTML <pre> tag** is used to specify pre formatted texts.
- Texts within <pre>.....</pre> tag is displayed in a fixed-width font.
- Usually it is displayed in Courier font.
- It maintains both space and line break.

```
<pre>
This is a formatted text
    This is a formatted text
        This is a formatted text
</pre>
```

7. <div> - division



- The **HTML <div> tag** is used to group the large section of HTML elements together.
- The div tag is generally used by web developers to group HTML elements together and apply CSS styles to many elements at once.

```
<div style="border:1px;padding:20px;font-size:20px">

  <p>This is first paragraph</p>
  <p>This is second paragraph</p>

</div>
```

8. <mark> – Highlight

- Highlights the text like a marker.
- <p>This is <mark>highlighted</mark> text.</p>

9. <small> – Smaller Text

- Displays text in a smaller font size.
- <p>This is <small>small</small> text.</p>

10. <sub> – Subscript & <sup> – Superscript

HTML <sub> tag

- HTML <sub> tag is termed as Subscript tag and which is used to define subscript text.

H₂SO₄

HTML <sup> tag

- HTML <sup> tag is termed as a superscript tag which is used to define superscript text.

10th

12th

11. <ins> – Inserted Text & – Deleted / Strikethrough

HTML <ins>

- HTML <ins> tag is used to represent the newly added text in an HTML document.
- It usually renders with an underline through the text.

HTML

- HTML tag is used to represent the range of text that has been deleted/removed from the document.

If you will do hard work <ins>smart work</ins> then you will get success easily

12. <abbr> - abbreviation or acronym Tag



- HTML <abbr> tag is used to represent an acronym or abbreviation of a longer word or phrase, such as www, HTML, HTTP, etc.


```
<abbr title="HyperText Markup language">HTML</abbr>
```

13. <marquee>




- The **Marquee** HTML tag is a non-standard HTML element which is used to scroll a image or text horizontally or vertically.

```
<marquee>Hyper Text Markup Language</marquee>
```



```
<marquee width="100%" behavior="scroll" bgcolor="pink">  
This is an example of a scroll marquee...  
</marquee>
```



```
<marquee width="100%" direction="right">  
This is an example of a right direction marquee...  
</marquee>
```

14. - image



- **HTML img tag** is used to display image on the web page.
- Closing tags are not used in HTML image element.

```

```

- **src:** It is a necessary attribute that describes the source or path of the image.
- **alt:** The alt attribute defines an alternate text for the image, if it can't be displayed.

➤ Two Ways to Use the Tag :-

1. Internal Image (Local Image)

- The image is stored inside your project folder.
- Uses a relative path.

2. External Image (From Internet)

- The image is loaded from a website URL.
- Uses an absolute path (full web address).