

HTML (Hyper Text Markup Language)

➤ Compare HTML-4 vs HTML-5 :-

Feature	HTML	HTML5
DOCTYPE Declaration	<!DOCTYPE html> to specify HTML version	Simplified <!DOCTYPE html> without specifying version
Head and Body Tags	Requires <head> and <body> tags	Not required, implied by the browser
Tags and Attributes	Limited number of tags and attributes	Many new tags and attributes, especially for semantic, media, form, and graphic elements
Audio and Video Content	Relies on external plugins (Flash, Silverlight, Java)	Native <audio> and <video> tags without external plugins
Syntax	Fixed and rigid, requires closing tags and quotation marks for all attribute values	Flexible and forgiving, allows omission of closing tags and quotation marks for some attribute values
Browser and Device Features Support	Limited support	Extensive support through various APIs

➤ Media Tag in HTML :-

- Media tags in HTML are used to add **audio, video, and multimedia** to webpages.
- The main tags are <audio>, <video>, <source>, and <track>.
- <audio> is used for playing sound or music.
- <video> is used for displaying video content

1) HTML Audio -



- **HTML audio tag** is used to define sounds such as music and other audio clips.
- Currently there are three supported file format for HTML 5 audio tag. mp3, wav, ogg.

```
<audio controls>  
  <source src="birthday.mp3" type="audio/mp3">  
</audio>
```



controls, autoplay, loop, muted, preload

2) HTML Video –

HTML Video

- The HTML video tag is used for streaming video files such as a movie clip, song clip on the web page.
- Currently, there are three video formats supported for HTML video tag: Mp4, webM, ogg

```
<video controls>  
  <source src="movie.mp4" type="video/mp4">  
</video>
```

Attributes

controls, autoplay, loop, muted, preload

➤ HTML iframes -

HTML iframes

- HTML Iframe is used to display a nested webpage (a webpage within a webpage).
- An HTML iframe embeds another document within the current HTML document in the rectangular region.

```
<iframe src="sample.html" height="300" width="400"></iframe>
```

```
<iframe src="sample.html" height="50%" width="50%"></iframe>
```

➤ HTML Anchor –

HTML Anchor

- The **HTML anchor tag** defines a *hyperlink that links one page to another page*.

```
<a href="second.html">Click for Second Page</a>
```

- If we want to open that link to another page then we can use target attribute of <a> tag.

```
<a href="second.html" target="_blank">Click for Second Page</a>
```