3055 Rue Anderson - 4261.9 kW (dc)

3055 Rue Anderson, Terrebonne, QC J6Y 1W5

MECHANICAL PLAN SET BY:

KB RACKING INC.
1050 KING ST. W, SUITE 03A104
TORONTO, ON M6K 0C7

DRAWING INDEX

C-1.0 COVER SHEET

M-1.0 SITE PLAN & PROJECT SUMMARY

M-2.0 ROOF PLAN (LAYOUT)

M-3.0 LOAD REPORT

M-4.0 BALLAST PLAN

M-5.0 RAIL PLAN (IF APPLICABLE)

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

ENGINEER'S SEAL

DRAWING TITLE: COVER PAGE

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 1 OF 127

DRAWING NO. C-1.0

Project Information	
Client Name	kWh Quebec Inc
Project Name	3055 Rue Anderson
Project Address	3055 Rue Anderson, Terrebonne, QC J6Y 1W5
Total Panel Count	6819
Project Size (kW)	4261.9
System	
Panel Name	Jinko Solar 625W
Panel Weight (kg)	32.4
Panel Length (mm)	2382
Panel Width (mm)	1134
Panel Thickness (mm)	30
Panel Power (W)	625
Panel Cell Type	72
System Orientation	Landscape
System Tilt (deg)	10
Racking Weight Per Panel (kg)	12.838644
System Row Spacing (m)	1.557
Inter-Row Spacing (m)	0.435
Reinforcement	NO
Environment	
Importance Category	Normal
Terrain Type	Rough
Wind Pressure: q50 (kPa)	0.40
Exposure Factor: Ce	0.7
Sea Level (ft)	0-999
LB Factor	36.75
Wind Load Factor: αw	1.4
Dead Load Factor: αD	0.9
Closeness Factor	1.0
RoofType	Custom
Friction Coefficient	0.68
Setback (m)	1.22

Buildings				
Building	Building Height (m)	Parapet (mm) |	Wl (m) |	Ws (m)
1	11.2	304.8 |	327 |	105
2	9	304.8 |	327 |	105



GENERAL NOTES:

1. THIS REPORT PROVIDES BALLAST AND LAYOUT INFORMATION FOR THE SOLAR SYSTEM.
2. SEE INSTALLATION DRAWINGS AND INSTALLATION LAYOUT FOR DIMENSIONS AND ARRAY INFO.
3. BALLAST SYSTEM IS DESIGNED BASED ON THE FOLLOWING REFERENCES:
   - 3.1 NATIONAL BUILDING CODE OF CANADA (NBCC) 2005, 2010 and 2015
     - Importance Category for buildings (Section 4.1.2.1)
     - Iw = Importance Factor for wind (Section 4.1.7.1)
     - Ce = Exposure Factor (Section 4.1.7.1)
     - aw = Wind Load Factor (Section 4.1.3.2)
     - aD = Dead Load Factor (Section 4.1.3.2)
   - 3.2 BRITISH COLUMBIA BUILDING CODE (BCBC) 2018
   - 3.3 NATIONAL BUILDING CODE - 2019 ALBERTA EDITION (2019 NBC(AE))
   - 3.4 ONTARIO BUILDING CODE (OBC) 2012
   - 3.5 KB RACKING ROOF-MOUNTED PV RACKING SYSTEMS WIND PRESSURE STUDY, RWDI #1600846, APRIL 21, 2023

*Ballast to Resist Uplift = (αw·Iw·q50·Ce·|CpCg|uplift·Auplift - αD·M)/αD

*Ballast to Resist Drag = [αw·q50·Ce·(1000/9.81)·[(CpCg)drag·Adrag·(1/fn)+|CpCg|uplift·Auplift] - αD·M]/αD

4. A PROFESSIONAL STRUCTURAL ENGINEER LICENSED WHERE THE RACKING SYSTEM WILL BE INSTALLED IS REQUIRED TO APPROVE THE DESIGN.
5. THE STRUCTURAL ENGINEER OF THE BUILDING IS RESPONSIBLE TO CHECK THE ADEQUACY OF THE BUILDING'S STRUCTURAL CAPACITY TO SUPPORT THE LOADS INDICATED ON THIS DRAWING.
6. THE MOUNTING SYSTEM SHALL BE INSTALLED AS PER KB RACKING SPECIFICATIONS AND PROCEDURES.
7. INSTALL THE SPECIFIED PHOTOVOLTAIC MODULES ONLY. ANY CHANGES IN THE MODULE SIZE OR TYPE MUST BE NOTIFIED TO KB RACKING INC.
8. ANY CHANGES IN THE MOUNTING SYSTEM LAYOUT IS NOT PERMITTED UNLESS APPROVED BY KB RACKING INC.

NOTE: AVERAGE PSF LOADS REPRESENT THE UNIFORMLY DISTRIBUTED LOAD IMPOSED BY THE RACKING INSTALLATION ON THE ROOF. AVERAGE LOADS SHOULD NOT BE USED FOR THE STRUCTURAL REVIEW OF THE SUPPORTING ROOF STRUCTURE WITHOUT CONSIDERATION FOR LOCALIZED PSF LOADS WHICH MAY BE MORE SIGNIFICANT. LOCALIZED PSF LOADS PER PANEL ARE ACCOMPANIED WITHIN THIS REPORT IN THE FOLLOWING PAGES.

KB RACKING INC. HAS NO LIABILITY FOR THE USE OF THIS REPORT BY THE CUSTOMER. THE CUSTOMER MAY CHOOSE TO CERTIFY THIS REPORT WITH A LICENSED STRUCTURAL ENGINEER NOT UNDER CONTRACT TO KB RACKING. IN THIS CASE, KB RACKING WARRANTY ASSIGNMENT IS CONTINGENT ON RECEIVING THE CERTIFIED REPORT AND/OR WRITTEN CONFIRMATION THAT THE STRUCTURAL ENGINEER HAS CERTIFIED THE REPORT. IF THERE ARE ANY QUESTIONS OR CONCERNS, PLEASE CONTACT KB RACKING INC.

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

ENGINEER'S SEAL

DRAWING TITLE: SITE PLAN-PROJECT SUMMARY

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 2 OF 127
DRAWING NO. M-1.0

LOADING INFORMATION

Array	Number of Panels	Array Area (m²)	Area Reduction Factor	Uplift Ballast (kg)	Drag Ballast (kg)	Additional Ballast per Panel Due to Drag (kg)	Total Ballast for Array (kg)	Average PSF
1	155	579.69	0.1236	1708.03	0.00	0.00	1708.03	3.09
2	166	620.83	0.1203	1311.58	0.00	0.00	1311.58	2.92
3	167	624.57	0.1200	1584.43	0.00	0.00	1584.43	3.00
4	126	471.23	0.1352	1489.87	0.00	0.00	1489.87	3.13
5	30	112.20	0.2527	336.37	908.73	19.08	908.73	4.12
6	41	153.34	0.2173	595.69	808.70	5.20	808.70	3.56
7	116	433.83	0.1419	563.44	0.00	0.00	563.44	2.75
8	45	168.30	0.2054	473.14	726.61	5.63	726.61	3.37
9	99	370.25	0.1534	1045.17	59.50	0.00	1045.17	3.06
10	107	400.17	0.1480	1728.87	0.00	0.00	1728.87	3.37
11	86	321.63	0.1621	1340.16	276.65	0.00	1340.16	3.33
12	133	497.41	0.1305	1509.07	0.00	0.00	1509.07	3.11
13	163	609.61	0.1212	2848.16	0.00	0.00	2848.16	3.44
14	188	703.10	0.1138	828.01	0.00	0.00	828.01	2.73
15	180	673.18	0.1161	976.91	0.00	0.00	976.91	2.78
16	186	695.62	0.1144	952.94	0.00	0.00	952.94	2.77
17	182	680.66	0.1155	998.51	0.00	0.00	998.51	2.79
18	164	613.35	0.1209	1570.39	0.00	0.00	1570.39	3.01
19	126	471.23	0.1352	1931.14	0.00	0.00	1931.14	3.32
20	104	388.95	0.1500	1380.06	0.00	0.00	1380.06	3.20
21	167	624.57	0.1200	1416.94	0.00	0.00	1416.94	2.95
22	158	590.91	0.1227	1545.52	0.00	0.00	1545.52	3.02
23	165	617.09	0.1206	1139.60	0.00	0.00	1139.60	2.86
24	166	620.83	0.1203	1115.52	0.00	0.00	1115.52	2.85
25	170	635.79	0.1191	1096.01	0.00	0.00	1096.01	2.84
26	176	658.22	0.1173	967.57	0.00	0.00	967.57	2.79
27	156	583.43	0.1233	1472.55	0.00	0.00	1472.55	3.00
28	119	445.05	0.1399	1991.75	0.00	0.00	1991.75	3.40
29	98	366.51	0.1540	1427.95	78.62	0.00	1427.95	3.27
30	154	575.95	0.1239	1463.80	0.00	0.00	1463.80	3.01
31	330	1234.17	0.1000	2963.53	0.00	0.00	2963.53	2.98
32	342	1279.05	0.1000	1708.07	0.00	0.00	1708.07	2.76
33	198	740.50	0.1108	2070.86	0.00	0.00	2070.86	3.05
34	167	624.57	0.1200	2493.33	0.00	0.00	2493.33	3.30
35	331	1237.91	0.1000	3536.43	0.00	0.00	3536.43	3.07
36	341	1275.31	0.1000	1783.76	0.00	0.00	1783.76	2.77
37	199	744.24	0.1105	1821.15	0.00	0.00	1821.15	2.98
38	161	602.13	0.1218	2680.65	0.00	0.00	2680.65	3.39
39	219	819.04	0.1072	2198.87	0.00	0.00	2198.87	3.04
40	221	826.52	0.1069	1404.23	0.00	0.00	1404.23	2.83
41	217	811.56	0.1075	1996.70	0.00	0.00	1996.70	2.99
Total	6819		Total Ballast Weight	64505.57		Total System Weight	372987.58	

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

ENGINEER'S SEAL

DRAWING TITLE: SITE PLAN-PROJECT SUMMARY (2)

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 2 OF 127
DRAWING NO. M-1.0



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: ROOF PLAN

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 3 OF 127

DRAWING NO. M-2.0



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 1

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 4 OF 127

DRAWING NO. M-3.1



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 2

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 5 OF 127

DRAWING NO. M-3.2



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 3

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 6 OF 127
DRAWING NO. M-3.3

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 4

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 7 OF 127
DRAWING NO. M-3.4

anels

Array 5

30 Panels

54 (5.4)	44 (4.9)	19 (3.5)	19 (3.5)	44 (4.9)	44 (4.9)
46 (5.0)	23 (3.7)	19 (3.5)	19 (3.5)	23 (3.7)	38 (4.6)
43 (4.8)	23 (3.7)	19 (3.5)	19 (3.5)	23 (3.7)	31 (4.2)
42 (4.8)	23 (3.7)	19 (3.5)	19 (3.5)	23 (3.7)	31 (4.2)
46 (5.0)	38 (4.6)	19 (3.5)	19 (3.5)	38 (4.6)	38 (4.6)

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 5

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 8 OF 127

DRAWING NO. M-3.5



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 6

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 9 OF 127

DRAWING NO. M-3.6



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 7

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 10 OF 127
DRAWING NO. M-3.7



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 8

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 11 OF 127

DRAWING NO. M-3.8



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 9

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 12 OF 127

DRAWING NO. M-3.9

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
60 (4.5)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 10

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 13 OF 127
DRAWING NO. M-3.10



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 11

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 14 OF 127

DRAWING NO. M-3.11



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 12

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 15 OF 127

DRAWING NO. M-3.12

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 13

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 16 OF 127

DRAWING NO. M-3.13



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 14

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 17 OF 127

DRAWING NO. M-3.14



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
60 (4.5)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 15

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 18 OF 127
DRAWING NO. M-3.15



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 16

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 19 OF 127

DRAWING NO. M-3.16



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 17

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 20 OF 127

DRAWING NO. M-3.17



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 18

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 21 OF 127

DRAWING NO. M-3.18



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 19

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 22 OF 127

DRAWING NO. M-3.19



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
60 (4.5)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 20

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 23 OF 127

DRAWING NO. M-3.20



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 21

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 24 OF 127

DRAWING NO. M-3.21

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 22

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 25 OF 127

DRAWING NO. M-3.22



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 23

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 26 OF 127

DRAWING NO. M-3.23



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 24

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 27 OF 127

DRAWING NO. M-3.24



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 25

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 28 OF 127
DRAWING NO. M-3.25



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 26

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 29 OF 127

DRAWING NO. M-3.26

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 27

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 30 OF 127

DRAWING NO. M-3.27



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 28

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 31 OF 127

DRAWING NO. M-3.28



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 29

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 32 OF 127
DRAWING NO. M-3.29



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 30

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 33 OF 127

DRAWING NO. M-3.30



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 31

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 34 OF 127

DRAWING NO. M-3.31



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 32

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 35 OF 127

DRAWING NO. M-3.32



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 33

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 36 OF 127

DRAWING NO. M-3.33



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 34

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 37 OF 127
DRAWING NO. M-3.34



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 35

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 38 OF 127

DRAWING NO. M-3.35



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 36

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 39 OF 127

DRAWING NO. M-3.36



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 37

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 40 OF 127

DRAWING NO. M-3.37



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
LOAD ARRAY 38

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 41 OF 127
DRAWING NO. M-3.38



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND

Wind Load (kg)
60 (4.5)
Pressure (psf)

ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 39

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 42 OF 127

DRAWING NO. M-3.39



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 40

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 43 OF 127

DRAWING NO. M-3.40



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: LOAD ARRAY 41

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 44 OF 127

DRAWING NO. M-3.41

3055 Rue Anderson - 4261.9 kW (dc)

3055 Rue Anderson, Terrebonne, QC J6Y 1W5

	Total Ballast (kg)	Stone Quantities 15.5x7.5x3.5in Large (14.5 kg)	Ballast Trays	Accessory Brackets	High Uplift Supports
Array 01	1711.00	118	0	0	0
Array 02	1319.50	91	0	0	0
Array 03	1595.00	110	0	0	0
Array 04	1493.50	103	0	0	0
Array 05	913.50	63	0	0	0
Array 06	884.50	61	0	0	0
Array 07	565.50	39	0	0	0
Array 08	739.50	51	0	0	0
Array 09	1058.50	73	0	0	0
Array 10	1740.00	120	0	0	0
Array 11	1348.50	93	0	0	0
Array 12	1522.50	105	0	0	0
Array 13	2871.00	198	0	0	0
Array 14	841.00	58	0	0	0
Array 15	986.00	68	0	0	0
Array 16	957.00	66	0	0	0
Array 17	1000.50	69	0	0	0
Array 18	1580.50	109	0	0	0
Array 19	2001.00	138	0	0	0
Array 20	1392.00	96	0	0	0
Array 21	1421.00	98	0	0	0
Array 22	1551.50	107	0	0	0
Array 23	1145.50	79	0	0	0
Array 24	1116.50	77	0	0	0
Array 25	1116.50	77	0	0	0
Array 26	971.50	67	0	0	0
Array 27	1479.00	102	0	0	0
Array 28	2044.50	141	0	0	0
Array 29	1435.50	99	0	0	0
Array 30	1464.50	101	0	0	0
Array 31	2987.00	206	0	0	0
Array 32	1754.50	121	0	0	0
Array 33	2204.00	152	0	0	0
Array 34	2552.00	176	0	0	0
Array 35	3567.00	246	0	0	0
Array 36	1841.50	127	0	0	0
Array 37	1928.50	133	0	0	0
Array 38	2711.50	187	0	0	0
Array 39	2291.00	158	0	0	0
Array 40	1406.50	97	0	0	0
Array 41	2015.50	139	0	0	0
Totals	65525.50	4519	0	0	0
Recommended Ballast	64505.56				
Additional Ballast Weight	1019.94				

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

ENGINEER'S SEAL

DRAWING TITLE: PAVER LAYOUT

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 45 OF 127
DRAWING NO. M-4.0



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 1

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 46 OF 127

DRAWING NO. M-4.1

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 2

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 47 OF 127
DRAWING NO. M-4.2



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 3

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 48 OF 127
DRAWING NO. M-4.3

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 4

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 49 OF 127

DRAWING NO. M-4.4

anels

Array 5

30 Panels

4	3	1	1	3	3
3	2	1	1	2	3
3	2	1	1	2	2
3	2	1	1	2	2
3	3	1	1	3	3

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 5

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 50 OF 127

DRAWING NO. M-4.5



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 6

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 51 OF 127

DRAWING NO. M-4.6



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 7

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 52 OF 127

DRAWING NO. M-4.7

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 8

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 53 OF 127

DRAWING NO. M-4.8



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 9

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 54 OF 127

DRAWING NO. M-4.9



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 10

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 55 OF 127

DRAWING NO. M-4.10



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 11

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 56 OF 127
DRAWING NO. M-4.11



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 12

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 57 OF 127

DRAWING NO. M-4.12

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 13

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 58 OF 127

DRAWING NO. M-4.13



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 14

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 59 OF 127

DRAWING NO. M-4.14



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 15

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 60 OF 127

DRAWING NO. M-4.15



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 16

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 61 OF 127

DRAWING NO. M-4.16



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 17

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 62 OF 127

DRAWING NO. M-4.17



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 18

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 63 OF 127

DRAWING NO. M-4.18



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 19

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 64 OF 127

DRAWING NO. M-4.19



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 20

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 65 OF 127
DRAWING NO. M-4.20



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 21

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 66 OF 127

DRAWING NO. M-4.21

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 22

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 67 OF 127

DRAWING NO. M-4.22



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 23

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 68 OF 127

DRAWING NO. M-4.23



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 24

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 69 OF 127

DRAWING NO. M-4.24



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 25

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 70 OF 127

DRAWING NO. M-4.25



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 26

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 71 OF 127

DRAWING NO. M-4.26

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 27

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 72 OF 127

DRAWING NO. M-4.27



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 28

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 73 OF 127
DRAWING NO. M-4.28



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 29

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 74 OF 127
DRAWING NO. M-4.29



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 30

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 75 OF 127

DRAWING NO. M-4.30

NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m



LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 31

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 76 OF 127

DRAWING NO. M-4.31



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 32

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 77 OF 127

DRAWING NO. M-4.32



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 33

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 78 OF 127
DRAWING NO. M-4.33



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
PAVER ARRAY 34

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -
DATE: 2025/12/09
SHEET: 79 OF 127
DRAWING NO. M-4.34



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 35

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 80 OF 127

DRAWING NO. M-4.35



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 36

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 81 OF 127

DRAWING NO. M-4.36



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 37

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 82 OF 127

DRAWING NO. M-4.37



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 38

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 83 OF 127

DRAWING NO. M-4.38



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
PAVER ARRAY 39

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 84 OF 127

DRAWING NO. M-4.39



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE:
PAVER ARRAY 40

PROJECT:
3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT:
kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 85 OF 127

DRAWING NO. M-4.40



NOTE:
6819 Modules (Jinko 625W)
DC Output: 4261.88 kW (DC)
AeroGrid L: 10 Degree Tilt
Row Spacing: 1.56m
Inter-Row Spacing: 0.44m
Setback from edge: 1.22m

LEGEND



ENGINEER'S SEAL

DRAWING TITLE: PAVER ARRAY 41

PROJECT: 3055 Rue Anderson
3055 Rue Anderson
Terrebonne, QC J6Y 1W5

CLIENT: kWh Quebec Inc

PROVIDER

KB RACKING®

1050 KING ST. W, SUITE 03A104
TORONTO, ONTARIO M6K 0C7
CANADA

TOLL - FREE TEL: 1.888.661.3204
LOCAL TEL: 416 532 2500
EMAIL: info@kbracking.com

WWW.KBRACKING.COM

DRAWN BY:	CHECKED BY:	VERSION:
M.N.	Z.U.	1

PROJECT NO.: -

DATE: 2025/12/09

SHEET: 86 OF 127

DRAWING NO. M-4.41