

Fys4150

Project 4 Figures and stuff

Peter Killingstad and Karl Jacobsen

<https://github.com/kaaja/fys4150>

November 4, 2017

4b

mcs	Eavg	absMavg	Cv	chi
100	-2.000000	1.000000	0.000000	0.000000
1000	-1.972000	0.991500	0.220864	0.022711
10000	-1.991000	0.996950	0.071676	0.009263
100000	-1.995180	0.998475	0.038467	0.004321
1000000	-1.995904	0.998634	0.032701	0.004093
10000000	-1.995942	0.998643	0.032401	0.004074

Table 1: Estimated quantities

mcs	Eavg	absMavg	Cv	chi
100	0.201300	0.134106	-100.000000	-100.000000
1000	-1.201518	-0.717034	588.428762	466.254675
10000	-0.249606	-0.171303	123.412688	130.949678
100000	-0.040185	-0.018598	19.901104	7.728200
1000000	-0.003912	-0.002677	1.928037	2.039441
10000000	-0.002028	-0.001736	0.994274	1.573251

Table 2: Percentage deviations from analytical results

1 4c




Figure 1: Expected Energy divided by L^2 . $T = 1.0$.
Equilibrium reached after 2^{20} Monte Carlo cycles.




Figure 2: Expected Energy divided by L^2 . $T = 2.4$.
Equilibrium reached at same point as for $T = 1$.




Figure 3: Expected absolute magnetic momentum divided by L^2 . $T = 1.0$.
Equilibrium reached at same point as for the energy.




Figure 4: Expected absolute magnetic momentum divided by L^2 . $T = 2.4$.
Equilibrium reached at same point as for the others.




Figure 5: Accepted moved divided by L^2 .

2 4d

$\log_2 MCS$	T	μ_E/L^2	$\langle E \rangle / L^2$	$(\frac{\mu_E/L^2}{\langle E \rangle / L^2} - 1) \cdot 100$	σ_E^2/L^2	$\frac{\langle E^2 \rangle - \langle E \rangle^2}{L^2}$	$(\frac{\sigma_E/L^2}{1/L^2(\langle E^2 \rangle - \langle E \rangle^2)} - 1) \cdot 100$	$\langle M \rangle / L^2$	$\frac{\langle M ^2 \rangle / L^2 - \langle M \rangle^2}{L^2}$	Cv/L^2	χ/L^2
20.0	1.0	-1.997172	-1.997172	-8.152091e-07	0.023281	0.023281	0.000001	0.999279	0.00156	0.023281	0.00156
20.0	2.4	-1.236940	-1.997172	-3.806541e+01	8.185407	0.023281	35059.065111	0.999279	0.00156	0.023281	0.00156

Table 3: Statistics. Fixed initial config.

$\log_2 MCS$	T	μ_E/L^2	$\langle E \rangle / L^2$	$(\frac{\mu_E/L^2}{\langle E \rangle / L^2} - 1) \cdot 100$	σ_E^2/L^2	$\frac{\langle E^2 \rangle - \langle E \rangle^2}{L^2}$	$(\frac{\sigma_E/L^2}{1/L^2(\langle E^2 \rangle - \langle E \rangle^2)} - 1) \cdot 100$	$\langle M \rangle / L^2$	$\frac{\langle M ^2 \rangle / L^2 - \langle M \rangle^2}{L^2}$	Cv/L^2	χ/L^2
20.0	1.0	-1.997043	-1.997043	4.680687e-07	0.039074	0.039074	-3.837571e-07	0.99904	0.065137	0.039074	0.065137
20.0	2.4	-1.236953	-1.997043	-3.806078e+01	8.094424	0.039074	2.061573e+04	0.99904	0.065137	0.039074	0.065137

Table 4: Statistics. Random initial config.




Figure 6: Probability distribution. Fixed initial $T = 1$.




Figure 7: Probability distribution. Fixed initial $T = 2.4$.




Figure 8: Probability distribution. Random initial $T = 1$.




Figure 9: Probability distribution. Random initial $T = 2.4$.




Figure 10: Accepted moved divided by L^2 .

3 4e

ds

$\log_2 MCS$	T	μ_E/L^2	$\langle E \rangle / L^2$	$(\frac{\langle E \rangle / L^2}{\mu_E/L^2} - 1) \cdot 100$	σ_E^2/L^2	$\frac{\sigma_E^2/L^2}{\mu_E^2/L^2}$	$(\frac{\sigma_E^2/L^2}{\mu_E^2/L^2} - 1) \cdot 100$	$\langle M \rangle / L^2$	$\frac{\langle M \rangle / L^2}{\mu_E/L^2}$	C_V/L^2	χ/L^2
20.0	1.0	-1.997172	-1.997172	-8.152091e-07	0.023281	0.023281	0.000001	0.999279	0.00156	0.023281	0.00156
20.0	2.4	-1.230040	-1.997172	-3.806541e+01	8.135407	0.023281	35659.065111	0.999279	0.00156	0.023281	0.00156

Table 5: something