



200 Top Java Multiple Choice Questions and Answers pdf

April 4, 2019 by [Kane Dane](#)

Java Multiple Choice Questions with Answers:-

1. Java programs are

- A) Faster than others
- B) Platform independent
- C) Not reusable
- D) Not scalable

2. Java has its origin in

- A) C programming language
- B) PERLL
- C) COBOL
- D) Oak programming language

3. Which one of the following is true for Java

- A) Java is object-oriented and interpreted
- B) Java is efficient and faster than C
- C) Java is the choice of everyone.
- D) Java is not robust.

4. The command javac is used to

- A) debug a java program
- B) compile a java program
- C) interpret a java program
- D) execute a java program

5. Java servlets are an efficient and powerful solution for creating for the web.

- A) Dynamic content
- B) Static content
- C) Hardware
- D) Both a and b

6. Filters were officially introduced in the Servlet specification.

- A) 2.1
- B) 2.3
- C) 2.2
- D) 2.4

7. Which is the root class of all AWT events

- A) java.awt.ActionEvent
- B) java.awt.AWTEvent
- C) java.awt.event.AWTEvent
- D) java.awt.event.Event

8. OOP features are

- i) Increasing productivity ii) Reusability
 - iii) Decreasing maintenance cost iv) High vulnerability
- A) 1,2 & 4
 - B) 1,2 & 3
 - C) 1, 2 & 4
 - D) none of the above

9. break statement is used to

- i) get out of method ii) end a program
 - iii) get out of a loop iv) get out of the system
- A) 1 & 2
B) 1,2 & 3
C) 1 & 3
D) 3

10. Native-protocol pure Java converts into the used by DBMSs directly.

- A) JDBC calls, network protocol
- B) ODBC class, network protocol
- C) ODBC class, user call
- D) JDBC calls, user call

Answers:

1. B) Platform independent
2. D) Oak programming language
3. A) Java is object interpreted
4. B) compile a java program
5. A) Dynamic content
6. B) 2.3
7. B) java.awt.AWTEvent
8. B) 1,2 & 3
9. D) 3
10. A) JDBC calls,protocol

1. The JDBC-ODBC bridge allows to be used as

- A) JDBC drivers, ODBC drivers
- B) Drivers, Application
- C) ODBC drivers, JDBC drivers
- D) Application, drivers

2. Which of the following is true about Java.

- A) Java does not support overloading.
- B) Java has replaced the destructor function of C++
- C) There are no header files in Java.
- D) All of the above.

3. are not machine instructions and therefore, Java interpreter generates machine code that can be directly executed by the machine that is running the Java program.

- A) Compiled Instructions
- B) Compiled code
- C) byte code
- D) Java mid code

4. The command javac

- A) Converts a java program into binary code
- B) Converts a java program into bytecode
- C) Converts a java program into machine language
- D) None of the above.

5. Which of the following is not the Java primitive type

- A) Byte
- B) Float
- C) Character
- D) Long double

6. Command to execute compiled java program is

- A) java
- B) javac
- C) run
- D) javaw

7. Java Servlet

- i) is a key component of server-side Java development
- ii) is a small pluggable extension to a server that enhances functionality
- iii) runs only in Windows Operating System
- iv) allows developers to customize any java enabled server

- A) i, ii & iii are true
- B) i, iii & iv are true
- C) ii, iii & iv are true
- D) i, ii & iv are true

8. Inner classes are

- A) anonymous classes

- B) nested classes
- C) subclasses
- D) derived classes

9. How many times does the following code segment execute

```
int x=1, y=10, z=1;  
do{y-=; x++; y-=2; y=z; z++} while (y>1 && z<10);
```

- A) 1
- B) 10
- C) 5
- D) infinite

10. State whether the following statement is true or false for EJB.

- 1. EJB exists in the middle-tier
 - 2. EJB specifies an execution environment
 - 3. EJB supports transaction processing
- A) 1-true, 2. true, 3. true
 - B) 1- true, 2. false, 3. true
 - C) 1- false, 2- false, 3- false
 - D) 1-true, 2-true, 3-false

Answers:

- 1. C) ODBC drivers, JDBC drivers
- 2. D) All of the above.
- 3. C) byte code
- 4. B) Converts a javainto bytecode
- 5. D) Long double
- 6. A) java
- 7. D) i, ii & iv are true
- 8. B) nested classes
- 9. A) 1
- 10. A) 1-true, 2. true, 3. true

1. All Java classes are derived from

- A) java.lang.Class
- B) java.util.Name
- C) java.lang.Object
- D) java.awt.Window

2. The jdb is used to

- A) Create a jar archive
- B) Debug a java program
- C) Create a C header file
- D) Generate java documentation

3. What would happen if “String[]args” is not included as an argument in the main method?

- A) No error
- B) Compilation error
- C) The program won't run
- D) Program exit

4. For the execution of DELETE SQL query in JDBC, method must be used.

- A) executeQuery()
- B) executeDeleteQuery()
- C) executeUpdate()
- D) executeDelete()

5. Which method will a web browser call on a new applet?

- A) main method
- B) destroy method
- C) execute method
- D) init method

6. Which of the following is not mandatory in a variable declaration?

- A) a semicolon
- B) an identifier
- C) an assignment
- D) a data type

7. When a programming class implements an interface, it must provide behavior for

- A) two methods defined in that interface
- B) any methods in a class
- C) only certain methods in that interface
- D) all methods defined in that interface

8. In order to run JSP is required.

- A) Mail Server
- B) Applet viewer
- C) Java Web Server
- D) Database connection

9. State true or false.

- i) AWT is an extended version of swing
 - ii) Paint() of Applet class cannot be overridden
- A) i-false, ii-false
 - B) i-false, ii-true
 - C) i-true, ii-false
 - D) i-true, ii-true

10. Prepared Statement object in JDBC used to execute..... queries.

- A) Executable
- B) Simple
- C) High level
- D) Parameterized

Answers:

1. C) java.lang.Object
2. B) Debug a java program
3. C) Program won't run
4. C) executeUpdate()
5. D) init method
6. C) an assignment
7. D) all methods ... interface
8. C) Java Web Server
9. A) i-false, ii-false
10. D) Parameterized

1. In Java variables, if first increment of the variable takes place and then the assignment occurs. This operation is also called.....

- A) pre-increment
- B) post-increment
- C) incrementation
- D) pre incrementation

2. When the operators are having the same priority, they are evaluated from in the order they appear in the expression.

- A) right to left
- B) left to right
- C) any of the order
- D) depends on the compiler

3. In Java, can only test for equality, whereas can evaluate any type of Boolean expression.

- A) switch, if
- B) if, switch
- C) if, break
- D) continue, if

4. The looks only for a match between the value of the expression and one of its case constants.

- A) if
- B) match
- C) switch
- D) None of the above

5. System.in.read() is being used, the program must specify the clause.

- A) throws.java.out.IOException
- B) throws.java.in.IOException
- C) throws.java.io.IOException
- D) throws.java.io.InException

6. By using you can force immediate termination of a loop, bypassing the conditional expression and any remaining code in the body of the loop.

- A) Break
- B) Continue
- C) Terminate
- D) Loop Close

7. The out object is an object encapsulated inside the class and represents the standard output device.

- A) standard

- B) local
- C) global
- D) system

8. The third type of comment is used by a tool called for automatic generation of documentation.

- A) Java commenting
- B) Java generator
- C) Java doc
- D) Java loc

9. In the second type, the information written in java after // is ignored by the

- A) Interpreter
- B) Compiler
- C) Programmer
- D) All of the above

10. The compiled Java program can run on any platform having Java Virtual Machine (JVM) installed on it.

- A) program
- B) java
- C) hardware
- D) nonjava

Answers:

1. A) pre-increment
2. B) left to right
3. A) switch, if
4. C) switch
5. C) throws.java.io.IOException
6. A) Break
7. D) system
8. C) Java doc
9. B) Compiler
10. C) hardware

1. Preparedstatement Object in JDBC is used to execute queries.

- A) executable
- B) simple
- C) high level
- D) parameterized

2. In JDBC imports all Java classes concerned with database connectivity.

- A) javax.sql.*
- B) java.mysql.*
- C) java.sql.*
- D) com.*

3. MS-SQL stores data in a file format.

- A).DAT
- B).MDB
- C).MSSQL
- D).OBJ

4. Ingres is a

- A) Socket
- B) Compiler
- C) Database
- D) Web server

5. In Java servlet method init() is called times.

- A) 1
- B) 2
- C) 0
- D) multiple

6. State true or false for Java Program.

- i) All class variables are instance variables
 - ii) All protected methods are friendly methods
- A) i-false, ii-false
 - B) i-false, ii-true
 - C) i-true, ii-false
 - D) i-true, ii-true

7. State true or false for Java Program.

- i) Data members of an interface are by default final
 - ii) An abstract class has implementations of all methods defined inside it.
- A) i-false, ii-false
B) i-false, ii-true
C) i-true, ii-false
D) i-true, ii-true

8. of a remotely accessible object must implement

- A) all methods, RemoteException
B) class, RemoteException
C) class, RemoteInterface
D) all methods, RemoteInterface

9.is the key to

- A) Serialization, persistence
B) Persistence, inheritance
C) Inheritance, object
D) Persistence, serialization

10. A method named myMethod() that needs two integer arguments is declared as

- A) public void myMethod();
B) public void myMethod(int a, int b);
C) public void myMethod(int a, b);
D) public int myMethod(a, b);

Answers:

1. D) parameterized
2. C) java.sql.*
3. A).DAT
4. C) Database
5. A) 1
6. B) i-false, ii-true
7. C) i-true, ii-false
8. C) class, RemoteInterface
9. A) Serialization, persistence
- 10.B) public void myMethod(int a, int b);

1. JSP embeds in in

- A) Servlet, HTML
- B) HTML, Java
- C) HTML, Servlet
- D) Java, HTML

2. The class at the top of exception class hierarchy is

- A) ArithmeticException
- B) Throwable
- C) Class
- D) Exception

3. In a java program, package declaration import statements.

- A) must precede
- B) must succeed
- C) may precede or succeed
- D) none

4. The class string belongs to package.

- A) java.awt
- B) java.lang
- C) java.applet
- D) java.string

5. package is used by the compiler itself. So it does not need to be imported for use.

- A) java.math
- B) java.awt
- C) java.applet
- D) java.lang

6. State true or false for the following statements in Java.

- i) Java beans slow down the software development process.
 - ii) Java Servlets do not have built-in multithreading feature.
- A) i-false, ii-false
 - B) i-false, ii-true
 - C) i-true, ii-false
 - D) i-true, ii-true

7. State whether true or false.**i) init() of a servlet is called after a client request comes in****ii) Servlets are ultimately converted into JSP**

- A) i-false, ii-false
- B) i-false, ii-true
- C) i-true, ii-false
- D) i-true, ii-true

8. What will be the result of compiling the following code?

```
public class MyClass{  
    public static void main(String args[]){  
        System.out.println("In first main()");  
    }  
    public static void main(char args[]){  
        System.out.println('a');  
    }  
}
```

- A) The code will not compile and will give "Duplicate main() method declaration" error
- B) The code will compile correctly but will give a runtime exception
- C) The code will compile correctly and will print "In first main()" (without quotes) when it is run
- D) The code will compile correctly and will print "a" (without quotes) when it is run

9. Match the following.

- a) Java 1) is a tool for debugging java program
- b) Javah 2) is a tool for creating C-like header files
- c) Javap 3) runs java bytecode
- d) jdb 4) prints java code representation

- A) a-3, b-2,c-1
- B) a-3, b-2, c-4, d-1
- C) a-1, b-2, c-3, d-4
- D) a-2, b-1, c-3, d-4

10.State true or false.

- i) init() is called after start() in applet
- ii) applets are used for networking

- iii) inheritance is a part of Java Foundation Classes
 - iv) final does not prevent inheritance
- A) i-true, ii-true, iii-false, iv-true
B) i-false, ii-false, iii-false, iv-false
C) i-true, ii-true, iii-true, iv-true
D) i-true, ii-false, iii-false, iv-false

Answers:

1. D) Java, HTML
2. B) Throwable
3. A) must precede
4. B) java.lang
5. D) java.lang
6. A) i-false, ii-false
7. A) i-false, ii-false
8. C) The code will compile correctly and will print "In first main()" (without quotes) .. run
9. B) a-3, b-2, c-4, d-1
- 10.B) i-false, ii-false, iii-false, iv-false

1. The and classes are abstract classes that support reading and writing of byte streams.

- A) reader, writer
- B) inputstream, outputstream
- C) objectinputstream, objectoutputstream
- D) none

2. What is the error in the following code?

```
class Test
{
    abstract void display( );
}
```

- A) No error
- B) Method display() should be declared as static
- C) Test class should be declared as abstract
- D) Test class should be declared as public

3. A package is a collection of

- A) classes
- B) interfaces
- C) editing tools
- D) classes and interfaces

4. Which of the following methods belong to the string class?

- A) length()
- B) compare To ()
- C) equals ()
- D) All of them

5. What will be the output of the following code?

```
byte x=64, y;  
y= (byte) (x<<2);  
System.out.println(y);
```

- A) 0
- B) 1
- C) 2
- D) 64

6. If m and n are int type variables, what will be the result of the expression

m%n

when m=5 and n=2 ?

- A) 0
- B) 1
- C) 2
- D) None of the above

7. Which of the following control expressions are valid for an if statement?

- A) An integer expression
- B) A Boolean expression
- C) Either A or B
- D) Neither A nor B

8. The concept of multiple inheritances is implemented in Java by

- A) extending two or more classes

- B) extending one class and implementing one or more interfaces
- C) implementing two or more interfaces
- D) both B and C

9. Which of the following do not represent legal flow control statements?

- A) break;
- B) return;
- C) exit();
- D) continue outer;

10. Data input is

- A) an abstract class defined in java.io
- B) a class we can use to read primitive data types
- C) an interface that defines methods to open files.
- D) an interface that defines methods to read primitive data types.

Answers:

1. B) input stream, the output stream
2. C) Test class should be declared as abstract
3. D) classes and interfaces
4. D) All of them
5. A) 0
6. B) 1
7. B) A Boolean expression
8. D) both B and C
9. C) exit();
- 10.D) an interface that defines methods to read primitive data types.

1. Using which keyword we can access the value of the instance variables and class variables of that class inside the method of that class itself.

- A) super
- B) final
- C) this
- D) either super or this

2. If a variable is declared final, it must include value.

A) integer

B) no

C) initial

D) float

3. State true or false.**i) JPanel is a class included in awt package.****ii) Anonymous classes are mostly used for event handling.****iii) Names of anonymous classes must be unique****iv) JOptionPane is an inner class**

A) i-false, ii-false, iii-true, iv-true

B) i-true, ii-false, iii-true, iv-false

C) i-false, ii-true, iii-false, iv-false

D) i-true, ii-false, iii-false, iv-true

4. In Java, a string is a

A) primitive data type

B) abstract data type

C) combination of boolean

D) None of the above

5. Methods can be overloaded with a difference only in the type of the return value.

A) Not supported

B) False

C) True

D) None of the above

6. Each method in a java class must have a unique name.

A) Not necessary

B) True

C) False

D) None of the above

7. State true or false.

i) comparisons precede logical operations in java

ii) assignment operations succeed increment operations

iii) arithmetic operations succeed comparisons

iv) x precede +

A) i-true, ii-true, iii-false, iv-true

B) i-true, ii-false, iii-true, iv-false

C) i-false, ii-true, iii-false, iv-false

D) i-true, ii-false, iii-false, iv-true

8. It is an important feature of java that it always provides a default constructor to a class.

A) Not supported

B) False

C) True

D) None of the above

9. is the key to

A) Serialization, persistence

B) Persistence, inheritance

C) Inheritance, object

D) Persistence, serialization

10. State true or false.

i) The public can only be assigned to class

ii) Protected protects a statement

iii) Protected method is never accessible outside the package

iv) Friendly variable may be accessible outside the class

A) i-true, ii-true, iii-false, iv-true

B) i-true, ii-false, iii-true, iv-false

C) i-false, ii-true, iii-false, iv-false

D) i-true, ii-false, iii-false, iv-true

Answers:

1. C) this

2. C) initial
3. C) i-false, ii-true, iii-false, iv-false
4. B) abstract data type
5. B) False
6. A) Not necessary
7. A) i-true, ii-true, iii-false, iv-true
8. C) True
9. A) Serialization, persistence
10. C) i-false, ii-true, iii-false, iv-false

1. In java a is a sequence of characters.

Java Objective Questions with Answers

Schema of the general architecture of a program running in a Java Virtual Machine (Photo credit: Wikipedia)

- A) string
- B) arrayChar
- C) groupChar
- D) collection

2. Java programs perform I/O through

- A) I/O methods
- B) I/O package
- C) streams
- D) compiler

3. What is the byte code in the context of Java?

- A) The type of code generated by a Java compiler

B) The type of code generated by a Java Virtual Machine

C) It is another name for Java source file

D) It is the code written within the instance methods of a class

4. Which of the following statements about abstract methods/classes in Java is true?

A) An abstract class cannot be instantiated.

B) Constructors can be abstract.

C) A subclass of an abstract class must define the abstract methods.

D) Static methods may be declared abstract.

5. Which of the following statement is false?

A) The sleep() method should be enclosed in try catch block

B) The yield() method should be enclosed in try catch block.

C) A thread can be temporarily suspended from running by using the wait() method.

D) A suspended thread using suspend() method can be revived using the resume() method.

6. The new operator dynamically allocatesfor an object and returns a reference to it.

A) classes

B) variables

C) memory

D) none of the above

7. Which of the following statements correctly describes an interface?

- A) It's a concrete class
- B) It's a superclass
- C) It's a type of abstract class
- D) It's a subclass

8. What is the priority of the Garbage collector thread of JDK?

- A) Low Priority
- B) Highest Priority
- C) Medium Priority
- D) Decided at run time

9. is a feature that allows one interface to be used for a general class of actions.

- A) Class
- B) Inheritance
- C) Polymorphism
- D) Interface

10. The default package that is implicitly called in a java program is

- A) java.Lang
- B) java.System
- C) java.Window

D) java.Lang.System

Answers:

1. In java a is a sequence of characters.

B) arrayChar

2. Java programs perform I/O through

C) streams

3. What is the byte code in the context of Java?

A) The type of code generated by a Java compiler

4. Which of the following statements about abstract methods/classes in Java is true?

A) An abstract class cannot be instantiated.

5. Which of the following statement is false?

B) The yield() method should be enclosed in try catch block.

6. The new operator dynamically allocatesfor an object and returns a reference to it.

C) memory

7. Which of the following statements correctly describes an interface?

C) It's a type of abstract class

8. What is the priority of the Garbage collector thread of JDK?

A) Low Priority

9. is a feature that allows one interface to be used for a general class of actions.

C) Polymorphism

10. The default package that is implicitly called in a java program is

- A) java. Lang

JAVA Objective Type Questions pdf free download::

1. Java was developed by the company

- A) Sun Microsystems

An image representing Sun Microsystems as depict...

Sun Microsystems Image CrunchBase

- B) Microsoft

- C) Micro-tech

- D) IBM

2. What is the file extension of a compiled java program?

- A) .class

- B) .java

- C) .css

- D) .html

3. keyword is used to invoke the current object.

- A) New

- B) That

- C) This

D) Me

4. Which of the function is used to convert string to Number in java program?

A) to Number()

B) conString()

C) valueOf()

D) toString()

5. What are the part in executing a Java program and their purposes?

A) Java Compiler

B) Java Interpreter

C) Java Pre-processor

D) Directive Pre-processor

6. Method overloading is one of the ways that Java supports

A) encapsulation

B) class

C) inheritance

D) polymorphism

7. Java support RMI. What does this RMI stand for?

A) Random Memory Interface

B) Remote Method Invocation

C) Random Method Invocation

D) Remote Memory Interface

8. Which of the following represent legal flow control statements?

A) break;

B) break();

C) continue(inner);

D) exit();

9. The keywords reserved but used in the initial version of Java are

A) union

B) const

C) inner

D) goto

10. What is the default return type of main().

A) void

B) double

C) float

D) int

Answers:

1. Java was developed by the company

A) Sun Microsystems

2. What is the file extension of a compiled java program?

A) .class

A 3. keyword is used to invoke the current object.

C) This

4. Which of the function is used to convert string to Number in java program?

C) valueOf()

5. What are the part of executing a Java program and their purposes?

A) Java Compiler

6. Method overloading is one of the ways that Java supports

D) polymorphism

7. Java support RMI. What does this RMI stand for?

B) Remote Method Invocation

8. Which of the following represent legal flow control statements?

A) break;

9. The keywords reserved but used in the initial version of Java are

A) union

10. What is the default return type of main().

D) int

1. If m and n are int type variables, what will be the result of the expression $m \% n$ when $m = -14$ and $n = -3$?

A) 4

B) 2

C) -2

D) -4

2. Consider the following code

```
if(number>=0)
```

```
if(number>0)
```

```
    system.out.println("Number is positive");
```

```
else
```

```
    system.out.println("Number is negative");
```

What will be the output if number is equal to 0?

A) Number is negative

B) Number is positive

C) Both A and B

D) None of the above

3. Consider the following code:

```
char c='a';
```

```
switch (c)
```

```
{
```

```
case 'a':
```

```
    system.out.println("A");
```

```
case 'b':
```

```
system.out.println("B");  
  
default;  
system.out.println("C");  
}
```

For this code, which of the following statement is true?

- A) The output will be A
- B) The output will be A followed by B
- C) The output will be A, followed by B, and then followed by C
- D) Code is illegal and therefore will not compile

4. Consider the following class definition.

```
class Student extends String
```

```
{  
}
```

What happens when we try to compile this class?

- A) Will not compile because the class body is not defined
- B) Will not compile because the class is not declared public.
- C) Will not compile because the string is abstract.
- D) Will not compile because the string is final.

5. What is wrong in the following class definitions?

```
abstract class print
```

```
{  
abstract show();  
}
```

```
class Display extends Print
```

```
{  
}
```

- A) Nothing is wrong
- B) Wrong. Method show() should have a return type
- C) Wrong. Method show() is not implemented in Display
- D) Wrong. The display does not contain any numbers.

6. What is the error in the following class definitions?

```
abstract class XY
```

```
{  
    abstract sum(int x, int y){ }  
}
```

- A) The class header is not defined properly
- B) The constructor is not defined
- C) A method is not defined properly
- D) No error.

7. Which of the following statements are true?

- i) We cannot use abstract classes to instantiate objects directly.
- ii) The abstract methods of an abstract class must be defined in its subclass.
- iii) We cannot declare abstract constructors.
- iv) We may declare abstract static methods.

- A) Line i only

B) Line ii only

C) Line i and ii only

D) Line i, ii and iii only

8. We would like to make a member of a class visible in all subclasses regardless of what package they are in. Which one of the following keywords would archive this?

A) Private

B) Protected

C) Public

D) Private Protected

9. The use of a protected keyword to a member in a class will restrict its visibility as follows:

A) Visible only in the class and its subclass in the same package.

B) Visible only inside the same package.

C) Visible in all classes in the same package and subclasses in other packages

D) Visible only in the class where it is declared.

10. Consider the following code:

```
interface Area
```

```
{
```

```
float compute (float x, float y);
```

```
}
```

```
class Room implements Area
```

```
{
```

```
float compute (float x, float y)
```

```
{
```

```
return(x&y);
```

```
 }  
 }
```

What is wrong with the code?

- A) The interface definition is incomplete
- B) Method compute() in interface Area should be declared public
- C) Method compute() in class Room should be declared public
- D) All the above

Answers:

1. If m and n are int type variables, what will be the result of the expression $m \% n$ when $m = -14$ and $n = -3$?

C) -2

2. Consider the following code

```
if(number>=0)  
if(number>0)  
system.out.println("Number is positive");  
else  
system.out.println("Number is negative");
```

What will be the output if number is equal to 0?

- A) Number is negative
- 3. Consider the following code:

```
char c='a';  
switch (c)  
{  
case 'a';  
system.out.println("A");  
case 'b';  
system.out.println("B");  
default;
```

```
system.out.println("C");
}
```

For this code, which of the following statement is true?

B) The output will be A followed by B

4. Consider the following class definition.

```
class Student extends String
{
}
```

What happens when we try to compile this class?

D) Will not compile because the string is final.

5. What is wrong in the following class definitions?

```
abstract class print
{
abstract show();
}

class Display extends Print
{
}
```

C) Wrong. Method show() is not implemented in Display

6. What is the error in the following class definitions?

```
abstract class XY
{
abstract sum(int x, int y){ }
}
```

C) A method is not defined properly

7. Which of the following statements are true?

i) We cannot use abstract classes to instantiate objects directly.

ii) The abstract methods of an abstract class must be defined in its subclass.

iii) We cannot declare abstract constructors.

iv) We may declare abstract static methods.

D) Line i, ii and iii only

8. We would like to make a member of a class visible in all subclasses regardless of what package they are in. Which one of the following keywords would archive this?

D) Private Protected

9. The use of a protected keyword to a member in a class will restrict its visibility as follows:

C) Visible in all classes in the same package and subclasses in other packages

10. Consider the following code:

```
interface Area
{
    float compute (float x, float y);
}

class Room implements Area
{
    float compute (float x, float y)
    {
        return(x&y);
    }
}
```

What is wrong with the code?

C) Method compute() in class Room should be declared public

1. A java program is first and

A) executed, run

B) compiled, run

C) run, compiled

D) interpreted, compiled
2. Byte code is also a

A) machine code

B) bit code

C) cryptographic code

D) none

3. A private class is accessible from inside a

A) package

B) class

C) method

D) none

4. Consider the statement "x=(a>b)?a:b", then the value of x is 19 if a=19 and b=12

A) true

B) not supported

C) false

D) none of the above

5. Adapter classes are used for

A) code redundancy

B) code reduction

C) code organization

D) none

6. inheritance is enabled by an interface in java.

A) min level

B) multiple

C) low level

D) none

7. is generated if a button is clicked in AWT.

A) ItemEvent

B) WindowEvent

C) ActionEvent

D) MouseEvent

8. Using which keyword we can access the value of the instance and class variables of that class inside the method of that class itself.

A) super

B) final

C) this

D) either super or this

9. If a variable is declared FINAL, it must include value.

A) integer

B) number

C) initial

D) float

10. In Java, a string is a

A) primitive data type

B) abstract data type

C) combination of boolean

D) None of the above

11. Methods can be overloaded with a difference only in the type of the return value

A) Not supported

B) False

C) True

D) None of the above

12. Each method in a java class must have a unique name

A) Not necessarily

B) True

C) False

D) None of the above

13. It is an important feature of java that it always provides a default constructor to a class

A) Not supported

B) False

C) True

D) None of the above

14. If one or more abstract methods are not implemented in an abstract class, then the subclass is also abstract.

A) Not necessarily

B) False

C) True

D) None of the above

15. The life cycle of an applet is described by methods.

A) six

B) three

C) four

D) five

16. Which of the following is not a subclass of "writer" stream.

A) FileWriter

B) LineWriter

C) BufferedWriter

D) PrintWriter

17. In Java RMI, a stub is located in

A) client machine

B) proxy

C) server

D) none of the above

18. The new keyword will

i) create an instance of an object

ii) create an instance of a class

iii) assign memory to an array

iv) call the destructor of a class

A) I and iii

B) ii and iii

C) I and ii

D) ii, iii and iv

19. ODBC stands for

A) Object Data Binding Command

B) Open Database Console

C) Open Database Connectivity

D) Open Database Command

20. Continue statement can be used

i) anywhere inside the main method

ii) anywhere inside the class

iii) within instance methods

iv) only within looping statements

A) I, ii and iii

B) I and iv

C) only iv

D) ii, iii and iv

1) Which of the following statement is/are true?

i) The name of a java program file must match the name of the class with the extension

java

ii) Two methods cannot have the same name in java

- A. i- only
- B. ii- only
- C. Both I and ii
- D. None of the above

2) Which of the following represent(s) of a hexadecimal number?

- A. 570
- B. (hex)5
- C. 0X9F
- D. 0X5

3) can appear only wherein the body of a Java method.

- A. definition
- B. declaration
- C. determine
- D. package

4) State whether the following statement is True or False?

i) The modulus operator(%) can be used only with integer operands

ii) Declarations can appear anywhere in the body of a Java method

- A. i-True, ii-False

B. i-False, ii-True

C. i-True, ii-True

D. i-False, ii-False

5) Which of the following will produce a value of 22 if $x=22.9$?

A. ceil(x)

B. round(x)

C. rint(x)

D. abs(x)

6) is passed to a method by use of call by reference.

A. Variables

B. Objects

C. Methods

D. Operators

7) Using the keyboard interface you can fully abstract ...

A. Method

B. Keyword

C. Class

D. Variables

8) State True or False for the following statements in java.

i) All the bitwise operators have the same level of precedence in java

ii) The default case is always required in the switch selection structure.

A. i-True, ii-False

B. i-False, ii-True

C. i-True, ii-True

D. i-False, ii-False

9) Java is designed for environment of the Internet.

A. Development

B. Deduction

C. Distributed

D. Web Design

10) Which of the following will produce a value of 10 if $x=9.7$?

A. floor(x)

B. abs(x)

C. rint(x)

D. round(x)

11) Variables declared as do not occupy on a per-instance basis.

A. Static

B. Final

C. Abstract

D. Code

12) Which of the following is not keyword?

A. NULL

B. implements

C. protected

D. switch

13) The statement is used to terminate a statement sequence.

A. Break

B. Switch

C. Continue

D. Wait

14) Multidimensional arrays are actually

A. Arrays of element

B. Arrays of variable

C. Arrays of arrays

D. Arrays of variable

15) Which of the following keywords are used to control access to a class member?

i) default ii) abstract iii) protected iv) interface v) public

A. I, ii and iii only

B. ii, iii and iv only

C. iii, iv and v only

D. ii, iii and v only

16) is used for initializing the value to the string object.

A. Character Literals

B. String Literals

C. String group literals

D. Group literals

17) Which of the following methods can be used to remove a component from the display?

A. delete()

B. remove()

C. disappear()

D. hide()

18) Which of the following statements are valid array declaration?

i) int number(); ii) float average[];

iii) double[]marks; iv) counter int[];

A. I and ii

B. ii and iii

C. iii and iv

D. All I, ii, iii and iv

19) Which of the following methods belong to the String class?

- A. length()
- B. CompareTo()
- C. equals()
- D. substring()
- E. All of the above

20) Which of the following is NOT represent legal flow control statements?

- A. break;
- B. break();
- C. continue outer;
- D. return;

Answers:

- 1) A. i- only
- 2) A. 570
- 3) B. declaration
- 4) B. i-False, ii-True
- 5) C. int(x)
- 6) B. Objects
- 7) C. Class
- 8) D. i-False, ii-False
- 9) C. Distributed
- 10) D. round(x)
- 11) B. Final
- 12) A. NULL
- 13) A. Break
- 14) C. Arrays of arrays
- 15) D. ii, iii and v only
- 16) B. String literals
- 17) D. hide()
- 18) B. ii and iii

19) E. All of the above

20) B. break();

1) An object is an of class.

A. instance

B. implement

C. inheritance

D. invoke

2) is the wrapper class.

A. Random

B. Byte

C. Vector

D. String

3) Class is a entity.

A. logical

B. Physical

C. up normal

D. collection of

4) Which of the following denotes a Javadoc comment?

A. //#

B. /*

C. `/**`

D. `//**`

5) Object is a entity.

A. normal

B. physical

C. logical

D. normal

6) One interface can inherit another by use of the keyword

A. `public`

B. `extends`

C. method name

D. class name

7) must be the first non-comment statement in the file

A. package

B. class

C. object

D. declaration

8) In Java thread to thread, communication is called

A. passing

B. sending

C. messaging

D. calling

9) Every method of a is implicitly final.

A. static class

B. dynamic class

C. final class

D. abstract class

10) The string is defined in namespace.

A. java.Lang

B. java.String

C. java.Char

D. java.Awt

11) A an object cannot be modified after it is created.

A. double

B. int

C. string

D. main

12) is a special member function.

A. method

B. class

C. use defined function

D. constructor

13) A class may not have any abstract method.

A. abstract

B. static

C. final

D. public

14) Keyword is always a reference to the object.

A. new

B. this

C. invoke

D. class

15) operators are overloaded for string objects?

A. -, +

B. +, =

C. <<, >>

D. ++, -

16) is a small unit of a process.

A. method

B. thread

C. applet

D. steam

17) is valid for if statement?

A. An integer expression

B. A Boolean expression

C. A character expression

D. A legal expression

18) A wrapper class is a wrapper around a data type.

A. normal

B. central

C. primitive

D. concrete

19) statement is valid for array declaration.

A. int number();

B. float number();

C. float number[];

D. count int[];

20) operators which concatenates two strings.

A. +

B. ++

C. -

D. +-

Answers:

- 1) A. instance
- 2) B. Byte
- 3) A. logical
- 4) C. /**
- 5) B. physical
- 6) B. extends
- 7) A. package
- 8) C. messaging
- 9) C. final class
- 10) A. java.Lang
- 11) C. string
- 12) D. constructor
- 13) C. final
- 14) B. this
- 15) B. +,=
- 16) B. thread
- 17) B. A Boolean expression
- 18) C. primitive
- 19) C. float number[];
- 20) A. +

JAVA MCQs::

Related Posts:

- [125 Top C++ Interview Questions and Answers 2017](#)
- [125 Top Linux Job Interview Questions and Answers](#)

- [125 Top SAP FICO Job Interview Questions and Answers](#)
- [125 Top Core Java Job Interview Questions and Answers](#)
- [125 Top Java Job Interview Questions and Answers](#)
- [120 Top Selenium Job Interview Questions and Answers](#)

[Java, MCQ](#)

- > [120 Top Hadoop Bigdata Interview Questions with Answers](#)

Recent Posts

- [100 Top Google Charts Interview Questions and Answers](#)
- [100 Top Ethical Hacking Job Interview Questions and Answers](#)
- [100 Top Food Nutrition Multiple Choice Questions and Answers](#)
- [100 Top Google Analytics Multiple Choice Questions And Answers](#)
- [100 Top Environment Management Multiple Choice Questions and Answers](#)

Categories

[3D MAX](#)[AB Initio](#)[Active Directory](#)[Actuarial](#)[ADO.Net](#)[Adobe Acrobat 7.0](#)

[Adobe Flex](#)[Adobe Illustrator](#)[Adobe Photoshop](#)[Agile testing](#)[Agriculture](#)[Android](#)[Animals](#)[Apache](#)[APJ Abdul Kalam](#)[Aptitude](#)[asp](#)[ASP.NET](#)[Assembly Language Programming](#)[ATG](#)[Auditing](#)[Auto Desk Inventor](#)[Autocad 4D](#)[Bank Exams](#)[Bank PO](#)[Banking Terms](#)[Behaviour](#)[Blackberry](#)[Business](#)[C](#)[C#](#)[C++](#)[Cars](#)[Case Manager](#)[Cash Handling](#)

CBD

CCNA Certification

Chemistry

CISSP

Cloud Computing

COGNOS

Commerce

Computer Hardware

computer network

Computer Programming Languages

Core java

Corel Draw

Crane Operator

Cryptocurrencies

Cucumber

D3.JS

Data

Data Mining

Data Mining

Data Structure

DBMS

Devops

DHCP

Digital Marketing

DOJO

Dreamweaver

Drink

Drupal

Education

[Email-Marketing](#)[Employment](#)[English Vocabulary](#)[Entertainment](#)[Environment](#)[Ethical hacking](#)[Fashion](#)[Finance](#)[Financials](#)[First Aid](#)[Food](#)[Food Nutrition](#)[Fortran](#)[Front Desk](#)[Front Office Assistant](#)[Gambling](#)[Gaming](#)[General Awareness](#)[General Knowledge](#)[Google Analytics](#)[Google Charts](#)[Graphic Design](#)[GSM](#)[GWT](#)[H4 Visa](#)[Hadoop](#)[Hadoop BigData](#)[Health](#)[Home & Garden](#)

Hotel Management

HRMS

IAS

IBM

IBPS

IBPS Officer

Inbound Marketing

Interview Questions

Interview Questions

Interview-questions

IOS

iPhone Apps

J2ME

Japanese culture

Java

Javascript

Javascript

JCL

Jenkins

JQUERY

Karur Vysya

LAW

LIC

Linux

Linux

Magento

MCQ

Medical Officer

Microbiology

Middleware

Mobile testing

MS Dynamics

MSBI

MVC

NDA

Netbackup

Network Security

OBIEE

OBIEE

Objective C

Office Procedures

Oracle DBA

PAKISTAN

Pega

People

Peoplesoft

Perl

php

PHP

Physics

PostgreSQL

PPC

Private Security

Progress 4GL

Recruitment

Red Hat

Relationships

Research Methodology

RPA

RPA Blue Prism

Salary Package

Salary Requirements

Saleforce

SAP

SAP

SAP ABAP

SAP CRM

SAP FICO

SAP FICO

SAP HR

Sap mm

SAP SCM

SAP SD

Sap Solman

SAP WM

Selenium

Selenium

SEO

Siebel CRM

Sitecore

SMM

SOA

Software Engineering

Sport

SQL Server

SSB

SSC CGL

[Tech](#)[Technical support](#)[Telecom](#)[Teradata](#)[TIBCO](#)[Tips](#)[Tools](#)[UBR](#)[Uncategorized](#)[V SAT](#)[VBScript](#)[Visitor Visa](#)[visual](#)[Vmware](#)[WCF](#)[Web Designing](#)[Web Development](#)[Weblogic](#)[Welding](#)[WiFi](#)[Windows System Administrator](#)[Wordpress](#)[XML](#)[Zoology](#)

Contact us:

If you have any suggestions and queries you can contact us on the below details. We will be very happy to hear from you.

E-mail: **marketing@shantelllc.com**

© 2022. nhlink.net