



**Hello! Thank you for choosing our template! :)**

Here are some useful links and tips that can help you during the work with EasyDev.

Here are the design Figma frames [Design Figma kit](#).

To get any help or answers quicker than anywhere join our [Discord server](#)!

## INSTALLATION

**To get started follow these steps:**

1. Install [\[Node\]](#), [\[npm\]](#) or [\[yarn\]](#).
2. Download and open project.
3. Install packages: `npm i` or `yarn`.
4. Start project locally: `npm start` or `yarn start` (running on port 3000).
5. Make necessary changes.

**Build app for production:** `npm run build` or `yarn build`.

Also you can use docker

For dev:

- `yarn docker-build`
- `yarn docker`

For prod:

- `yarn docker-build:prod`
- `yarn docker:prod`

## About Project

This project was bootstrapped with [\[Create React App\]](#).

## Available Scripts

In the project directory, you can run:

```
`yarn start`
```

Runs the app in the development mode.

Open <http://localhost:3000> to view it in the browser.

The page will reload if you make edits.

You will also see any lint errors in the console.

```
`yarn test`
```

Launches the test runner in the interactive watch mode.

See the section about [running tests](#) for more information.

```
`yarn build`
```

Builds the app for production to the `build` folder.

It correctly bundles React in production mode and optimizes the build for the best performance.

The build is minified and the filenames include the hashes.

Your app is ready to be deployed!

See the section about [deployment](#) for more information.

```
`yarn eject`
```

**\*\*Note: this is a one-way operation. Once you `eject`, you can't go back!\*\***

If you aren't satisfied with the build tool and configuration choices, you can `eject` at any time. This command will remove the single build dependency from your project.

Instead, it will copy all the configuration files and the transitive dependencies (webpack, Babel, ESLint, etc) right into your project so you have full control over them. All of the commands except `eject` will still work, but they will point to the copied scripts so you can tweak them. At this point, you're on your own.

You don't have to ever use `eject`. The curated feature set is suitable for small and middle deployments, and you shouldn't feel obligated to use this feature. However, we understand that this tool wouldn't be useful if you couldn't customize it when you are ready for it.

## Learn More

You can learn more in the [\[Create React App documentation\]](#).

To learn React, check out the [\[React documentation\]](#).

## **Code Splitting**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/code-splitting>

## **Analyzing the Bundle Size**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/analyzing-the-bundle-size>

## **Making a Progressive Web App**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/making-a-progressive-web-app>

## **Advanced Configuration**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/advanced-configuration>

## **Deployment**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/deployment>

## **`yarn build` fails to minify**

This section has moved here:

<https://facebook.github.io/create-react-app/docs/troubleshooting#npm-run-build-fails-to-minify>

## **We wish you awesome projects! :)**

Any other questions? Welcome to our [Discord](#)! Or you can contact us via

E-mail [product@aspirity.com](mailto:product@aspirity.com)

You can help us make our template even better, just write your feature request on our Discord or fill the [Google form](#) (less than 2 minutes)