

## Battery – Power path

File: sheet\_power.kicad\_sch

## Battery – Peripherals & comms

File: sheet\_periph.kicad\_sch

## Battery – Supervisor

File: sheet\_super.kicad\_sch

## Battery – USB maintenance power

File: sheet\_usb.kicad\_sch

## Battery – Isolated RS-485 read (ch.1)

File: sheet\_isors485\_1.kicad\_sch

## Battery – Isolated RS-485 read (ch.2)

File: sheet\_isors485\_2.kicad\_sch

## Battery – MCU (ESP32-S3)

File: sheet\_mcu.kicad\_sch

## Battery – Connectors & I/O

File: sheet\_conn.kicad\_sch

### Volthium reader

Sheet: /

File: volthium\_reader.kicad\_sch

**Title: Volthium reader – battery-side (root)**






Size: USLetter

Date:

Rev:

KiCad E.D.A. 10.0.5

Id: 1/9





# Volthium reader

Sheet: /Battery – Power path/  
File: sheet\_power.kicad\_sch

## Title: Battery – Power path

Size: USLetter  
KiCad E.D.A. 10.0.5

Rev:  
Id: 2/9



# Volthium reader


Sheet: /Battery – Supervisor/  
File: sheet\_super.kicad\_sch

## Title: Battery – Supervisor

Size: USLetter Date:  
KiCad E.D.A. 10.0.5

Rev:  
Id: 3/9








**Volthium reader**

Sheet: /Battery – MCU (ESP32-S3)/  
File: sheet\_mcu.kicad\_sch

**Title: Battery – MCU (ESP32-S3)**

|                     |       |         |
|---------------------|-------|---------|
| Size: USLetter      | Date: | Rev:    |
| KiCad E.D.A. 10.0.5 |       | Id: 5/9 |





# Volthium reader

Sheet: /Battery – Peripherals & comms/  
File: sheet\_periph.kicad\_sch

## Title: Battery – Peripherals & comms

Size: USLetter  
KiCad E.D.A. 10.0.5

Rev:  
Id: 6/9




# Volthium reader

Sheet: /Battery – USB maintenance power/  
File: sheet\_usb.kicad\_sch

**Title: Battery – USB maintenance power**

Size: USLetter Date:  
KiCad E.D.A. 10.0.5

Rev:  
Id: 7/9



#### Volthium reader

Sheet: /Battery – Isolated RS-485 read (ch.2)/  
File: sheet\_isors485\_2.kicad\_sch

#### Title: Battery – Isolated RS-485 read (ch.2)

Size: USLetter Date:  
KiCad E.D.A. 10.0.5

Rev:  
Id: 8/9



