Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=1,053	0.006 [0.038] N=1,278	-0.001 [0.039] N=1,179	-0.009 [0.041] N=1,056	-0.017 [0.042] N=907	-0.021 [0.048] N=749
Vegetables consumed daily or several times weekly	0.758 P=968	0.002 [0.045] N=1,278	-0.004 [0.046] N=1,179	-0.036 [0.049] N=1,056	-0.044 [0.051] N=907	-0.065 [0.056] N=749
Meat fish or poultry consumed daily or several times weekly	0.552 P=705	0.034 [0.056] N=1,278	0.038 [0.056] N=1,179	0.021 [0.063] N=1,056	0.054 [0.071] N=907	0.067 [0.076] N=749
Legumes consumed daily or several times weekly	0.555 P=704	-0.014 [0.056] N=1,278	-0.010 [0.059] N=1,179	0.000 [0.061] N=1,056	0.039 [0.068] N=907	0.071 [0.080] N=749
Animal products consumed daily or several times weekly	0.844 P=1,075	**0.083** [0.040] N=1,278**	**0.078* [0.042] N=1,179**	0.049 [0.044] N=1,056	0.057 [0.047] N=907	0.040 [0.051] N=749
Sweets consumed daily or several times weekly	0.410 P=524	-0.033 [0.051] N=1,278	-0.050 [0.053] N=1,179	-0.031 [0.058] N=1,056	-0.019 [0.063] N=907	0.016 [0.073] N=749
Snack foods consumed daily or several times weekly	0.309 P=389	0.005 [0.050] N=1,278	-0.017 [0.053] N=1,179	-0.004 [0.058] N=1,056	0.026 [0.064] N=907	0.034 [0.071] N=749
Packaged soft drinks consumed daily or several times weekly	0.174 P=216	-0.003 [0.039] N=1,278	-0.012 [0.042] N=1,179	-0.023 [0.045] N=1,056	-0.020 [0.049] N=907	-0.049 [0.055] N=749
Grains consumed daily or several times weekly	0.770 P=980	0.039 [0.045] N=1,278	0.041 [0.045] N=1,179	0.019 [0.049] N=1,056	0.021 [0.053] N=907	0.024 [0.056] N=749

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.019 [0.057] N=1,082	0.013 [0.059] N=983	-0.006 [0.070] N=860	-0.041 [0.081] N=711	-0.061 [0.114] N=553
Vegetables consumed daily or several times weekly	-0.009 [0.069] N=1,082	-0.017 [0.073] N=983	-0.089 [0.082] N=860	-0.151 [0.102] N=711	**-0.274** [0.131] N=553**
Meat fish or poultry consumed daily or several times weekly	-0.043 [0.072] N=1,082	-0.053 [0.072] N=983	-0.115 [0.083] N=860	-0.118 [0.103] N=711	-0.169 [0.129] N=553
Legumes consumed daily or several times weekly	-0.081 [0.080] N=1,082	-0.081 [0.087] N=983	-0.088 [0.092] N=860	-0.050 [0.110] N=711	-0.010 [0.152] N=553
Animal products consumed daily or several times weekly	0.101 [0.064] N=1,082	0.098 [0.071] N=983	0.033 [0.078] N=860	0.041 [0.097] N=711	-0.004 [0.126] N=553
Sweets consumed daily or several times weekly	-0.072 [0.064] N=1,082	-0.103 [0.067] N=983	-0.082 [0.078] N=860	-0.075 [0.090] N=711	0.011 [0.125] N=553
Snack foods consumed daily or several times weekly	-0.039 [0.064] N=1,082	-0.089 [0.068] N=983	-0.082 [0.078] N=860	-0.043 [0.098] N=711	-0.089 [0.117] N=553
Packaged soft drinks consumed daily or several times weekly	0.008 [0.058] N=1,082	-0.006 [0.065] N=983	-0.020 [0.075] N=860	-0.019 [0.093] N=711	-0.101 [0.131] N=553
Grains consumed daily or several times weekly	0.065 [0.069] N=1,082	0.075 [0.074] N=983	0.027 [0.084] N=860	0.032 [0.101] N=711	0.038 [0.133] N=553

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=1,053	0.006 [0.038] N=1,278	-0.001 [0.039] N=1,179	-0.008 [0.042] N=1,056	-0.017 [0.042] N=907	-0.021 [0.048] N=749
Vegetables consumed daily or several times weekly	0.758 P=968	0.002 [0.045] N=1,278	-0.004 [0.046] N=1,179	-0.035 [0.049] N=1,056	-0.044 [0.052] N=907	-0.065 [0.056] N=749
Meat fish or poultry consumed daily or several times weekly	0.552 P=705	0.035 [0.056] N=1,278	0.038 [0.056] N=1,179	0.022 [0.063] N=1,056	0.054 [0.071] N=907	0.067 [0.076] N=749
Legumes consumed daily or several times weekly	0.555 P=704	-0.013 [0.057] N=1,278	-0.010 [0.060] N=1,179	0.001 [0.062] N=1,056	0.039 [0.069] N=907	0.071 [0.081] N=749
Animal products consumed daily or several times weekly	0.844 P=1,075	**0.083** [0.040] N=1,278**	**0.078* [0.042] N=1,179**	0.050 [0.044] N=1,056	0.058 [0.047] N=907	0.039 [0.051] N=749
Sweets consumed daily or several times weekly	0.410 P=524	-0.033 [0.051] N=1,278	-0.050 [0.053] N=1,179	-0.030 [0.058] N=1,056	-0.019 [0.063] N=907	0.016 [0.073] N=749
Snack foods consumed daily or several times weekly	0.309 P=389	0.006 [0.051] N=1,278	-0.017 [0.053] N=1,179	-0.003 [0.058] N=1,056	0.026 [0.065] N=907	0.034 [0.071] N=749
Packaged soft drinks consumed daily or several times weekly	0.174 P=216	-0.003 [0.039] N=1,278	-0.012 [0.042] N=1,179	-0.023 [0.045] N=1,056	-0.020 [0.049] N=907	-0.049 [0.055] N=749
Grains consumed daily or several times weekly	0.770 P=980	0.039 [0.045] N=1,278	0.041 [0.045] N=1,179	0.020 [0.049] N=1,056	0.022 [0.053] N=907	0.024 [0.056] N=749

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.020 [0.057] N=1,082	0.014 [0.060] N=983	-0.003 [0.071] N=860	-0.039 [0.081] N=711	-0.060 [0.114] N=553
Vegetables consumed daily or several times weekly	-0.009 [0.069] N=1,082	-0.016 [0.073] N=983	-0.088 [0.082] N=860	-0.150 [0.102] N=711	**-0.274** [0.131] N=553**
Meat fish or poultry consumed daily or several times weekly	-0.042 [0.071] N=1,082	-0.052 [0.072] N=983	-0.112 [0.083] N=860	-0.116 [0.102] N=711	-0.169 [0.129] N=553
Legumes consumed daily or several times weekly	-0.079 [0.080] N=1,082	-0.079 [0.087] N=983	-0.083 [0.092] N=860	-0.047 [0.110] N=711	-0.008 [0.152] N=553
Animal products consumed daily or several times weekly	0.104 [0.064] N=1,082	0.100 [0.071] N=983	0.037 [0.078] N=860	0.044 [0.097] N=711	-0.002 [0.125] N=553
Sweets consumed daily or several times weekly	-0.072 [0.064] N=1,082	-0.102 [0.067] N=983	-0.078 [0.078] N=860	-0.073 [0.090] N=711	0.012 [0.124] N=553
Snack foods consumed daily or several times weekly	-0.038 [0.064] N=1,082	-0.088 [0.068] N=983	-0.078 [0.078] N=860	-0.040 [0.099] N=711	-0.087 [0.117] N=553
Packaged soft drinks consumed daily or several times weekly	0.008 [0.058] N=1,082	-0.006 [0.065] N=983	-0.022 [0.075] N=860	-0.020 [0.092] N=711	-0.102 [0.132] N=553
Grains consumed daily or several times weekly	0.066 [0.069] N=1,082	0.076 [0.074] N=983	0.031 [0.084] N=860	0.034 [0.101] N=711	0.039 [0.133] N=553

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=1,053	-0.015 [0.038] N=1,278	-0.023 [0.039] N=1,179	-0.031 [0.042] N=1,056	-0.031 [0.042] N=907	-0.043 [0.047] N=749
Vegetables consumed daily or several times weekly	0.758 P=968	-0.014 [0.047] N=1,278	-0.024 [0.047] N=1,179	-0.055 [0.050] N=1,056	-0.057 [0.052] N=907	-0.087 [0.055] N=749
Meat fish or poultry consumed daily or several times weekly	0.552 P=705	0.002 [0.055] N=1,278	0.000 [0.056] N=1,179	-0.017 [0.063] N=1,056	0.029 [0.069] N=907	0.034 [0.076] N=749
Legumes consumed daily or several times weekly	0.555 P=704	-0.030 [0.056] N=1,278	-0.028 [0.058] N=1,179	-0.018 [0.060] N=1,056	0.028 [0.066] N=907	0.060 [0.080] N=749
Animal products consumed daily or several times weekly	0.844 P=1,075	**0.071* [0.040] N=1,278**	0.065 [0.042] N=1,179	0.036 [0.045] N=1,056	0.048 [0.047] N=907	0.025 [0.051] N=749
Sweets consumed daily or several times weekly	0.410 P=524	-0.038 [0.051] N=1,278	-0.057 [0.053] N=1,179	-0.036 [0.058] N=1,056	-0.020 [0.063] N=907	0.008 [0.073] N=749
Snack foods consumed daily or several times weekly	0.309 P=389	0.007 [0.051] N=1,278	-0.018 [0.053] N=1,179	-0.004 [0.058] N=1,056	0.027 [0.064] N=907	0.034 [0.071] N=749
Packaged soft drinks consumed daily or several times weekly	0.174 P=216	0.005 [0.038] N=1,278	-0.003 [0.040] N=1,179	-0.014 [0.044] N=1,056	-0.013 [0.048] N=907	-0.041 [0.053] N=749
Grains consumed daily or several times weekly	0.770 P=980	0.035 [0.045] N=1,278	0.040 [0.046] N=1,179	0.019 [0.049] N=1,056	0.021 [0.053] N=907	0.024 [0.056] N=749

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.007 [0.058] N=1,082	0.000 [0.062] N=983	-0.015 [0.071] N=860	-0.021 [0.085] N=711	-0.065 [0.120] N=553
Vegetables consumed daily or several times weekly	-0.019 [0.070] N=1,082	-0.030 [0.073] N=983	-0.101 [0.082] N=860	-0.137 [0.103] N=711	**-0.262** [0.128] N=553**
Meat fish or poultry consumed daily or several times weekly	-0.064 [0.069] N=1,082	-0.081 [0.071] N=983	**-0.142* [0.081] N=860**	-0.102 [0.100] N=711	-0.172 [0.134] N=553
Legumes consumed daily or several times weekly	-0.090 [0.079] N=1,082	-0.093 [0.086] N=983	-0.098 [0.091] N=860	-0.041 [0.110] N=711	-0.010 [0.153] N=553
Animal products consumed daily or several times weekly	0.098 [0.062] N=1,082	0.093 [0.069] N=983	0.029 [0.077] N=860	0.061 [0.095] N=711	0.012 [0.121] N=553
Sweets consumed daily or several times weekly	-0.072 [0.065] N=1,082	-0.103 [0.067] N=983	-0.072 [0.078] N=860	-0.058 [0.089] N=711	0.014 [0.124] N=553
Snack foods consumed daily or several times weekly	-0.036 [0.064] N=1,082	-0.087 [0.069] N=983	-0.073 [0.079] N=860	-0.035 [0.098] N=711	-0.088 [0.115] N=553
Packaged soft drinks consumed daily or several times weekly	0.017 [0.057] N=1,082	0.003 [0.063] N=983	-0.011 [0.074] N=860	-0.013 [0.091] N=711	-0.096 [0.131] N=553
Grains consumed daily or several times weekly	0.061 [0.068] N=1,082	0.076 [0.074] N=983	0.030 [0.083] N=860	0.031 [0.101] N=711	0.028 [0.133] N=553

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=1,053	-0.024 [0.038] N=1,278	-0.032 [0.040] N=1,179	-0.047 [0.042] N=1,056	-0.052 [0.043] N=907	-0.075 [0.049] N=749
Vegetables consumed daily or several times weekly	0.758 P=968	-0.020 [0.046] N=1,278	-0.025 [0.047] N=1,179	-0.060 [0.049] N=1,056	-0.065 [0.053] N=907	**-0.099* [0.057] N=749**
Meat fish or poultry consumed daily or several times weekly	0.552 P=705	-0.005 [0.054] N=1,278	-0.002 [0.054] N=1,179	-0.025 [0.061] N=1,056	0.013 [0.069] N=907	0.014 [0.077] N=749
Legumes consumed daily or several times weekly	0.555 P=704	-0.030 [0.057] N=1,278	-0.023 [0.060] N=1,179	-0.015 [0.061] N=1,056	0.025 [0.068] N=907	0.051 [0.082] N=749
Animal products consumed daily or several times weekly	0.844 P=1,075	**0.069* [0.041] N=1,278**	0.065 [0.043] N=1,179	0.034 [0.045] N=1,056	0.041 [0.049] N=907	0.015 [0.053] N=749
Sweets consumed daily or several times weekly	0.410 P=524	-0.041 [0.051] N=1,278	-0.062 [0.053] N=1,179	-0.043 [0.058] N=1,056	-0.027 [0.063] N=907	0.000 [0.074] N=749
Snack foods consumed daily or several times weekly	0.309 P=389	0.006 [0.050] N=1,278	-0.018 [0.053] N=1,179	-0.007 [0.059] N=1,056	0.025 [0.065] N=907	0.032 [0.071] N=749
Packaged soft drinks consumed daily or several times weekly	0.174 P=216	0.006 [0.038] N=1,278	-0.004 [0.041] N=1,179	-0.014 [0.044] N=1,056	-0.013 [0.048] N=907	-0.038 [0.053] N=749
Grains consumed daily or several times weekly	0.770 P=980	0.040 [0.044] N=1,278	0.044 [0.045] N=1,179	0.024 [0.049] N=1,056	0.024 [0.053] N=907	0.027 [0.057] N=749

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.013 [0.058] N=1,082	0.009 [0.061] N=983	-0.010 [0.071] N=860	-0.020 [0.081] N=711	-0.091 [0.121] N=553
Vegetables consumed daily or several times weekly	-0.022 [0.070] N=1,082	-0.029 [0.074] N=983	-0.105 [0.082] N=860	-0.159 [0.104] N=711	**-0.317** [0.138] N=553**
Meat fish or poultry consumed daily or several times weekly	-0.074 [0.067] N=1,082	-0.081 [0.067] N=983	**-0.151* [0.077] N=860**	-0.129 [0.094] N=711	**-0.238* [0.132] N=553**
Legumes consumed daily or several times weekly	-0.098 [0.080] N=1,082	-0.095 [0.088] N=983	-0.108 [0.092] N=860	-0.061 [0.113] N=711	-0.045 [0.157] N=553
Animal products consumed daily or several times weekly	0.099 [0.063] N=1,082	0.097 [0.070] N=983	0.028 [0.078] N=860	0.047 [0.096] N=711	-0.013 [0.126] N=553
Sweets consumed daily or several times weekly	-0.066 [0.064] N=1,082	-0.102 [0.065] N=983	-0.074 [0.075] N=860	-0.056 [0.089] N=711	0.004 [0.124] N=553
Snack foods consumed daily or several times weekly	-0.033 [0.062] N=1,082	-0.087 [0.066] N=983	-0.074 [0.077] N=860	-0.038 [0.098] N=711	-0.092 [0.114] N=553
Packaged soft drinks consumed daily or several times weekly	0.020 [0.055] N=1,082	0.004 [0.062] N=983	-0.012 [0.073] N=860	-0.018 [0.089] N=711	-0.094 [0.131] N=553
Grains consumed daily or several times weekly	0.065 [0.068] N=1,082	0.076 [0.073] N=983	0.033 [0.083] N=860	0.027 [0.102] N=711	0.013 [0.133] N=553

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=966	-0.006 [0.041] N=1,175	-0.024 [0.042] N=1,089	-0.028 [0.044] N=975	-0.032 [0.044] N=839	-0.046 [0.050] N=697
Vegetables consumed daily or several times weekly	0.759 P=891	-0.004 [0.049] N=1,175	-0.018 [0.050] N=1,089	-0.045 [0.053] N=975	-0.047 [0.054] N=839	-0.068 [0.057] N=697
Meat fish or poultry consumed daily or several times weekly	0.555 P=650	0.046 [0.053] N=1,175	0.039 [0.053] N=1,089	0.025 [0.058] N=975	0.048 [0.065] N=839	0.057 [0.069] N=697
Legumes consumed daily or several times weekly	0.550 P=641	-0.020 [0.057] N=1,175	-0.030 [0.060] N=1,089	-0.009 [0.061] N=975	0.025 [0.066] N=839	0.059 [0.078] N=697
Animal products consumed daily or several times weekly	0.848 P=993	**0.085** [0.043] N=1,175**	**0.075* [0.045] N=1,089**	0.044 [0.046] N=975	0.042 [0.049] N=839	0.021 [0.053] N=697
Sweets consumed daily or several times weekly	0.410 P=481	-0.018 [0.053] N=1,175	-0.039 [0.057] N=1,089	-0.018 [0.062] N=975	-0.006 [0.066] N=839	0.023 [0.075] N=697
Snack foods consumed daily or several times weekly	0.311 P=359	0.001 [0.055] N=1,175	-0.013 [0.058] N=1,089	0.004 [0.064] N=975	0.035 [0.070] N=839	0.055 [0.078] N=697
Packaged soft drinks consumed daily or several times weekly	0.176 P=201	0.018 [0.037] N=1,175	0.007 [0.040] N=1,089	-0.006 [0.044] N=975	-0.001 [0.046] N=839	-0.021 [0.054] N=697
Grains consumed daily or several times weekly	0.769 P=900	0.036 [0.047] N=1,175	0.032 [0.048] N=1,089	0.003 [0.052] N=975	0.001 [0.058] N=839	-0.004 [0.061] N=697

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.025 [0.062] N=992	0.002 [0.066] N=906	-0.014 [0.076] N=792	-0.043 [0.090] N=656	-0.084 [0.122] N=514
Vegetables consumed daily or several times weekly	0.003 [0.076] N=992	-0.012 [0.081] N=906	-0.078 [0.092] N=792	-0.127 [0.111] N=656	**-0.231* [0.136] N=514**
Meat fish or poultry consumed daily or several times weekly	-0.010 [0.073] N=992	-0.037 [0.074] N=906	-0.084 [0.084] N=792	-0.110 [0.101] N=656	-0.164 [0.129] N=514
Legumes consumed daily or several times weekly	-0.073 [0.085] N=992	-0.096 [0.093] N=906	-0.079 [0.097] N=792	-0.037 [0.113] N=656	0.024 [0.157] N=514
Animal products consumed daily or several times weekly	**0.123* [0.070] N=992**	0.111 [0.077] N=906	0.044 [0.084] N=792	0.040 [0.105] N=656	0.005 [0.138] N=514
Sweets consumed daily or several times weekly	-0.058 [0.068] N=992	-0.094 [0.073] N=906	-0.074 [0.085] N=792	-0.075 [0.100] N=656	-0.012 [0.137] N=514
Snack foods consumed daily or several times weekly	-0.052 [0.070] N=992	-0.087 [0.075] N=906	-0.073 [0.087] N=792	-0.032 [0.104] N=656	-0.045 [0.129] N=514
Packaged soft drinks consumed daily or several times weekly	0.026 [0.055] N=992	0.009 [0.062] N=906	-0.012 [0.073] N=792	-0.005 [0.086] N=656	-0.053 [0.128] N=514
Grains consumed daily or several times weekly	0.079 [0.072] N=992	0.080 [0.078] N=906	0.018 [0.088] N=792	0.014 [0.108] N=656	0.017 [0.141] N=514

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.828 P=966	-0.010 [0.040] N=1,175	-0.027 [0.041] N=1,089	-0.028 [0.044] N=975	-0.032 [0.044] N=839	-0.047 [0.049] N=697
Vegetables consumed daily or several times weekly	0.759 P=891	-0.006 [0.048] N=1,175	-0.019 [0.050] N=1,089	-0.046 [0.053] N=975	-0.047 [0.054] N=839	-0.071 [0.057] N=697
Meat fish or poultry consumed daily or several times weekly	0.555 P=650	0.044 [0.053] N=1,175	0.038 [0.053] N=1,089	0.026 [0.058] N=975	0.050 [0.065] N=839	0.058 [0.069] N=697
Legumes consumed daily or several times weekly	0.550 P=641	-0.020 [0.057] N=1,175	-0.029 [0.059] N=1,089	-0.008 [0.060] N=975	0.026 [0.065] N=839	0.056 [0.077] N=697
Animal products consumed daily or several times weekly	0.848 P=993	**0.085** [0.042] N=1,175**	**0.074* [0.044] N=1,089**	0.045 [0.046] N=975	0.045 [0.049] N=839	0.024 [0.052] N=697
Sweets consumed daily or several times weekly	0.410 P=481	-0.020 [0.053] N=1,175	-0.041 [0.056] N=1,089	-0.018 [0.061] N=975	-0.007 [0.066] N=839	0.024 [0.075] N=697
Snack foods consumed daily or several times weekly	0.311 P=359	0.002 [0.054] N=1,175	-0.014 [0.058] N=1,089	0.004 [0.063] N=975	0.033 [0.069] N=839	0.050 [0.077] N=697
Packaged soft drinks consumed daily or several times weekly	0.176 P=201	0.020 [0.037] N=1,175	0.009 [0.040] N=1,089	-0.004 [0.044] N=975	0.001 [0.047] N=839	-0.019 [0.053] N=697
Grains consumed daily or several times weekly	0.769 P=900	0.036 [0.047] N=1,175	0.032 [0.048] N=1,089	0.003 [0.052] N=975	0.002 [0.058] N=839	-0.003 [0.061] N=697

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.013 [0.062] N=992	-0.010 [0.064] N=906	-0.016 [0.076] N=792	-0.040 [0.088] N=656	-0.089 [0.119] N=514
Vegetables consumed daily or several times weekly	-0.007 [0.074] N=992	-0.021 [0.079] N=906	-0.082 [0.090] N=792	-0.129 [0.110] N=656	**-0.248* [0.136] N=514**
Meat fish or poultry consumed daily or several times weekly	-0.015 [0.073] N=992	-0.040 [0.073] N=906	-0.086 [0.083] N=792	-0.107 [0.100] N=656	-0.167 [0.130] N=514
Legumes consumed daily or several times weekly	-0.075 [0.084] N=992	-0.098 [0.092] N=906	-0.079 [0.097] N=792	-0.035 [0.112] N=656	0.015 [0.155] N=514
Animal products consumed daily or several times weekly	**0.117* [0.068] N=992**	0.106 [0.075] N=906	0.044 [0.083] N=792	0.041 [0.103] N=656	-0.000 [0.133] N=514
Sweets consumed daily or several times weekly	-0.068 [0.068] N=992	-0.108 [0.072] N=906	-0.083 [0.085] N=792	-0.078 [0.098] N=656	-0.016 [0.135] N=514
Snack foods consumed daily or several times weekly	-0.057 [0.070] N=992	-0.095 [0.075] N=906	-0.079 [0.086] N=792	-0.037 [0.104] N=656	-0.058 [0.127] N=514
Packaged soft drinks consumed daily or several times weekly	0.027 [0.055] N=992	0.009 [0.062] N=906	-0.012 [0.072] N=792	-0.001 [0.086] N=656	-0.048 [0.126] N=514
Grains consumed daily or several times weekly	0.075 [0.071] N=992	0.078 [0.077] N=906	0.020 [0.087] N=792	0.019 [0.107] N=656	0.017 [0.141] N=514

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=922	0.004 [0.049] N=1,103	0.007 [0.051] N=998	-0.016 [0.056] N=869	-0.037 [0.059] N=727	-0.036 [0.067] N=587
Vegetables consumed daily or several times weekly	0.771 P=851	-0.032 [0.058] N=1,103	-0.025 [0.062] N=998	-0.007 [0.067] N=869	-0.022 [0.071] N=727	0.006 [0.079] N=587
Meat fish or poultry consumed daily or several times weekly	0.549 P=608	0.000 [0.070] N=1,103	-0.004 [0.073] N=998	-0.034 [0.082] N=869	-0.015 [0.091] N=727	-0.023 [0.104] N=587
Legumes consumed daily or several times weekly	0.561 P=618	0.012 [0.067] N=1,103	0.034 [0.069] N=998	0.008 [0.073] N=869	-0.006 [0.082] N=727	0.026 [0.091] N=587
Animal products consumed daily or several times weekly	0.849 P=934	0.031 [0.045] N=1,103	0.035 [0.047] N=998	0.016 [0.052] N=869	0.012 [0.056] N=727	0.016 [0.062] N=587
Sweets consumed daily or several times weekly	0.417 P=462	-0.077 [0.062] N=1,103	-0.096 [0.062] N=998	-0.101 [0.069] N=869	**-0.125* [0.074] N=727**	**-0.201** [0.083] N=587**
Snack foods consumed daily or several times weekly	0.321 P=349	-0.083 [0.056] N=1,103	**-0.103* [0.057] N=998**	**-0.114* [0.061] N=869**	**-0.127** [0.063] N=727**	**-0.186** [0.072] N=587**
Packaged soft drinks consumed daily or several times weekly	0.169 P=183	-0.020 [0.039] N=1,103	-0.040 [0.039] N=998	-0.012 [0.043] N=869	-0.042 [0.046] N=727	**-0.117** [0.051] N=587**
Grains consumed daily or several times weekly	0.762 P=843	**0.115* [0.058] N=1,103**	**0.121** [0.061] N=998**	**0.109* [0.065] N=869**	0.102 [0.072] N=727	0.076 [0.079] N=587

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.047 [0.079] N=961	0.048 [0.084] N=856	0.012 [0.101] N=727	0.015 [0.107] N=585	0.038 [0.147] N=445
Vegetables consumed daily or several times weekly	-0.083 [0.087] N=961	-0.083 [0.097] N=856	-0.070 [0.115] N=727	-0.101 [0.117] N=585	-0.071 [0.158] N=445
Meat fish or poultry consumed daily or several times weekly	-0.051 [0.084] N=961	-0.068 [0.090] N=856	-0.160 [0.104] N=727	-0.174 [0.115] N=585	-0.243 [0.149] N=445
Legumes consumed daily or several times weekly	0.044 [0.091] N=961	0.077 [0.095] N=856	0.044 [0.108] N=727	0.045 [0.127] N=585	0.191 [0.158] N=445
Animal products consumed daily or several times weekly	0.024 [0.065] N=961	0.030 [0.071] N=856	-0.012 [0.080] N=727	-0.003 [0.083] N=585	0.019 [0.100] N=445
Sweets consumed daily or several times weekly	0.003 [0.084] N=961	-0.023 [0.085] N=856	-0.013 [0.098] N=727	-0.034 [0.112] N=585	-0.190 [0.137] N=445
Snack foods consumed daily or several times weekly	-0.056 [0.076] N=961	-0.093 [0.078] N=856	-0.116 [0.088] N=727	-0.116 [0.099] N=585	**-0.270** [0.128] N=445**
Packaged soft drinks consumed daily or several times weekly	0.003 [0.064] N=961	-0.024 [0.066] N=856	0.040 [0.080] N=727	0.008 [0.090] N=585	-0.158 [0.112] N=445
Grains consumed daily or several times weekly	0.044 [0.078] N=961	0.038 [0.084] N=856	-0.008 [0.091] N=727	-0.075 [0.109] N=585	**-0.240** [0.120] N=445**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=922	0.005 [0.049] N=1,103	0.008 [0.051] N=998	-0.015 [0.055] N=869	-0.037 [0.059] N=727	-0.036 [0.067] N=587
Vegetables consumed daily or several times weekly	0.771 P=851	-0.031 [0.058] N=1,103	-0.024 [0.061] N=998	-0.005 [0.067] N=869	-0.022 [0.071] N=727	0.006 [0.079] N=587
Meat fish or poultry consumed daily or several times weekly	0.549 P=608	0.003 [0.071] N=1,103	-0.002 [0.074] N=998	-0.031 [0.083] N=869	-0.013 [0.092] N=727	-0.023 [0.105] N=587
Legumes consumed daily or several times weekly	0.561 P=618	0.013 [0.067] N=1,103	0.035 [0.069] N=998	0.009 [0.073] N=869	-0.006 [0.082] N=727	0.026 [0.091] N=587
Animal products consumed daily or several times weekly	0.849 P=934	0.033 [0.044] N=1,103	0.037 [0.047] N=998	0.018 [0.052] N=869	0.013 [0.056] N=727	0.016 [0.061] N=587
Sweets consumed daily or several times weekly	0.417 P=462	-0.075 [0.062] N=1,103	-0.094 [0.062] N=998	-0.099 [0.069] N=869	**-0.125* [0.075] N=727**	**-0.201** [0.083] N=587**
Snack foods consumed daily or several times weekly	0.321 P=349	-0.080 [0.055] N=1,103	**-0.102* [0.057] N=998**	**-0.113* [0.060] N=869**	**-0.127** [0.063] N=727**	**-0.186** [0.072] N=587**
Packaged soft drinks consumed daily or several times weekly	0.169 P=183	-0.020 [0.039] N=1,103	-0.040 [0.039] N=998	-0.011 [0.043] N=869	-0.042 [0.046] N=727	**-0.117** [0.050] N=587**
Grains consumed daily or several times weekly	0.762 P=843	**0.116** [0.058] N=1,103**	**0.122** [0.061] N=998**	**0.110* [0.065] N=869**	0.101 [0.072] N=727	0.076 [0.080] N=587

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.078] N=961	0.051 [0.083] N=856	0.016 [0.100] N=727	0.016 [0.107] N=585	0.044 [0.145] N=445
Vegetables consumed daily or several times weekly	-0.080 [0.086] N=961	-0.080 [0.096] N=856	-0.065 [0.114] N=727	-0.094 [0.117] N=585	-0.061 [0.159] N=445
Meat fish or poultry consumed daily or several times weekly	-0.047 [0.084] N=961	-0.063 [0.090] N=856	-0.152 [0.104] N=727	-0.165 [0.115] N=585	-0.236 [0.149] N=445
Legumes consumed daily or several times weekly	0.046 [0.091] N=961	0.079 [0.095] N=856	0.046 [0.107] N=727	0.045 [0.127] N=585	0.184 [0.156] N=445
Animal products consumed daily or several times weekly	0.028 [0.063] N=961	0.035 [0.069] N=856	-0.007 [0.079] N=727	0.004 [0.081] N=585	0.031 [0.096] N=445
Sweets consumed daily or several times weekly	0.008 [0.084] N=961	-0.017 [0.084] N=856	-0.008 [0.098] N=727	-0.032 [0.113] N=585	-0.188 [0.138] N=445
Snack foods consumed daily or several times weekly	-0.050 [0.075] N=961	-0.089 [0.077] N=856	-0.113 [0.087] N=727	-0.118 [0.099] N=585	**-0.270** [0.128] N=445**
Packaged soft drinks consumed daily or several times weekly	0.004 [0.064] N=961	-0.023 [0.066] N=856	0.042 [0.079] N=727	0.009 [0.089] N=585	-0.155 [0.111] N=445
Grains consumed daily or several times weekly	0.047 [0.079] N=961	0.041 [0.085] N=856	-0.006 [0.092] N=727	-0.081 [0.109] N=585	**-0.245** [0.121] N=445**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=922	-0.010 [0.047] N=1,103	-0.008 [0.049] N=998	-0.020 [0.055] N=869	-0.042 [0.058] N=727	-0.042 [0.066] N=587
Vegetables consumed daily or several times weekly	0.771 P=851	-0.043 [0.056] N=1,103	-0.037 [0.060] N=998	-0.012 [0.064] N=869	-0.029 [0.069] N=727	-0.002 [0.076] N=587
Meat fish or poultry consumed daily or several times weekly	0.549 P=608	-0.020 [0.067] N=1,103	-0.023 [0.070] N=998	-0.037 [0.077] N=869	-0.022 [0.084] N=727	-0.029 [0.096] N=587
Legumes consumed daily or several times weekly	0.561 P=618	0.002 [0.067] N=1,103	0.028 [0.068] N=998	0.008 [0.073] N=869	-0.010 [0.079] N=727	0.025 [0.088] N=587
Animal products consumed daily or several times weekly	0.849 P=934	0.023 [0.045] N=1,103	0.026 [0.047] N=998	0.013 [0.053] N=869	0.008 [0.057] N=727	0.012 [0.062] N=587
Sweets consumed daily or several times weekly	0.417 P=462	-0.080 [0.062] N=1,103	-0.101 [0.063] N=998	-0.105 [0.069] N=869	**-0.128* [0.075] N=727**	**-0.207** [0.083] N=587**
Snack foods consumed daily or several times weekly	0.321 P=349	-0.081 [0.056] N=1,103	**-0.105* [0.057] N=998**	**-0.118* [0.061] N=869**	**-0.132** [0.065] N=727**	**-0.193** [0.074] N=587**
Packaged soft drinks consumed daily or several times weekly	0.169 P=183	-0.016 [0.038] N=1,103	-0.038 [0.039] N=998	-0.013 [0.043] N=869	-0.041 [0.046] N=727	**-0.120** [0.049] N=587**
Grains consumed daily or several times weekly	0.762 P=843	**0.113* [0.059] N=1,103**	**0.118* [0.061] N=998**	**0.109* [0.066] N=869**	0.104 [0.073] N=727	0.078 [0.080] N=587

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.017 [0.077] N=961	0.015 [0.082] N=856	0.002 [0.100] N=727	-0.001 [0.111] N=585	0.017 [0.150] N=445
Vegetables consumed daily or several times weekly	-0.106 [0.087] N=961	-0.106 [0.097] N=856	-0.082 [0.113] N=727	-0.111 [0.117] N=585	-0.086 [0.158] N=445
Meat fish or poultry consumed daily or several times weekly	-0.094 [0.085] N=961	-0.111 [0.090] N=856	**-0.177* [0.103] N=727**	**-0.201* [0.115] N=585**	**-0.286* [0.144] N=445**
Legumes consumed daily or several times weekly	0.021 [0.092] N=961	0.057 [0.094] N=856	0.038 [0.107] N=727	0.025 [0.124] N=585	0.161 [0.153] N=445
Animal products consumed daily or several times weekly	0.011 [0.062] N=961	0.017 [0.068] N=856	-0.013 [0.079] N=727	-0.006 [0.083] N=585	0.017 [0.096] N=445
Sweets consumed daily or several times weekly	0.007 [0.082] N=961	-0.020 [0.083] N=856	-0.007 [0.096] N=727	-0.032 [0.113] N=585	-0.181 [0.134] N=445
Snack foods consumed daily or several times weekly	-0.044 [0.074] N=961	-0.085 [0.078] N=856	-0.113 [0.086] N=727	-0.117 [0.097] N=585	**-0.266** [0.126] N=445**
Packaged soft drinks consumed daily or several times weekly	0.017 [0.062] N=961	-0.011 [0.064] N=856	0.049 [0.077] N=727	0.022 [0.085] N=585	-0.140 [0.106] N=445
Grains consumed daily or several times weekly	0.039 [0.079] N=961	0.033 [0.085] N=856	-0.005 [0.093] N=727	-0.076 [0.109] N=585	**-0.241** [0.120] N=445**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=922	-0.012 [0.049] N=1,103	-0.009 [0.050] N=998	-0.023 [0.056] N=869	-0.051 [0.059] N=727	-0.053 [0.066] N=587
Vegetables consumed daily or several times weekly	0.771 P=851	-0.051 [0.057] N=1,103	-0.043 [0.060] N=998	-0.020 [0.066] N=869	-0.042 [0.069] N=727	-0.014 [0.074] N=587
Meat fish or poultry consumed daily or several times weekly	0.549 P=608	-0.023 [0.065] N=1,103	-0.025 [0.068] N=998	-0.043 [0.075] N=869	-0.038 [0.082] N=727	-0.047 [0.093] N=587
Legumes consumed daily or several times weekly	0.561 P=618	-0.002 [0.066] N=1,103	0.021 [0.067] N=998	-0.000 [0.071] N=869	-0.020 [0.078] N=727	0.016 [0.085] N=587
Animal products consumed daily or several times weekly	0.849 P=934	0.026 [0.044] N=1,103	0.030 [0.046] N=998	0.017 [0.052] N=869	0.010 [0.056] N=727	0.012 [0.061] N=587
Sweets consumed daily or several times weekly	0.417 P=462	-0.068 [0.063] N=1,103	-0.090 [0.064] N=998	-0.095 [0.071] N=869	-0.121 [0.076] N=727	**-0.199** [0.086] N=587**
Snack foods consumed daily or several times weekly	0.321 P=349	-0.073 [0.056] N=1,103	**-0.095* [0.057] N=998**	**-0.107* [0.060] N=869**	**-0.120* [0.063] N=727**	**-0.181** [0.072] N=587**
Packaged soft drinks consumed daily or several times weekly	0.169 P=183	-0.008 [0.038] N=1,103	-0.029 [0.038] N=998	-0.005 [0.042] N=869	-0.029 [0.045] N=727	**-0.104** [0.050] N=587**
Grains consumed daily or several times weekly	0.762 P=843	**0.112* [0.059] N=1,103**	**0.116* [0.061] N=998**	0.100 [0.066] N=869	0.093 [0.074] N=727	0.067 [0.080] N=587

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.028 [0.081] N=961	0.028 [0.086] N=856	0.016 [0.107] N=727	-0.000 [0.120] N=585	0.009 [0.158] N=445
Vegetables consumed daily or several times weekly	-0.111 [0.089] N=961	-0.110 [0.099] N=856	-0.085 [0.118] N=727	-0.131 [0.122] N=585	-0.118 [0.163] N=445
Meat fish or poultry consumed daily or several times weekly	-0.090 [0.084] N=961	-0.105 [0.090] N=856	**-0.175* [0.104] N=727**	**-0.226* [0.118] N=585**	**-0.330** [0.143] N=445**
Legumes consumed daily or several times weekly	0.021 [0.092] N=961	0.050 [0.097] N=856	0.024 [0.109] N=727	0.002 [0.128] N=585	0.129 [0.156] N=445
Animal products consumed daily or several times weekly	0.014 [0.062] N=961	0.020 [0.067] N=856	-0.013 [0.078] N=727	-0.009 [0.083] N=585	0.014 [0.096] N=445
Sweets consumed daily or several times weekly	0.026 [0.083] N=961	-0.003 [0.083] N=856	0.012 [0.095] N=727	-0.011 [0.113] N=585	-0.158 [0.133] N=445
Snack foods consumed daily or several times weekly	-0.031 [0.074] N=961	-0.070 [0.076] N=856	-0.093 [0.085] N=727	-0.091 [0.096] N=585	**-0.234* [0.124] N=445**
Packaged soft drinks consumed daily or several times weekly	0.022 [0.061] N=961	-0.005 [0.064] N=856	0.051 [0.076] N=727	0.035 [0.083] N=585	-0.113 [0.107] N=445
Grains consumed daily or several times weekly	0.047 [0.078] N=961	0.039 [0.084] N=856	-0.010 [0.092] N=727	-0.090 [0.109] N=585	**-0.250** [0.118] N=445**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=843	-0.002 [0.050] N=1,009	-0.000 [0.052] N=910	-0.001 [0.056] N=799	-0.035 [0.061] N=668	-0.039 [0.067] N=544
Vegetables consumed daily or several times weekly	0.774 P=782	-0.037 [0.059] N=1,009	-0.032 [0.063] N=910	-0.005 [0.067] N=799	-0.038 [0.073] N=668	-0.027 [0.081] N=544
Meat fish or poultry consumed daily or several times weekly	0.551 P=558	-0.000 [0.074] N=1,009	-0.011 [0.078] N=910	-0.021 [0.087] N=799	-0.022 [0.099] N=668	-0.036 [0.114] N=544
Legumes consumed daily or several times weekly	0.560 P=564	0.020 [0.070] N=1,009	0.047 [0.072] N=910	0.021 [0.077] N=799	-0.006 [0.087] N=668	0.014 [0.098] N=544
Animal products consumed daily or several times weekly	0.853 P=858	0.038 [0.047] N=1,009	0.044 [0.050] N=910	0.036 [0.055] N=799	0.020 [0.060] N=668	0.024 [0.066] N=544
Sweets consumed daily or several times weekly	0.424 P=428	-0.090 [0.062] N=1,009	**-0.117* [0.063] N=910**	-0.117 [0.071] N=799	**-0.154* [0.078] N=668**	**-0.236*** [0.088] N=544**
Snack foods consumed daily or several times weekly	0.326 P=325	-0.086 [0.060] N=1,009	**-0.113* [0.062] N=910**	**-0.123* [0.066] N=799**	**-0.143** [0.070] N=668**	**-0.212*** [0.080] N=544**
Packaged soft drinks consumed daily or several times weekly	0.173 P=173	-0.033 [0.041] N=1,009	-0.058 [0.041] N=910	-0.029 [0.045] N=799	-0.067 [0.050] N=668	**-0.164*** [0.055] N=544**
Grains consumed daily or several times weekly	0.761 P=770	**0.135** [0.059] N=1,009**	**0.137** [0.062] N=910**	**0.121* [0.067] N=799**	0.106 [0.075] N=668	0.079 [0.083] N=544

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.080] N=877	0.042 [0.085] N=778	0.052 [0.100] N=667	0.018 [0.107] N=536	0.019 [0.135] N=412
Vegetables consumed daily or several times weekly	-0.084 [0.087] N=877	-0.083 [0.097] N=778	-0.057 [0.111] N=667	-0.127 [0.117] N=536	-0.157 [0.154] N=412
Meat fish or poultry consumed daily or several times weekly	-0.036 [0.093] N=877	-0.057 [0.100] N=778	-0.104 [0.112] N=667	-0.167 [0.127] N=536	-0.261 [0.164] N=412
Legumes consumed daily or several times weekly	0.070 [0.097] N=877	0.111 [0.100] N=778	0.095 [0.111] N=667	0.090 [0.135] N=536	0.196 [0.172] N=412
Animal products consumed daily or several times weekly	0.028 [0.066] N=877	0.038 [0.073] N=778	0.024 [0.080] N=667	0.001 [0.090] N=536	0.004 [0.103] N=412
Sweets consumed daily or several times weekly	-0.001 [0.085] N=877	-0.039 [0.085] N=778	-0.025 [0.098] N=667	-0.071 [0.115] N=536	**-0.244* [0.143] N=412**
Snack foods consumed daily or several times weekly	-0.054 [0.080] N=877	-0.100 [0.084] N=778	-0.128 [0.094] N=667	-0.154 [0.106] N=536	**-0.325** [0.138] N=412**
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.069] N=877	-0.044 [0.071] N=778	0.020 [0.085] N=667	-0.030 [0.098] N=536	**-0.272** [0.121] N=412**
Grains consumed daily or several times weekly	0.074 [0.084] N=877	0.063 [0.091] N=778	0.014 [0.099] N=667	-0.087 [0.119] N=536	**-0.275** [0.138] N=412**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=843	0.001 [0.049] N=1,009	0.004 [0.051] N=910	-0.000 [0.055] N=799	-0.036 [0.059] N=668	-0.041 [0.066] N=544
Vegetables consumed daily or several times weekly	0.774 P=782	-0.036 [0.059] N=1,009	-0.031 [0.063] N=910	-0.002 [0.067] N=799	-0.036 [0.073] N=668	-0.026 [0.081] N=544
Meat fish or poultry consumed daily or several times weekly	0.551 P=558	0.003 [0.073] N=1,009	-0.007 [0.077] N=910	-0.020 [0.085] N=799	-0.026 [0.096] N=668	-0.040 [0.111] N=544
Legumes consumed daily or several times weekly	0.560 P=564	0.013 [0.070] N=1,009	0.042 [0.072] N=910	0.014 [0.077] N=799	-0.017 [0.086] N=668	0.005 [0.099] N=544
Animal products consumed daily or several times weekly	0.853 P=858	0.034 [0.047] N=1,009	0.041 [0.050] N=910	0.032 [0.055] N=799	0.016 [0.060] N=668	0.021 [0.066] N=544
Sweets consumed daily or several times weekly	0.424 P=428	-0.091 [0.064] N=1,009	**-0.118* [0.065] N=910**	**-0.122* [0.073] N=799**	**-0.162** [0.081] N=668**	**-0.243*** [0.091] N=544**
Snack foods consumed daily or several times weekly	0.326 P=325	-0.085 [0.059] N=1,009	**-0.114* [0.061] N=910**	**-0.125* [0.065] N=799**	**-0.145** [0.069] N=668**	**-0.211*** [0.079] N=544**
Packaged soft drinks consumed daily or several times weekly	0.173 P=173	-0.038 [0.040] N=1,009	-0.063 [0.040] N=910	-0.035 [0.044] N=799	-0.073 [0.048] N=668	**-0.168*** [0.051] N=544**
Grains consumed daily or several times weekly	0.761 P=770	**0.136** [0.059] N=1,009**	**0.138** [0.062] N=910**	**0.123* [0.066] N=799**	0.110 [0.074] N=668	0.082 [0.082] N=544

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.080] N=877	0.047 [0.085] N=778	0.054 [0.100] N=667	0.017 [0.106] N=536	0.025 [0.137] N=412
Vegetables consumed daily or several times weekly	-0.082 [0.086] N=877	-0.082 [0.097] N=778	-0.051 [0.111] N=667	-0.125 [0.117] N=536	-0.151 [0.152] N=412
Meat fish or poultry consumed daily or several times weekly	-0.030 [0.094] N=877	-0.051 [0.100] N=778	-0.102 [0.112] N=667	-0.173 [0.128] N=536	-0.255 [0.166] N=412
Legumes consumed daily or several times weekly	0.067 [0.097] N=877	0.112 [0.101] N=778	0.097 [0.112] N=667	0.081 [0.136] N=536	0.215 [0.172] N=412
Animal products consumed daily or several times weekly	0.027 [0.066] N=877	0.039 [0.073] N=778	0.024 [0.080] N=667	0.001 [0.089] N=536	0.017 [0.103] N=412
Sweets consumed daily or several times weekly	0.004 [0.085] N=877	-0.035 [0.085] N=778	-0.025 [0.097] N=667	-0.075 [0.114] N=536	**-0.257* [0.141] N=412**
Snack foods consumed daily or several times weekly	-0.056 [0.080] N=877	-0.106 [0.084] N=778	-0.132 [0.093] N=667	-0.150 [0.106] N=536	**-0.335** [0.134] N=412**
Packaged soft drinks consumed daily or several times weekly	-0.015 [0.069] N=877	-0.050 [0.071] N=778	0.013 [0.084] N=667	-0.031 [0.097] N=536	**-0.259** [0.119] N=412**
Grains consumed daily or several times weekly	0.076 [0.083] N=877	0.064 [0.090] N=778	0.020 [0.098] N=667	-0.081 [0.118] N=536	**-0.270** [0.133] N=412**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.