Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=1,035	0.044 [0.048] N=1,284	0.054 [0.050] N=1,191	0.045 [0.053] N=1,062	0.032 [0.055] N=912	0.000 [0.063] N=761
Not underweight WAZ at least -2	0.943 P=1,395	**-0.037* [0.021] N=1,483**	-0.028 [0.023] N=1,371	-0.028 [0.024] N=1,225	-0.016 [0.024] N=1,047	-0.010 [0.032] N=868
Neither wasted nor overweight WHZ -2 to +2	0.686 P=884	0.008 [0.051] N=1,280	-0.006 [0.055] N=1,186	0.025 [0.058] N=1,062	-0.006 [0.067] N=911	0.004 [0.075] N=757
Neither low nor high BMIZ -2 to +2	0.653 P=830	-0.008 [0.056] N=1,253	-0.013 [0.061] N=1,164	-0.006 [0.063] N=1,039	-0.059 [0.069] N=887	-0.074 [0.074] N=739
Strict normal HAZ -2 to +3	0.700 P=912	0.056 [0.056] N=1,284	0.058 [0.059] N=1,191	0.039 [0.065] N=1,062	0.028 [0.066] N=912	0.029 [0.077] N=761
Strict normal WAZ -2 to +1	0.626 P=935	-0.021 [0.052] N=1,483	-0.023 [0.057] N=1,371	-0.067 [0.059] N=1,225	-0.076 [0.061] N=1,047	-0.048 [0.067] N=868
Strict normal WHZ -2 to +1	0.522 P=669	-0.027 [0.053] N=1,280	-0.032 [0.056] N=1,186	-0.026 [0.057] N=1,062	-0.071 [0.064] N=911	-0.077 [0.070] N=757
Strict normal BMIZ -2 to +1	0.505 P=640	-0.067 [0.055] N=1,253	-0.080 [0.058] N=1,164	-0.080 [0.060] N=1,039	**-0.146** [0.065] N=887**	**-0.149** [0.070] N=739**
Above-normal height HAZ above +3	0.099 P=123	-0.011 [0.032] N=1,284	-0.004 [0.035] N=1,191	0.006 [0.040] N=1,062	0.004 [0.038] N=912	-0.028 [0.042] N=761
Above-normal weight WAZ above +1	0.317 P=460	-0.016 [0.050] N=1,483	-0.005 [0.054] N=1,371	0.039 [0.056] N=1,225	0.061 [0.058] N=1,047	0.038 [0.063] N=868
Above-normal WHZ above +1	0.363 P=461	0.073 [0.050] N=1,280	0.068 [0.053] N=1,186	0.079 [0.053] N=1,062	**0.104* [0.057] N=911**	**0.125** [0.060] N=757**
Above-normal BMIZ above +1	0.371 P=460	0.079 [0.051] N=1,253	0.084 [0.053] N=1,164	0.087 [0.055] N=1,039	**0.101* [0.059] N=887**	**0.104* [0.062] N=739**

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.042 [0.067] N=1,076	0.058 [0.073] N=983	0.055 [0.080] N=854	0.037 [0.093] N=704	-0.051 [0.139] N=553
Not underweight WAZ at least -2	**-0.072** [0.028] N=1,252**	**-0.065** [0.033] N=1,140**	**-0.073** [0.033] N=994**	**-0.065* [0.035] N=816**	-0.082 [0.061] N=637
Neither wasted nor overweight WHZ -2 to +2	0.057 [0.064] N=1,074	0.037 [0.073] N=980	0.110 [0.078] N=856	0.080 [0.105] N=705	0.168 [0.121] N=551
Neither low nor high BMIZ -2 to +2	0.068 [0.072] N=1,051	0.072 [0.084] N=962	0.108 [0.088] N=837	0.057 [0.109] N=685	0.067 [0.117] N=537
Strict normal HAZ -2 to +3	0.057 [0.078] N=1,076	0.056 [0.084] N=983	0.030 [0.099] N=854	0.002 [0.111] N=704	-0.003 [0.158] N=553
Strict normal WAZ -2 to +1	0.058 [0.072] N=1,252	0.067 [0.085] N=1,140	-0.003 [0.091] N=994	-0.010 [0.103] N=816	0.098 [0.134] N=637
Strict normal WHZ -2 to +1	0.046 [0.069] N=1,074	0.052 [0.078] N=980	0.100 [0.078] N=856	0.051 [0.102] N=705	0.089 [0.119] N=551
Strict normal BMIZ -2 to +1	0.023 [0.071] N=1,051	0.018 [0.078] N=962	0.051 [0.082] N=837	-0.035 [0.106] N=685	0.017 [0.115] N=537
Above-normal height HAZ above +3	-0.015 [0.046] N=1,076	0.002 [0.054] N=983	0.026 [0.065] N=854	0.035 [0.062] N=704	-0.048 [0.079] N=553
Above-normal weight WAZ above +1	**-0.131* [0.068] N=1,252**	**-0.132* [0.079] N=1,140**	-0.070 [0.086] N=994	-0.055 [0.101] N=816	-0.180 [0.132] N=637
Above-normal WHZ above +1	0.007 [0.071] N=1,074	-0.016 [0.079] N=980	-0.034 [0.079] N=856	-0.012 [0.099] N=705	-0.009 [0.116] N=551
Above-normal BMIZ above +1	0.030 [0.075] N=1,051	0.027 [0.081] N=962	-0.001 [0.085] N=837	0.002 [0.104] N=685	-0.057 [0.119] N=537

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=1,035	0.044 [0.048] N=1,284	0.053 [0.050] N=1,191	0.045 [0.053] N=1,062	0.031 [0.056] N=912	-0.001 [0.064] N=761
Not underweight WAZ at least -2	0.943 P=1,395	**-0.037* [0.021] N=1,483**	-0.029 [0.023] N=1,371	-0.028 [0.024] N=1,225	-0.016 [0.025] N=1,047	-0.011 [0.032] N=868
Neither wasted nor overweight WHZ -2 to +2	0.686 P=884	0.006 [0.052] N=1,280	-0.009 [0.055] N=1,186	0.022 [0.058] N=1,062	-0.010 [0.067] N=911	-0.001 [0.075] N=757
Neither low nor high BMIZ -2 to +2	0.653 P=830	-0.008 [0.056] N=1,253	-0.014 [0.061] N=1,164	-0.008 [0.063] N=1,039	-0.061 [0.069] N=887	-0.077 [0.074] N=739
Strict normal HAZ -2 to +3	0.700 P=912	0.055 [0.056] N=1,284	0.057 [0.059] N=1,191	0.039 [0.065] N=1,062	0.026 [0.066] N=912	0.025 [0.077] N=761
Strict normal WAZ -2 to +1	0.626 P=935	-0.021 [0.052] N=1,483	-0.023 [0.057] N=1,371	-0.067 [0.059] N=1,225	-0.076 [0.061] N=1,047	-0.048 [0.068] N=868
Strict normal WHZ -2 to +1	0.522 P=669	-0.028 [0.053] N=1,280	-0.034 [0.056] N=1,186	-0.028 [0.057] N=1,062	-0.074 [0.064] N=911	-0.080 [0.071] N=757
Strict normal BMIZ -2 to +1	0.505 P=640	-0.068 [0.055] N=1,253	-0.081 [0.058] N=1,164	-0.082 [0.061] N=1,039	**-0.148** [0.066] N=887**	**-0.151** [0.070] N=739**
Above-normal height HAZ above +3	0.099 P=123	-0.011 [0.032] N=1,284	-0.003 [0.035] N=1,191	0.006 [0.040] N=1,062	0.005 [0.038] N=912	-0.026 [0.042] N=761
Above-normal weight WAZ above +1	0.317 P=460	-0.016 [0.050] N=1,483	-0.006 [0.054] N=1,371	0.039 [0.056] N=1,225	0.060 [0.058] N=1,047	0.037 [0.064] N=868
Above-normal WHZ above +1	0.363 P=461	0.073 [0.050] N=1,280	0.068 [0.053] N=1,186	0.079 [0.053] N=1,062	**0.104* [0.057] N=911**	**0.124** [0.060] N=757**
Above-normal BMIZ above +1	0.371 P=460	0.079 [0.051] N=1,253	0.084 [0.053] N=1,164	0.087 [0.055] N=1,039	**0.101* [0.059] N=887**	0.104 [0.063] N=739

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.043 [0.067] N=1,076	0.059 [0.073] N=983	0.056 [0.080] N=854	0.036 [0.093] N=704	-0.052 [0.138] N=553
Not underweight WAZ at least -2	**-0.071** [0.028] N=1,252**	**-0.065** [0.032] N=1,140**	**-0.072** [0.033] N=994**	**-0.065* [0.035] N=816**	-0.082 [0.060] N=637
Neither wasted nor overweight WHZ -2 to +2	0.058 [0.064] N=1,074	0.037 [0.073] N=980	0.113 [0.078] N=856	0.081 [0.106] N=705	0.167 [0.120] N=551
Neither low nor high BMIZ -2 to +2	0.069 [0.072] N=1,051	0.072 [0.084] N=962	0.110 [0.089] N=837	0.058 [0.110] N=685	0.068 [0.117] N=537
Strict normal HAZ -2 to +3	0.060 [0.078] N=1,076	0.060 [0.083] N=983	0.034 [0.098] N=854	0.005 [0.110] N=704	-0.001 [0.158] N=553
Strict normal WAZ -2 to +1	0.058 [0.072] N=1,252	0.067 [0.085] N=1,140	-0.003 [0.091] N=994	-0.012 [0.103] N=816	0.097 [0.134] N=637
Strict normal WHZ -2 to +1	0.047 [0.069] N=1,074	0.052 [0.078] N=980	0.102 [0.077] N=856	0.051 [0.101] N=705	0.088 [0.118] N=551
Strict normal BMIZ -2 to +1	0.024 [0.071] N=1,051	0.019 [0.078] N=962	0.054 [0.082] N=837	-0.034 [0.107] N=685	0.017 [0.115] N=537
Above-normal height HAZ above +3	-0.017 [0.046] N=1,076	-0.001 [0.053] N=983	0.022 [0.065] N=854	0.031 [0.061] N=704	-0.051 [0.077] N=553
Above-normal weight WAZ above +1	**-0.130* [0.068] N=1,252**	**-0.131* [0.079] N=1,140**	-0.069 [0.086] N=994	-0.053 [0.100] N=816	-0.179 [0.131] N=637
Above-normal WHZ above +1	0.007 [0.071] N=1,074	-0.016 [0.079] N=980	-0.034 [0.079] N=856	-0.011 [0.099] N=705	-0.010 [0.117] N=551
Above-normal BMIZ above +1	0.031 [0.075] N=1,051	0.028 [0.081] N=962	-0.000 [0.085] N=837	0.003 [0.104] N=685	-0.057 [0.120] N=537

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=1,035	0.040 [0.048] N=1,284	0.046 [0.051] N=1,191	0.035 [0.053] N=1,062	0.028 [0.056] N=912	-0.010 [0.065] N=761
Not underweight WAZ at least -2	0.943 P=1,395	**-0.039* [0.020] N=1,483**	-0.033 [0.022] N=1,371	-0.032 [0.023] N=1,225	-0.018 [0.024] N=1,047	-0.017 [0.031] N=868
Neither wasted nor overweight WHZ -2 to +2	0.686 P=884	0.003 [0.051] N=1,280	-0.014 [0.055] N=1,186	0.018 [0.058] N=1,062	-0.012 [0.067] N=911	-0.006 [0.075] N=757
Neither low nor high BMIZ -2 to +2	0.653 P=830	-0.010 [0.056] N=1,253	-0.018 [0.061] N=1,164	-0.011 [0.063] N=1,039	-0.062 [0.069] N=887	-0.080 [0.074] N=739
Strict normal HAZ -2 to +3	0.700 P=912	0.050 [0.056] N=1,284	0.048 [0.059] N=1,191	0.029 [0.065] N=1,062	0.022 [0.066] N=912	0.013 [0.077] N=761
Strict normal WAZ -2 to +1	0.626 P=935	-0.014 [0.051] N=1,483	-0.020 [0.056] N=1,371	-0.065 [0.058] N=1,225	-0.076 [0.060] N=1,047	-0.049 [0.067] N=868
Strict normal WHZ -2 to +1	0.522 P=669	-0.031 [0.053] N=1,280	-0.039 [0.057] N=1,186	-0.034 [0.057] N=1,062	-0.078 [0.064] N=911	-0.087 [0.070] N=757
Strict normal BMIZ -2 to +1	0.505 P=640	-0.069 [0.055] N=1,253	-0.085 [0.058] N=1,164	-0.086 [0.061] N=1,039	**-0.150** [0.066] N=887**	**-0.155** [0.071] N=739**
Above-normal height HAZ above +3	0.099 P=123	-0.010 [0.031] N=1,284	-0.002 [0.035] N=1,191	0.006 [0.039] N=1,062	0.006 [0.038] N=912	-0.023 [0.041] N=761
Above-normal weight WAZ above +1	0.317 P=460	-0.025 [0.048] N=1,483	-0.012 [0.052] N=1,371	0.033 [0.054] N=1,225	0.058 [0.057] N=1,047	0.032 [0.062] N=868
Above-normal WHZ above +1	0.363 P=461	0.075 [0.050] N=1,280	0.071 [0.054] N=1,186	0.084 [0.054] N=1,062	**0.108* [0.058] N=911**	**0.129** [0.061] N=757**
Above-normal BMIZ above +1	0.371 P=460	0.081 [0.051] N=1,253	0.088 [0.054] N=1,164	0.092 [0.055] N=1,039	**0.104* [0.060] N=887**	**0.109* [0.064] N=739**

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.042 [0.066] N=1,076	0.054 [0.073] N=983	0.049 [0.078] N=854	0.045 [0.090] N=704	-0.047 [0.134] N=553
Not underweight WAZ at least -2	**-0.071** [0.028] N=1,252**	**-0.066** [0.032] N=1,140**	**-0.072** [0.033] N=994**	-0.058 [0.037] N=816	-0.079 [0.062] N=637
Neither wasted nor overweight WHZ -2 to +2	0.058 [0.066] N=1,074	0.035 [0.075] N=980	0.116 [0.081] N=856	0.092 [0.110] N=705	0.161 [0.127] N=551
Neither low nor high BMIZ -2 to +2	0.070 [0.074] N=1,051	0.070 [0.086] N=962	0.114 [0.091] N=837	0.065 [0.114] N=685	0.061 [0.126] N=537
Strict normal HAZ -2 to +3	0.061 [0.076] N=1,076	0.055 [0.082] N=983	0.035 [0.095] N=854	0.028 [0.106] N=704	0.008 [0.152] N=553
Strict normal WAZ -2 to +1	0.063 [0.072] N=1,252	0.069 [0.084] N=1,140	0.001 [0.091] N=994	-0.005 [0.103] N=816	0.102 [0.134] N=637
Strict normal WHZ -2 to +1	0.046 [0.072] N=1,074	0.049 [0.081] N=980	0.101 [0.081] N=856	0.063 [0.108] N=705	0.080 [0.130] N=551
Strict normal BMIZ -2 to +1	0.024 [0.073] N=1,051	0.013 [0.081] N=962	0.052 [0.086] N=837	-0.026 [0.112] N=685	0.008 [0.127] N=537
Above-normal height HAZ above +3	-0.019 [0.045] N=1,076	-0.001 [0.053] N=983	0.015 [0.065] N=854	0.017 [0.061] N=704	-0.055 [0.077] N=553
Above-normal weight WAZ above +1	**-0.134** [0.067] N=1,252**	**-0.135* [0.078] N=1,140**	-0.073 [0.085] N=994	-0.053 [0.100] N=816	-0.180 [0.129] N=637
Above-normal WHZ above +1	0.009 [0.072] N=1,074	-0.013 [0.080] N=980	-0.029 [0.080] N=856	-0.019 [0.100] N=705	-0.006 [0.123] N=551
Above-normal BMIZ above +1	0.031 [0.076] N=1,051	0.031 [0.083] N=962	0.003 [0.086] N=837	-0.008 [0.106] N=685	-0.054 [0.125] N=537

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=1,035	0.033 [0.048] N=1,284	0.039 [0.051] N=1,191	0.025 [0.054] N=1,062	0.018 [0.057] N=912	-0.022 [0.066] N=761
Not underweight WAZ at least -2	0.943 P=1,395	**-0.043** [0.020] N=1,483**	**-0.037* [0.022] N=1,371**	**-0.038* [0.022] N=1,225**	-0.025 [0.023] N=1,047	-0.027 [0.030] N=868
Neither wasted nor overweight WHZ -2 to +2	0.686 P=884	-0.001 [0.052] N=1,280	-0.018 [0.056] N=1,186	0.010 [0.058] N=1,062	-0.016 [0.068] N=911	-0.005 [0.075] N=757
Neither low nor high BMIZ -2 to +2	0.653 P=830	-0.015 [0.057] N=1,253	-0.023 [0.063] N=1,164	-0.022 [0.064] N=1,039	-0.068 [0.070] N=887	-0.079 [0.075] N=739
Strict normal HAZ -2 to +3	0.700 P=912	0.042 [0.056] N=1,284	0.037 [0.059] N=1,191	0.014 [0.065] N=1,062	0.007 [0.066] N=912	-0.004 [0.078] N=761
Strict normal WAZ -2 to +1	0.626 P=935	-0.018 [0.052] N=1,483	-0.026 [0.057] N=1,371	-0.070 [0.059] N=1,225	-0.077 [0.061] N=1,047	-0.048 [0.068] N=868
Strict normal WHZ -2 to +1	0.522 P=669	-0.032 [0.053] N=1,280	-0.040 [0.057] N=1,186	-0.039 [0.057] N=1,062	-0.081 [0.065] N=911	-0.082 [0.072] N=757
Strict normal BMIZ -2 to +1	0.505 P=640	-0.072 [0.056] N=1,253	-0.089 [0.059] N=1,164	-0.095 [0.062] N=1,039	**-0.157** [0.066] N=887**	**-0.155** [0.072] N=739**
Above-normal height HAZ above +3	0.099 P=123	-0.008 [0.031] N=1,284	0.002 [0.035] N=1,191	0.012 [0.040] N=1,062	0.011 [0.038] N=912	-0.018 [0.042] N=761
Above-normal weight WAZ above +1	0.317 P=460	-0.025 [0.049] N=1,483	-0.011 [0.053] N=1,371	0.033 [0.056] N=1,225	0.053 [0.058] N=1,047	0.021 [0.065] N=868
Above-normal WHZ above +1	0.363 P=461	0.074 [0.051] N=1,280	0.070 [0.054] N=1,186	0.084 [0.055] N=1,062	**0.106* [0.059] N=911**	**0.122* [0.063] N=757**
Above-normal BMIZ above +1	0.371 P=460	0.082 [0.052] N=1,253	**0.090* [0.054] N=1,164**	**0.097* [0.056] N=1,039**	**0.106* [0.061] N=887**	0.105 [0.065] N=739

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.039 [0.067] N=1,076	0.052 [0.073] N=983	0.048 [0.080] N=854	0.050 [0.092] N=704	-0.051 [0.137] N=553
Not underweight WAZ at least -2	**-0.071** [0.028] N=1,252**	**-0.064** [0.032] N=1,140**	**-0.072** [0.033] N=994**	-0.053 [0.038] N=816	-0.080 [0.063] N=637
Neither wasted nor overweight WHZ -2 to +2	0.056 [0.066] N=1,074	0.035 [0.075] N=980	0.110 [0.081] N=856	0.077 [0.111] N=705	0.129 [0.126] N=551
Neither low nor high BMIZ -2 to +2	0.068 [0.075] N=1,051	0.072 [0.087] N=962	0.107 [0.093] N=837	0.050 [0.115] N=685	0.033 [0.125] N=537
Strict normal HAZ -2 to +3	0.058 [0.077] N=1,076	0.055 [0.083] N=983	0.033 [0.097] N=854	0.035 [0.108] N=704	0.014 [0.155] N=553
Strict normal WAZ -2 to +1	0.068 [0.071] N=1,252	0.071 [0.084] N=1,140	0.007 [0.090] N=994	0.003 [0.101] N=816	0.083 [0.129] N=637
Strict normal WHZ -2 to +1	0.042 [0.071] N=1,074	0.050 [0.080] N=980	0.093 [0.080] N=856	0.037 [0.108] N=705	0.048 [0.131] N=551
Strict normal BMIZ -2 to +1	0.024 [0.073] N=1,051	0.022 [0.081] N=962	0.052 [0.085] N=837	-0.045 [0.111] N=685	-0.012 [0.126] N=537
Above-normal height HAZ above +3	-0.019 [0.046] N=1,076	-0.002 [0.053] N=983	0.015 [0.065] N=854	0.015 [0.062] N=704	-0.065 [0.079] N=553
Above-normal weight WAZ above +1	**-0.140** [0.068] N=1,252**	**-0.135* [0.078] N=1,140**	-0.079 [0.086] N=994	-0.056 [0.100] N=816	-0.164 [0.127] N=637
Above-normal WHZ above +1	0.012 [0.071] N=1,074	-0.011 [0.079] N=980	-0.022 [0.081] N=856	0.007 [0.102] N=705	0.029 [0.123] N=551
Above-normal BMIZ above +1	0.030 [0.074] N=1,051	0.027 [0.081] N=962	0.004 [0.085] N=837	0.017 [0.106] N=685	-0.020 [0.124] N=537

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=951	0.033 [0.049] N=1,179	0.037 [0.052] N=1,098	0.026 [0.055] N=976	0.005 [0.058] N=844	-0.036 [0.067] N=706
Not underweight WAZ at least -2	0.943 P=1,277	-0.032 [0.022] N=1,358	-0.025 [0.024] N=1,260	-0.024 [0.025] N=1,123	-0.013 [0.026] N=965	-0.010 [0.034] N=805
Neither wasted nor overweight WHZ -2 to +2	0.684 P=813	0.012 [0.051] N=1,179	-0.006 [0.054] N=1,098	0.021 [0.057] N=982	-0.008 [0.065] N=849	-0.008 [0.070] N=708
Neither low nor high BMIZ -2 to +2	0.655 P=767	-0.017 [0.060] N=1,152	-0.022 [0.065] N=1,075	-0.015 [0.068] N=959	-0.063 [0.075] N=825	-0.075 [0.082] N=690
Strict normal HAZ -2 to +3	0.700 P=839	0.060 [0.060] N=1,179	0.058 [0.064] N=1,098	0.038 [0.070] N=976	0.020 [0.072] N=844	0.009 [0.087] N=706
Strict normal WAZ -2 to +1	0.622 P=851	-0.033 [0.055] N=1,358	-0.024 [0.059] N=1,260	-0.071 [0.062] N=1,123	-0.078 [0.064] N=965	-0.064 [0.073] N=805
Strict normal WHZ -2 to +1	0.518 P=613	-0.040 [0.054] N=1,179	-0.048 [0.057] N=1,098	-0.047 [0.059] N=982	-0.092 [0.064] N=849	-0.108 [0.069] N=708
Strict normal BMIZ -2 to +1	0.504 P=589	-0.089 [0.058] N=1,152	-0.098 [0.061] N=1,075	-0.098 [0.065] N=959	**-0.159** [0.071] N=825**	**-0.160** [0.077] N=690**
Above-normal height HAZ above +3	0.100 P=112	-0.028 [0.033] N=1,179	-0.021 [0.037] N=1,098	-0.012 [0.042] N=976	-0.015 [0.040] N=844	-0.045 [0.045] N=706
Above-normal weight WAZ above +1	0.321 P=426	0.001 [0.053] N=1,358	-0.001 [0.057] N=1,260	0.047 [0.061] N=1,123	0.065 [0.062] N=965	0.054 [0.069] N=805
Above-normal WHZ above +1	0.367 P=429	**0.109** [0.051] N=1,179**	**0.104* [0.053] N=1,098**	**0.117** [0.055] N=982**	**0.143** [0.057] N=849**	**0.176*** [0.061] N=708**
Above-normal BMIZ above +1	0.376 P=427	**0.122** [0.053] N=1,152**	**0.121** [0.053] N=1,075**	**0.127** [0.055] N=959**	**0.142** [0.059] N=825**	**0.153** [0.062] N=690**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.060 [0.070] N=985	0.077 [0.076] N=904	0.076 [0.083] N=782	0.052 [0.095] N=650	-0.034 [0.150] N=512
Not underweight WAZ at least -2	**-0.069** [0.029] N=1,143**	**-0.065* [0.034] N=1,045**	**-0.073** [0.034] N=908**	**-0.070* [0.036] N=750**	-0.098 [0.064] N=590
Neither wasted nor overweight WHZ -2 to +2	0.090 [0.065] N=986	0.071 [0.073] N=905	**0.146* [0.081] N=789**	0.137 [0.108] N=656	**0.242* [0.122] N=515**
Neither low nor high BMIZ -2 to +2	0.062 [0.076] N=963	0.065 [0.086] N=886	0.102 [0.095] N=770	0.059 [0.115] N=636	0.101 [0.123] N=501
Strict normal HAZ -2 to +3	0.083 [0.082] N=985	0.084 [0.088] N=904	0.058 [0.103] N=782	0.036 [0.115] N=650	0.029 [0.173] N=512
Strict normal WAZ -2 to +1	0.055 [0.074] N=1,143	0.084 [0.085] N=1,045	0.015 [0.092] N=908	0.013 [0.103] N=750	0.098 [0.138] N=590
Strict normal WHZ -2 to +1	0.075 [0.069] N=986	0.083 [0.077] N=905	**0.132* [0.080] N=789**	0.105 [0.104] N=656	0.167 [0.122] N=515
Strict normal BMIZ -2 to +1	0.007 [0.075] N=963	0.009 [0.081] N=886	0.046 [0.087] N=770	-0.022 [0.114] N=636	0.062 [0.126] N=501
Above-normal height HAZ above +3	-0.023 [0.050] N=985	-0.007 [0.058] N=904	0.018 [0.070] N=782	0.015 [0.064] N=650	-0.063 [0.082] N=512
Above-normal weight WAZ above +1	**-0.124* [0.070] N=1,143**	**-0.149* [0.079] N=1,045**	-0.088 [0.088] N=908	-0.083 [0.100] N=750	-0.196 [0.134] N=590
Above-normal WHZ above +1	0.008 [0.072] N=986	-0.024 [0.078] N=905	-0.045 [0.081] N=789	-0.030 [0.102] N=656	-0.022 [0.122] N=515
Above-normal BMIZ above +1	0.044 [0.078] N=963	0.024 [0.082] N=886	-0.005 [0.085] N=770	-0.010 [0.107] N=636	-0.085 [0.127] N=501

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.800 P=951	0.035 [0.050] N=1,179	0.039 [0.052] N=1,098	0.027 [0.055] N=976	0.004 [0.058] N=844	-0.037 [0.067] N=706
Not underweight WAZ at least -2	0.943 P=1,277	-0.029 [0.022] N=1,358	-0.023 [0.023] N=1,260	-0.023 [0.025] N=1,123	-0.014 [0.026] N=965	-0.009 [0.034] N=805
Neither wasted nor overweight WHZ -2 to +2	0.684 P=813	0.010 [0.050] N=1,179	-0.008 [0.053] N=1,098	0.022 [0.057] N=982	-0.004 [0.065] N=849	-0.002 [0.070] N=708
Neither low nor high BMIZ -2 to +2	0.655 P=767	-0.019 [0.059] N=1,152	-0.024 [0.064] N=1,075	-0.014 [0.067] N=959	-0.059 [0.074] N=825	-0.070 [0.080] N=690
Strict normal HAZ -2 to +3	0.700 P=839	0.061 [0.060] N=1,179	0.058 [0.064] N=1,098	0.038 [0.071] N=976	0.020 [0.073] N=844	0.013 [0.087] N=706
Strict normal WAZ -2 to +1	0.622 P=851	-0.032 [0.055] N=1,358	-0.024 [0.059] N=1,260	-0.071 [0.062] N=1,123	-0.077 [0.064] N=965	-0.059 [0.074] N=805
Strict normal WHZ -2 to +1	0.518 P=613	-0.043 [0.053] N=1,179	-0.051 [0.057] N=1,098	-0.047 [0.059] N=982	-0.087 [0.064] N=849	-0.098 [0.069] N=708
Strict normal BMIZ -2 to +1	0.504 P=589	-0.092 [0.058] N=1,152	**-0.101* [0.061] N=1,075**	-0.098 [0.065] N=959	**-0.156** [0.071] N=825**	**-0.155** [0.076] N=690**
Above-normal height HAZ above +3	0.100 P=112	-0.026 [0.033] N=1,179	-0.020 [0.037] N=1,098	-0.012 [0.042] N=976	-0.017 [0.040] N=844	-0.050 [0.045] N=706
Above-normal weight WAZ above +1	0.321 P=426	0.003 [0.053] N=1,358	0.001 [0.057] N=1,260	0.048 [0.060] N=1,123	0.063 [0.062] N=965	0.051 [0.069] N=805
Above-normal WHZ above +1	0.367 P=429	**0.111** [0.050] N=1,179**	**0.106** [0.053] N=1,098**	**0.116** [0.055] N=982**	**0.138** [0.057] N=849**	**0.167*** [0.060] N=708**
Above-normal BMIZ above +1	0.376 P=427	**0.124** [0.052] N=1,152**	**0.123** [0.053] N=1,075**	**0.127** [0.055] N=959**	**0.139** [0.058] N=825**	**0.148** [0.060] N=690**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.065 [0.070] N=985	0.081 [0.077] N=904	0.079 [0.083] N=782	0.053 [0.095] N=650	-0.028 [0.147] N=512
Not underweight WAZ at least -2	**-0.063** [0.030] N=1,143**	**-0.060* [0.034] N=1,045**	**-0.070** [0.035] N=908**	**-0.071* [0.037] N=750**	-0.090 [0.067] N=590
Neither wasted nor overweight WHZ -2 to +2	0.082 [0.065] N=986	0.063 [0.072] N=905	**0.140* [0.080] N=789**	0.137 [0.107] N=656	**0.243** [0.120] N=515**
Neither low nor high BMIZ -2 to +2	0.053 [0.075] N=963	0.058 [0.084] N=886	0.098 [0.093] N=770	0.061 [0.112] N=636	0.099 [0.119] N=501
Strict normal HAZ -2 to +3	0.087 [0.082] N=985	0.087 [0.088] N=904	0.062 [0.104] N=782	0.039 [0.116] N=650	0.044 [0.173] N=512
Strict normal WAZ -2 to +1	0.055 [0.074] N=1,143	0.083 [0.085] N=1,045	0.012 [0.092] N=908	0.014 [0.102] N=750	0.110 [0.139] N=590
Strict normal WHZ -2 to +1	0.064 [0.068] N=986	0.073 [0.077] N=905	0.127 [0.078] N=789	0.108 [0.103] N=656	0.183 [0.123] N=515
Strict normal BMIZ -2 to +1	-0.002 [0.074] N=963	0.000 [0.079] N=886	0.042 [0.086] N=770	-0.024 [0.113] N=636	0.060 [0.123] N=501
Above-normal height HAZ above +3	-0.022 [0.050] N=985	-0.006 [0.057] N=904	0.018 [0.070] N=782	0.013 [0.064] N=650	-0.072 [0.084] N=512
Above-normal weight WAZ above +1	**-0.119* [0.070] N=1,143**	**-0.142* [0.078] N=1,045**	-0.081 [0.088] N=908	-0.084 [0.100] N=750	-0.200 [0.134] N=590
Above-normal WHZ above +1	0.018 [0.071] N=986	-0.014 [0.078] N=905	-0.039 [0.080] N=789	-0.033 [0.101] N=656	-0.039 [0.122] N=515
Above-normal BMIZ above +1	0.051 [0.077] N=963	0.031 [0.081] N=886	-0.001 [0.084] N=770	-0.009 [0.104] N=636	-0.087 [0.122] N=501

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=914	0.033 [0.052] N=1,115	0.017 [0.054] N=1,002	0.058 [0.056] N=870	0.043 [0.064] N=738	0.094 [0.071] N=597
Not underweight WAZ at least -2	0.947 P=1,210	0.004 [0.028] N=1,281	0.005 [0.028] N=1,160	-0.013 [0.029] N=1,006	-0.025 [0.029] N=849	-0.015 [0.029] N=682
Neither wasted nor overweight WHZ -2 to +2	0.686 P=767	-0.060 [0.054] N=1,115	-0.073 [0.057] N=1,007	-0.062 [0.061] N=874	-0.029 [0.062] N=738	-0.051 [0.069] N=595
Neither low nor high BMIZ -2 to +2	0.660 P=723	**-0.113* [0.059] N=1,090**	**-0.126** [0.063] N=984**	-0.115 [0.069] N=853	-0.100 [0.070] N=721	**-0.137* [0.076] N=585**
Strict normal HAZ -2 to +3	0.717 P=804	0.051 [0.055] N=1,115	0.034 [0.058] N=1,002	0.045 [0.059] N=870	0.047 [0.064] N=738	0.103 [0.074] N=597
Strict normal WAZ -2 to +1	0.629 P=807	0.039 [0.061] N=1,281	0.020 [0.063] N=1,160	0.009 [0.068] N=1,006	-0.006 [0.072] N=849	0.013 [0.078] N=682
Strict normal WHZ -2 to +1	0.516 P=570	**-0.099* [0.056] N=1,115**	**-0.132** [0.058] N=1,007**	**-0.122* [0.063] N=874**	-0.076 [0.067] N=738	-0.118 [0.080] N=595
Strict normal BMIZ -2 to +1	0.504 P=551	-0.098 [0.061] N=1,090	**-0.121* [0.063] N=984**	-0.083 [0.072] N=853	-0.059 [0.074] N=721	-0.123 [0.083] N=585
Above-normal height HAZ above +3	0.103 P=110	-0.017 [0.036] N=1,115	-0.017 [0.038] N=1,002	0.013 [0.042] N=870	-0.005 [0.041] N=738	-0.009 [0.049] N=597
Above-normal weight WAZ above +1	0.317 P=403	-0.035 [0.055] N=1,281	-0.015 [0.057] N=1,160	-0.022 [0.062] N=1,006	-0.019 [0.067] N=849	-0.028 [0.074] N=682
Above-normal WHZ above +1	0.370 P=416	0.091 [0.061] N=1,115	**0.114* [0.063] N=1,007**	0.086 [0.070] N=874	0.072 [0.075] N=738	0.099 [0.088] N=595
Above-normal BMIZ above +1	0.372 P=405	0.068 [0.061] N=1,090	0.083 [0.063] N=984	0.046 [0.070] N=853	0.040 [0.080] N=721	0.081 [0.093] N=585

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.037 [0.075] N=968	-0.062 [0.081] N=855	-0.009 [0.086] N=723	-0.078 [0.110] N=591	0.073 [0.127] N=450
Not underweight WAZ at least -2	0.023 [0.048] N=1,115	0.026 [0.051] N=994	-0.007 [0.057] N=840	-0.024 [0.063] N=683	0.003 [0.069] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.078 [0.076] N=970	-0.091 [0.083] N=862	-0.071 [0.097] N=729	0.006 [0.102] N=593	-0.004 [0.131] N=450
Neither low nor high BMIZ -2 to +2	-0.091 [0.073] N=950	-0.101 [0.079] N=844	-0.067 [0.089] N=713	-0.018 [0.100] N=581	-0.061 [0.131] N=445
Strict normal HAZ -2 to +3	-0.007 [0.083] N=968	-0.030 [0.091] N=855	-0.032 [0.096] N=723	-0.065 [0.115] N=591	0.107 [0.140] N=450
Strict normal WAZ -2 to +1	0.105 [0.091] N=1,115	0.080 [0.094] N=994	0.080 [0.106] N=840	0.084 [0.122] N=683	0.190 [0.150] N=516
Strict normal WHZ -2 to +1	-0.037 [0.084] N=970	-0.095 [0.089] N=862	-0.055 [0.105] N=729	0.082 [0.109] N=593	0.048 [0.149] N=450
Strict normal BMIZ -2 to +1	-0.053 [0.083] N=950	-0.090 [0.087] N=844	-0.007 [0.106] N=713	0.086 [0.111] N=581	-0.029 [0.150] N=445
Above-normal height HAZ above +3	-0.030 [0.060] N=968	-0.031 [0.064] N=855	0.023 [0.076] N=723	-0.013 [0.078] N=591	-0.034 [0.102] N=450
Above-normal weight WAZ above +1	-0.082 [0.075] N=1,115	-0.054 [0.079] N=994	-0.087 [0.089] N=840	-0.108 [0.104] N=683	-0.188 [0.130] N=516
Above-normal WHZ above +1	-0.006 [0.093] N=970	0.028 [0.099] N=862	-0.051 [0.117] N=729	-0.128 [0.121] N=593	-0.173 [0.154] N=450
Above-normal BMIZ above +1	-0.004 [0.092] N=950	0.018 [0.096] N=844	-0.071 [0.114] N=713	-0.119 [0.126] N=581	-0.080 [0.161] N=445

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=914	0.035 [0.052] N=1,115	0.018 [0.054] N=1,002	0.057 [0.056] N=870	0.041 [0.065] N=738	0.093 [0.071] N=597
Not underweight WAZ at least -2	0.947 P=1,210	0.006 [0.028] N=1,281	0.006 [0.028] N=1,160	-0.013 [0.029] N=1,006	-0.025 [0.029] N=849	-0.015 [0.029] N=682
Neither wasted nor overweight WHZ -2 to +2	0.686 P=767	-0.054 [0.055] N=1,115	-0.064 [0.057] N=1,007	-0.054 [0.062] N=874	-0.022 [0.063] N=738	-0.045 [0.071] N=595
Neither low nor high BMIZ -2 to +2	0.660 P=723	**-0.108* [0.059] N=1,090**	**-0.119* [0.063] N=984**	-0.109 [0.069] N=853	-0.097 [0.071] N=721	**-0.135* [0.076] N=585**
Strict normal HAZ -2 to +3	0.717 P=804	0.054 [0.055] N=1,115	0.036 [0.058] N=1,002	0.045 [0.059] N=870	0.047 [0.065] N=738	0.103 [0.074] N=597
Strict normal WAZ -2 to +1	0.629 P=807	0.041 [0.061] N=1,281	0.022 [0.063] N=1,160	0.011 [0.068] N=1,006	-0.005 [0.072] N=849	0.013 [0.078] N=682
Strict normal WHZ -2 to +1	0.516 P=570	**-0.094* [0.056] N=1,115**	**-0.126** [0.058] N=1,007**	**-0.116* [0.063] N=874**	-0.073 [0.068] N=738	-0.115 [0.081] N=595
Strict normal BMIZ -2 to +1	0.504 P=551	-0.094 [0.061] N=1,090	**-0.115* [0.063] N=984**	-0.079 [0.071] N=853	-0.057 [0.074] N=721	-0.122 [0.084] N=585
Above-normal height HAZ above +3	0.103 P=110	-0.019 [0.036] N=1,115	-0.019 [0.038] N=1,002	0.012 [0.042] N=870	-0.006 [0.041] N=738	-0.010 [0.049] N=597
Above-normal weight WAZ above +1	0.317 P=403	-0.036 [0.055] N=1,281	-0.016 [0.057] N=1,160	-0.024 [0.062] N=1,006	-0.020 [0.067] N=849	-0.028 [0.074] N=682
Above-normal WHZ above +1	0.370 P=416	0.090 [0.062] N=1,115	**0.113* [0.064] N=1,007**	0.084 [0.070] N=874	0.073 [0.074] N=738	0.100 [0.087] N=595
Above-normal BMIZ above +1	0.372 P=405	0.067 [0.062] N=1,090	0.081 [0.064] N=984	0.045 [0.070] N=853	0.039 [0.080] N=721	0.081 [0.093] N=585

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.030 [0.075] N=968	-0.055 [0.081] N=855	-0.006 [0.086] N=723	-0.079 [0.113] N=591	0.071 [0.130] N=450
Not underweight WAZ at least -2	0.026 [0.048] N=1,115	0.029 [0.051] N=994	-0.006 [0.057] N=840	-0.023 [0.064] N=683	0.003 [0.071] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.063 [0.077] N=970	-0.071 [0.083] N=862	-0.047 [0.099] N=729	0.041 [0.104] N=593	0.041 [0.133] N=450
Neither low nor high BMIZ -2 to +2	-0.079 [0.073] N=950	-0.083 [0.079] N=844	-0.048 [0.088] N=713	0.004 [0.101] N=581	-0.041 [0.132] N=445
Strict normal HAZ -2 to +3	0.004 [0.083] N=968	-0.018 [0.091] N=855	-0.026 [0.097] N=723	-0.059 [0.116] N=591	0.113 [0.140] N=450
Strict normal WAZ -2 to +1	0.107 [0.091] N=1,115	0.083 [0.095] N=994	0.084 [0.107] N=840	0.083 [0.124] N=683	0.182 [0.153] N=516
Strict normal WHZ -2 to +1	-0.027 [0.084] N=970	-0.080 [0.089] N=862	-0.037 [0.104] N=729	0.095 [0.108] N=593	0.069 [0.145] N=450
Strict normal BMIZ -2 to +1	-0.044 [0.083] N=950	-0.074 [0.088] N=844	0.010 [0.105] N=713	0.102 [0.110] N=581	-0.012 [0.149] N=445
Above-normal height HAZ above +3	-0.034 [0.060] N=968	-0.037 [0.064] N=855	0.020 [0.077] N=723	-0.020 [0.078] N=591	-0.042 [0.102] N=450
Above-normal weight WAZ above +1	-0.081 [0.075] N=1,115	-0.054 [0.080] N=994	-0.089 [0.090] N=840	-0.106 [0.105] N=683	-0.179 [0.134] N=516
Above-normal WHZ above +1	-0.008 [0.093] N=970	0.024 [0.099] N=862	-0.058 [0.117] N=729	-0.124 [0.123] N=593	-0.163 [0.156] N=450
Above-normal BMIZ above +1	-0.004 [0.092] N=950	0.013 [0.097] N=844	-0.077 [0.114] N=713	-0.118 [0.127] N=581	-0.077 [0.164] N=445

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=914	0.030 [0.051] N=1,115	0.017 [0.053] N=1,002	0.062 [0.054] N=870	0.044 [0.063] N=738	0.100 [0.067] N=597
Not underweight WAZ at least -2	0.947 P=1,210	0.004 [0.027] N=1,281	0.005 [0.028] N=1,160	-0.012 [0.029] N=1,006	-0.024 [0.028] N=849	-0.014 [0.029] N=682
Neither wasted nor overweight WHZ -2 to +2	0.686 P=767	-0.056 [0.055] N=1,115	-0.065 [0.058] N=1,007	-0.051 [0.063] N=874	-0.019 [0.064] N=738	-0.046 [0.072] N=595
Neither low nor high BMIZ -2 to +2	0.660 P=723	**-0.111* [0.060] N=1,090**	**-0.119* [0.063] N=984**	-0.107 [0.070] N=853	-0.096 [0.072] N=721	**-0.139* [0.078] N=585**
Strict normal HAZ -2 to +3	0.717 P=804	0.050 [0.055] N=1,115	0.036 [0.058] N=1,002	0.052 [0.059] N=870	0.054 [0.064] N=738	0.116 [0.071] N=597
Strict normal WAZ -2 to +1	0.629 P=807	0.040 [0.062] N=1,281	0.020 [0.064] N=1,160	0.008 [0.069] N=1,006	-0.006 [0.073] N=849	0.016 [0.079] N=682
Strict normal WHZ -2 to +1	0.516 P=570	**-0.096* [0.056] N=1,115**	**-0.125** [0.058] N=1,007**	**-0.115* [0.063] N=874**	-0.075 [0.068] N=738	-0.117 [0.081] N=595
Strict normal BMIZ -2 to +1	0.504 P=551	-0.097 [0.061] N=1,090	**-0.115* [0.063] N=984**	-0.079 [0.072] N=853	-0.057 [0.074] N=721	-0.123 [0.083] N=585
Above-normal height HAZ above +3	0.103 P=110	-0.019 [0.036] N=1,115	-0.019 [0.038] N=1,002	0.009 [0.042] N=870	-0.010 [0.041] N=738	-0.016 [0.050] N=597
Above-normal weight WAZ above +1	0.317 P=403	-0.036 [0.056] N=1,281	-0.015 [0.058] N=1,160	-0.021 [0.063] N=1,006	-0.018 [0.069] N=849	-0.030 [0.076] N=682
Above-normal WHZ above +1	0.370 P=416	0.090 [0.061] N=1,115	**0.111* [0.063] N=1,007**	0.085 [0.069] N=874	0.075 [0.073] N=738	0.101 [0.086] N=595
Above-normal BMIZ above +1	0.372 P=405	0.069 [0.060] N=1,090	0.078 [0.062] N=984	0.043 [0.068] N=853	0.038 [0.078] N=721	0.076 [0.091] N=585

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.042 [0.076] N=968	-0.063 [0.081] N=855	-0.012 [0.086] N=723	-0.094 [0.112] N=591	0.052 [0.131] N=450
Not underweight WAZ at least -2	0.020 [0.047] N=1,115	0.022 [0.050] N=994	-0.008 [0.056] N=840	-0.026 [0.062] N=683	-0.005 [0.072] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.074 [0.079] N=970	-0.084 [0.086] N=862	-0.051 [0.101] N=729	0.034 [0.105] N=593	0.025 [0.134] N=450
Neither low nor high BMIZ -2 to +2	-0.087 [0.074] N=950	-0.091 [0.079] N=844	-0.053 [0.089] N=713	-0.005 [0.102] N=581	-0.055 [0.132] N=445
Strict normal HAZ -2 to +3	-0.007 [0.084] N=968	-0.024 [0.091] N=855	-0.030 [0.099] N=723	-0.073 [0.119] N=591	0.095 [0.145] N=450
Strict normal WAZ -2 to +1	0.112 [0.091] N=1,115	0.086 [0.095] N=994	0.078 [0.107] N=840	0.077 [0.122] N=683	0.173 [0.150] N=516
Strict normal WHZ -2 to +1	-0.035 [0.084] N=970	-0.090 [0.089] N=862	-0.044 [0.103] N=729	0.087 [0.107] N=593	0.049 [0.145] N=450
Strict normal BMIZ -2 to +1	-0.049 [0.082] N=950	-0.079 [0.087] N=844	0.002 [0.104] N=713	0.089 [0.109] N=581	-0.030 [0.149] N=445
Above-normal height HAZ above +3	-0.035 [0.060] N=968	-0.038 [0.065] N=855	0.018 [0.077] N=723	-0.022 [0.077] N=591	-0.043 [0.102] N=450
Above-normal weight WAZ above +1	-0.092 [0.076] N=1,115	-0.064 [0.081] N=994	-0.086 [0.092] N=840	-0.103 [0.107] N=683	-0.179 [0.133] N=516
Above-normal WHZ above +1	-0.006 [0.094] N=970	0.026 [0.100] N=862	-0.053 [0.117] N=729	-0.119 [0.122] N=593	-0.157 [0.156] N=450
Above-normal BMIZ above +1	0.001 [0.092] N=950	0.014 [0.097] N=844	-0.070 [0.113] N=713	-0.107 [0.126] N=581	-0.062 [0.166] N=445

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=914	0.033 [0.051] N=1,115	0.020 [0.053] N=1,002	0.065 [0.055] N=870	0.044 [0.063] N=738	0.092 [0.068] N=597
Not underweight WAZ at least -2	0.947 P=1,210	0.005 [0.027] N=1,281	0.006 [0.028] N=1,160	-0.012 [0.029] N=1,006	-0.025 [0.029] N=849	-0.016 [0.031] N=682
Neither wasted nor overweight WHZ -2 to +2	0.686 P=767	-0.055 [0.055] N=1,115	-0.066 [0.057] N=1,007	-0.057 [0.062] N=874	-0.028 [0.063] N=738	-0.052 [0.069] N=595
Neither low nor high BMIZ -2 to +2	0.660 P=723	**-0.110* [0.059] N=1,090**	**-0.120* [0.063] N=984**	-0.111 [0.069] N=853	-0.101 [0.071] N=721	**-0.135* [0.075] N=585**
Strict normal HAZ -2 to +3	0.717 P=804	0.052 [0.055] N=1,115	0.040 [0.058] N=1,002	0.052 [0.059] N=870	0.049 [0.063] N=738	0.103 [0.071] N=597
Strict normal WAZ -2 to +1	0.629 P=807	0.045 [0.062] N=1,281	0.025 [0.064] N=1,160	0.014 [0.068] N=1,006	-0.002 [0.072] N=849	0.018 [0.078] N=682
Strict normal WHZ -2 to +1	0.516 P=570	**-0.096* [0.055] N=1,115**	**-0.128** [0.057] N=1,007**	**-0.120* [0.062] N=874**	-0.078 [0.066] N=738	-0.122 [0.077] N=595
Strict normal BMIZ -2 to +1	0.504 P=551	-0.092 [0.060] N=1,090	**-0.112* [0.062] N=984**	-0.078 [0.070] N=853	-0.059 [0.072] N=721	-0.124 [0.081] N=585
Above-normal height HAZ above +3	0.103 P=110	-0.020 [0.036] N=1,115	-0.019 [0.038] N=1,002	0.013 [0.042] N=870	-0.005 [0.041] N=738	-0.011 [0.048] N=597
Above-normal weight WAZ above +1	0.317 P=403	-0.040 [0.056] N=1,281	-0.019 [0.059] N=1,160	-0.026 [0.063] N=1,006	-0.024 [0.068] N=849	-0.034 [0.074] N=682
Above-normal WHZ above +1	0.370 P=416	0.093 [0.060] N=1,115	**0.115* [0.062] N=1,007**	0.088 [0.069] N=874	0.079 [0.072] N=738	0.112 [0.085] N=595
Above-normal BMIZ above +1	0.372 P=405	0.067 [0.061] N=1,090	0.080 [0.062] N=984	0.045 [0.068] N=853	0.044 [0.078] N=721	0.091 [0.092] N=585

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.040 [0.074] N=968	-0.058 [0.079] N=855	0.004 [0.085] N=723	-0.077 [0.113] N=591	0.052 [0.128] N=450
Not underweight WAZ at least -2	0.024 [0.046] N=1,115	0.028 [0.050] N=994	-0.002 [0.057] N=840	-0.021 [0.063] N=683	0.003 [0.073] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.069 [0.079] N=970	-0.079 [0.085] N=862	-0.053 [0.099] N=729	0.029 [0.105] N=593	0.017 [0.133] N=450
Neither low nor high BMIZ -2 to +2	-0.091 [0.073] N=950	-0.095 [0.079] N=844	-0.062 [0.088] N=713	-0.020 [0.098] N=581	-0.066 [0.125] N=445
Strict normal HAZ -2 to +3	-0.007 [0.082] N=968	-0.023 [0.090] N=855	-0.025 [0.098] N=723	-0.071 [0.118] N=591	0.076 [0.142] N=450
Strict normal WAZ -2 to +1	0.114 [0.093] N=1,115	0.089 [0.096] N=994	0.091 [0.108] N=840	0.090 [0.123] N=683	0.186 [0.150] N=516
Strict normal WHZ -2 to +1	-0.037 [0.083] N=970	-0.094 [0.088] N=862	-0.052 [0.103] N=729	0.072 [0.106] N=593	0.023 [0.140] N=450
Strict normal BMIZ -2 to +1	-0.053 [0.082] N=950	-0.083 [0.086] N=844	-0.004 [0.104] N=713	0.079 [0.105] N=581	-0.040 [0.143] N=445
Above-normal height HAZ above +3	-0.033 [0.060] N=968	-0.034 [0.064] N=855	0.029 [0.077] N=723	-0.005 [0.079] N=591	-0.023 [0.102] N=450
Above-normal weight WAZ above +1	-0.090 [0.077] N=1,115	-0.062 [0.081] N=994	-0.093 [0.092] N=840	-0.111 [0.106] N=683	-0.183 [0.131] N=516
Above-normal WHZ above +1	-0.000 [0.093] N=970	0.032 [0.099] N=862	-0.051 [0.117] N=729	-0.110 [0.120] N=593	-0.130 [0.156] N=450
Above-normal BMIZ above +1	0.004 [0.091] N=950	0.020 [0.096] N=844	-0.069 [0.114] N=713	-0.100 [0.124] N=581	-0.045 [0.163] N=445

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.822 P=838	0.025 [0.054] N=1,020	0.004 [0.056] N=916	0.047 [0.056] N=801	0.033 [0.062] N=677	0.078 [0.070] N=550
Not underweight WAZ at least -2	0.946 P=1,104	-0.001 [0.030] N=1,170	0.002 [0.031] N=1,058	-0.016 [0.032] N=924	-0.034 [0.032] N=781	-0.027 [0.032] N=632
Neither wasted nor overweight WHZ -2 to +2	0.684 P=702	-0.062 [0.059] N=1,024	-0.072 [0.061] N=925	-0.055 [0.064] N=807	-0.016 [0.065] N=681	-0.034 [0.071] N=553
Neither low nor high BMIZ -2 to +2	0.665 P=669	-0.090 [0.061] N=1,000	-0.096 [0.064] N=903	-0.074 [0.070] N=788	-0.056 [0.074] N=666	-0.092 [0.079] N=544
Strict normal HAZ -2 to +3	0.720 P=741	0.048 [0.058] N=1,020	0.028 [0.062] N=916	0.040 [0.060] N=801	0.050 [0.064] N=677	0.098 [0.074] N=550
Strict normal WAZ -2 to +1	0.625 P=733	0.032 [0.062] N=1,170	0.013 [0.065] N=1,058	0.016 [0.071] N=924	-0.007 [0.076] N=781	0.012 [0.080] N=632
Strict normal WHZ -2 to +1	0.516 P=523	**-0.111* [0.059] N=1,024**	**-0.146** [0.061] N=925**	**-0.128* [0.065] N=807**	-0.074 [0.070] N=681	-0.108 [0.084] N=553
Strict normal BMIZ -2 to +1	0.504 P=506	-0.086 [0.062] N=1,000	-0.107 [0.065] N=903	-0.053 [0.072] N=788	-0.032 [0.075] N=666	-0.093 [0.086] N=544
Above-normal height HAZ above +3	0.102 P=97	-0.024 [0.038] N=1,020	-0.024 [0.040] N=916	0.007 [0.043] N=801	-0.017 [0.043] N=677	-0.020 [0.052] N=550
Above-normal weight WAZ above +1	0.321 P=371	-0.033 [0.055] N=1,170	-0.010 [0.059] N=1,058	-0.032 [0.064] N=924	-0.027 [0.069] N=781	-0.039 [0.074] N=632
Above-normal WHZ above +1	0.370 P=383	**0.108* [0.063] N=1,024**	**0.136** [0.066] N=925**	0.098 [0.072] N=807	0.073 [0.076] N=681	0.089 [0.087] N=553
Above-normal BMIZ above +1	0.375 P=375	0.074 [0.064] N=1,000	0.093 [0.066] N=903	0.039 [0.074] N=788	0.025 [0.082] N=666	0.053 [0.096] N=544

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.020 [0.083] N=884	-0.049 [0.090] N=780	0.003 [0.094] N=665	-0.053 [0.120] N=541	0.119 [0.145] N=414
Not underweight WAZ at least -2	0.031 [0.051] N=1,016	0.037 [0.055] N=904	0.005 [0.062] N=770	-0.022 [0.073] N=627	0.013 [0.082] N=478
Neither wasted nor overweight WHZ -2 to +2	-0.067 [0.083] N=888	-0.072 [0.090] N=789	-0.029 [0.105] N=671	0.097 [0.111] N=545	0.133 [0.139] N=417
Neither low nor high BMIZ -2 to +2	-0.081 [0.077] N=868	-0.078 [0.083] N=771	-0.020 [0.093] N=656	0.063 [0.106] N=534	0.024 [0.139] N=412
Strict normal HAZ -2 to +3	0.008 [0.089] N=884	-0.017 [0.100] N=780	-0.019 [0.101] N=665	-0.017 [0.121] N=541	0.177 [0.154] N=414
Strict normal WAZ -2 to +1	0.099 [0.091] N=1,016	0.079 [0.095] N=904	0.109 [0.110] N=770	0.076 [0.127] N=627	0.164 [0.150] N=478
Strict normal WHZ -2 to +1	-0.054 [0.091] N=888	-0.113 [0.097] N=789	-0.049 [0.110] N=671	0.120 [0.111] N=545	0.147 [0.152] N=417
Strict normal BMIZ -2 to +1	-0.054 [0.087] N=868	-0.086 [0.094] N=771	0.034 [0.107] N=656	0.140 [0.103] N=534	0.049 [0.149] N=412
Above-normal height HAZ above +3	-0.028 [0.061] N=884	-0.032 [0.065] N=780	0.022 [0.075] N=665	-0.036 [0.079] N=541	-0.058 [0.109] N=414
Above-normal weight WAZ above +1	-0.068 [0.074] N=1,016	-0.042 [0.080] N=904	-0.105 [0.091] N=770	-0.098 [0.103] N=627	-0.152 [0.128] N=478
Above-normal WHZ above +1	0.019 [0.100] N=888	0.061 [0.107] N=789	-0.037 [0.124] N=671	-0.132 [0.130] N=545	-0.232 [0.165] N=417
Above-normal BMIZ above +1	0.017 [0.097] N=868	0.041 [0.102] N=771	-0.078 [0.119] N=656	-0.130 [0.127] N=534	-0.142 [0.166] N=412

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.822 P=838	0.024 [0.054] N=1,020	0.004 [0.056] N=916	0.047 [0.056] N=801	0.033 [0.062] N=677	0.079 [0.069] N=550
Not underweight WAZ at least -2	0.946 P=1,104	0.003 [0.029] N=1,170	0.004 [0.030] N=1,058	-0.012 [0.031] N=924	-0.029 [0.031] N=781	-0.023 [0.031] N=632
Neither wasted nor overweight WHZ -2 to +2	0.684 P=702	-0.058 [0.057] N=1,024	-0.067 [0.059] N=925	-0.049 [0.063] N=807	-0.006 [0.063] N=681	-0.025 [0.069] N=553
Neither low nor high BMIZ -2 to +2	0.665 P=669	-0.088 [0.059] N=1,000	-0.095 [0.062] N=903	-0.072 [0.068] N=788	-0.052 [0.071] N=666	-0.087 [0.075] N=544
Strict normal HAZ -2 to +3	0.720 P=741	0.051 [0.058] N=1,020	0.032 [0.062] N=916	0.043 [0.060] N=801	0.054 [0.064] N=677	0.100 [0.074] N=550
Strict normal WAZ -2 to +1	0.625 P=733	0.039 [0.061] N=1,170	0.020 [0.064] N=1,058	0.023 [0.070] N=924	-0.000 [0.074] N=781	0.019 [0.078] N=632
Strict normal WHZ -2 to +1	0.516 P=523	**-0.104* [0.059] N=1,024**	**-0.137** [0.061] N=925**	**-0.117* [0.065] N=807**	-0.061 [0.069] N=681	-0.094 [0.085] N=553
Strict normal BMIZ -2 to +1	0.504 P=506	-0.086 [0.061] N=1,000	**-0.108* [0.064] N=903**	-0.053 [0.071] N=788	-0.031 [0.072] N=666	-0.091 [0.084] N=544
Above-normal height HAZ above +3	0.102 P=97	-0.027 [0.038] N=1,020	-0.028 [0.040] N=916	0.004 [0.043] N=801	-0.021 [0.043] N=677	-0.021 [0.052] N=550
Above-normal weight WAZ above +1	0.321 P=371	-0.036 [0.055] N=1,170	-0.015 [0.058] N=1,058	-0.035 [0.064] N=924	-0.029 [0.068] N=781	-0.041 [0.072] N=632
Above-normal WHZ above +1	0.370 P=383	**0.104* [0.063] N=1,024**	**0.131** [0.066] N=925**	0.093 [0.073] N=807	0.067 [0.076] N=681	0.081 [0.090] N=553
Above-normal BMIZ above +1	0.375 P=375	0.076 [0.064] N=1,000	0.095 [0.067] N=903	0.041 [0.074] N=788	0.027 [0.082] N=666	0.053 [0.098] N=544

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.020 [0.083] N=884	-0.048 [0.090] N=780	0.007 [0.093] N=665	-0.048 [0.118] N=541	0.112 [0.140] N=414
Not underweight WAZ at least -2	0.033 [0.052] N=1,016	0.037 [0.056] N=904	0.007 [0.062] N=770	-0.021 [0.072] N=627	0.005 [0.079] N=478
Neither wasted nor overweight WHZ -2 to +2	-0.070 [0.082] N=888	-0.073 [0.090] N=789	-0.027 [0.104] N=671	0.101 [0.110] N=545	0.122 [0.137] N=417
Neither low nor high BMIZ -2 to +2	-0.085 [0.076] N=868	-0.084 [0.083] N=771	-0.024 [0.092] N=656	0.059 [0.105] N=534	0.026 [0.135] N=412
Strict normal HAZ -2 to +3	0.011 [0.089] N=884	-0.014 [0.100] N=780	-0.015 [0.101] N=665	-0.015 [0.121] N=541	0.154 [0.153] N=414
Strict normal WAZ -2 to +1	0.104 [0.091] N=1,016	0.083 [0.096] N=904	0.110 [0.110] N=770	0.075 [0.126] N=627	0.148 [0.148] N=478
Strict normal WHZ -2 to +1	-0.051 [0.090] N=888	-0.107 [0.096] N=789	-0.039 [0.109] N=671	0.132 [0.110] N=545	0.153 [0.151] N=417
Strict normal BMIZ -2 to +1	-0.063 [0.087] N=868	-0.096 [0.093] N=771	0.025 [0.107] N=656	0.124 [0.105] N=534	0.028 [0.149] N=412
Above-normal height HAZ above +3	-0.031 [0.061] N=884	-0.034 [0.066] N=780	0.022 [0.076] N=665	-0.033 [0.078] N=541	-0.042 [0.108] N=414
Above-normal weight WAZ above +1	-0.071 [0.073] N=1,016	-0.046 [0.079] N=904	-0.103 [0.090] N=770	-0.095 [0.101] N=627	-0.144 [0.123] N=478
Above-normal WHZ above +1	0.014 [0.099] N=888	0.053 [0.106] N=789	-0.048 [0.122] N=671	-0.146 [0.126] N=545	-0.241 [0.158] N=417
Above-normal BMIZ above +1	0.022 [0.096] N=868	0.048 [0.102] N=771	-0.073 [0.117] N=656	-0.119 [0.126] N=534	-0.123 [0.161] N=412

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.