Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=989	0.014 [0.039] N=1,197	0.003 [0.040] N=1,106	-0.003 [0.043] N=990	-0.004 [0.045] N=852	-0.021 [0.053] N=700
Vegetables consumed daily or several times weekly	0.764 P=913	-0.005 [0.049] N=1,197	-0.020 [0.050] N=1,106	-0.045 [0.053] N=990	-0.046 [0.058] N=852	-0.083 [0.065] N=700
Meat fish or poultry consumed daily or several times weekly	0.547 P=654	0.030 [0.062] N=1,197	0.031 [0.065] N=1,106	0.029 [0.071] N=990	0.050 [0.080] N=852	0.063 [0.090] N=700
Legumes consumed daily or several times weekly	0.549 P=652	0.009 [0.057] N=1,197	0.012 [0.060] N=1,106	0.032 [0.062] N=990	0.069 [0.069] N=852	0.093 [0.079] N=700
Animal products consumed daily or several times weekly	0.847 P=1,010	0.067 [0.043] N=1,197	0.057 [0.046] N=1,106	0.031 [0.048] N=990	0.047 [0.053] N=852	0.044 [0.058] N=700
Sweets consumed daily or several times weekly	0.392 P=470	-0.021 [0.050] N=1,197	-0.034 [0.052] N=1,106	-0.017 [0.056] N=990	-0.006 [0.062] N=852	0.044 [0.072] N=700
Snack foods consumed daily or several times weekly	0.289 P=342	0.010 [0.049] N=1,197	-0.013 [0.052] N=1,106	-0.009 [0.056] N=990	0.032 [0.062] N=852	0.051 [0.067] N=700
Packaged soft drinks consumed daily or several times weekly	0.159 P=186	-0.006 [0.040] N=1,197	-0.013 [0.043] N=1,106	-0.022 [0.046] N=990	-0.029 [0.048] N=852	-0.065 [0.052] N=700
Grains consumed daily or several times weekly	0.764 P=912	0.030 [0.046] N=1,197	0.027 [0.046] N=1,106	0.002 [0.050] N=990	0.010 [0.054] N=852	0.001 [0.058] N=700

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.033 [0.057] N=1,015	0.020 [0.059] N=924	-0.002 [0.069] N=808	-0.016 [0.082] N=670	-0.067 [0.111] N=518
Vegetables consumed daily or several times weekly	-0.012 [0.073] N=1,015	-0.039 [0.075] N=924	-0.100 [0.085] N=808	-0.149 [0.107] N=670	**-0.311** [0.135] N=518**
Meat fish or poultry consumed daily or several times weekly	-0.090 [0.075] N=1,015	-0.112 [0.077] N=924	-0.148 [0.090] N=808	**-0.198* [0.104] N=670**	**-0.296** [0.136] N=518**
Legumes consumed daily or several times weekly	-0.083 [0.078] N=1,015	-0.089 [0.083] N=924	-0.076 [0.087] N=808	-0.039 [0.101] N=670	-0.013 [0.139] N=518
Animal products consumed daily or several times weekly	0.067 [0.064] N=1,015	0.052 [0.072] N=924	-0.012 [0.079] N=808	0.011 [0.097] N=670	-0.017 [0.118] N=518
Sweets consumed daily or several times weekly	-0.050 [0.065] N=1,015	-0.073 [0.067] N=924	-0.045 [0.075] N=808	-0.027 [0.088] N=670	0.127 [0.123] N=518
Snack foods consumed daily or several times weekly	-0.023 [0.063] N=1,015	-0.073 [0.068] N=924	-0.079 [0.075] N=808	-0.000 [0.095] N=670	0.031 [0.115] N=518
Packaged soft drinks consumed daily or several times weekly	0.010 [0.060] N=1,015	0.001 [0.069] N=924	-0.010 [0.079] N=808	-0.024 [0.093] N=670	-0.111 [0.129] N=518
Grains consumed daily or several times weekly	0.044 [0.073] N=1,015	0.044 [0.078] N=924	-0.011 [0.089] N=808	-0.008 [0.105] N=670	-0.060 [0.138] N=518

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=989	0.015 [0.039] N=1,197	0.003 [0.040] N=1,106	-0.002 [0.043] N=990	-0.004 [0.045] N=852	-0.021 [0.053] N=700
Vegetables consumed daily or several times weekly	0.764 P=913	-0.005 [0.049] N=1,197	-0.020 [0.050] N=1,106	-0.045 [0.053] N=990	-0.046 [0.058] N=852	-0.083 [0.065] N=700
Meat fish or poultry consumed daily or several times weekly	0.547 P=654	0.031 [0.062] N=1,197	0.031 [0.065] N=1,106	0.030 [0.071] N=990	0.050 [0.081] N=852	0.063 [0.090] N=700
Legumes consumed daily or several times weekly	0.549 P=652	0.009 [0.058] N=1,197	0.012 [0.061] N=1,106	0.033 [0.063] N=990	0.069 [0.070] N=852	0.092 [0.080] N=700
Animal products consumed daily or several times weekly	0.847 P=1,010	0.067 [0.043] N=1,197	0.056 [0.046] N=1,106	0.031 [0.048] N=990	0.048 [0.053] N=852	0.043 [0.058] N=700
Sweets consumed daily or several times weekly	0.392 P=470	-0.021 [0.050] N=1,197	-0.034 [0.052] N=1,106	-0.016 [0.056] N=990	-0.005 [0.062] N=852	0.044 [0.072] N=700
Snack foods consumed daily or several times weekly	0.289 P=342	0.011 [0.049] N=1,197	-0.013 [0.052] N=1,106	-0.008 [0.056] N=990	0.033 [0.062] N=852	0.050 [0.067] N=700
Packaged soft drinks consumed daily or several times weekly	0.159 P=186	-0.006 [0.040] N=1,197	-0.013 [0.043] N=1,106	-0.022 [0.046] N=990	-0.029 [0.048] N=852	-0.065 [0.052] N=700
Grains consumed daily or several times weekly	0.764 P=912	0.031 [0.046] N=1,197	0.027 [0.046] N=1,106	0.003 [0.050] N=990	0.011 [0.054] N=852	0.000 [0.058] N=700

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.034 [0.057] N=1,015	0.020 [0.059] N=924	0.000 [0.070] N=808	-0.015 [0.082] N=670	-0.067 [0.111] N=518
Vegetables consumed daily or several times weekly	-0.013 [0.073] N=1,015	-0.039 [0.075] N=924	-0.100 [0.086] N=808	-0.148 [0.107] N=670	**-0.311** [0.135] N=518**
Meat fish or poultry consumed daily or several times weekly	-0.089 [0.075] N=1,015	-0.111 [0.077] N=924	-0.145 [0.090] N=808	**-0.196* [0.104] N=670**	**-0.296** [0.136] N=518**
Legumes consumed daily or several times weekly	-0.081 [0.078] N=1,015	-0.089 [0.084] N=924	-0.071 [0.087] N=808	-0.037 [0.100] N=670	-0.014 [0.138] N=518
Animal products consumed daily or several times weekly	0.069 [0.063] N=1,015	0.052 [0.071] N=924	-0.010 [0.079] N=808	0.012 [0.097] N=670	-0.017 [0.117] N=518
Sweets consumed daily or several times weekly	-0.049 [0.065] N=1,015	-0.072 [0.067] N=924	-0.042 [0.075] N=808	-0.025 [0.088] N=670	0.127 [0.123] N=518
Snack foods consumed daily or several times weekly	-0.022 [0.063] N=1,015	-0.072 [0.068] N=924	-0.076 [0.075] N=808	0.002 [0.095] N=670	0.031 [0.115] N=518
Packaged soft drinks consumed daily or several times weekly	0.011 [0.060] N=1,015	0.001 [0.069] N=924	-0.011 [0.079] N=808	-0.024 [0.093] N=670	-0.111 [0.129] N=518
Grains consumed daily or several times weekly	0.045 [0.073] N=1,015	0.044 [0.077] N=924	-0.008 [0.088] N=808	-0.006 [0.104] N=670	-0.060 [0.137] N=518

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=989	-0.011 [0.038] N=1,197	-0.022 [0.039] N=1,106	-0.029 [0.041] N=990	-0.023 [0.042] N=852	-0.050 [0.049] N=700
Vegetables consumed daily or several times weekly	0.764 P=913	-0.024 [0.050] N=1,197	-0.042 [0.050] N=1,106	-0.068 [0.053] N=990	-0.063 [0.058] N=852	**-0.111* [0.062] N=700**
Meat fish or poultry consumed daily or several times weekly	0.547 P=654	-0.009 [0.061] N=1,197	-0.011 [0.063] N=1,106	-0.015 [0.070] N=990	0.018 [0.077] N=852	0.022 [0.088] N=700
Legumes consumed daily or several times weekly	0.549 P=652	-0.010 [0.056] N=1,197	-0.008 [0.058] N=1,106	0.012 [0.060] N=990	0.056 [0.066] N=852	0.077 [0.078] N=700
Animal products consumed daily or several times weekly	0.847 P=1,010	0.052 [0.043] N=1,197	0.041 [0.046] N=1,106	0.014 [0.049] N=990	0.034 [0.053] N=852	0.025 [0.058] N=700
Sweets consumed daily or several times weekly	0.392 P=470	-0.025 [0.051] N=1,197	-0.041 [0.052] N=1,106	-0.021 [0.056] N=990	-0.006 [0.062] N=852	0.036 [0.072] N=700
Snack foods consumed daily or several times weekly	0.289 P=342	0.013 [0.049] N=1,197	-0.012 [0.052] N=1,106	-0.009 [0.056] N=990	0.034 [0.062] N=852	0.051 [0.067] N=700
Packaged soft drinks consumed daily or several times weekly	0.159 P=186	0.004 [0.039] N=1,197	-0.003 [0.041] N=1,106	-0.014 [0.045] N=990	-0.022 [0.047] N=852	-0.056 [0.051] N=700
Grains consumed daily or several times weekly	0.764 P=912	0.025 [0.046] N=1,197	0.024 [0.046] N=1,106	-0.000 [0.050] N=990	0.009 [0.053] N=852	0.001 [0.058] N=700

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.020 [0.056] N=1,015	0.010 [0.058] N=924	-0.010 [0.067] N=808	0.012 [0.081] N=670	-0.056 [0.112] N=518
Vegetables consumed daily or several times weekly	-0.021 [0.073] N=1,015	-0.048 [0.074] N=924	-0.106 [0.084] N=808	-0.126 [0.106] N=670	**-0.282** [0.133] N=518**
Meat fish or poultry consumed daily or several times weekly	-0.110 [0.071] N=1,015	**-0.132* [0.074] N=924**	**-0.167* [0.084] N=808**	**-0.176* [0.098] N=670**	**-0.282** [0.133] N=518**
Legumes consumed daily or several times weekly	-0.091 [0.079] N=1,015	-0.096 [0.083] N=924	-0.078 [0.086] N=808	-0.020 [0.100] N=670	-0.009 [0.137] N=518
Animal products consumed daily or several times weekly	0.065 [0.062] N=1,015	0.049 [0.070] N=924	-0.014 [0.077] N=808	0.036 [0.094] N=670	0.013 [0.113] N=518
Sweets consumed daily or several times weekly	-0.049 [0.065] N=1,015	-0.072 [0.067] N=924	-0.037 [0.075] N=808	-0.007 [0.087] N=670	0.138 [0.123] N=518
Snack foods consumed daily or several times weekly	-0.026 [0.063] N=1,015	-0.074 [0.068] N=924	-0.076 [0.075] N=808	0.005 [0.094] N=670	0.024 [0.115] N=518
Packaged soft drinks consumed daily or several times weekly	0.021 [0.059] N=1,015	0.011 [0.067] N=924	-0.001 [0.077] N=808	-0.015 [0.091] N=670	-0.107 [0.128] N=518
Grains consumed daily or several times weekly	0.038 [0.072] N=1,015	0.042 [0.077] N=924	-0.013 [0.087] N=808	-0.011 [0.103] N=670	-0.073 [0.135] N=518

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=989	-0.018 [0.038] N=1,197	-0.028 [0.040] N=1,106	-0.043 [0.041] N=990	-0.039 [0.042] N=852	-0.074 [0.051] N=700
Vegetables consumed daily or several times weekly	0.764 P=913	-0.028 [0.050] N=1,197	-0.041 [0.050] N=1,106	-0.071 [0.053] N=990	-0.068 [0.058] N=852	**-0.116* [0.065] N=700**
Meat fish or poultry consumed daily or several times weekly	0.547 P=654	-0.015 [0.061] N=1,197	-0.011 [0.062] N=1,106	-0.019 [0.069] N=990	0.006 [0.078] N=852	0.007 [0.090] N=700
Legumes consumed daily or several times weekly	0.549 P=652	-0.008 [0.058] N=1,197	-0.002 [0.060] N=1,106	0.016 [0.062] N=990	0.053 [0.069] N=852	0.072 [0.080] N=700
Animal products consumed daily or several times weekly	0.847 P=1,010	0.050 [0.043] N=1,197	0.041 [0.047] N=1,106	0.013 [0.049] N=990	0.029 [0.054] N=852	0.019 [0.059] N=700
Sweets consumed daily or several times weekly	0.392 P=470	-0.029 [0.051] N=1,197	-0.046 [0.053] N=1,106	-0.029 [0.056] N=990	-0.014 [0.063] N=852	0.026 [0.074] N=700
Snack foods consumed daily or several times weekly	0.289 P=342	0.013 [0.049] N=1,197	-0.012 [0.052] N=1,106	-0.011 [0.057] N=990	0.031 [0.062] N=852	0.048 [0.067] N=700
Packaged soft drinks consumed daily or several times weekly	0.159 P=186	0.002 [0.039] N=1,197	-0.006 [0.042] N=1,106	-0.016 [0.045] N=990	-0.024 [0.047] N=852	-0.055 [0.050] N=700
Grains consumed daily or several times weekly	0.764 P=912	0.031 [0.046] N=1,197	0.029 [0.046] N=1,106	0.005 [0.051] N=990	0.011 [0.054] N=852	0.001 [0.060] N=700

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.028 [0.055] N=1,015	0.020 [0.058] N=924	-0.005 [0.066] N=808	0.010 [0.076] N=670	-0.089 [0.114] N=518
Vegetables consumed daily or several times weekly	-0.025 [0.073] N=1,015	-0.047 [0.075] N=924	-0.113 [0.084] N=808	-0.150 [0.107] N=670	**-0.339** [0.142] N=518**
Meat fish or poultry consumed daily or several times weekly	**-0.120* [0.071] N=1,015**	**-0.132* [0.073] N=924**	**-0.176** [0.085] N=808**	**-0.204** [0.098] N=670**	**-0.356** [0.135] N=518**
Legumes consumed daily or several times weekly	-0.098 [0.079] N=1,015	-0.098 [0.083] N=924	-0.089 [0.087] N=808	-0.046 [0.103] N=670	-0.052 [0.142] N=518
Animal products consumed daily or several times weekly	0.066 [0.062] N=1,015	0.052 [0.070] N=924	-0.014 [0.077] N=808	0.027 [0.094] N=670	-0.010 [0.115] N=518
Sweets consumed daily or several times weekly	-0.043 [0.065] N=1,015	-0.071 [0.065] N=924	-0.037 [0.073] N=808	-0.004 [0.088] N=670	0.135 [0.126] N=518
Snack foods consumed daily or several times weekly	-0.018 [0.062] N=1,015	-0.071 [0.067] N=924	-0.071 [0.075] N=808	0.006 [0.095] N=670	0.036 [0.114] N=518
Packaged soft drinks consumed daily or several times weekly	0.023 [0.057] N=1,015	0.011 [0.066] N=924	-0.001 [0.077] N=808	-0.016 [0.089] N=670	-0.097 [0.125] N=518
Grains consumed daily or several times weekly	0.045 [0.073] N=1,015	0.045 [0.077] N=924	-0.007 [0.089] N=808	-0.011 [0.106] N=670	-0.083 [0.138] N=518

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=905	0.007 [0.042] N=1,098	-0.015 [0.043] N=1,018	-0.017 [0.045] N=911	-0.012 [0.047] N=786	-0.046 [0.055] N=650
Vegetables consumed daily or several times weekly	0.763 P=836	-0.014 [0.053] N=1,098	-0.039 [0.054] N=1,018	-0.059 [0.057] N=911	-0.052 [0.061] N=786	-0.095 [0.066] N=650
Meat fish or poultry consumed daily or several times weekly	0.549 P=600	0.038 [0.060] N=1,098	0.028 [0.062] N=1,018	0.029 [0.067] N=911	0.039 [0.075] N=786	0.040 [0.084] N=650
Legumes consumed daily or several times weekly	0.544 P=592	0.002 [0.060] N=1,098	-0.009 [0.062] N=1,018	0.024 [0.063] N=911	0.064 [0.070] N=786	0.083 [0.080] N=650
Animal products consumed daily or several times weekly	0.851 P=931	0.069 [0.045] N=1,098	0.051 [0.047] N=1,018	0.022 [0.049] N=911	0.029 [0.053] N=786	0.017 [0.058] N=650
Sweets consumed daily or several times weekly	0.392 P=430	-0.011 [0.053] N=1,098	-0.030 [0.056] N=1,018	-0.007 [0.059] N=911	0.009 [0.065] N=786	0.051 [0.074] N=650
Snack foods consumed daily or several times weekly	0.289 P=313	0.001 [0.054] N=1,098	-0.016 [0.057] N=1,018	-0.005 [0.062] N=911	0.044 [0.068] N=786	0.072 [0.074] N=650
Packaged soft drinks consumed daily or several times weekly	0.159 P=171	0.012 [0.038] N=1,098	0.002 [0.042] N=1,018	-0.009 [0.046] N=911	-0.013 [0.047] N=786	-0.039 [0.053] N=650
Grains consumed daily or several times weekly	0.762 P=833	0.019 [0.049] N=1,098	0.010 [0.050] N=1,018	-0.020 [0.054] N=911	-0.011 [0.059] N=786	-0.031 [0.063] N=650

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.061] N=929	0.018 [0.064] N=849	0.001 [0.074] N=742	-0.002 [0.088] N=617	-0.090 [0.117] N=481
Vegetables consumed daily or several times weekly	0.002 [0.078] N=929	-0.035 [0.082] N=849	-0.089 [0.093] N=742	-0.114 [0.115] N=617	**-0.268* [0.138] N=481**
Meat fish or poultry consumed daily or several times weekly	-0.057 [0.079] N=929	-0.094 [0.081] N=849	-0.112 [0.094] N=742	**-0.181* [0.107] N=617**	**-0.293** [0.142] N=481**
Legumes consumed daily or several times weekly	-0.071 [0.084] N=929	-0.098 [0.090] N=849	-0.060 [0.092] N=742	-0.002 [0.104] N=617	0.030 [0.147] N=481
Animal products consumed daily or several times weekly	0.096 [0.068] N=929	0.067 [0.076] N=849	0.001 [0.082] N=742	0.017 [0.102] N=617	-0.006 [0.127] N=481
Sweets consumed daily or several times weekly	-0.038 [0.069] N=929	-0.069 [0.073] N=849	-0.039 [0.083] N=742	-0.021 [0.097] N=617	0.118 [0.134] N=481
Snack foods consumed daily or several times weekly	-0.041 [0.070] N=929	-0.076 [0.076] N=849	-0.072 [0.084] N=742	0.021 [0.101] N=617	0.081 [0.126] N=481
Packaged soft drinks consumed daily or several times weekly	0.035 [0.057] N=929	0.021 [0.066] N=849	0.005 [0.077] N=742	-0.000 [0.088] N=617	-0.047 [0.129] N=481
Grains consumed daily or several times weekly	0.050 [0.075] N=929	0.039 [0.081] N=849	-0.026 [0.091] N=742	-0.016 [0.110] N=617	-0.085 [0.141] N=481

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=905	0.001 [0.041] N=1,098	-0.020 [0.042] N=1,018	-0.021 [0.045] N=911	-0.018 [0.047] N=786	-0.053 [0.054] N=650
Vegetables consumed daily or several times weekly	0.763 P=836	-0.017 [0.052] N=1,098	-0.040 [0.053] N=1,018	-0.060 [0.057] N=911	-0.052 [0.060] N=786	-0.097 [0.065] N=650
Meat fish or poultry consumed daily or several times weekly	0.549 P=600	0.032 [0.060] N=1,098	0.023 [0.062] N=1,018	0.026 [0.066] N=911	0.036 [0.075] N=786	0.038 [0.083] N=650
Legumes consumed daily or several times weekly	0.544 P=592	0.002 [0.059] N=1,098	-0.008 [0.061] N=1,018	0.023 [0.063] N=911	0.062 [0.069] N=786	0.077 [0.079] N=650
Animal products consumed daily or several times weekly	0.851 P=931	0.068 [0.044] N=1,098	0.049 [0.046] N=1,018	0.022 [0.048] N=911	0.033 [0.053] N=786	0.021 [0.057] N=650
Sweets consumed daily or several times weekly	0.392 P=430	-0.012 [0.053] N=1,098	-0.030 [0.055] N=1,018	-0.008 [0.059] N=911	0.004 [0.065] N=786	0.048 [0.074] N=650
Snack foods consumed daily or several times weekly	0.289 P=313	0.001 [0.054] N=1,098	-0.017 [0.057] N=1,018	-0.006 [0.061] N=911	0.039 [0.068] N=786	0.065 [0.074] N=650
Packaged soft drinks consumed daily or several times weekly	0.159 P=171	0.017 [0.038] N=1,098	0.006 [0.042] N=1,018	-0.006 [0.045] N=911	-0.010 [0.047] N=786	-0.038 [0.052] N=650
Grains consumed daily or several times weekly	0.762 P=833	0.020 [0.049] N=1,098	0.010 [0.049] N=1,018	-0.021 [0.054] N=911	-0.011 [0.059] N=786	-0.032 [0.062] N=650

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.037 [0.061] N=929	0.008 [0.063] N=849	-0.003 [0.074] N=742	-0.002 [0.087] N=617	-0.098 [0.115] N=481
Vegetables consumed daily or several times weekly	-0.006 [0.077] N=929	-0.043 [0.081] N=849	-0.092 [0.092] N=742	-0.116 [0.113] N=617	**-0.282** [0.137] N=481**
Meat fish or poultry consumed daily or several times weekly	-0.065 [0.079] N=929	-0.100 [0.081] N=849	-0.115 [0.093] N=742	**-0.182* [0.107] N=617**	**-0.297** [0.145] N=481**
Legumes consumed daily or several times weekly	-0.072 [0.083] N=929	-0.100 [0.089] N=849	-0.060 [0.092] N=742	-0.002 [0.104] N=617	0.021 [0.145] N=481
Animal products consumed daily or several times weekly	0.089 [0.067] N=929	0.061 [0.074] N=849	-0.002 [0.082] N=742	0.019 [0.101] N=617	-0.011 [0.124] N=481
Sweets consumed daily or several times weekly	-0.046 [0.068] N=929	-0.078 [0.072] N=849	-0.045 [0.082] N=742	-0.025 [0.095] N=617	0.114 [0.133] N=481
Snack foods consumed daily or several times weekly	-0.044 [0.070] N=929	-0.082 [0.075] N=849	-0.075 [0.083] N=742	0.017 [0.100] N=617	0.071 [0.125] N=481
Packaged soft drinks consumed daily or several times weekly	0.037 [0.057] N=929	0.022 [0.066] N=849	0.006 [0.077] N=742	0.004 [0.089] N=617	-0.044 [0.128] N=481
Grains consumed daily or several times weekly	0.048 [0.075] N=929	0.038 [0.080] N=849	-0.025 [0.090] N=742	-0.012 [0.110] N=617	-0.085 [0.142] N=481

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=854	0.029 [0.053] N=1,018	0.030 [0.054] N=917	0.007 [0.059] N=805	-0.002 [0.062] N=673	-0.003 [0.074] N=548
Vegetables consumed daily or several times weekly	0.777 P=790	0.012 [0.060] N=1,018	0.019 [0.063] N=917	0.041 [0.069] N=805	0.024 [0.074] N=673	0.053 [0.085] N=548
Meat fish or poultry consumed daily or several times weekly	0.540 P=552	0.007 [0.073] N=1,018	-0.000 [0.077] N=917	-0.027 [0.085] N=805	0.002 [0.096] N=673	0.007 [0.111] N=548
Legumes consumed daily or several times weekly	0.553 P=563	0.003 [0.070] N=1,018	0.021 [0.072] N=917	0.014 [0.078] N=805	-0.019 [0.085] N=673	0.015 [0.096] N=548
Animal products consumed daily or several times weekly	0.849 P=861	0.032 [0.051] N=1,018	0.034 [0.054] N=917	0.026 [0.060] N=805	0.021 [0.065] N=673	0.033 [0.074] N=548
Sweets consumed daily or several times weekly	0.394 P=403	-0.084 [0.061] N=1,018	**-0.106* [0.061] N=917**	-0.102 [0.068] N=805	**-0.125* [0.072] N=673**	**-0.202** [0.078] N=548**
Snack foods consumed daily or several times weekly	0.300 P=303	-0.067 [0.054] N=1,018	-0.090 [0.055] N=917	**-0.106* [0.059] N=805**	**-0.115* [0.062] N=673**	**-0.194*** [0.072] N=548**
Packaged soft drinks consumed daily or several times weekly	0.151 P=153	-0.014 [0.040] N=1,018	-0.036 [0.041] N=917	0.007 [0.043] N=805	-0.004 [0.045] N=673	-0.069 [0.050] N=548
Grains consumed daily or several times weekly	0.753 P=770	**0.117* [0.064] N=1,018**	**0.122* [0.067] N=917**	0.110 [0.072] N=805	0.092 [0.082] N=673	0.068 [0.091] N=548

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.065 [0.079] N=887	0.059 [0.082] N=786	0.032 [0.100] N=674	0.056 [0.106] N=542	0.065 [0.144] N=417
Vegetables consumed daily or several times weekly	-0.051 [0.087] N=887	-0.055 [0.095] N=786	-0.038 [0.113] N=674	-0.075 [0.117] N=542	-0.043 [0.157] N=417
Meat fish or poultry consumed daily or several times weekly	-0.045 [0.086] N=887	-0.068 [0.089] N=786	-0.150 [0.099] N=674	-0.148 [0.116] N=542	-0.201 [0.147] N=417
Legumes consumed daily or several times weekly	0.061 [0.097] N=887	0.084 [0.100] N=786	0.090 [0.111] N=674	0.068 [0.132] N=542	0.216 [0.158] N=417
Animal products consumed daily or several times weekly	0.013 [0.065] N=887	0.014 [0.071] N=786	0.005 [0.081] N=674	0.009 [0.085] N=542	0.032 [0.104] N=417
Sweets consumed daily or several times weekly	0.012 [0.085] N=887	-0.012 [0.086] N=786	0.019 [0.097] N=674	0.017 [0.109] N=542	-0.111 [0.138] N=417
Snack foods consumed daily or several times weekly	-0.015 [0.073] N=887	-0.044 [0.077] N=786	-0.067 [0.083] N=674	-0.051 [0.092] N=542	**-0.247** [0.123] N=417**
Packaged soft drinks consumed daily or several times weekly	0.010 [0.067] N=887	-0.025 [0.071] N=786	0.051 [0.077] N=674	0.051 [0.089] N=542	-0.102 [0.107] N=417
Grains consumed daily or several times weekly	0.023 [0.079] N=887	0.019 [0.085] N=786	-0.031 [0.092] N=674	-0.143 [0.107] N=542	**-0.330*** [0.116] N=417**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=854	0.030 [0.052] N=1,018	0.030 [0.053] N=917	0.008 [0.058] N=805	-0.001 [0.062] N=673	-0.003 [0.073] N=548
Vegetables consumed daily or several times weekly	0.777 P=790	0.012 [0.060] N=1,018	0.019 [0.063] N=917	0.042 [0.068] N=805	0.025 [0.074] N=673	0.054 [0.085] N=548
Meat fish or poultry consumed daily or several times weekly	0.540 P=552	0.007 [0.074] N=1,018	0.000 [0.077] N=917	-0.025 [0.085] N=805	0.003 [0.096] N=673	0.007 [0.111] N=548
Legumes consumed daily or several times weekly	0.553 P=563	0.003 [0.070] N=1,018	0.022 [0.072] N=917	0.014 [0.078] N=805	-0.019 [0.085] N=673	0.015 [0.096] N=548
Animal products consumed daily or several times weekly	0.849 P=861	0.032 [0.050] N=1,018	0.034 [0.053] N=917	0.027 [0.059] N=805	0.022 [0.064] N=673	0.034 [0.073] N=548
Sweets consumed daily or several times weekly	0.394 P=403	-0.084 [0.061] N=1,018	**-0.106* [0.061] N=917**	-0.100 [0.068] N=805	**-0.125* [0.073] N=673**	**-0.202** [0.078] N=548**
Snack foods consumed daily or several times weekly	0.300 P=303	-0.067 [0.053] N=1,018	-0.089 [0.055] N=917	**-0.105* [0.058] N=805**	**-0.115* [0.062] N=673**	**-0.194*** [0.072] N=548**
Packaged soft drinks consumed daily or several times weekly	0.151 P=153	-0.014 [0.040] N=1,018	-0.035 [0.041] N=917	0.008 [0.042] N=805	-0.003 [0.045] N=673	-0.068 [0.050] N=548
Grains consumed daily or several times weekly	0.753 P=770	**0.117* [0.064] N=1,018**	**0.123* [0.067] N=917**	0.111 [0.072] N=805	0.092 [0.082] N=673	0.068 [0.091] N=548

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.065 [0.078] N=887	0.060 [0.081] N=786	0.034 [0.098] N=674	0.057 [0.105] N=542	0.068 [0.143] N=417
Vegetables consumed daily or several times weekly	-0.052 [0.086] N=887	-0.055 [0.094] N=786	-0.036 [0.112] N=674	-0.072 [0.117] N=542	-0.038 [0.157] N=417
Meat fish or poultry consumed daily or several times weekly	-0.045 [0.086] N=887	-0.066 [0.089] N=786	-0.146 [0.098] N=674	-0.140 [0.116] N=542	-0.198 [0.147] N=417
Legumes consumed daily or several times weekly	0.061 [0.097] N=887	0.084 [0.100] N=786	0.091 [0.111] N=674	0.068 [0.132] N=542	0.213 [0.157] N=417
Animal products consumed daily or several times weekly	0.013 [0.063] N=887	0.015 [0.069] N=786	0.008 [0.079] N=674	0.016 [0.082] N=542	0.039 [0.099] N=417
Sweets consumed daily or several times weekly	0.012 [0.084] N=887	-0.011 [0.086] N=786	0.022 [0.096] N=674	0.020 [0.110] N=542	-0.111 [0.139] N=417
Snack foods consumed daily or several times weekly	-0.015 [0.073] N=887	-0.043 [0.076] N=786	-0.066 [0.083] N=674	-0.052 [0.092] N=542	**-0.248** [0.124] N=417**
Packaged soft drinks consumed daily or several times weekly	0.010 [0.067] N=887	-0.025 [0.071] N=786	0.053 [0.076] N=674	0.054 [0.088] N=542	-0.100 [0.106] N=417
Grains consumed daily or several times weekly	0.023 [0.081] N=887	0.019 [0.087] N=786	-0.029 [0.093] N=674	-0.145 [0.106] N=542	**-0.330*** [0.117] N=417**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=854	0.021 [0.050] N=1,018	0.021 [0.050] N=917	0.012 [0.056] N=805	0.002 [0.061] N=673	-0.001 [0.072] N=548
Vegetables consumed daily or several times weekly	0.777 P=790	0.006 [0.058] N=1,018	0.013 [0.061] N=917	0.045 [0.066] N=805	0.026 [0.072] N=673	0.052 [0.082] N=548
Meat fish or poultry consumed daily or several times weekly	0.540 P=552	-0.003 [0.068] N=1,018	-0.006 [0.072] N=917	-0.018 [0.079] N=805	0.009 [0.087] N=673	0.012 [0.101] N=548
Legumes consumed daily or several times weekly	0.553 P=563	-0.003 [0.070] N=1,018	0.019 [0.073] N=917	0.016 [0.078] N=805	-0.017 [0.084] N=673	0.017 [0.096] N=548
Animal products consumed daily or several times weekly	0.849 P=861	0.027 [0.049] N=1,018	0.030 [0.052] N=917	0.027 [0.058] N=805	0.022 [0.063] N=673	0.035 [0.071] N=548
Sweets consumed daily or several times weekly	0.394 P=403	-0.086 [0.061] N=1,018	**-0.110* [0.062] N=917**	-0.102 [0.068] N=805	**-0.126* [0.073] N=673**	**-0.204** [0.078] N=548**
Snack foods consumed daily or several times weekly	0.300 P=303	-0.066 [0.053] N=1,018	-0.090 [0.055] N=917	**-0.106* [0.058] N=805**	**-0.115* [0.062] N=673**	**-0.196*** [0.072] N=548**
Packaged soft drinks consumed daily or several times weekly	0.151 P=153	-0.012 [0.039] N=1,018	-0.037 [0.040] N=917	0.003 [0.042] N=805	-0.007 [0.044] N=673	-0.074 [0.048] N=548
Grains consumed daily or several times weekly	0.753 P=770	**0.114* [0.064] N=1,018**	**0.118* [0.067] N=917**	0.112 [0.073] N=805	0.093 [0.082] N=673	0.069 [0.091] N=548

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.043 [0.076] N=887	0.038 [0.079] N=786	0.035 [0.095] N=674	0.045 [0.107] N=542	0.047 [0.146] N=417
Vegetables consumed daily or several times weekly	-0.067 [0.086] N=887	-0.070 [0.094] N=786	-0.039 [0.110] N=674	-0.083 [0.117] N=542	-0.065 [0.159] N=417
Meat fish or poultry consumed daily or several times weekly	-0.072 [0.086] N=887	-0.087 [0.090] N=786	-0.148 [0.096] N=674	-0.159 [0.113] N=542	**-0.235* [0.140] N=417**
Legumes consumed daily or several times weekly	0.051 [0.097] N=887	0.081 [0.098] N=786	0.095 [0.109] N=674	0.057 [0.126] N=542	0.196 [0.156] N=417
Animal products consumed daily or several times weekly	0.003 [0.062] N=887	0.007 [0.067] N=786	0.007 [0.079] N=674	0.009 [0.084] N=542	0.026 [0.100] N=417
Sweets consumed daily or several times weekly	0.014 [0.083] N=887	-0.011 [0.084] N=786	0.024 [0.094] N=674	0.021 [0.110] N=542	-0.104 [0.137] N=417
Snack foods consumed daily or several times weekly	-0.012 [0.073] N=887	-0.042 [0.076] N=786	-0.066 [0.083] N=674	-0.049 [0.092] N=542	**-0.241* [0.125] N=417**
Packaged soft drinks consumed daily or several times weekly	0.019 [0.065] N=887	-0.018 [0.069] N=786	0.054 [0.075] N=674	0.062 [0.084] N=542	-0.088 [0.101] N=417
Grains consumed daily or several times weekly	0.016 [0.081] N=887	0.009 [0.087] N=786	-0.025 [0.094] N=674	-0.144 [0.107] N=542	**-0.323*** [0.116] N=417**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=854	0.017 [0.051] N=1,018	0.019 [0.052] N=917	0.008 [0.058] N=805	-0.011 [0.063] N=673	-0.017 [0.073] N=548
Vegetables consumed daily or several times weekly	0.777 P=790	-0.003 [0.059] N=1,018	0.007 [0.062] N=917	0.032 [0.067] N=805	0.007 [0.071] N=673	0.034 [0.081] N=548
Meat fish or poultry consumed daily or several times weekly	0.540 P=552	-0.011 [0.068] N=1,018	-0.014 [0.071] N=917	-0.029 [0.078] N=805	-0.013 [0.087] N=673	-0.015 [0.100] N=548
Legumes consumed daily or several times weekly	0.553 P=563	-0.008 [0.069] N=1,018	0.012 [0.072] N=917	0.010 [0.076] N=805	-0.027 [0.082] N=673	0.007 [0.093] N=548
Animal products consumed daily or several times weekly	0.849 P=861	0.029 [0.049] N=1,018	0.032 [0.052] N=917	0.031 [0.057] N=805	0.023 [0.064] N=673	0.035 [0.071] N=548
Sweets consumed daily or several times weekly	0.394 P=403	-0.075 [0.062] N=1,018	-0.102 [0.063] N=917	-0.094 [0.069] N=805	-0.121 [0.073] N=673	**-0.199** [0.079] N=548**
Snack foods consumed daily or several times weekly	0.300 P=303	-0.059 [0.054] N=1,018	-0.082 [0.055] N=917	**-0.097* [0.058] N=805**	**-0.106* [0.062] N=673**	**-0.185** [0.072] N=548**
Packaged soft drinks consumed daily or several times weekly	0.151 P=153	-0.003 [0.039] N=1,018	-0.026 [0.040] N=917	0.016 [0.041] N=805	0.010 [0.044] N=673	-0.050 [0.049] N=548
Grains consumed daily or several times weekly	0.753 P=770	**0.113* [0.064] N=1,018**	**0.114* [0.067] N=917**	0.105 [0.073] N=805	0.083 [0.083] N=673	0.060 [0.093] N=548

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.047 [0.081] N=887	0.041 [0.084] N=786	0.041 [0.103] N=674	0.027 [0.117] N=542	0.013 [0.154] N=417
Vegetables consumed daily or several times weekly	-0.077 [0.089] N=887	-0.078 [0.098] N=786	-0.051 [0.116] N=674	-0.116 [0.122] N=542	-0.107 [0.161] N=417
Meat fish or poultry consumed daily or several times weekly	-0.078 [0.086] N=887	-0.096 [0.091] N=786	-0.158 [0.098] N=674	**-0.198* [0.117] N=542**	**-0.295** [0.138] N=417**
Legumes consumed daily or several times weekly	0.040 [0.099] N=887	0.061 [0.102] N=786	0.076 [0.111] N=674	0.025 [0.131] N=542	0.147 [0.157] N=417
Animal products consumed daily or several times weekly	-0.001 [0.063] N=887	0.002 [0.068] N=786	0.004 [0.078] N=674	-0.004 [0.087] N=542	0.011 [0.103] N=417
Sweets consumed daily or several times weekly	0.025 [0.084] N=887	-0.007 [0.084] N=786	0.039 [0.093] N=674	0.033 [0.108] N=542	-0.087 [0.130] N=417
Snack foods consumed daily or several times weekly	-0.003 [0.074] N=887	-0.033 [0.076] N=786	-0.050 [0.082] N=674	-0.032 [0.093] N=542	**-0.218* [0.125] N=417**
Packaged soft drinks consumed daily or several times weekly	0.021 [0.066] N=887	-0.017 [0.070] N=786	0.059 [0.073] N=674	0.076 [0.082] N=542	-0.055 [0.102] N=417
Grains consumed daily or several times weekly	0.022 [0.080] N=887	0.010 [0.086] N=786	-0.030 [0.093] N=674	-0.161 [0.109] N=542	**-0.343*** [0.122] N=417**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=779	0.025 [0.055] N=929	0.026 [0.055] N=834	0.024 [0.061] N=739	-0.004 [0.066] N=617	-0.021 [0.077] N=507
Vegetables consumed daily or several times weekly	0.778 P=722	0.006 [0.062] N=929	0.012 [0.065] N=834	0.045 [0.071] N=739	0.003 [0.079] N=617	-0.000 [0.091] N=507
Meat fish or poultry consumed daily or several times weekly	0.540 P=503	-0.007 [0.080] N=929	-0.023 [0.085] N=834	-0.024 [0.093] N=739	-0.011 [0.108] N=617	-0.017 [0.126] N=507
Legumes consumed daily or several times weekly	0.550 P=512	0.010 [0.074] N=929	0.029 [0.077] N=834	0.018 [0.083] N=739	-0.032 [0.091] N=617	-0.018 [0.104] N=507
Animal products consumed daily or several times weekly	0.852 P=789	0.039 [0.053] N=929	0.040 [0.057] N=834	0.042 [0.063] N=739	0.013 [0.069] N=617	0.014 [0.079] N=507
Sweets consumed daily or several times weekly	0.399 P=372	-0.095 [0.062] N=929	**-0.124* [0.063] N=834**	-0.114 [0.071] N=739	**-0.156** [0.079] N=617**	**-0.244*** [0.086] N=507**
Snack foods consumed daily or several times weekly	0.303 P=280	-0.082 [0.058] N=929	**-0.109* [0.060] N=834**	**-0.124* [0.064] N=739**	**-0.141** [0.069] N=617**	**-0.229*** [0.078] N=507**
Packaged soft drinks consumed daily or several times weekly	0.153 P=143	-0.029 [0.043] N=929	-0.057 [0.044] N=834	-0.011 [0.045] N=739	-0.030 [0.049] N=617	**-0.114** [0.055] N=507**
Grains consumed daily or several times weekly	0.749 P=699	**0.138** [0.066] N=929**	**0.141** [0.070] N=834**	0.122 [0.076] N=739	0.088 [0.087] N=617	0.049 [0.097] N=507

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.070 [0.084] N=808	0.072 [0.086] N=713	0.082 [0.101] N=618	0.073 [0.111] N=496	0.024 [0.143] N=386
Vegetables consumed daily or several times weekly	-0.053 [0.086] N=808	-0.052 [0.094] N=713	-0.020 [0.110] N=618	-0.108 [0.117] N=496	-0.176 [0.151] N=386
Meat fish or poultry consumed daily or several times weekly	-0.044 [0.097] N=808	-0.073 [0.102] N=713	-0.112 [0.110] N=618	-0.144 [0.134] N=496	-0.264 [0.173] N=386
Legumes consumed daily or several times weekly	0.088 [0.102] N=808	0.118 [0.104] N=713	0.132 [0.113] N=618	0.095 [0.134] N=496	0.181 [0.169] N=386
Animal products consumed daily or several times weekly	0.018 [0.068] N=808	0.024 [0.075] N=713	0.038 [0.083] N=618	-0.003 [0.093] N=496	-0.031 [0.112] N=386
Sweets consumed daily or several times weekly	0.009 [0.084] N=808	-0.025 [0.087] N=713	0.013 [0.096] N=618	-0.019 [0.112] N=496	-0.188 [0.140] N=386
Snack foods consumed daily or several times weekly	-0.032 [0.079] N=808	-0.064 [0.084] N=713	-0.090 [0.091] N=618	-0.100 [0.106] N=496	**-0.323** [0.134] N=386**
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.073] N=808	-0.055 [0.077] N=713	0.023 [0.083] N=618	0.005 [0.097] N=496	**-0.233** [0.111] N=386**
Grains consumed daily or several times weekly	0.060 [0.089] N=808	0.054 [0.097] N=713	-0.005 [0.105] N=618	-0.154 [0.123] N=496	**-0.388*** [0.136] N=386**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.843 P=779	0.030 [0.054] N=929	0.032 [0.054] N=834	0.027 [0.060] N=739	-0.005 [0.064] N=617	-0.023 [0.076] N=507
Vegetables consumed daily or several times weekly	0.778 P=722	0.007 [0.061] N=929	0.013 [0.065] N=834	0.048 [0.070] N=739	0.005 [0.077] N=617	0.000 [0.090] N=507
Meat fish or poultry consumed daily or several times weekly	0.540 P=503	0.000 [0.078] N=929	-0.015 [0.083] N=834	-0.020 [0.091] N=739	-0.019 [0.105] N=617	-0.024 [0.122] N=507
Legumes consumed daily or several times weekly	0.550 P=512	0.001 [0.074] N=929	0.023 [0.077] N=834	0.013 [0.083] N=739	-0.045 [0.090] N=617	-0.028 [0.104] N=507
Animal products consumed daily or several times weekly	0.852 P=789	0.035 [0.052] N=929	0.037 [0.056] N=834	0.040 [0.062] N=739	0.010 [0.068] N=617	0.012 [0.078] N=507
Sweets consumed daily or several times weekly	0.399 P=372	-0.096 [0.063] N=929	**-0.124* [0.064] N=834**	-0.119 [0.072] N=739	**-0.164** [0.080] N=617**	**-0.254*** [0.088] N=507**
Snack foods consumed daily or several times weekly	0.303 P=280	-0.077 [0.057] N=929	**-0.106* [0.059] N=834**	**-0.122* [0.062] N=739**	**-0.139** [0.067] N=617**	**-0.227*** [0.077] N=507**
Packaged soft drinks consumed daily or several times weekly	0.153 P=143	-0.035 [0.042] N=929	-0.063 [0.043] N=834	-0.020 [0.044] N=739	-0.036 [0.047] N=617	**-0.120** [0.052] N=507**
Grains consumed daily or several times weekly	0.749 P=699	**0.139** [0.066] N=929**	**0.142** [0.069] N=834**	**0.125* [0.075] N=739**	0.092 [0.085] N=617	0.054 [0.096] N=507

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.078 [0.083] N=808	0.080 [0.086] N=713	0.087 [0.101] N=618	0.066 [0.109] N=496	0.028 [0.144] N=386
Vegetables consumed daily or several times weekly	-0.050 [0.085] N=808	-0.050 [0.094] N=713	-0.012 [0.109] N=618	-0.105 [0.115] N=496	-0.170 [0.150] N=386
Meat fish or poultry consumed daily or several times weekly	-0.034 [0.097] N=808	-0.063 [0.102] N=713	-0.103 [0.110] N=618	-0.151 [0.134] N=496	-0.250 [0.179] N=386
Legumes consumed daily or several times weekly	0.083 [0.103] N=808	0.120 [0.106] N=713	0.138 [0.115] N=618	0.083 [0.137] N=496	0.199 [0.174] N=386
Animal products consumed daily or several times weekly	0.017 [0.068] N=808	0.025 [0.075] N=713	0.039 [0.082] N=618	-0.004 [0.093] N=496	-0.020 [0.113] N=386
Sweets consumed daily or several times weekly	0.016 [0.084] N=808	-0.018 [0.087] N=713	0.015 [0.096] N=618	-0.022 [0.111] N=496	-0.199 [0.138] N=386
Snack foods consumed daily or several times weekly	-0.030 [0.079] N=808	-0.067 [0.084] N=713	-0.092 [0.091] N=618	-0.094 [0.103] N=496	**-0.327** [0.134] N=386**
Packaged soft drinks consumed daily or several times weekly	-0.017 [0.073] N=808	-0.062 [0.077] N=713	0.016 [0.082] N=618	0.006 [0.095] N=496	**-0.221* [0.112] N=386**
Grains consumed daily or several times weekly	0.062 [0.088] N=808	0.056 [0.096] N=713	0.001 [0.103] N=618	-0.145 [0.121] N=496	**-0.377*** [0.132] N=386**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.