Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.699 P=861	0.031 [0.047] N=1,220	0.028 [0.050] N=1,133	0.022 [0.054] N=1,011	0.032 [0.058] N=869	0.003 [0.061] N=721
Not underweight WAZ at least -2	0.891 P=1,257	**-0.083*** [0.027] N=1,407**	**-0.069** [0.028] N=1,304**	**-0.058* [0.030] N=1,165**	**-0.052* [0.030] N=997**	**-0.060* [0.034] N=823**
Neither wasted nor overweight WHZ -2 to +2	0.680 P=833	-0.004 [0.053] N=1,216	-0.016 [0.056] N=1,127	0.007 [0.060] N=1,009	-0.023 [0.070] N=865	0.005 [0.076] N=714
Neither low nor high BMIZ -2 to +2	0.632 P=766	0.003 [0.052] N=1,196	-0.014 [0.056] N=1,110	-0.006 [0.057] N=991	-0.049 [0.065] N=849	-0.058 [0.073] N=704
Strict normal HAZ -2 to +3	0.636 P=787	0.035 [0.052] N=1,220	0.044 [0.056] N=1,133	0.027 [0.060] N=1,011	0.013 [0.063] N=869	-0.009 [0.072] N=721
Strict normal WAZ -2 to +1	0.714 P=1,015	**-0.110** [0.047] N=1,407**	**-0.111** [0.051] N=1,304**	**-0.099* [0.054] N=1,165**	**-0.100* [0.055] N=997**	-0.081 [0.061] N=823
Strict normal WHZ -2 to +1	0.514 P=626	-0.013 [0.053] N=1,216	-0.025 [0.057] N=1,127	-0.022 [0.058] N=1,009	-0.061 [0.065] N=865	-0.059 [0.074] N=714
Strict normal BMIZ -2 to +1	0.482 P=584	-0.032 [0.053] N=1,196	-0.047 [0.056] N=1,110	-0.033 [0.059] N=991	-0.087 [0.067] N=849	-0.111 [0.078] N=704
Above-normal height HAZ above +3	0.062 P=74	-0.004 [0.029] N=1,220	-0.015 [0.031] N=1,133	-0.006 [0.034] N=1,011	0.020 [0.037] N=869	0.012 [0.040] N=721
Above-normal weight WAZ above +1	0.176 P=242	0.027 [0.042] N=1,407	0.043 [0.045] N=1,304	0.041 [0.048] N=1,165	0.048 [0.050] N=997	0.021 [0.054] N=823
Above-normal WHZ above +1	0.366 P=443	0.057 [0.052] N=1,216	0.062 [0.055] N=1,127	0.063 [0.056] N=1,009	0.092 [0.060] N=865	0.108 [0.065] N=714
Above-normal BMIZ above +1	0.380 P=452	0.069 [0.053] N=1,196	0.076 [0.056] N=1,110	0.059 [0.060] N=991	0.071 [0.067] N=849	0.095 [0.077] N=704

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.050 [0.063] N=1,028	0.048 [0.071] N=941	0.051 [0.082] N=819	0.095 [0.095] N=677	0.098 [0.117] N=529
Not underweight WAZ at least -2	**-0.114*** [0.040] N=1,190**	**-0.093** [0.045] N=1,087**	-0.076 [0.050] N=948	-0.073 [0.060] N=780	-0.105 [0.081] N=606
Neither wasted nor overweight WHZ -2 to +2	0.035 [0.064] N=1,024	0.016 [0.072] N=935	0.073 [0.075] N=817	0.027 [0.100] N=673	0.159 [0.113] N=522
Neither low nor high BMIZ -2 to +2	0.065 [0.070] N=1,004	0.044 [0.080] N=918	0.089 [0.082] N=799	0.025 [0.109] N=657	0.052 [0.130] N=512
Strict normal HAZ -2 to +3	0.086 [0.071] N=1,028	0.111 [0.078] N=941	0.111 [0.091] N=819	0.102 [0.105] N=677	0.152 [0.141] N=529
Strict normal WAZ -2 to +1	-0.106 [0.067] N=1,190	-0.105 [0.075] N=1,087	-0.082 [0.084] N=948	-0.085 [0.094] N=780	-0.025 [0.112] N=606
Strict normal WHZ -2 to +1	0.055 [0.072] N=1,024	0.045 [0.083] N=935	0.082 [0.082] N=817	0.030 [0.106] N=673	0.102 [0.134] N=522
Strict normal BMIZ -2 to +1	0.031 [0.066] N=1,004	0.016 [0.072] N=918	0.073 [0.076] N=799	-0.010 [0.097] N=657	-0.022 [0.121] N=512
Above-normal height HAZ above +3	-0.036 [0.040] N=1,028	-0.064 [0.043] N=941	-0.059 [0.051] N=819	-0.007 [0.065] N=677	-0.053 [0.079] N=529
Above-normal weight WAZ above +1	-0.008 [0.054] N=1,190	0.012 [0.062] N=1,087	0.006 [0.069] N=948	0.012 [0.078] N=780	-0.080 [0.090] N=606
Above-normal WHZ above +1	-0.003 [0.078] N=1,024	-0.009 [0.087] N=935	-0.039 [0.091] N=817	-0.004 [0.113] N=673	-0.041 [0.141] N=522
Above-normal BMIZ above +1	0.037 [0.074] N=1,004	0.041 [0.080] N=918	-0.019 [0.089] N=799	-0.020 [0.106] N=657	-0.020 [0.134] N=512

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.699 P=861	0.030 [0.047] N=1,220	0.027 [0.050] N=1,133	0.021 [0.054] N=1,011	0.031 [0.058] N=869	0.000 [0.061] N=721
Not underweight WAZ at least -2	0.891 P=1,257	**-0.083*** [0.027] N=1,407**	**-0.070** [0.028] N=1,304**	**-0.059** [0.030] N=1,165**	**-0.053* [0.030] N=997**	**-0.063* [0.033] N=823**
Neither wasted nor overweight WHZ -2 to +2	0.680 P=833	-0.005 [0.053] N=1,216	-0.019 [0.056] N=1,127	0.005 [0.060] N=1,009	-0.026 [0.070] N=865	-0.002 [0.077] N=714
Neither low nor high BMIZ -2 to +2	0.632 P=766	0.003 [0.052] N=1,196	-0.015 [0.056] N=1,110	-0.006 [0.058] N=991	-0.051 [0.066] N=849	-0.062 [0.074] N=704
Strict normal HAZ -2 to +3	0.636 P=787	0.034 [0.052] N=1,220	0.042 [0.056] N=1,133	0.026 [0.061] N=1,011	0.011 [0.063] N=869	-0.012 [0.072] N=721
Strict normal WAZ -2 to +1	0.714 P=1,015	**-0.111** [0.048] N=1,407**	**-0.113** [0.051] N=1,304**	**-0.101* [0.054] N=1,165**	**-0.101* [0.055] N=997**	-0.083 [0.061] N=823
Strict normal WHZ -2 to +1	0.514 P=626	-0.014 [0.053] N=1,216	-0.027 [0.057] N=1,127	-0.024 [0.057] N=1,009	-0.063 [0.065] N=865	-0.063 [0.074] N=714
Strict normal BMIZ -2 to +1	0.482 P=584	-0.033 [0.053] N=1,196	-0.049 [0.056] N=1,110	-0.034 [0.059] N=991	-0.089 [0.068] N=849	-0.116 [0.079] N=704
Above-normal height HAZ above +3	0.062 P=74	-0.004 [0.029] N=1,220	-0.015 [0.031] N=1,133	-0.006 [0.035] N=1,011	0.020 [0.037] N=869	0.012 [0.040] N=721
Above-normal weight WAZ above +1	0.176 P=242	0.028 [0.042] N=1,407	0.043 [0.045] N=1,304	0.041 [0.048] N=1,165	0.049 [0.050] N=997	0.021 [0.054] N=823
Above-normal WHZ above +1	0.366 P=443	0.057 [0.052] N=1,216	0.062 [0.055] N=1,127	0.063 [0.056] N=1,009	0.092 [0.060] N=865	0.108 [0.066] N=714
Above-normal BMIZ above +1	0.380 P=452	0.070 [0.053] N=1,196	0.077 [0.056] N=1,110	0.060 [0.060] N=991	0.072 [0.067] N=849	0.096 [0.078] N=704

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.051 [0.063] N=1,028	0.049 [0.071] N=941	0.054 [0.082] N=819	0.096 [0.095] N=677	0.098 [0.117] N=529
Not underweight WAZ at least -2	**-0.113*** [0.040] N=1,190**	**-0.093** [0.045] N=1,087**	-0.075 [0.051] N=948	-0.073 [0.061] N=780	-0.107 [0.082] N=606
Neither wasted nor overweight WHZ -2 to +2	0.035 [0.064] N=1,024	0.015 [0.072] N=935	0.074 [0.075] N=817	0.028 [0.101] N=673	0.154 [0.111] N=522
Neither low nor high BMIZ -2 to +2	0.065 [0.070] N=1,004	0.044 [0.080] N=918	0.089 [0.083] N=799	0.026 [0.111] N=657	0.048 [0.132] N=512
Strict normal HAZ -2 to +3	0.088 [0.071] N=1,028	0.114 [0.078] N=941	0.116 [0.091] N=819	0.105 [0.106] N=677	0.151 [0.142] N=529
Strict normal WAZ -2 to +1	-0.104 [0.067] N=1,190	-0.104 [0.075] N=1,087	-0.081 [0.084] N=948	-0.085 [0.094] N=780	-0.026 [0.113] N=606
Strict normal WHZ -2 to +1	0.055 [0.072] N=1,024	0.045 [0.082] N=935	0.082 [0.082] N=817	0.031 [0.105] N=673	0.099 [0.133] N=522
Strict normal BMIZ -2 to +1	0.032 [0.066] N=1,004	0.016 [0.072] N=918	0.074 [0.076] N=799	-0.010 [0.098] N=657	-0.025 [0.122] N=512
Above-normal height HAZ above +3	-0.037 [0.040] N=1,028	-0.065 [0.044] N=941	-0.061 [0.052] N=819	-0.009 [0.065] N=677	-0.053 [0.079] N=529
Above-normal weight WAZ above +1	-0.009 [0.054] N=1,190	0.012 [0.062] N=1,087	0.006 [0.069] N=948	0.012 [0.078] N=780	-0.081 [0.090] N=606
Above-normal WHZ above +1	-0.003 [0.078] N=1,024	-0.009 [0.087] N=935	-0.039 [0.091] N=817	-0.004 [0.113] N=673	-0.041 [0.141] N=522
Above-normal BMIZ above +1	0.037 [0.074] N=1,004	0.041 [0.080] N=918	-0.019 [0.088] N=799	-0.020 [0.106] N=657	-0.020 [0.134] N=512

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.699 P=861	0.023 [0.047] N=1,220	0.016 [0.050] N=1,133	0.010 [0.054] N=1,011	0.024 [0.057] N=869	-0.016 [0.061] N=721
Not underweight WAZ at least -2	0.891 P=1,257	**-0.089*** [0.026] N=1,407**	**-0.077*** [0.028] N=1,304**	**-0.067** [0.029] N=1,165**	**-0.057* [0.029] N=997**	**-0.073** [0.032] N=823**
Neither wasted nor overweight WHZ -2 to +2	0.680 P=833	-0.008 [0.053] N=1,216	-0.023 [0.056] N=1,127	0.002 [0.059] N=1,009	-0.028 [0.069] N=865	-0.005 [0.076] N=714
Neither low nor high BMIZ -2 to +2	0.632 P=766	-0.000 [0.051] N=1,196	-0.022 [0.055] N=1,110	-0.012 [0.057] N=991	-0.053 [0.064] N=849	-0.069 [0.072] N=704
Strict normal HAZ -2 to +3	0.636 P=787	0.027 [0.052] N=1,220	0.030 [0.056] N=1,133	0.015 [0.060] N=1,011	0.004 [0.062] N=869	-0.031 [0.070] N=721
Strict normal WAZ -2 to +1	0.714 P=1,015	**-0.110** [0.048] N=1,407**	**-0.115** [0.051] N=1,304**	**-0.103* [0.053] N=1,165**	**-0.104* [0.056] N=997**	-0.089 [0.061] N=823
Strict normal WHZ -2 to +1	0.514 P=626	-0.017 [0.053] N=1,216	-0.032 [0.057] N=1,127	-0.029 [0.057] N=1,009	-0.067 [0.064] N=865	-0.070 [0.073] N=714
Strict normal BMIZ -2 to +1	0.482 P=584	-0.037 [0.053] N=1,196	-0.056 [0.056] N=1,110	-0.040 [0.058] N=991	-0.092 [0.066] N=849	-0.124 [0.078] N=704
Above-normal height HAZ above +3	0.062 P=74	-0.003 [0.029] N=1,220	-0.014 [0.031] N=1,133	-0.005 [0.034] N=1,011	0.020 [0.037] N=869	0.016 [0.041] N=721
Above-normal weight WAZ above +1	0.176 P=242	0.021 [0.041] N=1,407	0.037 [0.044] N=1,304	0.036 [0.047] N=1,165	0.046 [0.050] N=997	0.016 [0.054] N=823
Above-normal WHZ above +1	0.366 P=443	0.059 [0.052] N=1,216	0.066 [0.056] N=1,127	0.069 [0.056] N=1,009	0.097 [0.060] N=865	**0.114* [0.067] N=714**
Above-normal BMIZ above +1	0.380 P=452	0.073 [0.054] N=1,196	0.082 [0.057] N=1,110	0.065 [0.060] N=991	0.077 [0.067] N=849	0.105 [0.080] N=704

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.052 [0.063] N=1,028	0.046 [0.071] N=941	0.051 [0.081] N=819	0.109 [0.093] N=677	0.107 [0.114] N=529
Not underweight WAZ at least -2	**-0.111*** [0.041] N=1,190**	**-0.094** [0.045] N=1,087**	-0.075 [0.051] N=948	-0.060 [0.062] N=780	-0.102 [0.083] N=606
Neither wasted nor overweight WHZ -2 to +2	0.036 [0.065] N=1,024	0.016 [0.073] N=935	0.081 [0.077] N=817	0.043 [0.104] N=673	0.155 [0.117] N=522
Neither low nor high BMIZ -2 to +2	0.069 [0.072] N=1,004	0.042 [0.083] N=918	0.098 [0.085] N=799	0.045 [0.113] N=657	0.050 [0.133] N=512
Strict normal HAZ -2 to +3	0.092 [0.070] N=1,028	0.112 [0.078] N=941	0.119 [0.090] N=819	0.132 [0.104] N=677	0.158 [0.141] N=529
Strict normal WAZ -2 to +1	-0.102 [0.068] N=1,190	-0.106 [0.077] N=1,087	-0.081 [0.086] N=948	-0.076 [0.098] N=780	-0.025 [0.115] N=606
Strict normal WHZ -2 to +1	0.055 [0.074] N=1,024	0.044 [0.085] N=935	0.088 [0.084] N=817	0.050 [0.109] N=673	0.100 [0.141] N=522
Strict normal BMIZ -2 to +1	0.035 [0.068] N=1,004	0.014 [0.075] N=918	0.082 [0.079] N=799	0.012 [0.102] N=657	-0.026 [0.128] N=512
Above-normal height HAZ above +3	-0.040 [0.040] N=1,028	-0.066 [0.043] N=941	-0.068 [0.051] N=819	-0.023 [0.064] N=677	-0.051 [0.081] N=529
Above-normal weight WAZ above +1	-0.009 [0.054] N=1,190	0.012 [0.062] N=1,087	0.006 [0.069] N=948	0.016 [0.079] N=780	-0.076 [0.090] N=606
Above-normal WHZ above +1	-0.004 [0.078] N=1,024	-0.009 [0.088] N=935	-0.039 [0.091] N=817	-0.018 [0.112] N=673	-0.047 [0.144] N=522
Above-normal BMIZ above +1	0.035 [0.074] N=1,004	0.040 [0.082] N=918	-0.022 [0.088] N=799	-0.035 [0.106] N=657	-0.022 [0.138] N=512

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.699 P=861	0.017 [0.047] N=1,220	0.013 [0.050] N=1,133	0.005 [0.054] N=1,011	0.020 [0.057] N=869	-0.016 [0.061] N=721
Not underweight WAZ at least -2	0.891 P=1,257	**-0.094*** [0.026] N=1,407**	**-0.081*** [0.027] N=1,304**	**-0.073** [0.029] N=1,165**	**-0.067** [0.029] N=997**	**-0.086*** [0.032] N=823**
Neither wasted nor overweight WHZ -2 to +2	0.680 P=833	-0.012 [0.053] N=1,216	-0.029 [0.057] N=1,127	-0.009 [0.060] N=1,009	-0.035 [0.070] N=865	-0.005 [0.077] N=714
Neither low nor high BMIZ -2 to +2	0.632 P=766	-0.007 [0.052] N=1,196	-0.030 [0.056] N=1,110	-0.026 [0.058] N=991	-0.066 [0.066] N=849	-0.076 [0.074] N=704
Strict normal HAZ -2 to +3	0.636 P=787	0.017 [0.053] N=1,220	0.022 [0.056] N=1,133	0.004 [0.061] N=1,011	-0.008 [0.063] N=869	-0.040 [0.073] N=721
Strict normal WAZ -2 to +1	0.714 P=1,015	**-0.115** [0.048] N=1,407**	**-0.119** [0.052] N=1,304**	**-0.109** [0.054] N=1,165**	**-0.112** [0.056] N=997**	-0.093 [0.061] N=823
Strict normal WHZ -2 to +1	0.514 P=626	-0.019 [0.053] N=1,216	-0.035 [0.057] N=1,127	-0.037 [0.057] N=1,009	-0.072 [0.065] N=865	-0.068 [0.076] N=714
Strict normal BMIZ -2 to +1	0.482 P=584	-0.042 [0.053] N=1,196	-0.063 [0.056] N=1,110	-0.054 [0.059] N=991	-0.105 [0.067] N=849	**-0.133* [0.078] N=704**
Above-normal height HAZ above +3	0.062 P=74	0.000 [0.029] N=1,220	-0.009 [0.032] N=1,133	0.001 [0.035] N=1,011	0.028 [0.037] N=869	0.023 [0.042] N=721
Above-normal weight WAZ above +1	0.176 P=242	0.020 [0.041] N=1,407	0.038 [0.045] N=1,304	0.036 [0.047] N=1,165	0.044 [0.050] N=997	0.007 [0.055] N=823
Above-normal WHZ above +1	0.366 P=443	0.059 [0.053] N=1,216	0.066 [0.056] N=1,127	0.072 [0.057] N=1,009	0.096 [0.062] N=865	0.108 [0.070] N=714
Above-normal BMIZ above +1	0.380 P=452	0.074 [0.054] N=1,196	0.084 [0.057] N=1,110	0.071 [0.060] N=991	0.078 [0.068] N=849	0.101 [0.081] N=704

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.041 [0.064] N=1,028	0.040 [0.071] N=941	0.045 [0.082] N=819	0.106 [0.096] N=677	0.091 [0.114] N=529
Not underweight WAZ at least -2	**-0.115*** [0.040] N=1,190**	**-0.093** [0.045] N=1,087**	-0.077 [0.050] N=948	-0.059 [0.061] N=780	-0.107 [0.083] N=606
Neither wasted nor overweight WHZ -2 to +2	0.039 [0.066] N=1,024	0.017 [0.074] N=935	0.079 [0.077] N=817	0.034 [0.105] N=673	0.136 [0.116] N=522
Neither low nor high BMIZ -2 to +2	0.071 [0.073] N=1,004	0.048 [0.083] N=918	0.096 [0.085] N=799	0.043 [0.114] N=657	0.036 [0.134] N=512
Strict normal HAZ -2 to +3	0.082 [0.071] N=1,028	0.106 [0.079] N=941	0.112 [0.092] N=819	0.137 [0.106] N=677	0.161 [0.142] N=529
Strict normal WAZ -2 to +1	-0.102 [0.068] N=1,190	-0.105 [0.076] N=1,087	-0.080 [0.085] N=948	-0.072 [0.095] N=780	-0.037 [0.113] N=606
Strict normal WHZ -2 to +1	0.054 [0.074] N=1,024	0.046 [0.085] N=935	0.084 [0.083] N=817	0.034 [0.109] N=673	0.085 [0.145] N=522
Strict normal BMIZ -2 to +1	0.036 [0.068] N=1,004	0.021 [0.074] N=918	0.082 [0.078] N=799	0.010 [0.102] N=657	-0.026 [0.129] N=512
Above-normal height HAZ above +3	-0.041 [0.040] N=1,028	-0.066 [0.043] N=941	-0.067 [0.052] N=819	-0.031 [0.065] N=677	-0.070 [0.080] N=529
Above-normal weight WAZ above +1	-0.013 [0.054] N=1,190	0.012 [0.062] N=1,087	0.003 [0.069] N=948	0.013 [0.078] N=780	-0.070 [0.089] N=606
Above-normal WHZ above +1	0.001 [0.078] N=1,024	-0.006 [0.087] N=935	-0.034 [0.091] N=817	0.001 [0.113] N=673	-0.026 [0.144] N=522
Above-normal BMIZ above +1	0.038 [0.074] N=1,004	0.041 [0.081] N=918	-0.019 [0.088] N=799	-0.021 [0.105] N=657	-0.006 [0.135] N=512

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.697 P=792	0.020 [0.051] N=1,123	0.018 [0.054] N=1,046	0.011 [0.058] N=931	0.016 [0.063] N=807	-0.021 [0.066] N=672
Not underweight WAZ at least -2	0.889 P=1,148	**-0.076*** [0.028] N=1,287**	**-0.064** [0.029] N=1,196**	**-0.053* [0.031] N=1,066**	-0.047 [0.031] N=918	**-0.059* [0.034] N=763**
Neither wasted nor overweight WHZ -2 to +2	0.678 P=766	0.002 [0.053] N=1,119	-0.015 [0.056] N=1,041	0.003 [0.060] N=931	-0.025 [0.069] N=805	-0.011 [0.075] N=667
Neither low nor high BMIZ -2 to +2	0.630 P=706	0.008 [0.054] N=1,101	-0.009 [0.058] N=1,024	-0.000 [0.061] N=914	-0.039 [0.069] N=790	-0.051 [0.076] N=658
Strict normal HAZ -2 to +3	0.636 P=727	0.035 [0.058] N=1,123	0.045 [0.062] N=1,046	0.025 [0.067] N=931	0.004 [0.072] N=807	-0.029 [0.082] N=672
Strict normal WAZ -2 to +1	0.708 P=921	**-0.121** [0.049] N=1,287**	**-0.120** [0.052] N=1,196**	**-0.106* [0.055] N=1,066**	**-0.107* [0.057] N=918**	-0.098 [0.064] N=763
Strict normal WHZ -2 to +1	0.510 P=572	-0.024 [0.055] N=1,119	-0.040 [0.059] N=1,041	-0.042 [0.060] N=931	-0.077 [0.066] N=805	-0.091 [0.074] N=667
Strict normal BMIZ -2 to +1	0.480 P=538	-0.048 [0.055] N=1,101	-0.063 [0.059] N=1,024	-0.049 [0.062] N=914	-0.097 [0.069] N=790	-0.128 [0.079] N=658
Above-normal height HAZ above +3	0.061 P=65	-0.015 [0.031] N=1,123	-0.027 [0.033] N=1,046	-0.015 [0.037] N=931	0.012 [0.039] N=807	0.007 [0.042] N=672
Above-normal weight WAZ above +1	0.181 P=227	0.045 [0.043] N=1,287	0.055 [0.046] N=1,196	0.053 [0.048] N=1,066	0.060 [0.051] N=918	0.039 [0.055] N=763
Above-normal WHZ above +1	0.371 P=413	**0.094* [0.053] N=1,119**	**0.099* [0.056] N=1,041**	**0.103* [0.057] N=931**	**0.128** [0.061] N=805**	**0.160** [0.066] N=667**
Above-normal BMIZ above +1	0.383 P=419	**0.107** [0.053] N=1,101**	**0.110* [0.056] N=1,024**	0.093 [0.059] N=914	0.103 [0.065] N=790	**0.141* [0.075] N=658**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.069 [0.067] N=944	0.077 [0.075] N=867	0.090 [0.087] N=752	0.135 [0.102] N=628	0.143 [0.124] N=493
Not underweight WAZ at least -2	**-0.106** [0.042] N=1,086**	**-0.089* [0.047] N=995**	-0.071 [0.052] N=865	-0.075 [0.061] N=717	-0.120 [0.083] N=562
Neither wasted nor overweight WHZ -2 to +2	0.070 [0.064] N=940	0.050 [0.071] N=862	0.106 [0.077] N=752	0.085 [0.102] N=626	**0.223* [0.113] N=488**
Neither low nor high BMIZ -2 to +2	0.094 [0.072] N=922	0.079 [0.079] N=845	0.127 [0.084] N=735	0.091 [0.112] N=611	0.154 [0.127] N=479
Strict normal HAZ -2 to +3	0.119 [0.074] N=944	**0.155* [0.081] N=867**	**0.162* [0.093] N=752**	0.159 [0.108] N=628	0.209 [0.142] N=493
Strict normal WAZ -2 to +1	-0.105 [0.071] N=1,086	-0.097 [0.077] N=995	-0.068 [0.086] N=865	-0.074 [0.099] N=717	-0.028 [0.121] N=562
Strict normal WHZ -2 to +1	0.089 [0.073] N=940	0.082 [0.083] N=862	0.120 [0.086] N=752	0.103 [0.110] N=626	0.185 [0.139] N=488
Strict normal BMIZ -2 to +1	0.047 [0.068] N=922	0.034 [0.073] N=845	0.102 [0.080] N=735	0.046 [0.104] N=611	0.060 [0.129] N=479
Above-normal height HAZ above +3	-0.050 [0.043] N=944	**-0.078* [0.047] N=867**	-0.071 [0.054] N=752	-0.024 [0.069] N=628	-0.065 [0.084] N=493
Above-normal weight WAZ above +1	-0.001 [0.057] N=1,086	0.007 [0.063] N=995	-0.003 [0.071] N=865	-0.001 [0.081] N=717	-0.091 [0.092] N=562
Above-normal WHZ above +1	-0.001 [0.080] N=940	-0.015 [0.088] N=862	-0.051 [0.094] N=752	-0.033 [0.118] N=626	-0.059 [0.148] N=488
Above-normal BMIZ above +1	0.045 [0.076] N=922	0.034 [0.081] N=845	-0.035 [0.089] N=735	-0.048 [0.107] N=611	-0.050 [0.137] N=479

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.697 P=792	0.019 [0.050] N=1,123	0.017 [0.053] N=1,046	0.010 [0.057] N=931	0.017 [0.061] N=807	-0.017 [0.065] N=672
Not underweight WAZ at least -2	0.889 P=1,148	**-0.075*** [0.028] N=1,287**	**-0.063** [0.030] N=1,196**	**-0.053* [0.031] N=1,066**	-0.050 [0.032] N=918	-0.057 [0.035] N=763
Neither wasted nor overweight WHZ -2 to +2	0.678 P=766	0.001 [0.052] N=1,119	-0.015 [0.055] N=1,041	0.006 [0.060] N=931	-0.021 [0.069] N=805	-0.004 [0.074] N=667
Neither low nor high BMIZ -2 to +2	0.630 P=706	0.007 [0.053] N=1,101	-0.009 [0.057] N=1,024	0.002 [0.060] N=914	-0.035 [0.069] N=790	-0.047 [0.075] N=658
Strict normal HAZ -2 to +3	0.636 P=727	0.032 [0.057] N=1,123	0.042 [0.061] N=1,046	0.025 [0.066] N=931	0.010 [0.069] N=807	-0.015 [0.080] N=672
Strict normal WAZ -2 to +1	0.708 P=921	**-0.122** [0.049] N=1,287**	**-0.120** [0.052] N=1,196**	**-0.107* [0.054] N=1,066**	**-0.108* [0.057] N=918**	-0.093 [0.063] N=763
Strict normal WHZ -2 to +1	0.510 P=572	-0.025 [0.055] N=1,119	-0.040 [0.059] N=1,041	-0.039 [0.060] N=931	-0.070 [0.066] N=805	-0.075 [0.073] N=667
Strict normal BMIZ -2 to +1	0.480 P=538	-0.052 [0.055] N=1,101	-0.066 [0.059] N=1,024	-0.049 [0.062] N=914	-0.094 [0.069] N=790	-0.122 [0.078] N=658
Above-normal height HAZ above +3	0.061 P=65	-0.014 [0.031] N=1,123	-0.025 [0.033] N=1,046	-0.015 [0.036] N=931	0.008 [0.039] N=807	-0.002 [0.043] N=672
Above-normal weight WAZ above +1	0.181 P=227	0.047 [0.043] N=1,287	0.056 [0.046] N=1,196	0.053 [0.048] N=1,066	0.059 [0.051] N=918	0.036 [0.055] N=763
Above-normal WHZ above +1	0.371 P=413	**0.093* [0.052] N=1,119**	**0.097* [0.055] N=1,041**	**0.098* [0.056] N=931**	**0.119** [0.060] N=805**	**0.145** [0.065] N=667**
Above-normal BMIZ above +1	0.383 P=419	**0.108** [0.052] N=1,101**	**0.109** [0.055] N=1,024**	0.092 [0.058] N=914	0.098 [0.064] N=790	**0.133* [0.073] N=658**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.062 [0.067] N=944	0.069 [0.075] N=867	0.083 [0.086] N=752	0.127 [0.102] N=628	0.147 [0.123] N=493
Not underweight WAZ at least -2	**-0.101** [0.043] N=1,086**	**-0.084* [0.047] N=995**	-0.066 [0.053] N=865	-0.074 [0.063] N=717	-0.104 [0.087] N=562
Neither wasted nor overweight WHZ -2 to +2	0.063 [0.063] N=940	0.043 [0.070] N=862	0.102 [0.075] N=752	0.084 [0.101] N=626	**0.223** [0.109] N=488**
Neither low nor high BMIZ -2 to +2	0.084 [0.072] N=922	0.071 [0.079] N=845	0.124 [0.084] N=735	0.093 [0.111] N=611	0.147 [0.126] N=479
Strict normal HAZ -2 to +3	0.104 [0.074] N=944	**0.138* [0.081] N=867**	0.148 [0.094] N=752	0.148 [0.108] N=628	0.215 [0.143] N=493
Strict normal WAZ -2 to +1	-0.104 [0.071] N=1,086	-0.094 [0.077] N=995	-0.066 [0.086] N=865	-0.075 [0.099] N=717	-0.012 [0.123] N=562
Strict normal WHZ -2 to +1	0.078 [0.072] N=940	0.072 [0.082] N=862	0.115 [0.084] N=752	0.105 [0.109] N=626	0.202 [0.138] N=488
Strict normal BMIZ -2 to +1	0.033 [0.068] N=922	0.023 [0.074] N=845	0.094 [0.080] N=735	0.044 [0.104] N=611	0.061 [0.126] N=479
Above-normal height HAZ above +3	-0.043 [0.043] N=944	-0.070 [0.047] N=867	-0.065 [0.054] N=752	-0.022 [0.069] N=628	-0.068 [0.085] N=493
Above-normal weight WAZ above +1	0.003 [0.056] N=1,086	0.010 [0.062] N=995	-0.000 [0.070] N=865	0.000 [0.081] N=717	-0.092 [0.094] N=562
Above-normal WHZ above +1	0.006 [0.079] N=940	-0.007 [0.088] N=862	-0.046 [0.093] N=752	-0.037 [0.116] N=626	-0.078 [0.147] N=488
Above-normal BMIZ above +1	0.051 [0.075] N=922	0.039 [0.081] N=845	-0.030 [0.088] N=735	-0.049 [0.106] N=611	-0.054 [0.136] N=479

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=751	-0.059 [0.069] N=1,045	-0.064 [0.071] N=935	-0.039 [0.075] N=816	-0.043 [0.083] N=692	-0.019 [0.091] N=563
Not underweight WAZ at least -2	0.887 P=1,071	-0.016 [0.037] N=1,203	-0.019 [0.040] N=1,085	-0.042 [0.041] N=947	-0.037 [0.044] N=800	-0.020 [0.046] N=648
Neither wasted nor overweight WHZ -2 to +2	0.681 P=716	-0.042 [0.059] N=1,046	-0.060 [0.062] N=941	-0.066 [0.068] N=821	-0.026 [0.069] N=696	-0.025 [0.079] N=565
Neither low nor high BMIZ -2 to +2	0.641 P=662	-0.066 [0.060] N=1,028	-0.090 [0.065] N=924	-0.070 [0.071] N=804	-0.036 [0.072] N=682	-0.039 [0.078] N=558
Strict normal HAZ -2 to +3	0.651 P=685	-0.083 [0.068] N=1,045	-0.092 [0.068] N=935	-0.073 [0.071] N=816	-0.059 [0.079] N=692	-0.047 [0.088] N=563
Strict normal WAZ -2 to +1	0.707 P=855	-0.002 [0.058] N=1,203	-0.023 [0.060] N=1,085	-0.053 [0.063] N=947	-0.061 [0.068] N=800	-0.070 [0.070] N=648
Strict normal WHZ -2 to +1	0.509 P=528	-0.077 [0.058] N=1,046	**-0.118* [0.060] N=941**	**-0.116* [0.067] N=821**	-0.076 [0.071] N=696	-0.099 [0.083] N=565
Strict normal BMIZ -2 to +1	0.488 P=502	-0.031 [0.065] N=1,028	-0.066 [0.068] N=924	-0.012 [0.077] N=804	0.028 [0.082] N=682	0.004 [0.090] N=558
Above-normal height HAZ above +3	0.065 P=66	0.024 [0.027] N=1,045	0.028 [0.028] N=935	0.034 [0.030] N=816	0.016 [0.031] N=692	0.028 [0.037] N=563
Above-normal weight WAZ above +1	0.180 P=216	-0.014 [0.044] N=1,203	0.004 [0.046] N=1,085	0.011 [0.049] N=947	0.024 [0.053] N=800	0.050 [0.055] N=648
Above-normal WHZ above +1	0.371 P=392	0.060 [0.064] N=1,046	0.083 [0.067] N=941	0.050 [0.074] N=821	0.061 [0.077] N=696	0.077 [0.090] N=565
Above-normal BMIZ above +1	0.373 P=385	0.036 [0.063] N=1,028	0.063 [0.064] N=924	0.009 [0.071] N=804	0.017 [0.080] N=682	0.027 [0.088] N=558

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.102 [0.099] N=909	-0.115 [0.103] N=799	-0.073 [0.117] N=680	-0.107 [0.141] N=556	-0.068 [0.166] N=427
Not underweight WAZ at least -2	0.008 [0.059] N=1,047	-0.003 [0.065] N=929	-0.045 [0.073] N=791	-0.045 [0.083] N=644	-0.002 [0.094] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.076 [0.082] N=909	-0.098 [0.090] N=804	-0.111 [0.102] N=684	-0.046 [0.113] N=559	-0.043 [0.148] N=428
Neither low nor high BMIZ -2 to +2	-0.056 [0.084] N=898	-0.086 [0.094] N=794	-0.021 [0.108] N=674	0.059 [0.114] N=552	0.089 [0.138] N=428
Strict normal HAZ -2 to +3	-0.116 [0.098] N=909	-0.133 [0.102] N=799	-0.101 [0.113] N=680	-0.094 [0.140] N=556	-0.088 [0.174] N=427
Strict normal WAZ -2 to +1	0.110 [0.084] N=1,047	0.088 [0.089] N=929	0.053 [0.099] N=791	0.059 [0.115] N=644	0.065 [0.127] N=492
Strict normal WHZ -2 to +1	-0.037 [0.083] N=909	-0.099 [0.089] N=804	-0.076 [0.104] N=684	0.051 [0.115] N=559	0.035 [0.149] N=428
Strict normal BMIZ -2 to +1	0.000 [0.099] N=898	-0.054 [0.106] N=794	0.065 [0.129] N=674	0.194 [0.142] N=552	0.169 [0.166] N=428
Above-normal height HAZ above +3	0.014 [0.041] N=909	0.017 [0.044] N=799	0.027 [0.052] N=680	-0.013 [0.056] N=556	0.020 [0.072] N=427
Above-normal weight WAZ above +1	-0.102 [0.062] N=1,047	-0.091 [0.065] N=929	-0.098 [0.073] N=791	-0.105 [0.086] N=644	-0.066 [0.095] N=492
Above-normal WHZ above +1	-0.016 [0.090] N=909	0.014 [0.095] N=804	-0.066 [0.110] N=684	-0.098 [0.121] N=559	-0.125 [0.150] N=428
Above-normal BMIZ above +1	-0.015 [0.092] N=898	0.022 [0.095] N=794	-0.082 [0.113] N=674	-0.096 [0.133] N=552	-0.081 [0.152] N=428

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=751	-0.057 [0.069] N=1,045	-0.062 [0.071] N=935	-0.037 [0.075] N=816	-0.042 [0.083] N=692	-0.018 [0.092] N=563
Not underweight WAZ at least -2	0.887 P=1,071	-0.014 [0.037] N=1,203	-0.017 [0.039] N=1,085	-0.039 [0.041] N=947	-0.035 [0.044] N=800	-0.017 [0.046] N=648
Neither wasted nor overweight WHZ -2 to +2	0.681 P=716	-0.039 [0.060] N=1,046	-0.055 [0.063] N=941	-0.060 [0.069] N=821	-0.019 [0.071] N=696	-0.017 [0.082] N=565
Neither low nor high BMIZ -2 to +2	0.641 P=662	-0.064 [0.061] N=1,028	-0.087 [0.065] N=924	-0.067 [0.071] N=804	-0.034 [0.073] N=682	-0.036 [0.079] N=558
Strict normal HAZ -2 to +3	0.651 P=685	-0.080 [0.068] N=1,045	-0.089 [0.068] N=935	-0.071 [0.071] N=816	-0.057 [0.080] N=692	-0.045 [0.089] N=563
Strict normal WAZ -2 to +1	0.707 P=855	0.001 [0.058] N=1,203	-0.020 [0.060] N=1,085	-0.048 [0.063] N=947	-0.059 [0.067] N=800	-0.067 [0.069] N=648
Strict normal WHZ -2 to +1	0.509 P=528	-0.074 [0.059] N=1,046	**-0.114* [0.062] N=941**	-0.111 [0.068] N=821	-0.072 [0.072] N=696	-0.093 [0.086] N=565
Strict normal BMIZ -2 to +1	0.488 P=502	-0.029 [0.065] N=1,028	-0.063 [0.068] N=924	-0.009 [0.078] N=804	0.030 [0.083] N=682	0.007 [0.091] N=558
Above-normal height HAZ above +3	0.065 P=66	0.024 [0.027] N=1,045	0.027 [0.028] N=935	0.033 [0.030] N=816	0.015 [0.031] N=692	0.027 [0.037] N=563
Above-normal weight WAZ above +1	0.180 P=216	-0.015 [0.044] N=1,203	0.002 [0.046] N=1,085	0.009 [0.049] N=947	0.024 [0.053] N=800	0.050 [0.055] N=648
Above-normal WHZ above +1	0.371 P=392	0.060 [0.065] N=1,046	0.082 [0.068] N=941	0.047 [0.075] N=821	0.060 [0.077] N=696	0.077 [0.090] N=565
Above-normal BMIZ above +1	0.373 P=385	0.035 [0.063] N=1,028	0.061 [0.065] N=924	0.006 [0.072] N=804	0.015 [0.080] N=682	0.026 [0.089] N=558

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.098 [0.098] N=909	-0.112 [0.103] N=799	-0.071 [0.116] N=680	-0.111 [0.142] N=556	-0.071 [0.167] N=427
Not underweight WAZ at least -2	0.010 [0.059] N=1,047	-0.000 [0.065] N=929	-0.041 [0.072] N=791	-0.040 [0.083] N=644	0.005 [0.094] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.070 [0.082] N=909	-0.087 [0.090] N=804	-0.095 [0.103] N=684	-0.021 [0.115] N=559	-0.012 [0.151] N=428
Neither low nor high BMIZ -2 to +2	-0.053 [0.084] N=898	-0.079 [0.094] N=794	-0.012 [0.107] N=674	0.067 [0.114] N=552	0.098 [0.139] N=428
Strict normal HAZ -2 to +3	-0.109 [0.097] N=909	-0.125 [0.101] N=799	-0.095 [0.111] N=680	-0.092 [0.140] N=556	-0.082 [0.172] N=427
Strict normal WAZ -2 to +1	0.113 [0.085] N=1,047	0.091 [0.090] N=929	0.059 [0.099] N=791	0.060 [0.115] N=644	0.063 [0.127] N=492
Strict normal WHZ -2 to +1	-0.032 [0.084] N=909	-0.090 [0.090] N=804	-0.062 [0.105] N=684	0.067 [0.116] N=559	0.057 [0.149] N=428
Strict normal BMIZ -2 to +1	0.005 [0.099] N=898	-0.047 [0.106] N=794	0.073 [0.129] N=674	0.202 [0.142] N=552	0.175 [0.166] N=428
Above-normal height HAZ above +3	0.012 [0.041] N=909	0.013 [0.044] N=799	0.023 [0.053] N=680	-0.019 [0.055] N=556	0.011 [0.070] N=427
Above-normal weight WAZ above +1	**-0.103* [0.062] N=1,047**	-0.092 [0.065] N=929	-0.099 [0.074] N=791	-0.100 [0.085] N=644	-0.058 [0.093] N=492
Above-normal WHZ above +1	-0.017 [0.090] N=909	0.011 [0.096] N=804	-0.072 [0.110] N=684	-0.101 [0.123] N=559	-0.122 [0.152] N=428
Above-normal BMIZ above +1	-0.017 [0.092] N=898	0.020 [0.096] N=794	-0.086 [0.113] N=674	-0.098 [0.133] N=552	-0.076 [0.154] N=428

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=751	-0.056 [0.068] N=1,045	-0.057 [0.070] N=935	-0.027 [0.074] N=816	-0.031 [0.082] N=692	-0.009 [0.089] N=563
Not underweight WAZ at least -2	0.887 P=1,071	-0.015 [0.035] N=1,203	-0.018 [0.037] N=1,085	-0.035 [0.038] N=947	-0.032 [0.040] N=800	-0.016 [0.039] N=648
Neither wasted nor overweight WHZ -2 to +2	0.681 P=716	-0.038 [0.061] N=1,046	-0.055 [0.064] N=941	-0.054 [0.071] N=821	-0.013 [0.073] N=696	-0.018 [0.083] N=565
Neither low nor high BMIZ -2 to +2	0.641 P=662	-0.066 [0.060] N=1,028	-0.089 [0.065] N=924	-0.062 [0.071] N=804	-0.031 [0.073] N=682	-0.037 [0.079] N=558
Strict normal HAZ -2 to +3	0.651 P=685	-0.080 [0.067] N=1,045	-0.083 [0.068] N=935	-0.058 [0.071] N=816	-0.045 [0.079] N=692	-0.038 [0.087] N=563
Strict normal WAZ -2 to +1	0.707 P=855	0.000 [0.057] N=1,203	-0.022 [0.058] N=1,085	-0.047 [0.062] N=947	-0.056 [0.065] N=800	-0.066 [0.065] N=648
Strict normal WHZ -2 to +1	0.509 P=528	-0.075 [0.059] N=1,046	**-0.112* [0.062] N=941**	-0.110 [0.069] N=821	-0.074 [0.073] N=696	-0.097 [0.086] N=565
Strict normal BMIZ -2 to +1	0.488 P=502	-0.031 [0.066] N=1,028	-0.064 [0.068] N=924	-0.007 [0.079] N=804	0.029 [0.083] N=682	0.004 [0.089] N=558
Above-normal height HAZ above +3	0.065 P=66	0.024 [0.027] N=1,045	0.027 [0.028] N=935	0.031 [0.031] N=816	0.014 [0.033] N=692	0.029 [0.038] N=563
Above-normal weight WAZ above +1	0.180 P=216	-0.015 [0.045] N=1,203	0.004 [0.047] N=1,085	0.012 [0.050] N=947	0.024 [0.054] N=800	0.050 [0.056] N=648
Above-normal WHZ above +1	0.371 P=392	0.060 [0.065] N=1,046	0.081 [0.068] N=941	0.050 [0.074] N=821	0.065 [0.077] N=696	0.081 [0.089] N=565
Above-normal BMIZ above +1	0.373 P=385	0.035 [0.063] N=1,028	0.059 [0.065] N=924	0.008 [0.071] N=804	0.019 [0.080] N=682	0.029 [0.087] N=558

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.104 [0.098] N=909	-0.111 [0.102] N=799	-0.070 [0.114] N=680	-0.117 [0.140] N=556	-0.090 [0.166] N=427
Not underweight WAZ at least -2	0.003 [0.057] N=1,047	-0.009 [0.062] N=929	-0.039 [0.070] N=791	-0.045 [0.081] N=644	-0.009 [0.087] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.076 [0.085] N=909	-0.098 [0.093] N=804	-0.093 [0.106] N=684	-0.022 [0.117] N=559	-0.019 [0.152] N=428
Neither low nor high BMIZ -2 to +2	-0.065 [0.083] N=898	-0.094 [0.092] N=794	-0.011 [0.104] N=674	0.066 [0.112] N=552	0.088 [0.138] N=428
Strict normal HAZ -2 to +3	-0.117 [0.097] N=909	-0.127 [0.100] N=799	-0.092 [0.111] N=680	-0.099 [0.138] N=556	-0.109 [0.169] N=427
Strict normal WAZ -2 to +1	0.112 [0.083] N=1,047	0.085 [0.087] N=929	0.059 [0.097] N=791	0.058 [0.111] N=644	0.053 [0.116] N=492
Strict normal WHZ -2 to +1	-0.034 [0.085] N=909	-0.094 [0.091] N=804	-0.064 [0.105] N=684	0.065 [0.116] N=559	0.044 [0.149] N=428
Strict normal BMIZ -2 to +1	-0.000 [0.099] N=898	-0.053 [0.106] N=794	0.071 [0.128] N=674	0.200 [0.140] N=552	0.166 [0.166] N=428
Above-normal height HAZ above +3	0.013 [0.041] N=909	0.015 [0.043] N=799	0.022 [0.053] N=680	-0.018 [0.055] N=556	0.019 [0.069] N=427
Above-normal weight WAZ above +1	**-0.110* [0.062] N=1,047**	-0.095 [0.065] N=929	-0.098 [0.074] N=791	-0.102 [0.085] N=644	-0.062 [0.093] N=492
Above-normal WHZ above +1	-0.020 [0.090] N=909	0.008 [0.097] N=804	-0.069 [0.109] N=684	-0.099 [0.121] N=559	-0.117 [0.154] N=428
Above-normal BMIZ above +1	-0.017 [0.092] N=898	0.016 [0.096] N=794	-0.084 [0.112] N=674	-0.097 [0.132] N=552	-0.073 [0.154] N=428

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=751	-0.057 [0.068] N=1,045	-0.056 [0.069] N=935	-0.029 [0.074] N=816	-0.038 [0.081] N=692	-0.022 [0.089] N=563
Not underweight WAZ at least -2	0.887 P=1,071	-0.015 [0.035] N=1,203	-0.019 [0.037] N=1,085	-0.038 [0.039] N=947	-0.036 [0.041] N=800	-0.022 [0.042] N=648
Neither wasted nor overweight WHZ -2 to +2	0.681 P=716	-0.036 [0.061] N=1,046	-0.053 [0.064] N=941	-0.060 [0.070] N=821	-0.020 [0.073] N=696	-0.021 [0.082] N=565
Neither low nor high BMIZ -2 to +2	0.641 P=662	-0.063 [0.061] N=1,028	-0.085 [0.065] N=924	-0.065 [0.071] N=804	-0.035 [0.072] N=682	-0.037 [0.077] N=558
Strict normal HAZ -2 to +3	0.651 P=685	-0.079 [0.067] N=1,045	-0.081 [0.068] N=935	-0.059 [0.071] N=816	-0.049 [0.079] N=692	-0.043 [0.087] N=563
Strict normal WAZ -2 to +1	0.707 P=855	0.000 [0.057] N=1,203	-0.022 [0.059] N=1,085	-0.050 [0.063] N=947	-0.060 [0.067] N=800	-0.072 [0.068] N=648
Strict normal WHZ -2 to +1	0.509 P=528	-0.074 [0.058] N=1,046	**-0.112* [0.061] N=941**	**-0.113* [0.068] N=821**	-0.075 [0.071] N=696	-0.101 [0.083] N=565
Strict normal BMIZ -2 to +1	0.488 P=502	-0.025 [0.065] N=1,028	-0.058 [0.068] N=924	-0.006 [0.078] N=804	0.030 [0.082] N=682	0.004 [0.088] N=558
Above-normal height HAZ above +3	0.065 P=66	0.023 [0.027] N=1,045	0.024 [0.028] N=935	0.030 [0.030] N=816	0.011 [0.032] N=692	0.020 [0.037] N=563
Above-normal weight WAZ above +1	0.180 P=216	-0.016 [0.044] N=1,203	0.003 [0.046] N=1,085	0.012 [0.049] N=947	0.024 [0.053] N=800	0.050 [0.054] N=648
Above-normal WHZ above +1	0.371 P=392	0.061 [0.064] N=1,046	0.082 [0.068] N=941	0.051 [0.074] N=821	0.066 [0.076] N=696	0.090 [0.088] N=565
Above-normal BMIZ above +1	0.373 P=385	0.035 [0.063] N=1,028	0.059 [0.065] N=924	0.009 [0.072] N=804	0.022 [0.079] N=682	0.040 [0.087] N=558

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.106 [0.095] N=909	-0.111 [0.099] N=799	-0.059 [0.112] N=680	-0.104 [0.139] N=556	-0.090 [0.165] N=427
Not underweight WAZ at least -2	0.008 [0.056] N=1,047	-0.004 [0.062] N=929	-0.033 [0.071] N=791	-0.038 [0.081] N=644	-0.000 [0.090] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.071 [0.084] N=909	-0.088 [0.092] N=804	-0.089 [0.104] N=684	-0.021 [0.118] N=559	-0.023 [0.151] N=428
Neither low nor high BMIZ -2 to +2	-0.059 [0.085] N=898	-0.083 [0.094] N=794	-0.010 [0.107] N=674	0.060 [0.114] N=552	0.089 [0.137] N=428
Strict normal HAZ -2 to +3	-0.119 [0.094] N=909	-0.124 [0.098] N=799	-0.083 [0.109] N=680	-0.092 [0.139] N=556	-0.109 [0.169] N=427
Strict normal WAZ -2 to +1	0.116 [0.084] N=1,047	0.092 [0.088] N=929	0.064 [0.099] N=791	0.065 [0.113] N=644	0.063 [0.122] N=492
Strict normal WHZ -2 to +1	-0.037 [0.084] N=909	-0.093 [0.090] N=804	-0.064 [0.105] N=684	0.058 [0.115] N=559	0.036 [0.146] N=428
Strict normal BMIZ -2 to +1	-0.001 [0.099] N=898	-0.050 [0.106] N=794	0.071 [0.129] N=674	0.193 [0.141] N=552	0.171 [0.163] N=428
Above-normal height HAZ above +3	0.013 [0.042] N=909	0.013 [0.045] N=799	0.024 [0.054] N=680	-0.012 [0.056] N=556	0.020 [0.066] N=427
Above-normal weight WAZ above +1	**-0.108* [0.063] N=1,047**	-0.096 [0.066] N=929	-0.097 [0.075] N=791	-0.102 [0.087] N=644	-0.063 [0.096] N=492
Above-normal WHZ above +1	-0.013 [0.090] N=909	0.012 [0.096] N=804	-0.072 [0.111] N=684	-0.097 [0.121] N=559	-0.108 [0.152] N=428
Above-normal BMIZ above +1	-0.013 [0.091] N=898	0.021 [0.096] N=794	-0.084 [0.114] N=674	-0.091 [0.132] N=552	-0.070 [0.151] N=428

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=690	-0.056 [0.075] N=958	-0.064 [0.078] N=857	-0.025 [0.081] N=754	-0.024 [0.087] N=637	-0.001 [0.096] N=521
Not underweight WAZ at least -2	0.884 P=973	-0.011 [0.040] N=1,097	-0.013 [0.043] N=988	-0.036 [0.044] N=869	-0.039 [0.047] N=735	-0.027 [0.050] N=600
Neither wasted nor overweight WHZ -2 to +2	0.680 P=655	-0.042 [0.063] N=959	-0.059 [0.065] N=863	-0.054 [0.071] N=757	0.001 [0.072] N=641	0.002 [0.083] N=524
Neither low nor high BMIZ -2 to +2	0.642 P=610	-0.067 [0.064] N=943	-0.096 [0.068] N=848	-0.054 [0.073] N=743	-0.015 [0.074] N=630	-0.028 [0.080] N=519
Strict normal HAZ -2 to +3	0.653 P=632	-0.088 [0.074] N=958	-0.104 [0.077] N=857	-0.071 [0.078] N=754	-0.044 [0.086] N=637	-0.039 [0.096] N=521
Strict normal WAZ -2 to +1	0.700 P=773	-0.002 [0.062] N=1,097	-0.021 [0.065] N=988	-0.033 [0.068] N=869	-0.041 [0.072] N=735	-0.051 [0.072] N=600
Strict normal WHZ -2 to +1	0.508 P=483	-0.099 [0.061] N=959	**-0.141** [0.065] N=863**	**-0.123* [0.070] N=757**	-0.070 [0.074] N=641	-0.092 [0.089] N=524
Strict normal BMIZ -2 to +1	0.490 P=464	-0.055 [0.070] N=943	-0.093 [0.073] N=848	-0.015 [0.082] N=743	0.025 [0.085] N=630	-0.001 [0.095] N=519
Above-normal height HAZ above +3	0.063 P=58	0.032 [0.029] N=958	0.040 [0.030] N=857	0.046 [0.032] N=754	0.020 [0.034] N=637	0.038 [0.040] N=521
Above-normal weight WAZ above +1	0.184 P=200	-0.009 [0.044] N=1,097	0.008 [0.047] N=988	-0.003 [0.050] N=869	0.003 [0.052] N=735	0.025 [0.051] N=600
Above-normal WHZ above +1	0.372 P=361	0.087 [0.066] N=959	0.114 [0.070] N=863	0.061 [0.076] N=757	0.060 [0.079] N=641	0.065 [0.090] N=524
Above-normal BMIZ above +1	0.372 P=353	0.057 [0.065] N=943	0.088 [0.068] N=848	0.010 [0.075] N=743	0.011 [0.082] N=630	0.009 [0.090] N=519

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.109 [0.110] N=831	-0.128 [0.118] N=730	-0.070 [0.130] N=627	-0.092 [0.154] N=510	-0.037 [0.181] N=394
Not underweight WAZ at least -2	0.024 [0.063] N=953	0.018 [0.070] N=844	-0.021 [0.076] N=725	-0.029 [0.090] N=591	0.031 [0.100] N=456
Neither wasted nor overweight WHZ -2 to +2	-0.070 [0.085] N=832	-0.089 [0.095] N=736	-0.079 [0.112] N=630	0.034 [0.121] N=514	0.056 [0.162] N=397
Neither low nor high BMIZ -2 to +2	-0.082 [0.088] N=821	-0.121 [0.097] N=726	-0.019 [0.109] N=621	0.070 [0.114] N=508	0.068 [0.134] N=397
Strict normal HAZ -2 to +3	-0.136 [0.111] N=831	-0.165 [0.118] N=730	-0.115 [0.127] N=627	-0.067 [0.154] N=510	-0.056 [0.192] N=394
Strict normal WAZ -2 to +1	0.119 [0.091] N=953	0.100 [0.097] N=844	0.099 [0.106] N=725	0.097 [0.126] N=591	0.120 [0.134] N=456
Strict normal WHZ -2 to +1	-0.066 [0.090] N=832	-0.135 [0.097] N=736	-0.073 [0.114] N=630	0.080 [0.121] N=514	0.082 [0.160] N=397
Strict normal BMIZ -2 to +1	-0.049 [0.105] N=821	-0.114 [0.112] N=726	0.042 [0.133] N=621	0.157 [0.139] N=508	0.127 [0.162] N=397
Above-normal height HAZ above +3	0.027 [0.042] N=831	0.037 [0.044] N=730	0.045 [0.052] N=627	-0.025 [0.052] N=510	0.019 [0.063] N=394
Above-normal weight WAZ above +1	-0.095 [0.063] N=953	-0.082 [0.067] N=844	-0.120 [0.075] N=725	-0.126 [0.086] N=591	-0.088 [0.095] N=456
Above-normal WHZ above +1	0.025 [0.096] N=832	0.068 [0.104] N=736	-0.045 [0.119] N=630	-0.092 [0.128] N=514	-0.144 [0.159] N=397
Above-normal BMIZ above +1	0.028 [0.095] N=821	0.081 [0.099] N=726	-0.056 [0.117] N=621	-0.061 [0.130] N=508	-0.064 [0.151] N=397

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.716 P=690	-0.057 [0.074] N=958	-0.063 [0.077] N=857	-0.023 [0.081] N=754	-0.020 [0.086] N=637	0.005 [0.095] N=521
Not underweight WAZ at least -2	0.884 P=973	-0.008 [0.039] N=1,097	-0.011 [0.042] N=988	-0.033 [0.043] N=869	-0.035 [0.046] N=735	-0.023 [0.048] N=600
Neither wasted nor overweight WHZ -2 to +2	0.680 P=655	-0.040 [0.062] N=959	-0.054 [0.064] N=863	-0.046 [0.070] N=757	0.010 [0.071] N=641	0.010 [0.082] N=524
Neither low nor high BMIZ -2 to +2	0.642 P=610	-0.070 [0.063] N=943	-0.096 [0.067] N=848	-0.053 [0.072] N=743	-0.011 [0.073] N=630	-0.020 [0.078] N=519
Strict normal HAZ -2 to +3	0.653 P=632	-0.083 [0.073] N=958	-0.096 [0.075] N=857	-0.063 [0.076] N=754	-0.035 [0.084] N=637	-0.030 [0.094] N=521
Strict normal WAZ -2 to +1	0.700 P=773	0.005 [0.061] N=1,097	-0.014 [0.064] N=988	-0.028 [0.067] N=869	-0.038 [0.071] N=735	-0.050 [0.071] N=600
Strict normal WHZ -2 to +1	0.508 P=483	-0.094 [0.061] N=959	**-0.134** ** **[0.064] N=863**	-0.110 [0.070] N=757	-0.057 [0.074] N=641	-0.078 [0.089] N=524
Strict normal BMIZ -2 to +1	0.490 P=464	-0.057 [0.069] N=943	-0.095 [0.072] N=848	-0.015 [0.080] N=743	0.024 [0.083] N=630	0.004 [0.093] N=519
Above-normal height HAZ above +3	0.063 P=58	0.026 [0.029] N=958	0.033 [0.031] N=857	0.040 [0.032] N=754	0.015 [0.035] N=637	0.035 [0.040] N=521
Above-normal weight WAZ above +1	0.184 P=200	-0.013 [0.044] N=1,097	0.003 [0.046] N=988	-0.005 [0.049] N=869	0.003 [0.052] N=735	0.027 [0.050] N=600
Above-normal WHZ above +1	0.372 P=361	0.086 [0.066] N=959	0.110 [0.070] N=863	0.055 [0.076] N=757	0.053 [0.079] N=641	0.058 [0.091] N=524
Above-normal BMIZ above +1	0.372 P=353	0.061 [0.065] N=943	0.092 [0.068] N=848	0.012 [0.074] N=743	0.015 [0.082] N=630	0.011 [0.090] N=519

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.109 [0.110] N=831	-0.126 [0.117] N=730	-0.063 [0.128] N=627	-0.087 [0.152] N=510	-0.032 [0.178] N=394
Not underweight WAZ at least -2	0.027 [0.063] N=953	0.019 [0.070] N=844	-0.019 [0.077] N=725	-0.028 [0.090] N=591	0.017 [0.101] N=456
Neither wasted nor overweight WHZ -2 to +2	-0.078 [0.085] N=832	-0.094 [0.094] N=736	-0.080 [0.111] N=630	0.035 [0.121] N=514	0.042 [0.163] N=397
Neither low nor high BMIZ -2 to +2	-0.092 [0.088] N=821	-0.127 [0.097] N=726	-0.024 [0.110] N=621	0.065 [0.115] N=508	0.069 [0.138] N=397
Strict normal HAZ -2 to +3	-0.128 [0.110] N=831	-0.155 [0.117] N=730	-0.102 [0.126] N=627	-0.057 [0.154] N=510	-0.051 [0.192] N=394
Strict normal WAZ -2 to +1	0.126 [0.091] N=953	0.109 [0.097] N=844	0.103 [0.106] N=725	0.098 [0.125] N=591	0.099 [0.138] N=456
Strict normal WHZ -2 to +1	-0.069 [0.089] N=832	-0.134 [0.096] N=736	-0.068 [0.112] N=630	0.088 [0.121] N=514	0.082 [0.160] N=397
Strict normal BMIZ -2 to +1	-0.058 [0.105] N=821	-0.123 [0.113] N=726	0.034 [0.134] N=621	0.144 [0.143] N=508	0.112 [0.168] N=397
Above-normal height HAZ above +3	0.018 [0.043] N=831	0.029 [0.045] N=730	0.038 [0.054] N=627	-0.030 [0.052] N=510	0.019 [0.065] N=394
Above-normal weight WAZ above +1	-0.100 [0.063] N=953	-0.090 [0.067] N=844	-0.122 [0.075] N=725	-0.126 [0.086] N=591	-0.082 [0.096] N=456
Above-normal WHZ above +1	0.023 [0.095] N=832	0.062 [0.104] N=736	-0.055 [0.117] N=630	-0.104 [0.126] N=514	-0.145 [0.154] N=397
Above-normal BMIZ above +1	0.034 [0.095] N=821	0.088 [0.099] N=726	-0.051 [0.116] N=621	-0.052 [0.131] N=508	-0.047 [0.149] N=397

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.