Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,028	-0.001 [0.037] N=1,245	-0.009 [0.037] N=1,148	-0.020 [0.040] N=1,029	-0.032 [0.041] N=883	-0.044 [0.048] N=727
Vegetables consumed daily or several times weekly	0.761 P=947	-0.013 [0.046] N=1,245	-0.022 [0.047] N=1,148	-0.053 [0.050] N=1,029	-0.066 [0.054] N=883	-0.091 [0.058] N=727
Meat fish or poultry consumed daily or several times weekly	0.549 P=685	0.030 [0.059] N=1,245	0.029 [0.060] N=1,148	0.014 [0.066] N=1,029	0.040 [0.075] N=883	0.045 [0.084] N=727
Legumes consumed daily or several times weekly	0.552 P=684	-0.016 [0.056] N=1,245	-0.009 [0.059] N=1,148	-0.001 [0.061] N=1,029	0.031 [0.069] N=883	0.058 [0.081] N=727
Animal products consumed daily or several times weekly	0.846 P=1,050	**0.079* [0.042] N=1,245**	**0.074* [0.044] N=1,148**	0.049 [0.046] N=1,029	0.054 [0.049] N=883	0.043 [0.053] N=727
Sweets consumed daily or several times weekly	0.404 P=504	-0.032 [0.050] N=1,245	-0.046 [0.052] N=1,148	-0.031 [0.056] N=1,029	-0.025 [0.061] N=883	0.015 [0.071] N=727
Snack foods consumed daily or several times weekly	0.302 P=371	0.009 [0.050] N=1,245	-0.016 [0.052] N=1,148	-0.014 [0.056] N=1,029	0.014 [0.062] N=883	0.030 [0.067] N=727
Packaged soft drinks consumed daily or several times weekly	0.170 P=207	0.005 [0.038] N=1,245	-0.006 [0.040] N=1,148	-0.018 [0.043] N=1,029	-0.018 [0.047] N=883	-0.050 [0.051] N=727
Grains consumed daily or several times weekly	0.769 P=954	0.030 [0.043] N=1,245	0.032 [0.043] N=1,148	0.010 [0.047] N=1,029	0.009 [0.052] N=883	0.001 [0.056] N=727

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.023 [0.056] N=1,054	0.018 [0.057] N=957	-0.003 [0.068] N=838	-0.038 [0.079] N=692	-0.077 [0.110] N=536
Vegetables consumed daily or several times weekly	-0.022 [0.070] N=1,054	-0.031 [0.073] N=957	-0.098 [0.083] N=838	-0.167 [0.105] N=692	**-0.300** [0.133] N=536**
Meat fish or poultry consumed daily or several times weekly	-0.057 [0.073] N=1,054	-0.073 [0.075] N=957	-0.128 [0.085] N=838	-0.150 [0.100] N=692	**-0.233* [0.129] N=536**
Legumes consumed daily or several times weekly	-0.086 [0.078] N=1,054	-0.079 [0.087] N=957	-0.087 [0.091] N=838	-0.064 [0.109] N=692	-0.051 [0.148] N=536
Animal products consumed daily or several times weekly	0.095 [0.067] N=1,054	0.094 [0.075] N=957	0.042 [0.083] N=838	0.044 [0.103] N=692	0.027 [0.129] N=536
Sweets consumed daily or several times weekly	-0.058 [0.063] N=1,054	-0.079 [0.067] N=957	-0.055 [0.077] N=838	-0.055 [0.089] N=692	0.064 [0.124] N=536
Snack foods consumed daily or several times weekly	-0.025 [0.065] N=1,054	-0.080 [0.069] N=957	-0.088 [0.078] N=838	-0.052 [0.096] N=692	-0.064 [0.114] N=536
Packaged soft drinks consumed daily or several times weekly	0.010 [0.059] N=1,054	-0.011 [0.068] N=957	-0.030 [0.078] N=838	-0.034 [0.097] N=692	-0.126 [0.135] N=536
Grains consumed daily or several times weekly	0.053 [0.067] N=1,054	0.064 [0.072] N=957	0.015 [0.081] N=838	0.006 [0.096] N=692	-0.038 [0.123] N=536

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,028	-0.000 [0.037] N=1,245	-0.009 [0.037] N=1,148	-0.019 [0.040] N=1,029	-0.032 [0.042] N=883	-0.044 [0.048] N=727
Vegetables consumed daily or several times weekly	0.761 P=947	-0.013 [0.046] N=1,245	-0.022 [0.047] N=1,148	-0.053 [0.050] N=1,029	-0.066 [0.054] N=883	-0.091 [0.058] N=727
Meat fish or poultry consumed daily or several times weekly	0.549 P=685	0.030 [0.059] N=1,245	0.029 [0.060] N=1,148	0.015 [0.066] N=1,029	0.041 [0.076] N=883	0.045 [0.084] N=727
Legumes consumed daily or several times weekly	0.552 P=684	-0.015 [0.057] N=1,245	-0.009 [0.060] N=1,148	0.001 [0.062] N=1,029	0.032 [0.070] N=883	0.058 [0.082] N=727
Animal products consumed daily or several times weekly	0.846 P=1,050	**0.079* [0.042] N=1,245**	**0.074* [0.044] N=1,148**	0.050 [0.046] N=1,029	0.055 [0.049] N=883	0.043 [0.053] N=727
Sweets consumed daily or several times weekly	0.404 P=504	-0.032 [0.050] N=1,245	-0.045 [0.052] N=1,148	-0.030 [0.057] N=1,029	-0.024 [0.061] N=883	0.015 [0.071] N=727
Snack foods consumed daily or several times weekly	0.302 P=371	0.010 [0.050] N=1,245	-0.016 [0.052] N=1,148	-0.013 [0.056] N=1,029	0.015 [0.062] N=883	0.030 [0.067] N=727
Packaged soft drinks consumed daily or several times weekly	0.170 P=207	0.005 [0.038] N=1,245	-0.006 [0.040] N=1,148	-0.019 [0.043] N=1,029	-0.018 [0.047] N=883	-0.050 [0.051] N=727
Grains consumed daily or several times weekly	0.769 P=954	0.030 [0.043] N=1,245	0.032 [0.044] N=1,148	0.012 [0.047] N=1,029	0.009 [0.052] N=883	0.001 [0.056] N=727

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.024 [0.056] N=1,054	0.019 [0.058] N=957	-0.000 [0.069] N=838	-0.037 [0.079] N=692	-0.077 [0.110] N=536
Vegetables consumed daily or several times weekly	-0.022 [0.070] N=1,054	-0.031 [0.073] N=957	-0.098 [0.083] N=838	-0.166 [0.105] N=692	**-0.300** [0.133] N=536**
Meat fish or poultry consumed daily or several times weekly	-0.056 [0.072] N=1,054	-0.072 [0.075] N=957	-0.125 [0.084] N=838	-0.148 [0.100] N=692	**-0.233* [0.129] N=536**
Legumes consumed daily or several times weekly	-0.084 [0.078] N=1,054	-0.078 [0.087] N=957	-0.081 [0.091] N=838	-0.061 [0.109] N=692	-0.051 [0.147] N=536
Animal products consumed daily or several times weekly	0.097 [0.067] N=1,054	0.096 [0.074] N=957	0.045 [0.083] N=838	0.046 [0.102] N=692	0.027 [0.127] N=536
Sweets consumed daily or several times weekly	-0.058 [0.063] N=1,054	-0.077 [0.067] N=957	-0.052 [0.077] N=838	-0.053 [0.088] N=692	0.064 [0.124] N=536
Snack foods consumed daily or several times weekly	-0.024 [0.065] N=1,054	-0.079 [0.069] N=957	-0.085 [0.078] N=838	-0.050 [0.096] N=692	-0.064 [0.115] N=536
Packaged soft drinks consumed daily or several times weekly	0.010 [0.059] N=1,054	-0.011 [0.068] N=957	-0.032 [0.078] N=838	-0.035 [0.097] N=692	-0.126 [0.136] N=536
Grains consumed daily or several times weekly	0.055 [0.067] N=1,054	0.066 [0.072] N=957	0.020 [0.081] N=838	0.009 [0.095] N=692	-0.038 [0.122] N=536

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,028	-0.023 [0.036] N=1,245	-0.032 [0.037] N=1,148	-0.043 [0.039] N=1,029	-0.046 [0.040] N=883	-0.068 [0.046] N=727
Vegetables consumed daily or several times weekly	0.761 P=947	-0.030 [0.047] N=1,245	-0.042 [0.047] N=1,148	-0.073 [0.050] N=1,029	-0.077 [0.054] N=883	**-0.113* [0.057] N=727**
Meat fish or poultry consumed daily or several times weekly	0.549 P=685	-0.001 [0.058] N=1,245	-0.007 [0.060] N=1,148	-0.022 [0.065] N=1,029	0.020 [0.073] N=883	0.015 [0.083] N=727
Legumes consumed daily or several times weekly	0.552 P=684	-0.032 [0.055] N=1,245	-0.027 [0.058] N=1,148	-0.018 [0.059] N=1,029	0.022 [0.067] N=883	0.048 [0.080] N=727
Animal products consumed daily or several times weekly	0.846 P=1,050	0.067 [0.041] N=1,245	0.061 [0.043] N=1,148	0.036 [0.046] N=1,029	0.046 [0.049] N=883	0.029 [0.053] N=727
Sweets consumed daily or several times weekly	0.404 P=504	-0.036 [0.051] N=1,245	-0.052 [0.052] N=1,148	-0.035 [0.057] N=1,029	-0.026 [0.062] N=883	0.008 [0.071] N=727
Snack foods consumed daily or several times weekly	0.302 P=371	0.012 [0.050] N=1,245	-0.015 [0.052] N=1,148	-0.012 [0.057] N=1,029	0.016 [0.062] N=883	0.031 [0.068] N=727
Packaged soft drinks consumed daily or several times weekly	0.170 P=207	0.014 [0.036] N=1,245	0.004 [0.039] N=1,148	-0.010 [0.042] N=1,029	-0.013 [0.046] N=883	-0.042 [0.050] N=727
Grains consumed daily or several times weekly	0.769 P=954	0.025 [0.043] N=1,245	0.029 [0.044] N=1,148	0.009 [0.047] N=1,029	0.008 [0.052] N=883	0.001 [0.056] N=727

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.009 [0.056] N=1,054	0.003 [0.058] N=957	-0.015 [0.067] N=838	-0.016 [0.081] N=692	-0.080 [0.112] N=536
Vegetables consumed daily or several times weekly	-0.032 [0.070] N=1,054	-0.044 [0.073] N=957	-0.108 [0.081] N=838	-0.148 [0.104] N=692	**-0.285** [0.131] N=536**
Meat fish or poultry consumed daily or several times weekly	-0.076 [0.070] N=1,054	-0.100 [0.073] N=957	**-0.151* [0.081] N=838**	-0.127 [0.097] N=692	**-0.226* [0.130] N=536**
Legumes consumed daily or several times weekly	-0.094 [0.078] N=1,054	-0.090 [0.086] N=957	-0.094 [0.089] N=838	-0.050 [0.109] N=692	-0.048 [0.150] N=536
Animal products consumed daily or several times weekly	0.092 [0.065] N=1,054	0.089 [0.072] N=957	0.039 [0.081] N=838	0.066 [0.100] N=692	0.044 [0.122] N=536
Sweets consumed daily or several times weekly	-0.058 [0.064] N=1,054	-0.078 [0.067] N=957	-0.048 [0.077] N=838	-0.042 [0.088] N=692	0.063 [0.124] N=536
Snack foods consumed daily or several times weekly	-0.024 [0.065] N=1,054	-0.077 [0.070] N=957	-0.082 [0.078] N=838	-0.050 [0.094] N=692	-0.073 [0.113] N=536
Packaged soft drinks consumed daily or several times weekly	0.019 [0.057] N=1,054	-0.000 [0.066] N=957	-0.021 [0.076] N=838	-0.030 [0.095] N=692	-0.126 [0.134] N=536
Grains consumed daily or several times weekly	0.049 [0.066] N=1,054	0.063 [0.071] N=957	0.017 [0.080] N=838	0.004 [0.095] N=692	-0.054 [0.122] N=536

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,028	-0.028 [0.036] N=1,245	-0.039 [0.037] N=1,148	-0.058 [0.039] N=1,029	-0.065 [0.041] N=883	**-0.097** [0.049] N=727**
Vegetables consumed daily or several times weekly	0.761 P=947	-0.034 [0.047] N=1,245	-0.042 [0.047] N=1,148	-0.078 [0.050] N=1,029	-0.085 [0.055] N=883	**-0.124** [0.060] N=727**
Meat fish or poultry consumed daily or several times weekly	0.549 P=685	-0.007 [0.057] N=1,245	-0.008 [0.058] N=1,148	-0.027 [0.064] N=1,029	0.005 [0.073] N=883	-0.006 [0.084] N=727
Legumes consumed daily or several times weekly	0.552 P=684	-0.031 [0.056] N=1,245	-0.022 [0.059] N=1,148	-0.015 [0.061] N=1,029	0.019 [0.068] N=883	0.039 [0.082] N=727
Animal products consumed daily or several times weekly	0.846 P=1,050	0.065 [0.042] N=1,245	0.060 [0.044] N=1,148	0.034 [0.047] N=1,029	0.038 [0.050] N=883	0.019 [0.054] N=727
Sweets consumed daily or several times weekly	0.404 P=504	-0.040 [0.051] N=1,245	-0.058 [0.052] N=1,148	-0.043 [0.057] N=1,029	-0.033 [0.062] N=883	0.001 [0.072] N=727
Snack foods consumed daily or several times weekly	0.302 P=371	0.011 [0.049] N=1,245	-0.016 [0.052] N=1,148	-0.015 [0.057] N=1,029	0.014 [0.062] N=883	0.030 [0.068] N=727
Packaged soft drinks consumed daily or several times weekly	0.170 P=207	0.013 [0.037] N=1,245	0.000 [0.040] N=1,148	-0.012 [0.043] N=1,029	-0.014 [0.046] N=883	-0.038 [0.049] N=727
Grains consumed daily or several times weekly	0.769 P=954	0.030 [0.043] N=1,245	0.034 [0.043] N=1,148	0.014 [0.047] N=1,029	0.010 [0.052] N=883	0.001 [0.057] N=727

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.019 [0.055] N=1,054	0.015 [0.058] N=957	-0.008 [0.066] N=838	-0.015 [0.076] N=692	-0.112 [0.115] N=536
Vegetables consumed daily or several times weekly	-0.034 [0.070] N=1,054	-0.041 [0.073] N=957	-0.113 [0.082] N=838	-0.167 [0.105] N=692	**-0.336** [0.139] N=536**
Meat fish or poultry consumed daily or several times weekly	-0.083 [0.068] N=1,054	-0.095 [0.070] N=957	**-0.157** [0.078] N=838**	-0.154 [0.093] N=692	**-0.300** [0.128] N=536**
Legumes consumed daily or several times weekly	-0.101 [0.079] N=1,054	-0.090 [0.087] N=957	-0.102 [0.091] N=838	-0.071 [0.112] N=692	-0.088 [0.153] N=536
Animal products consumed daily or several times weekly	0.094 [0.066] N=1,054	0.095 [0.074] N=957	0.040 [0.082] N=838	0.058 [0.101] N=692	0.027 [0.126] N=536
Sweets consumed daily or several times weekly	-0.052 [0.064] N=1,054	-0.077 [0.065] N=957	-0.048 [0.074] N=838	-0.039 [0.088] N=692	0.058 [0.125] N=536
Snack foods consumed daily or several times weekly	-0.019 [0.064] N=1,054	-0.077 [0.068] N=957	-0.080 [0.078] N=838	-0.052 [0.095] N=692	-0.067 [0.112] N=536
Packaged soft drinks consumed daily or several times weekly	0.022 [0.056] N=1,054	-0.001 [0.065] N=957	-0.022 [0.076] N=838	-0.035 [0.093] N=692	-0.120 [0.133] N=536
Grains consumed daily or several times weekly	0.056 [0.067] N=1,054	0.066 [0.071] N=957	0.022 [0.081] N=838	0.003 [0.097] N=692	-0.065 [0.124] N=536

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.830 P=942	-0.008 [0.040] N=1,144	-0.028 [0.040] N=1,060	-0.033 [0.043] N=950	-0.043 [0.043] N=817	-0.069 [0.048] N=677
Vegetables consumed daily or several times weekly	0.760 P=869	-0.022 [0.050] N=1,144	-0.038 [0.051] N=1,060	-0.062 [0.054] N=950	-0.069 [0.056] N=817	**-0.099* [0.058] N=677**
Meat fish or poultry consumed daily or several times weekly	0.551 P=630	0.033 [0.055] N=1,144	0.024 [0.056] N=1,060	0.014 [0.060] N=950	0.029 [0.068] N=817	0.022 [0.075] N=677
Legumes consumed daily or several times weekly	0.546 P=622	-0.024 [0.057] N=1,144	-0.031 [0.060] N=1,060	-0.011 [0.062] N=950	0.019 [0.068] N=817	0.043 [0.080] N=677
Animal products consumed daily or several times weekly	0.850 P=969	**0.084* [0.044] N=1,144**	0.072 [0.046] N=1,060	0.046 [0.048] N=950	0.039 [0.051] N=817	0.021 [0.054] N=677
Sweets consumed daily or several times weekly	0.404 P=462	-0.019 [0.053] N=1,144	-0.035 [0.056] N=1,060	-0.017 [0.061] N=950	-0.010 [0.065] N=817	0.025 [0.074] N=677
Snack foods consumed daily or several times weekly	0.302 P=341	0.002 [0.055] N=1,144	-0.015 [0.058] N=1,060	-0.006 [0.062] N=950	0.024 [0.068] N=817	0.051 [0.075] N=677
Packaged soft drinks consumed daily or several times weekly	0.172 P=192	0.022 [0.036] N=1,144	0.010 [0.039] N=1,060	-0.004 [0.043] N=950	-0.002 [0.046] N=817	-0.022 [0.052] N=677
Grains consumed daily or several times weekly	0.767 P=873	0.023 [0.046] N=1,144	0.020 [0.046] N=1,060	-0.005 [0.050] N=950	-0.010 [0.056] N=817	-0.026 [0.060] N=677

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.034 [0.061] N=966	0.013 [0.064] N=882	-0.000 [0.074] N=772	-0.030 [0.087] N=639	-0.098 [0.113] N=499
Vegetables consumed daily or several times weekly	-0.012 [0.076] N=966	-0.026 [0.080] N=882	-0.082 [0.091] N=772	-0.133 [0.113] N=639	**-0.253* [0.134] N=499**
Meat fish or poultry consumed daily or several times weekly	-0.028 [0.075] N=966	-0.058 [0.077] N=882	-0.092 [0.087] N=772	-0.135 [0.100] N=639	**-0.228* [0.131] N=499**
Legumes consumed daily or several times weekly	-0.077 [0.084] N=966	-0.093 [0.093] N=882	-0.076 [0.097] N=772	-0.044 [0.113] N=639	-0.021 [0.154] N=499
Animal products consumed daily or several times weekly	**0.123* [0.072] N=966**	0.112 [0.080] N=882	0.061 [0.089] N=772	0.050 [0.110] N=639	0.039 [0.139] N=499
Sweets consumed daily or several times weekly	-0.044 [0.067] N=966	-0.067 [0.073] N=882	-0.044 [0.085] N=772	-0.047 [0.099] N=639	0.059 [0.138] N=499
Snack foods consumed daily or several times weekly	-0.040 [0.071] N=966	-0.075 [0.077] N=882	-0.074 [0.087] N=772	-0.035 [0.103] N=639	-0.007 [0.126] N=499
Packaged soft drinks consumed daily or several times weekly	0.026 [0.056] N=966	0.006 [0.065] N=882	-0.021 [0.076] N=772	-0.018 [0.094] N=639	-0.065 [0.136] N=499
Grains consumed daily or several times weekly	0.065 [0.069] N=966	0.068 [0.074] N=882	0.012 [0.083] N=772	-0.003 [0.099] N=639	-0.054 [0.127] N=499

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.830 P=942	-0.012 [0.040] N=1,144	-0.030 [0.040] N=1,060	-0.033 [0.043] N=950	-0.044 [0.044] N=817	-0.071 [0.048] N=677
Vegetables consumed daily or several times weekly	0.760 P=869	-0.023 [0.049] N=1,144	-0.038 [0.050] N=1,060	-0.062 [0.053] N=950	-0.069 [0.056] N=817	**-0.101* [0.058] N=677**
Meat fish or poultry consumed daily or several times weekly	0.551 P=630	0.030 [0.055] N=1,144	0.022 [0.056] N=1,060	0.014 [0.060] N=950	0.029 [0.068] N=817	0.022 [0.076] N=677
Legumes consumed daily or several times weekly	0.546 P=622	-0.024 [0.057] N=1,144	-0.030 [0.060] N=1,060	-0.010 [0.062] N=950	0.019 [0.068] N=817	0.040 [0.079] N=677
Animal products consumed daily or several times weekly	0.850 P=969	**0.083* [0.044] N=1,144**	0.071 [0.045] N=1,060	0.047 [0.047] N=950	0.042 [0.050] N=817	0.025 [0.053] N=677
Sweets consumed daily or several times weekly	0.404 P=462	-0.020 [0.052] N=1,144	-0.036 [0.055] N=1,060	-0.018 [0.060] N=950	-0.013 [0.065] N=817	0.024 [0.074] N=677
Snack foods consumed daily or several times weekly	0.302 P=341	0.002 [0.055] N=1,144	-0.016 [0.058] N=1,060	-0.006 [0.062] N=950	0.021 [0.068] N=817	0.045 [0.075] N=677
Packaged soft drinks consumed daily or several times weekly	0.172 P=192	0.025 [0.036] N=1,144	0.013 [0.039] N=1,060	-0.001 [0.043] N=950	0.001 [0.046] N=817	-0.020 [0.051] N=677
Grains consumed daily or several times weekly	0.767 P=873	0.023 [0.045] N=1,144	0.021 [0.046] N=1,060	-0.005 [0.050] N=950	-0.009 [0.056] N=817	-0.025 [0.060] N=677

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.024 [0.061] N=966	0.004 [0.063] N=882	-0.002 [0.074] N=772	-0.028 [0.086] N=639	-0.102 [0.112] N=499
Vegetables consumed daily or several times weekly	-0.020 [0.074] N=966	-0.034 [0.079] N=882	-0.086 [0.090] N=772	-0.136 [0.112] N=639	**-0.269** [0.135] N=499**
Meat fish or poultry consumed daily or several times weekly	-0.033 [0.075] N=966	-0.061 [0.077] N=882	-0.093 [0.086] N=772	-0.132 [0.100] N=639	**-0.229* [0.134] N=499**
Legumes consumed daily or several times weekly	-0.079 [0.083] N=966	-0.094 [0.092] N=882	-0.075 [0.096] N=772	-0.042 [0.112] N=639	-0.029 [0.152] N=499
Animal products consumed daily or several times weekly	0.117 [0.071] N=966	0.107 [0.078] N=882	0.060 [0.088] N=772	0.053 [0.107] N=639	0.035 [0.134] N=499
Sweets consumed daily or several times weekly	-0.054 [0.067] N=966	-0.080 [0.072] N=882	-0.051 [0.085] N=772	-0.050 [0.097] N=639	0.056 [0.137] N=499
Snack foods consumed daily or several times weekly	-0.045 [0.071] N=966	-0.084 [0.076] N=882	-0.079 [0.087] N=772	-0.039 [0.102] N=639	-0.020 [0.125] N=499
Packaged soft drinks consumed daily or several times weekly	0.026 [0.057] N=966	0.004 [0.065] N=882	-0.021 [0.076] N=772	-0.014 [0.094] N=639	-0.062 [0.135] N=499
Grains consumed daily or several times weekly	0.063 [0.069] N=966	0.067 [0.074] N=882	0.013 [0.083] N=772	0.002 [0.099] N=639	-0.053 [0.128] N=499

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=896	0.007 [0.049] N=1,068	0.013 [0.051] N=965	-0.008 [0.056] N=841	-0.032 [0.058] N=702	-0.042 [0.068] N=573
Vegetables consumed daily or several times weekly	0.774 P=827	-0.023 [0.058] N=1,068	-0.016 [0.061] N=965	0.007 [0.068] N=841	-0.011 [0.072] N=702	0.008 [0.081] N=573
Meat fish or poultry consumed daily or several times weekly	0.544 P=586	0.018 [0.070] N=1,068	0.015 [0.073] N=965	-0.020 [0.081] N=841	0.001 [0.092] N=702	-0.013 [0.106] N=573
Legumes consumed daily or several times weekly	0.559 P=599	0.022 [0.065] N=1,068	0.044 [0.067] N=965	0.032 [0.072] N=841	0.012 [0.080] N=702	0.041 [0.089] N=573
Animal products consumed daily or several times weekly	0.849 P=904	0.029 [0.045] N=1,068	0.032 [0.048] N=965	0.020 [0.054] N=841	0.016 [0.057] N=702	0.019 [0.065] N=573
Sweets consumed daily or several times weekly	0.409 P=439	-0.077 [0.059] N=1,068	-0.093 [0.060] N=965	-0.090 [0.067] N=841	-0.112 [0.072] N=702	**-0.183** [0.080] N=573**
Snack foods consumed daily or several times weekly	0.316 P=334	-0.057 [0.054] N=1,068	-0.073 [0.056] N=965	-0.087 [0.060] N=841	-0.100 [0.064] N=702	**-0.172** [0.075] N=573**
Packaged soft drinks consumed daily or several times weekly	0.164 P=173	-0.025 [0.039] N=1,068	-0.043 [0.039] N=965	-0.009 [0.044] N=841	-0.034 [0.046] N=702	**-0.111** [0.050] N=573**
Grains consumed daily or several times weekly	0.760 P=814	**0.114* [0.059] N=1,068**	**0.121* [0.062] N=965**	**0.112* [0.067] N=841**	0.096 [0.075] N=702	0.071 [0.083] N=573

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.054 [0.078] N=929	0.058 [0.084] N=826	0.030 [0.101] N=702	0.027 [0.103] N=563	0.026 [0.142] N=434
Vegetables consumed daily or several times weekly	-0.079 [0.086] N=929	-0.080 [0.095] N=826	-0.059 [0.116] N=702	-0.098 [0.120] N=563	-0.080 [0.162] N=434
Meat fish or poultry consumed daily or several times weekly	-0.019 [0.085] N=929	-0.036 [0.090] N=826	-0.133 [0.103] N=702	-0.133 [0.115] N=563	-0.207 [0.146] N=434
Legumes consumed daily or several times weekly	0.063 [0.089] N=929	0.094 [0.094] N=826	0.086 [0.105] N=702	0.087 [0.124] N=563	0.233 [0.154] N=434
Animal products consumed daily or several times weekly	0.014 [0.066] N=929	0.018 [0.072] N=826	-0.012 [0.081] N=702	-0.000 [0.082] N=563	0.024 [0.100] N=434
Sweets consumed daily or several times weekly	0.007 [0.083] N=929	-0.012 [0.085] N=826	0.013 [0.097] N=702	0.003 [0.112] N=563	-0.139 [0.144] N=434
Snack foods consumed daily or several times weekly	-0.022 [0.070] N=929	-0.046 [0.073] N=826	-0.081 [0.081] N=702	-0.080 [0.093] N=563	**-0.284** [0.118] N=434**
Packaged soft drinks consumed daily or several times weekly	0.003 [0.063] N=929	-0.019 [0.065] N=826	0.055 [0.078] N=702	0.037 [0.088] N=563	-0.137 [0.106] N=434
Grains consumed daily or several times weekly	0.041 [0.079] N=929	0.041 [0.085] N=826	-0.008 [0.094] N=702	-0.092 [0.110] N=563	**-0.252** [0.122] N=434**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=896	0.008 [0.049] N=1,068	0.014 [0.051] N=965	-0.007 [0.055] N=841	-0.031 [0.058] N=702	-0.042 [0.067] N=573
Vegetables consumed daily or several times weekly	0.774 P=827	-0.022 [0.057] N=1,068	-0.015 [0.060] N=965	0.008 [0.067] N=841	-0.010 [0.072] N=702	0.007 [0.080] N=573
Meat fish or poultry consumed daily or several times weekly	0.544 P=586	0.020 [0.070] N=1,068	0.017 [0.074] N=965	-0.017 [0.083] N=841	0.003 [0.094] N=702	-0.014 [0.107] N=573
Legumes consumed daily or several times weekly	0.559 P=599	0.022 [0.065] N=1,068	0.045 [0.067] N=965	0.033 [0.072] N=841	0.012 [0.080] N=702	0.041 [0.089] N=573
Animal products consumed daily or several times weekly	0.849 P=904	0.031 [0.044] N=1,068	0.033 [0.047] N=965	0.021 [0.053] N=841	0.017 [0.057] N=702	0.019 [0.064] N=573
Sweets consumed daily or several times weekly	0.409 P=439	-0.075 [0.059] N=1,068	-0.092 [0.060] N=965	-0.088 [0.067] N=841	-0.111 [0.072] N=702	**-0.183** [0.080] N=573**
Snack foods consumed daily or several times weekly	0.316 P=334	-0.056 [0.054] N=1,068	-0.072 [0.056] N=965	-0.086 [0.060] N=841	-0.100 [0.064] N=702	**-0.172** [0.075] N=573**
Packaged soft drinks consumed daily or several times weekly	0.164 P=173	-0.025 [0.038] N=1,068	-0.043 [0.039] N=965	-0.008 [0.044] N=841	-0.034 [0.047] N=702	**-0.111** [0.050] N=573**
Grains consumed daily or several times weekly	0.760 P=814	**0.115* [0.059] N=1,068**	**0.122* [0.062] N=965**	**0.114* [0.066] N=841**	0.096 [0.075] N=702	0.071 [0.083] N=573

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.055 [0.077] N=929	0.059 [0.083] N=826	0.033 [0.100] N=702	0.028 [0.103] N=563	0.029 [0.141] N=434
Vegetables consumed daily or several times weekly	-0.078 [0.085] N=929	-0.078 [0.095] N=826	-0.056 [0.115] N=702	-0.093 [0.120] N=563	-0.077 [0.163] N=434
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.085] N=929	-0.032 [0.091] N=826	-0.126 [0.103] N=702	-0.123 [0.116] N=563	-0.205 [0.147] N=434
Legumes consumed daily or several times weekly	0.065 [0.090] N=929	0.096 [0.094] N=826	0.088 [0.105] N=702	0.088 [0.123] N=563	0.229 [0.151] N=434
Animal products consumed daily or several times weekly	0.016 [0.064] N=929	0.021 [0.070] N=826	-0.008 [0.080] N=702	0.007 [0.081] N=563	0.031 [0.097] N=434
Sweets consumed daily or several times weekly	0.010 [0.083] N=929	-0.009 [0.085] N=826	0.018 [0.097] N=702	0.005 [0.113] N=563	-0.137 [0.144] N=434
Snack foods consumed daily or several times weekly	-0.019 [0.070] N=929	-0.043 [0.073] N=826	-0.079 [0.081] N=702	-0.082 [0.093] N=563	**-0.284** [0.119] N=434**
Packaged soft drinks consumed daily or several times weekly	0.004 [0.062] N=929	-0.018 [0.064] N=826	0.057 [0.077] N=702	0.038 [0.088] N=563	-0.137 [0.105] N=434
Grains consumed daily or several times weekly	0.043 [0.080] N=929	0.043 [0.087] N=826	-0.005 [0.095] N=702	-0.095 [0.110] N=563	**-0.254** [0.123] N=434**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=896	-0.006 [0.047] N=1,068	-0.001 [0.049] N=965	-0.010 [0.055] N=841	-0.035 [0.058] N=702	-0.046 [0.068] N=573
Vegetables consumed daily or several times weekly	0.774 P=827	-0.032 [0.056] N=1,068	-0.026 [0.059] N=965	0.004 [0.066] N=841	-0.015 [0.071] N=702	0.000 [0.079] N=573
Meat fish or poultry consumed daily or several times weekly	0.544 P=586	0.000 [0.066] N=1,068	-0.002 [0.069] N=965	-0.021 [0.077] N=841	-0.004 [0.086] N=702	-0.019 [0.099] N=573
Legumes consumed daily or several times weekly	0.559 P=599	0.012 [0.065] N=1,068	0.037 [0.067] N=965	0.031 [0.072] N=841	0.010 [0.078] N=702	0.040 [0.088] N=573
Animal products consumed daily or several times weekly	0.849 P=904	0.021 [0.045] N=1,068	0.023 [0.048] N=965	0.017 [0.054] N=841	0.013 [0.059] N=702	0.016 [0.065] N=573
Sweets consumed daily or several times weekly	0.409 P=439	-0.079 [0.059] N=1,068	-0.098 [0.060] N=965	-0.093 [0.067] N=841	-0.114 [0.072] N=702	**-0.188** [0.080] N=573**
Snack foods consumed daily or several times weekly	0.316 P=334	-0.056 [0.054] N=1,068	-0.074 [0.056] N=965	-0.091 [0.060] N=841	-0.103 [0.066] N=702	**-0.179** [0.076] N=573**
Packaged soft drinks consumed daily or several times weekly	0.164 P=173	-0.022 [0.038] N=1,068	-0.042 [0.038] N=965	-0.010 [0.043] N=841	-0.033 [0.045] N=702	**-0.114** [0.048] N=573**
Grains consumed daily or several times weekly	0.760 P=814	**0.112* [0.060] N=1,068**	**0.118* [0.062] N=965**	**0.115* [0.067] N=841**	0.100 [0.075] N=702	0.074 [0.083] N=573

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.027 [0.077] N=929	0.028 [0.081] N=826	0.025 [0.099] N=702	0.014 [0.107] N=563	0.007 [0.146] N=434
Vegetables consumed daily or several times weekly	-0.099 [0.086] N=929	-0.101 [0.095] N=826	-0.065 [0.115] N=702	-0.106 [0.121] N=563	-0.100 [0.164] N=434
Meat fish or poultry consumed daily or several times weekly	-0.055 [0.085] N=929	-0.071 [0.090] N=826	-0.141 [0.102] N=702	-0.150 [0.116] N=563	**-0.247* [0.144] N=434**
Legumes consumed daily or several times weekly	0.042 [0.090] N=929	0.076 [0.093] N=826	0.081 [0.104] N=702	0.070 [0.119] N=563	0.208 [0.150] N=434
Animal products consumed daily or several times weekly	0.001 [0.064] N=929	0.005 [0.069] N=826	-0.013 [0.080] N=702	-0.001 [0.084] N=563	0.018 [0.100] N=434
Sweets consumed daily or several times weekly	0.010 [0.081] N=929	-0.011 [0.082] N=826	0.019 [0.095] N=702	0.006 [0.111] N=563	-0.129 [0.138] N=434
Snack foods consumed daily or several times weekly	-0.012 [0.069] N=929	-0.039 [0.072] N=826	-0.077 [0.080] N=702	-0.078 [0.091] N=563	**-0.274** [0.117] N=434**
Packaged soft drinks consumed daily or several times weekly	0.015 [0.060] N=929	-0.008 [0.061] N=826	0.061 [0.074] N=702	0.050 [0.082] N=563	-0.121 [0.097] N=434
Grains consumed daily or several times weekly	0.036 [0.080] N=929	0.034 [0.087] N=826	-0.001 [0.096] N=702	-0.088 [0.111] N=563	**-0.244** [0.122] N=434**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=896	-0.009 [0.049] N=1,068	-0.004 [0.050] N=965	-0.015 [0.056] N=841	-0.048 [0.059] N=702	-0.062 [0.067] N=573
Vegetables consumed daily or several times weekly	0.774 P=827	-0.042 [0.057] N=1,068	-0.034 [0.060] N=965	-0.007 [0.067] N=841	-0.032 [0.070] N=702	-0.017 [0.077] N=573
Meat fish or poultry consumed daily or several times weekly	0.544 P=586	-0.007 [0.065] N=1,068	-0.008 [0.067] N=965	-0.031 [0.075] N=841	-0.025 [0.084] N=702	-0.045 [0.096] N=573
Legumes consumed daily or several times weekly	0.559 P=599	0.007 [0.065] N=1,068	0.030 [0.066] N=965	0.024 [0.071] N=841	-0.003 [0.077] N=702	0.028 [0.085] N=573
Animal products consumed daily or several times weekly	0.849 P=904	0.024 [0.044] N=1,068	0.027 [0.047] N=965	0.021 [0.054] N=841	0.013 [0.058] N=702	0.014 [0.064] N=573
Sweets consumed daily or several times weekly	0.409 P=439	-0.066 [0.060] N=1,068	-0.087 [0.061] N=965	-0.082 [0.068] N=841	-0.108 [0.073] N=702	**-0.179** [0.082] N=573**
Snack foods consumed daily or several times weekly	0.316 P=334	-0.046 [0.054] N=1,068	-0.062 [0.056] N=965	-0.078 [0.060] N=841	-0.090 [0.065] N=702	**-0.162** [0.075] N=573**
Packaged soft drinks consumed daily or several times weekly	0.164 P=173	-0.011 [0.037] N=1,068	-0.030 [0.038] N=965	0.000 [0.042] N=841	-0.019 [0.045] N=702	**-0.092* [0.050] N=573**
Grains consumed daily or several times weekly	0.760 P=814	**0.114* [0.059] N=1,068**	**0.119* [0.062] N=965**	0.110 [0.067] N=841	0.093 [0.075] N=702	0.069 [0.083] N=573

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.038 [0.081] N=929	0.040 [0.086] N=826	0.041 [0.107] N=702	0.009 [0.119] N=563	-0.012 [0.157] N=434
Vegetables consumed daily or several times weekly	-0.106 [0.088] N=929	-0.107 [0.098] N=826	-0.072 [0.121] N=702	-0.134 [0.126] N=563	-0.139 [0.169] N=434
Meat fish or poultry consumed daily or several times weekly	-0.055 [0.085] N=929	-0.069 [0.091] N=826	-0.143 [0.104] N=702	-0.180 [0.120] N=563	**-0.297** [0.143] N=434**
Legumes consumed daily or several times weekly	0.042 [0.092] N=929	0.070 [0.096] N=826	0.073 [0.107] N=702	0.046 [0.124] N=563	0.174 [0.153] N=434
Animal products consumed daily or several times weekly	0.003 [0.063] N=929	0.008 [0.069] N=826	-0.012 [0.080] N=702	-0.007 [0.086] N=563	0.012 [0.103] N=434
Sweets consumed daily or several times weekly	0.029 [0.081] N=929	0.006 [0.082] N=826	0.041 [0.094] N=702	0.024 [0.112] N=563	-0.104 [0.138] N=434
Snack foods consumed daily or several times weekly	-0.000 [0.069] N=929	-0.025 [0.072] N=826	-0.058 [0.080] N=702	-0.057 [0.091] N=563	**-0.243** [0.119] N=434**
Packaged soft drinks consumed daily or several times weekly	0.020 [0.060] N=929	-0.002 [0.062] N=826	0.065 [0.074] N=702	0.064 [0.081] N=563	-0.086 [0.100] N=434
Grains consumed daily or several times weekly	0.047 [0.079] N=929	0.045 [0.085] N=826	-0.000 [0.095] N=702	-0.099 [0.110] N=563	**-0.248** [0.121] N=434**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=819	0.002 [0.050] N=977	0.006 [0.051] N=880	0.007 [0.056] N=774	-0.031 [0.060] N=645	-0.052 [0.068] N=531
Vegetables consumed daily or several times weekly	0.775 P=758	-0.033 [0.059] N=977	-0.029 [0.062] N=880	0.006 [0.068] N=774	-0.030 [0.075] N=645	-0.041 [0.083] N=531
Meat fish or poultry consumed daily or several times weekly	0.545 P=536	0.013 [0.075] N=977	0.001 [0.079] N=880	-0.008 [0.088] N=774	-0.005 [0.102] N=645	-0.032 [0.117] N=531
Legumes consumed daily or several times weekly	0.557 P=546	0.033 [0.068] N=977	0.059 [0.071] N=880	0.043 [0.077] N=774	0.005 [0.085] N=645	0.018 [0.097] N=531
Animal products consumed daily or several times weekly	0.852 P=830	0.037 [0.047] N=977	0.040 [0.050] N=880	0.039 [0.057] N=774	0.017 [0.062] N=645	0.016 [0.070] N=531
Sweets consumed daily or several times weekly	0.414 P=406	-0.089 [0.060] N=977	**-0.112* [0.061] N=880**	-0.106 [0.069] N=774	**-0.144* [0.077] N=645**	**-0.225*** [0.085] N=531**
Snack foods consumed daily or several times weekly	0.320 P=310	-0.064 [0.058] N=977	-0.084 [0.061] N=880	-0.098 [0.065] N=774	-0.115 [0.072] N=645	**-0.201** [0.082] N=531**
Packaged soft drinks consumed daily or several times weekly	0.168 P=163	-0.040 [0.040] N=977	-0.063 [0.041] N=880	-0.029 [0.045] N=774	-0.063 [0.050] N=645	**-0.160*** [0.054] N=531**
Grains consumed daily or several times weekly	0.756 P=741	**0.133** [0.061] N=977**	**0.137** [0.064] N=880**	**0.124* [0.069] N=774**	0.097 [0.079] N=645	0.062 [0.088] N=531

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.079] N=848	0.055 [0.084] N=751	0.073 [0.100] N=645	0.026 [0.105] N=516	-0.024 [0.138] N=402
Vegetables consumed daily or several times weekly	-0.089 [0.084] N=848	-0.092 [0.093] N=751	-0.054 [0.112] N=645	-0.143 [0.121] N=516	-0.215 [0.157] N=402
Meat fish or poultry consumed daily or several times weekly	-0.012 [0.095] N=848	-0.034 [0.101] N=751	-0.076 [0.112] N=645	-0.128 [0.131] N=516	-0.250 [0.164] N=402
Legumes consumed daily or several times weekly	0.095 [0.094] N=848	0.135 [0.097] N=751	0.138 [0.107] N=645	0.127 [0.128] N=516	0.231 [0.167] N=402
Animal products consumed daily or several times weekly	0.017 [0.066] N=848	0.023 [0.072] N=751	0.022 [0.081] N=645	-0.010 [0.090] N=516	-0.022 [0.112] N=402
Sweets consumed daily or several times weekly	0.004 [0.084] N=848	-0.023 [0.086] N=751	0.005 [0.098] N=645	-0.032 [0.116] N=516	-0.199 [0.147] N=402
Snack foods consumed daily or several times weekly	-0.026 [0.074] N=848	-0.055 [0.078] N=751	-0.095 [0.086] N=645	-0.113 [0.101] N=516	**-0.338*** [0.125] N=402**
Packaged soft drinks consumed daily or several times weekly	-0.013 [0.068] N=848	-0.043 [0.070] N=751	0.029 [0.083] N=645	-0.006 [0.099] N=516	**-0.259** [0.116] N=402**
Grains consumed daily or several times weekly	0.071 [0.087] N=848	0.068 [0.094] N=751	0.021 [0.104] N=645	-0.100 [0.125] N=516	**-0.302** [0.139] N=402**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=819	0.006 [0.049] N=977	0.012 [0.050] N=880	0.009 [0.055] N=774	-0.031 [0.058] N=645	-0.055 [0.067] N=531
Vegetables consumed daily or several times weekly	0.775 P=758	-0.031 [0.058] N=977	-0.027 [0.061] N=880	0.010 [0.067] N=774	-0.028 [0.074] N=645	-0.039 [0.084] N=531
Meat fish or poultry consumed daily or several times weekly	0.545 P=536	0.017 [0.074] N=977	0.007 [0.078] N=880	-0.006 [0.085] N=774	-0.010 [0.099] N=645	-0.038 [0.114] N=531
Legumes consumed daily or several times weekly	0.557 P=546	0.026 [0.068] N=977	0.053 [0.070] N=880	0.037 [0.075] N=774	-0.006 [0.084] N=645	0.008 [0.097] N=531
Animal products consumed daily or several times weekly	0.852 P=830	0.033 [0.047] N=977	0.036 [0.050] N=880	0.035 [0.056] N=774	0.014 [0.061] N=645	0.013 [0.069] N=531
Sweets consumed daily or several times weekly	0.414 P=406	-0.090 [0.062] N=977	**-0.113* [0.063] N=880**	-0.111 [0.071] N=774	**-0.151* [0.079] N=645**	**-0.232*** [0.088] N=531**
Snack foods consumed daily or several times weekly	0.320 P=310	-0.061 [0.058] N=977	-0.083 [0.060] N=880	-0.097 [0.064] N=774	-0.115 [0.070] N=645	**-0.199** [0.081] N=531**
Packaged soft drinks consumed daily or several times weekly	0.168 P=163	-0.044 [0.040] N=977	-0.068 [0.041] N=880	-0.034 [0.045] N=774	-0.067 [0.049] N=645	**-0.164*** [0.052] N=531**
Grains consumed daily or several times weekly	0.756 P=741	**0.134** [0.061] N=977**	**0.138** [0.063] N=880**	**0.126* [0.068] N=774**	0.101 [0.078] N=645	0.066 [0.087] N=531

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.055 [0.079] N=848	0.060 [0.084] N=751	0.074 [0.099] N=645	0.021 [0.103] N=516	-0.020 [0.138] N=402
Vegetables consumed daily or several times weekly	-0.086 [0.082] N=848	-0.090 [0.092] N=751	-0.045 [0.112] N=645	-0.140 [0.119] N=516	-0.209 [0.155] N=402
Meat fish or poultry consumed daily or several times weekly	-0.005 [0.095] N=848	-0.027 [0.101] N=751	-0.073 [0.112] N=645	-0.133 [0.131] N=516	-0.243 [0.167] N=402
Legumes consumed daily or several times weekly	0.093 [0.094] N=848	0.137 [0.098] N=751	0.143 [0.107] N=645	0.120 [0.129] N=516	0.248 [0.167] N=402
Animal products consumed daily or several times weekly	0.016 [0.066] N=848	0.024 [0.072] N=751	0.022 [0.080] N=645	-0.010 [0.090] N=516	-0.012 [0.113] N=402
Sweets consumed daily or several times weekly	0.009 [0.084] N=848	-0.019 [0.086] N=751	0.005 [0.097] N=645	-0.038 [0.114] N=516	-0.215 [0.144] N=402
Snack foods consumed daily or several times weekly	-0.026 [0.074] N=848	-0.059 [0.078] N=751	-0.096 [0.085] N=645	-0.108 [0.100] N=516	**-0.343*** [0.124] N=402**
Packaged soft drinks consumed daily or several times weekly	-0.017 [0.068] N=848	-0.048 [0.070] N=751	0.024 [0.082] N=645	-0.007 [0.097] N=516	**-0.249** [0.115] N=402**
Grains consumed daily or several times weekly	0.073 [0.086] N=848	0.070 [0.093] N=751	0.029 [0.103] N=645	-0.092 [0.123] N=516	**-0.294** [0.135] N=402**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.