Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=961	0.016 [0.048] N=1,257	0.020 [0.051] N=1,164	0.019 [0.054] N=1,039	0.034 [0.058] N=892	0.012 [0.061] N=741
Not underweight WAZ at least -2	0.917 P=1,331	**-0.071*** [0.026] N=1,451**	**-0.056** [0.027] N=1,342**	**-0.050* [0.029] N=1,200**	-0.046 [0.031] N=1,024	-0.040 [0.034] N=846
Neither wasted nor overweight WHZ -2 to +2	0.680 P=859	-0.019 [0.052] N=1,255	-0.036 [0.056] N=1,163	-0.016 [0.060] N=1,042	-0.044 [0.069] N=891	-0.025 [0.077] N=738
Neither low nor high BMIZ -2 to +2	0.644 P=801	-0.011 [0.057] N=1,231	-0.014 [0.061] N=1,142	-0.014 [0.063] N=1,020	-0.050 [0.073] N=871	-0.063 [0.082] N=723
Strict normal HAZ -2 to +3	0.688 P=877	0.046 [0.054] N=1,257	0.061 [0.057] N=1,164	0.060 [0.062] N=1,039	0.057 [0.065] N=892	0.044 [0.073] N=741
Strict normal WAZ -2 to +1	0.688 P=1,006	**-0.089* [0.049] N=1,451**	**-0.090* [0.052] N=1,342**	**-0.098* [0.054] N=1,200**	**-0.110* [0.057] N=1,024**	-0.075 [0.061] N=846
Strict normal WHZ -2 to +1	0.515 P=647	-0.033 [0.054] N=1,255	-0.040 [0.058] N=1,163	-0.045 [0.060] N=1,042	-0.090 [0.067] N=891	-0.093 [0.074] N=738
Strict normal BMIZ -2 to +1	0.497 P=618	-0.049 [0.057] N=1,231	-0.050 [0.061] N=1,142	-0.046 [0.064] N=1,020	-0.097 [0.073] N=871	-0.098 [0.084] N=723
Above-normal height HAZ above +3	0.067 P=84	-0.030 [0.029] N=1,257	-0.041 [0.032] N=1,164	-0.041 [0.035] N=1,039	-0.023 [0.038] N=892	-0.032 [0.042] N=741
Above-normal weight WAZ above +1	0.228 P=325	0.018 [0.047] N=1,451	0.034 [0.050] N=1,342	0.047 [0.053] N=1,200	0.064 [0.055] N=1,024	0.034 [0.060] N=846
Above-normal WHZ above +1	0.365 P=456	0.066 [0.053] N=1,255	0.062 [0.056] N=1,163	0.077 [0.057] N=1,042	**0.110* [0.060] N=891**	**0.127** [0.064] N=738**
Above-normal BMIZ above +1	0.371 P=453	0.070 [0.053] N=1,231	0.065 [0.056] N=1,142	0.057 [0.061] N=1,020	0.076 [0.066] N=871	0.078 [0.074] N=723

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.009 [0.069] N=1,056	0.021 [0.076] N=963	0.031 [0.085] N=838	0.080 [0.101] N=691	0.071 [0.135] N=540
Not underweight WAZ at least -2	**-0.113*** [0.036] N=1,225**	**-0.089** [0.040] N=1,116**	**-0.087** [0.042] N=974**	**-0.099** [0.050] N=798**	-0.108 [0.069] N=620
Neither wasted nor overweight WHZ -2 to +2	0.031 [0.063] N=1,054	0.005 [0.070] N=962	0.055 [0.075] N=841	0.022 [0.100] N=690	0.135 [0.110] N=537
Neither low nor high BMIZ -2 to +2	0.030 [0.072] N=1,032	0.030 [0.079] N=943	0.057 [0.081] N=821	0.016 [0.108] N=672	0.012 [0.118] N=524
Strict normal HAZ -2 to +3	0.055 [0.078] N=1,056	0.089 [0.086] N=963	0.109 [0.098] N=838	0.122 [0.114] N=691	0.167 [0.151] N=540
Strict normal WAZ -2 to +1	-0.060 [0.068] N=1,225	-0.052 [0.075] N=1,116	-0.070 [0.082] N=974	-0.093 [0.090] N=798	0.027 [0.109] N=620
Strict normal WHZ -2 to +1	0.033 [0.072] N=1,054	0.033 [0.081] N=962	0.056 [0.082] N=841	-0.006 [0.107] N=690	0.035 [0.126] N=537
Strict normal BMIZ -2 to +1	-0.015 [0.069] N=1,032	-0.009 [0.075] N=943	0.026 [0.079] N=821	-0.065 [0.103] N=672	-0.033 [0.117] N=524
Above-normal height HAZ above +3	-0.046 [0.038] N=1,056	-0.068 [0.042] N=963	-0.078 [0.048] N=838	-0.042 [0.054] N=691	-0.095 [0.066] N=540
Above-normal weight WAZ above +1	-0.053 [0.064] N=1,225	-0.038 [0.071] N=1,116	-0.017 [0.079] N=974	-0.007 [0.091] N=798	-0.134 [0.118] N=620
Above-normal WHZ above +1	0.008 [0.077] N=1,054	-0.014 [0.086] N=962	-0.020 [0.090] N=841	0.030 [0.110] N=690	0.021 [0.132] N=537
Above-normal BMIZ above +1	0.058 [0.075] N=1,032	0.039 [0.082] N=943	-0.001 [0.090] N=821	0.031 [0.106] N=672	-0.024 [0.122] N=524

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=961	0.016 [0.048] N=1,257	0.019 [0.050] N=1,164	0.019 [0.053] N=1,039	0.033 [0.058] N=892	0.009 [0.061] N=741
Not underweight WAZ at least -2	0.917 P=1,331	**-0.071*** [0.026] N=1,451**	**-0.057** [0.027] N=1,342**	**-0.051* [0.029] N=1,200**	-0.046 [0.031] N=1,024	-0.042 [0.034] N=846
Neither wasted nor overweight WHZ -2 to +2	0.680 P=859	-0.020 [0.052] N=1,255	-0.037 [0.055] N=1,163	-0.017 [0.059] N=1,042	-0.047 [0.068] N=891	-0.030 [0.076] N=738
Neither low nor high BMIZ -2 to +2	0.644 P=801	-0.011 [0.057] N=1,231	-0.015 [0.062] N=1,142	-0.014 [0.063] N=1,020	-0.050 [0.073] N=871	-0.065 [0.082] N=723
Strict normal HAZ -2 to +3	0.688 P=877	0.045 [0.054] N=1,257	0.060 [0.057] N=1,164	0.060 [0.062] N=1,039	0.056 [0.066] N=892	0.039 [0.074] N=741
Strict normal WAZ -2 to +1	0.688 P=1,006	**-0.089* [0.049] N=1,451**	**-0.091* [0.052] N=1,342**	**-0.098* [0.055] N=1,200**	**-0.110* [0.057] N=1,024**	-0.076 [0.062] N=846
Strict normal WHZ -2 to +1	0.515 P=647	-0.034 [0.054] N=1,255	-0.042 [0.058] N=1,163	-0.046 [0.059] N=1,042	-0.092 [0.066] N=891	-0.097 [0.074] N=738
Strict normal BMIZ -2 to +1	0.497 P=618	-0.049 [0.057] N=1,231	-0.050 [0.061] N=1,142	-0.046 [0.064] N=1,020	-0.098 [0.073] N=871	-0.100 [0.084] N=723
Above-normal height HAZ above +3	0.067 P=84	-0.030 [0.030] N=1,257	-0.041 [0.032] N=1,164	-0.041 [0.035] N=1,039	-0.023 [0.038] N=892	-0.031 [0.043] N=741
Above-normal weight WAZ above +1	0.228 P=325	0.018 [0.047] N=1,451	0.034 [0.050] N=1,342	0.048 [0.053] N=1,200	0.064 [0.055] N=1,024	0.034 [0.060] N=846
Above-normal WHZ above +1	0.365 P=456	0.066 [0.053] N=1,255	0.063 [0.056] N=1,163	0.077 [0.057] N=1,042	**0.110* [0.060] N=891**	**0.128** [0.064] N=738**
Above-normal BMIZ above +1	0.371 P=453	0.070 [0.053] N=1,231	0.065 [0.056] N=1,142	0.057 [0.061] N=1,020	0.076 [0.065] N=871	0.079 [0.074] N=723

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.011 [0.069] N=1,056	0.024 [0.076] N=963	0.036 [0.084] N=838	0.082 [0.101] N=691	0.071 [0.135] N=540
Not underweight WAZ at least -2	**-0.112*** [0.036] N=1,225**	**-0.089** [0.040] N=1,116**	**-0.086** [0.043] N=974**	**-0.099* [0.050] N=798**	-0.108 [0.069] N=620
Neither wasted nor overweight WHZ -2 to +2	0.032 [0.063] N=1,054	0.005 [0.070] N=962	0.059 [0.075] N=841	0.023 [0.100] N=690	0.129 [0.108] N=537
Neither low nor high BMIZ -2 to +2	0.031 [0.072] N=1,032	0.030 [0.080] N=943	0.059 [0.081] N=821	0.017 [0.108] N=672	0.009 [0.119] N=524
Strict normal HAZ -2 to +3	0.059 [0.078] N=1,056	0.094 [0.086] N=963	0.118 [0.097] N=838	0.128 [0.114] N=691	0.166 [0.152] N=540
Strict normal WAZ -2 to +1	-0.058 [0.068] N=1,225	-0.051 [0.075] N=1,116	-0.067 [0.081] N=974	-0.093 [0.090] N=798	0.027 [0.109] N=620
Strict normal WHZ -2 to +1	0.034 [0.071] N=1,054	0.033 [0.081] N=962	0.059 [0.082] N=841	-0.005 [0.106] N=690	0.031 [0.125] N=537
Strict normal BMIZ -2 to +1	-0.013 [0.069] N=1,032	-0.008 [0.075] N=943	0.029 [0.079] N=821	-0.064 [0.103] N=672	-0.036 [0.117] N=524
Above-normal height HAZ above +3	-0.048 [0.039] N=1,056	**-0.070* [0.042] N=963**	**-0.082* [0.048] N=838**	-0.045 [0.054] N=691	-0.095 [0.066] N=540
Above-normal weight WAZ above +1	-0.054 [0.064] N=1,225	-0.038 [0.071] N=1,116	-0.019 [0.078] N=974	-0.006 [0.091] N=798	-0.135 [0.118] N=620
Above-normal WHZ above +1	0.008 [0.077] N=1,054	-0.014 [0.086] N=962	-0.021 [0.090] N=841	0.031 [0.111] N=690	0.020 [0.133] N=537
Above-normal BMIZ above +1	0.057 [0.075] N=1,032	0.039 [0.082] N=943	-0.001 [0.090] N=821	0.031 [0.106] N=672	-0.025 [0.122] N=524

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=961	0.013 [0.048] N=1,257	0.012 [0.051] N=1,164	0.011 [0.053] N=1,039	0.030 [0.057] N=892	-0.003 [0.061] N=741
Not underweight WAZ at least -2	0.917 P=1,331	**-0.074*** [0.026] N=1,451**	**-0.061** [0.027] N=1,342**	**-0.056* [0.029] N=1,200**	-0.049 [0.031] N=1,024	-0.049 [0.034] N=846
Neither wasted nor overweight WHZ -2 to +2	0.680 P=859	-0.022 [0.052] N=1,255	-0.042 [0.055] N=1,163	-0.021 [0.059] N=1,042	-0.049 [0.067] N=891	-0.035 [0.076] N=738
Neither low nor high BMIZ -2 to +2	0.644 P=801	-0.013 [0.056] N=1,231	-0.021 [0.061] N=1,142	-0.019 [0.062] N=1,020	-0.053 [0.072] N=871	-0.070 [0.080] N=723
Strict normal HAZ -2 to +3	0.688 P=877	0.041 [0.053] N=1,257	0.050 [0.056] N=1,164	0.050 [0.060] N=1,039	0.052 [0.063] N=892	0.021 [0.072] N=741
Strict normal WAZ -2 to +1	0.688 P=1,006	**-0.086* [0.049] N=1,451**	**-0.091* [0.052] N=1,342**	**-0.099* [0.054] N=1,200**	**-0.111* [0.056] N=1,024**	-0.080 [0.062] N=846
Strict normal WHZ -2 to +1	0.515 P=647	-0.037 [0.054] N=1,255	-0.047 [0.057] N=1,163	-0.052 [0.059] N=1,042	-0.096 [0.066] N=891	-0.103 [0.073] N=738
Strict normal BMIZ -2 to +1	0.497 P=618	-0.051 [0.056] N=1,231	-0.056 [0.060] N=1,142	-0.051 [0.063] N=1,020	-0.100 [0.072] N=871	-0.104 [0.083] N=723
Above-normal height HAZ above +3	0.067 P=84	-0.028 [0.029] N=1,257	-0.038 [0.031] N=1,164	-0.039 [0.034] N=1,039	-0.022 [0.036] N=892	-0.023 [0.041] N=741
Above-normal weight WAZ above +1	0.228 P=325	0.012 [0.046] N=1,451	0.030 [0.049] N=1,342	0.043 [0.051] N=1,200	0.062 [0.054] N=1,024	0.031 [0.059] N=846
Above-normal WHZ above +1	0.365 P=456	0.067 [0.053] N=1,255	0.065 [0.056] N=1,163	0.082 [0.058] N=1,042	**0.113* [0.060] N=891**	**0.132** [0.065] N=738**
Above-normal BMIZ above +1	0.371 P=453	0.072 [0.054] N=1,231	0.069 [0.057] N=1,142	0.062 [0.061] N=1,020	0.080 [0.065] N=871	0.084 [0.074] N=723

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.013 [0.068] N=1,056	0.020 [0.075] N=963	0.032 [0.083] N=838	0.095 [0.096] N=691	0.080 [0.127] N=540
Not underweight WAZ at least -2	**-0.110*** [0.036] N=1,225**	**-0.090** [0.041] N=1,116**	**-0.087** [0.043] N=974**	**-0.091* [0.051] N=798**	-0.107 [0.069] N=620
Neither wasted nor overweight WHZ -2 to +2	0.034 [0.064] N=1,054	0.004 [0.072] N=962	0.063 [0.077] N=841	0.035 [0.104] N=690	0.126 [0.115] N=537
Neither low nor high BMIZ -2 to +2	0.034 [0.073] N=1,032	0.027 [0.082] N=943	0.062 [0.084] N=821	0.026 [0.110] N=672	0.006 [0.124] N=524
Strict normal HAZ -2 to +3	0.065 [0.077] N=1,056	0.092 [0.084] N=963	0.122 [0.094] N=838	0.157 [0.107] N=691	0.180 [0.143] N=540
Strict normal WAZ -2 to +1	-0.054 [0.069] N=1,225	-0.050 [0.076] N=1,116	-0.065 [0.083] N=974	-0.083 [0.093] N=798	0.027 [0.111] N=620
Strict normal WHZ -2 to +1	0.035 [0.074] N=1,054	0.031 [0.083] N=962	0.059 [0.085] N=841	0.010 [0.111] N=690	0.030 [0.133] N=537
Strict normal BMIZ -2 to +1	-0.012 [0.070] N=1,032	-0.013 [0.077] N=943	0.029 [0.082] N=821	-0.055 [0.107] N=672	-0.039 [0.125] N=524
Above-normal height HAZ above +3	-0.052 [0.038] N=1,056	**-0.072* [0.042] N=963**	**-0.090* [0.048] N=838**	-0.062 [0.053] N=691	-0.100 [0.064] N=540
Above-normal weight WAZ above +1	-0.056 [0.064] N=1,225	-0.040 [0.071] N=1,116	-0.022 [0.078] N=974	-0.008 [0.092] N=798	-0.134 [0.117] N=620
Above-normal WHZ above +1	0.008 [0.078] N=1,054	-0.012 [0.087] N=962	-0.017 [0.091] N=841	0.020 [0.110] N=690	0.018 [0.136] N=537
Above-normal BMIZ above +1	0.056 [0.076] N=1,032	0.041 [0.083] N=943	0.001 [0.090] N=821	0.022 [0.106] N=672	-0.024 [0.127] N=524

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.755 P=961	0.007 [0.049] N=1,257	0.008 [0.051] N=1,164	0.003 [0.054] N=1,039	0.021 [0.058] N=892	-0.012 [0.062] N=741
Not underweight WAZ at least -2	0.917 P=1,331	**-0.078*** [0.026] N=1,451**	**-0.065** [0.027] N=1,342**	**-0.061** [0.029] N=1,200**	**-0.058* [0.031] N=1,024**	**-0.059* [0.034] N=846**
Neither wasted nor overweight WHZ -2 to +2	0.680 P=859	-0.025 [0.052] N=1,255	-0.047 [0.056] N=1,163	-0.031 [0.059] N=1,042	-0.055 [0.068] N=891	-0.035 [0.076] N=738
Neither low nor high BMIZ -2 to +2	0.644 P=801	-0.017 [0.057] N=1,231	-0.024 [0.062] N=1,142	-0.029 [0.062] N=1,020	-0.060 [0.073] N=871	-0.072 [0.082] N=723
Strict normal HAZ -2 to +3	0.688 P=877	0.031 [0.055] N=1,257	0.040 [0.059] N=1,164	0.034 [0.063] N=1,039	0.033 [0.068] N=892	0.002 [0.076] N=741
Strict normal WAZ -2 to +1	0.688 P=1,006	**-0.091* [0.049] N=1,451**	**-0.097* [0.052] N=1,342**	**-0.107* [0.056] N=1,200**	**-0.121** [0.057] N=1,024**	-0.086 [0.064] N=846
Strict normal WHZ -2 to +1	0.515 P=647	-0.038 [0.054] N=1,255	-0.048 [0.058] N=1,163	-0.058 [0.059] N=1,042	-0.099 [0.066] N=891	-0.101 [0.074] N=738
Strict normal BMIZ -2 to +1	0.497 P=618	-0.054 [0.056] N=1,231	-0.058 [0.060] N=1,142	-0.060 [0.063] N=1,020	-0.108 [0.072] N=871	-0.109 [0.083] N=723
Above-normal height HAZ above +3	0.067 P=84	-0.025 [0.029] N=1,257	-0.032 [0.032] N=1,164	-0.031 [0.035] N=1,039	-0.011 [0.038] N=892	-0.014 [0.043] N=741
Above-normal weight WAZ above +1	0.228 P=325	0.013 [0.047] N=1,451	0.032 [0.050] N=1,342	0.046 [0.053] N=1,200	0.063 [0.055] N=1,024	0.027 [0.061] N=846
Above-normal WHZ above +1	0.365 P=456	0.067 [0.053] N=1,255	0.063 [0.057] N=1,163	0.082 [0.058] N=1,042	**0.111* [0.062] N=891**	**0.125* [0.067] N=738**
Above-normal BMIZ above +1	0.371 P=453	0.072 [0.053] N=1,231	0.068 [0.057] N=1,142	0.065 [0.061] N=1,020	0.081 [0.066] N=871	0.081 [0.075] N=723

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.006 [0.070] N=1,056	0.018 [0.076] N=963	0.026 [0.085] N=838	0.094 [0.097] N=691	0.071 [0.129] N=540
Not underweight WAZ at least -2	**-0.112*** [0.037] N=1,225**	**-0.089** [0.041] N=1,116**	**-0.088** [0.043] N=974**	**-0.087* [0.051] N=798**	-0.110 [0.069] N=620
Neither wasted nor overweight WHZ -2 to +2	0.033 [0.065] N=1,054	0.006 [0.072] N=962	0.060 [0.077] N=841	0.025 [0.104] N=690	0.104 [0.114] N=537
Neither low nor high BMIZ -2 to +2	0.035 [0.074] N=1,032	0.034 [0.083] N=943	0.060 [0.084] N=821	0.020 [0.112] N=672	-0.009 [0.125] N=524
Strict normal HAZ -2 to +3	0.059 [0.078] N=1,056	0.089 [0.086] N=963	0.114 [0.096] N=838	0.163 [0.109] N=691	0.188 [0.147] N=540
Strict normal WAZ -2 to +1	-0.050 [0.068] N=1,225	-0.048 [0.075] N=1,116	-0.062 [0.082] N=974	-0.080 [0.090] N=798	0.004 [0.107] N=620
Strict normal WHZ -2 to +1	0.032 [0.073] N=1,054	0.033 [0.083] N=962	0.054 [0.084] N=841	-0.011 [0.112] N=690	0.003 [0.137] N=537
Strict normal BMIZ -2 to +1	-0.010 [0.070] N=1,032	-0.002 [0.077] N=943	0.030 [0.081] N=821	-0.065 [0.107] N=672	-0.049 [0.127] N=524
Above-normal height HAZ above +3	-0.053 [0.039] N=1,056	**-0.071* [0.043] N=963**	**-0.088* [0.048] N=838**	-0.069 [0.054] N=691	**-0.117* [0.065] N=540**
Above-normal weight WAZ above +1	-0.062 [0.064] N=1,225	-0.042 [0.071] N=1,116	-0.026 [0.078] N=974	-0.007 [0.091] N=798	-0.114 [0.115] N=620
Above-normal WHZ above +1	0.012 [0.077] N=1,054	-0.011 [0.086] N=962	-0.012 [0.091] N=841	0.042 [0.112] N=690	0.047 [0.138] N=537
Above-normal BMIZ above +1	0.057 [0.075] N=1,032	0.037 [0.081] N=943	0.004 [0.090] N=821	0.042 [0.107] N=672	0.004 [0.126] N=524

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.753 P=881	0.007 [0.050] N=1,155	0.010 [0.053] N=1,075	0.009 [0.056] N=957	0.016 [0.060] N=828	-0.019 [0.064] N=690
Not underweight WAZ at least -2	0.917 P=1,219	**-0.066** [0.028] N=1,329**	**-0.053* [0.030] N=1,234**	-0.046 [0.031] N=1,101	-0.042 [0.034] N=945	-0.036 [0.038] N=786
Neither wasted nor overweight WHZ -2 to +2	0.679 P=791	-0.014 [0.051] N=1,156	-0.036 [0.054] N=1,077	-0.019 [0.059] N=964	-0.045 [0.066] N=831	-0.037 [0.073] N=691
Neither low nor high BMIZ -2 to +2	0.644 P=740	-0.022 [0.060] N=1,133	-0.028 [0.064] N=1,056	-0.028 [0.067] N=943	-0.061 [0.077] N=812	-0.074 [0.085] N=677
Strict normal HAZ -2 to +3	0.687 P=808	0.054 [0.058] N=1,155	0.068 [0.062] N=1,075	0.067 [0.067] N=957	0.052 [0.072] N=828	0.025 [0.082] N=690
Strict normal WAZ -2 to +1	0.683 P=915	**-0.101** [0.051] N=1,329**	**-0.101* [0.054] N=1,234**	**-0.108* [0.056] N=1,101**	**-0.122** [0.060] N=945**	-0.095 [0.066] N=786
Strict normal WHZ -2 to +1	0.511 P=592	-0.045 [0.055] N=1,156	-0.057 [0.059] N=1,077	-0.065 [0.061] N=964	-0.108 [0.066] N=831	**-0.124* [0.072] N=691**
Strict normal BMIZ -2 to +1	0.495 P=568	-0.078 [0.059] N=1,133	-0.080 [0.063] N=1,056	-0.072 [0.067] N=943	-0.117 [0.076] N=812	-0.119 [0.085] N=677
Above-normal height HAZ above +3	0.065 P=73	-0.047 [0.031] N=1,155	**-0.058* [0.033] N=1,075**	-0.057 [0.037] N=957	-0.036 [0.039] N=828	-0.044 [0.045] N=690
Above-normal weight WAZ above +1	0.234 P=304	0.035 [0.048] N=1,329	0.048 [0.050] N=1,234	0.062 [0.053] N=1,101	0.080 [0.056] N=945	0.059 [0.061] N=786
Above-normal WHZ above +1	0.369 P=425	**0.104* [0.054] N=1,156**	**0.101* [0.056] N=1,077**	**0.116** [0.058] N=964**	**0.148** [0.060] N=831**	**0.178*** [0.064] N=691**
Above-normal BMIZ above +1	0.376 P=422	**0.110** [0.053] N=1,133**	**0.101* [0.055] N=1,056**	0.094 [0.059] N=943	**0.109* [0.063] N=812**	**0.122* [0.071] N=677**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.040 [0.072] N=967	0.060 [0.079] N=887	0.081 [0.088] N=769	0.130 [0.103] N=640	0.119 [0.142] N=502
Not underweight WAZ at least -2	**-0.108*** [0.038] N=1,119**	**-0.089** [0.042] N=1,024**	**-0.087* [0.044] N=891**	**-0.103** [0.051] N=735**	-0.113 [0.075] N=576
Neither wasted nor overweight WHZ -2 to +2	0.061 [0.064] N=968	0.031 [0.071] N=889	0.085 [0.079] N=776	0.069 [0.102] N=643	**0.192* [0.107] N=503**
Neither low nor high BMIZ -2 to +2	0.039 [0.074] N=947	0.036 [0.081] N=870	0.069 [0.085] N=757	0.042 [0.111] N=626	0.074 [0.117] N=491
Strict normal HAZ -2 to +3	0.105 [0.082] N=967	**0.147* [0.088] N=887**	**0.177* [0.099] N=769**	0.190 [0.115] N=640	0.227 [0.157] N=502
Strict normal WAZ -2 to +1	-0.053 [0.069] N=1,119	-0.040 [0.074] N=1,024	-0.049 [0.080] N=891	-0.079 [0.086] N=735	0.034 [0.110] N=576
Strict normal WHZ -2 to +1	0.060 [0.072] N=968	0.057 [0.082] N=889	0.087 [0.086] N=776	0.047 [0.111] N=643	0.100 [0.130] N=503
Strict normal BMIZ -2 to +1	-0.030 [0.073] N=947	-0.024 [0.079] N=870	0.024 [0.085] N=757	-0.046 [0.111] N=626	0.015 [0.128] N=491
Above-normal height HAZ above +3	-0.065 [0.041] N=967	**-0.087* [0.044] N=887**	**-0.096* [0.050] N=769**	-0.061 [0.055] N=640	-0.108 [0.067] N=502
Above-normal weight WAZ above +1	-0.055 [0.064] N=1,119	-0.049 [0.069] N=1,024	-0.038 [0.077] N=891	-0.024 [0.086] N=735	-0.147 [0.114] N=576
Above-normal WHZ above +1	0.015 [0.080] N=968	-0.013 [0.088] N=889	-0.027 [0.094] N=776	0.014 [0.115] N=643	0.019 [0.141] N=503
Above-normal BMIZ above +1	0.069 [0.079] N=947	0.039 [0.085] N=870	-0.009 [0.092] N=757	0.010 [0.109] N=626	-0.052 [0.130] N=491

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.753 P=881	0.007 [0.049] N=1,155	0.009 [0.053] N=1,075	0.009 [0.056] N=957	0.017 [0.060] N=828	-0.019 [0.063] N=690
Not underweight WAZ at least -2	0.917 P=1,219	**-0.063** [0.027] N=1,329**	**-0.051* [0.029] N=1,234**	-0.045 [0.030] N=1,101	-0.043 [0.033] N=945	-0.034 [0.037] N=786
Neither wasted nor overweight WHZ -2 to +2	0.679 P=791	-0.016 [0.051] N=1,156	-0.037 [0.054] N=1,077	-0.017 [0.058] N=964	-0.041 [0.066] N=831	-0.030 [0.072] N=691
Neither low nor high BMIZ -2 to +2	0.644 P=740	-0.025 [0.060] N=1,133	-0.029 [0.064] N=1,056	-0.026 [0.067] N=943	-0.057 [0.076] N=812	-0.071 [0.085] N=677
Strict normal HAZ -2 to +3	0.687 P=808	0.051 [0.058] N=1,155	0.065 [0.062] N=1,075	0.066 [0.066] N=957	0.055 [0.071] N=828	0.031 [0.081] N=690
Strict normal WAZ -2 to +1	0.683 P=915	**-0.102** [0.051] N=1,329**	**-0.102* [0.054] N=1,234**	**-0.108* [0.056] N=1,101**	**-0.122** [0.059] N=945**	-0.090 [0.066] N=786
Strict normal WHZ -2 to +1	0.511 P=592	-0.048 [0.054] N=1,156	-0.059 [0.058] N=1,077	-0.063 [0.061] N=964	-0.102 [0.066] N=831	-0.113 [0.072] N=691
Strict normal BMIZ -2 to +1	0.495 P=568	-0.082 [0.059] N=1,133	-0.083 [0.063] N=1,056	-0.072 [0.067] N=943	-0.116 [0.075] N=812	-0.117 [0.084] N=677
Above-normal height HAZ above +3	0.065 P=73	-0.045 [0.031] N=1,155	**-0.056* [0.033] N=1,075**	-0.057 [0.036] N=957	-0.038 [0.039] N=828	-0.049 [0.045] N=690
Above-normal weight WAZ above +1	0.234 P=304	0.038 [0.048] N=1,329	0.051 [0.050] N=1,234	0.063 [0.053] N=1,101	0.079 [0.056] N=945	0.056 [0.062] N=786
Above-normal WHZ above +1	0.369 P=425	**0.105** [0.053] N=1,156**	**0.101* [0.056] N=1,077**	**0.115** [0.058] N=964**	**0.142** [0.060] N=831**	**0.169*** [0.063] N=691**
Above-normal BMIZ above +1	0.376 P=422	**0.112** [0.053] N=1,133**	**0.103* [0.055] N=1,056**	0.094 [0.059] N=943	**0.108* [0.062] N=812**	**0.119* [0.069] N=677**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.037 [0.072] N=967	0.055 [0.079] N=887	0.078 [0.088] N=769	0.127 [0.104] N=640	0.124 [0.141] N=502
Not underweight WAZ at least -2	**-0.103*** [0.037] N=1,119**	**-0.082** [0.041] N=1,024**	**-0.082* [0.043] N=891**	**-0.103** [0.051] N=735**	-0.102 [0.074] N=576
Neither wasted nor overweight WHZ -2 to +2	0.053 [0.063] N=968	0.023 [0.070] N=889	0.080 [0.077] N=776	0.069 [0.100] N=643	**0.190* [0.103] N=503**
Neither low nor high BMIZ -2 to +2	0.028 [0.074] N=947	0.029 [0.080] N=870	0.065 [0.084] N=757	0.043 [0.110] N=626	0.065 [0.115] N=491
Strict normal HAZ -2 to +3	0.097 [0.082] N=967	0.137 [0.088] N=887	**0.172* [0.099] N=769**	0.189 [0.115] N=640	0.242 [0.158] N=502
Strict normal WAZ -2 to +1	-0.055 [0.069] N=1,119	-0.041 [0.074] N=1,024	-0.050 [0.080] N=891	-0.079 [0.086] N=735	0.050 [0.112] N=576
Strict normal WHZ -2 to +1	0.048 [0.071] N=968	0.047 [0.081] N=889	0.082 [0.085] N=776	0.050 [0.110] N=643	0.116 [0.129] N=503
Strict normal BMIZ -2 to +1	-0.042 [0.071] N=947	-0.032 [0.077] N=870	0.020 [0.084] N=757	-0.047 [0.110] N=626	0.014 [0.124] N=491
Above-normal height HAZ above +3	-0.060 [0.041] N=967	**-0.082* [0.044] N=887**	**-0.094* [0.050] N=769**	-0.062 [0.055] N=640	**-0.117* [0.070] N=502**
Above-normal weight WAZ above +1	-0.048 [0.064] N=1,119	-0.041 [0.069] N=1,024	-0.032 [0.077] N=891	-0.024 [0.086] N=735	-0.152 [0.117] N=576
Above-normal WHZ above +1	0.023 [0.079] N=968	-0.005 [0.088] N=889	-0.022 [0.094] N=776	0.011 [0.115] N=643	0.001 [0.140] N=503
Above-normal BMIZ above +1	0.078 [0.078] N=947	0.045 [0.084] N=870	-0.006 [0.091] N=757	0.011 [0.106] N=626	-0.053 [0.126] N=491

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=844	-0.039 [0.058] N=1,088	-0.042 [0.059] N=978	-0.002 [0.062] N=849	0.006 [0.070] N=718	0.051 [0.077] N=587
Not underweight WAZ at least -2	0.919 P=1,149	0.009 [0.036] N=1,250	0.005 [0.038] N=1,131	-0.007 [0.039] N=981	-0.021 [0.042] N=827	-0.018 [0.045] N=670
Neither wasted nor overweight WHZ -2 to +2	0.680 P=743	-0.045 [0.055] N=1,089	-0.056 [0.058] N=983	-0.050 [0.063] N=854	-0.009 [0.063] N=721	-0.029 [0.070] N=586
Neither low nor high BMIZ -2 to +2	0.650 P=695	**-0.127** [0.056] N=1,067**	**-0.149** [0.059] N=961**	**-0.114* [0.064] N=834**	-0.089 [0.064] N=705	**-0.117* [0.070] N=576**
Strict normal HAZ -2 to +3	0.702 P=768	-0.024 [0.055] N=1,088	-0.033 [0.057] N=978	-0.003 [0.057] N=849	0.017 [0.065] N=718	0.051 [0.072] N=587
Strict normal WAZ -2 to +1	0.686 P=858	0.015 [0.057] N=1,250	-0.006 [0.059] N=1,131	-0.034 [0.062] N=981	-0.063 [0.066] N=827	-0.065 [0.070] N=670
Strict normal WHZ -2 to +1	0.508 P=548	-0.091 [0.056] N=1,089	**-0.128** [0.059] N=983**	**-0.112* [0.064] N=854**	-0.067 [0.069] N=721	-0.109 [0.081] N=586
Strict normal BMIZ -2 to +1	0.501 P=533	-0.085 [0.061] N=1,067	**-0.118* [0.063] N=961**	-0.065 [0.070] N=834	-0.030 [0.071] N=705	-0.061 [0.081] N=576
Above-normal height HAZ above +3	0.070 P=76	-0.014 [0.028] N=1,088	-0.009 [0.029] N=978	0.000 [0.032] N=849	-0.011 [0.036] N=718	-0.000 [0.042] N=587
Above-normal weight WAZ above +1	0.232 P=291	-0.006 [0.050] N=1,250	0.012 [0.052] N=1,131	0.028 [0.055] N=981	0.042 [0.060] N=827	0.047 [0.065] N=670
Above-normal WHZ above +1	0.373 P=411	0.089 [0.061] N=1,089	**0.117* [0.063] N=983**	0.078 [0.069] N=854	0.075 [0.073] N=721	0.101 [0.087] N=586
Above-normal BMIZ above +1	0.369 P=396	0.067 [0.060] N=1,067	0.091 [0.061] N=961	0.045 [0.068] N=834	0.044 [0.076] N=705	0.054 [0.088] N=576

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.107 [0.078] N=944	-0.109 [0.082] N=834	-0.055 [0.086] N=705	-0.064 [0.107] N=574	0.052 [0.123] N=443
Not underweight WAZ at least -2	0.010 [0.060] N=1,086	0.004 [0.066] N=967	-0.024 [0.073] N=817	-0.060 [0.086] N=663	-0.067 [0.103] N=506
Neither wasted nor overweight WHZ -2 to +2	-0.072 [0.079] N=945	-0.086 [0.085] N=839	-0.076 [0.099] N=710	0.008 [0.104] N=577	0.016 [0.129] N=442
Neither low nor high BMIZ -2 to +2	-0.121 [0.076] N=929	**-0.145* [0.082] N=823**	-0.071 [0.090] N=696	0.003 [0.102] N=567	0.010 [0.133] N=438
Strict normal HAZ -2 to +3	-0.055 [0.077] N=944	-0.061 [0.081] N=834	-0.009 [0.082] N=705	0.018 [0.103] N=574	0.151 [0.124] N=443
Strict normal WAZ -2 to +1	0.104 [0.095] N=1,086	0.083 [0.098] N=967	0.052 [0.111] N=817	0.017 [0.127] N=663	0.082 [0.152] N=506
Strict normal WHZ -2 to +1	-0.036 [0.087] N=945	-0.098 [0.092] N=839	-0.047 [0.108] N=710	0.099 [0.113] N=577	0.081 [0.152] N=442
Strict normal BMIZ -2 to +1	-0.059 [0.095] N=929	-0.110 [0.099] N=823	-0.009 [0.116] N=696	0.120 [0.122] N=567	0.134 [0.154] N=438
Above-normal height HAZ above +3	-0.051 [0.042] N=944	-0.048 [0.043] N=834	-0.045 [0.054] N=705	-0.081 [0.063] N=574	-0.099 [0.080] N=443
Above-normal weight WAZ above +1	-0.095 [0.076] N=1,086	-0.079 [0.080] N=967	-0.076 [0.091] N=817	-0.077 [0.106] N=663	-0.149 [0.124] N=506
Above-normal WHZ above +1	-0.007 [0.097] N=945	0.034 [0.103] N=839	-0.067 [0.122] N=710	-0.139 [0.126] N=577	-0.187 [0.161] N=442
Above-normal BMIZ above +1	-0.002 [0.098] N=929	0.036 [0.102] N=823	-0.059 [0.121] N=696	-0.101 [0.134] N=567	-0.151 [0.165] N=438

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=844	-0.035 [0.058] N=1,088	-0.038 [0.059] N=978	0.000 [0.062] N=849	0.007 [0.070] N=718	0.051 [0.077] N=587
Not underweight WAZ at least -2	0.919 P=1,149	0.010 [0.036] N=1,250	0.007 [0.039] N=1,131	-0.004 [0.039] N=981	-0.018 [0.042] N=827	-0.017 [0.045] N=670
Neither wasted nor overweight WHZ -2 to +2	0.680 P=743	-0.040 [0.056] N=1,089	-0.049 [0.058] N=983	-0.043 [0.064] N=854	-0.001 [0.064] N=721	-0.023 [0.071] N=586
Neither low nor high BMIZ -2 to +2	0.650 P=695	**-0.123** [0.056] N=1,067**	**-0.143** [0.059] N=961**	**-0.108* [0.064] N=834**	-0.085 [0.065] N=705	-0.114 [0.071] N=576
Strict normal HAZ -2 to +3	0.702 P=768	-0.019 [0.056] N=1,088	-0.027 [0.057] N=978	0.002 [0.058] N=849	0.020 [0.065] N=718	0.054 [0.073] N=587
Strict normal WAZ -2 to +1	0.686 P=858	0.018 [0.057] N=1,250	-0.003 [0.059] N=1,131	-0.030 [0.063] N=981	-0.060 [0.066] N=827	-0.063 [0.070] N=670
Strict normal WHZ -2 to +1	0.508 P=548	-0.087 [0.057] N=1,089	**-0.122** [0.059] N=983**	-0.106 [0.065] N=854	-0.064 [0.070] N=721	-0.105 [0.083] N=586
Strict normal BMIZ -2 to +1	0.501 P=533	-0.082 [0.061] N=1,067	**-0.112* [0.063] N=961**	-0.061 [0.070] N=834	-0.027 [0.071] N=705	-0.059 [0.081] N=576
Above-normal height HAZ above +3	0.070 P=76	-0.016 [0.028] N=1,088	-0.012 [0.029] N=978	-0.002 [0.033] N=849	-0.013 [0.037] N=718	-0.002 [0.042] N=587
Above-normal weight WAZ above +1	0.232 P=291	-0.008 [0.050] N=1,250	0.010 [0.052] N=1,131	0.025 [0.055] N=981	0.042 [0.060] N=827	0.047 [0.065] N=670
Above-normal WHZ above +1	0.373 P=411	0.088 [0.061] N=1,089	**0.115* [0.064] N=983**	0.075 [0.070] N=854	0.075 [0.073] N=721	0.101 [0.087] N=586
Above-normal BMIZ above +1	0.369 P=396	0.065 [0.060] N=1,067	0.087 [0.062] N=961	0.042 [0.068] N=834	0.042 [0.076] N=705	0.052 [0.089] N=576

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.097 [0.078] N=944	-0.099 [0.082] N=834	-0.047 [0.086] N=705	-0.062 [0.108] N=574	0.053 [0.125] N=443
Not underweight WAZ at least -2	0.013 [0.060] N=1,086	0.007 [0.066] N=967	-0.019 [0.073] N=817	-0.052 [0.086] N=663	-0.061 [0.104] N=506
Neither wasted nor overweight WHZ -2 to +2	-0.062 [0.079] N=945	-0.070 [0.085] N=839	-0.055 [0.100] N=710	0.042 [0.106] N=577	0.055 [0.130] N=442
Neither low nor high BMIZ -2 to +2	-0.112 [0.076] N=929	-0.131 [0.083] N=823	-0.052 [0.089] N=696	0.025 [0.104] N=567	0.030 [0.134] N=438
Strict normal HAZ -2 to +3	-0.042 [0.077] N=944	-0.045 [0.081] N=834	0.004 [0.082] N=705	0.031 [0.104] N=574	0.161 [0.125] N=443
Strict normal WAZ -2 to +1	0.108 [0.095] N=1,086	0.087 [0.098] N=967	0.060 [0.111] N=817	0.021 [0.127] N=663	0.082 [0.152] N=506
Strict normal WHZ -2 to +1	-0.027 [0.087] N=945	-0.084 [0.092] N=839	-0.028 [0.107] N=710	0.117 [0.113] N=577	0.106 [0.149] N=442
Strict normal BMIZ -2 to +1	-0.051 [0.095] N=929	-0.097 [0.099] N=823	0.004 [0.115] N=696	0.134 [0.122] N=567	0.145 [0.154] N=438
Above-normal height HAZ above +3	-0.055 [0.042] N=944	-0.054 [0.044] N=834	-0.051 [0.055] N=705	-0.092 [0.064] N=574	-0.108 [0.083] N=443
Above-normal weight WAZ above +1	-0.095 [0.076] N=1,086	-0.080 [0.080] N=967	-0.079 [0.091] N=817	-0.073 [0.105] N=663	-0.143 [0.124] N=506
Above-normal WHZ above +1	-0.010 [0.097] N=945	0.029 [0.104] N=839	-0.075 [0.122] N=710	-0.140 [0.128] N=577	-0.186 [0.164] N=442
Above-normal BMIZ above +1	-0.004 [0.099] N=929	0.031 [0.102] N=823	-0.065 [0.120] N=696	-0.102 [0.135] N=567	-0.149 [0.167] N=438

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=844	-0.039 [0.057] N=1,088	-0.038 [0.058] N=978	0.003 [0.061] N=849	0.008 [0.069] N=718	0.052 [0.075] N=587
Not underweight WAZ at least -2	0.919 P=1,149	0.007 [0.035] N=1,250	0.003 [0.037] N=1,131	-0.005 [0.038] N=981	-0.019 [0.040] N=827	-0.019 [0.043] N=670
Neither wasted nor overweight WHZ -2 to +2	0.680 P=743	-0.042 [0.057] N=1,089	-0.050 [0.059] N=983	-0.040 [0.065] N=854	0.002 [0.065] N=721	-0.025 [0.073] N=586
Neither low nor high BMIZ -2 to +2	0.650 P=695	**-0.127** [0.056] N=1,067**	**-0.145** [0.059] N=961**	-0.107 [0.065] N=834	-0.086 [0.066] N=705	-0.120 [0.072] N=576
Strict normal HAZ -2 to +3	0.702 P=768	-0.024 [0.056] N=1,088	-0.029 [0.057] N=978	0.007 [0.058] N=849	0.023 [0.065] N=718	0.057 [0.072] N=587
Strict normal WAZ -2 to +1	0.686 P=858	0.015 [0.057] N=1,250	-0.008 [0.058] N=1,131	-0.033 [0.063] N=981	-0.062 [0.065] N=827	-0.066 [0.068] N=670
Strict normal WHZ -2 to +1	0.508 P=548	-0.089 [0.057] N=1,089	**-0.121** [0.059] N=983**	-0.106 [0.065] N=854	-0.067 [0.070] N=721	-0.108 [0.083] N=586
Strict normal BMIZ -2 to +1	0.501 P=533	-0.086 [0.061] N=1,067	**-0.115* [0.063] N=961**	-0.063 [0.070] N=834	-0.030 [0.072] N=705	-0.065 [0.081] N=576
Above-normal height HAZ above +3	0.070 P=76	-0.015 [0.028] N=1,088	-0.010 [0.029] N=978	-0.004 [0.033] N=849	-0.015 [0.037] N=718	-0.004 [0.043] N=587
Above-normal weight WAZ above +1	0.232 P=291	-0.008 [0.051] N=1,250	0.011 [0.053] N=1,131	0.028 [0.057] N=981	0.042 [0.061] N=827	0.047 [0.066] N=670
Above-normal WHZ above +1	0.373 P=411	0.089 [0.060] N=1,089	**0.114* [0.063] N=983**	0.077 [0.069] N=854	0.079 [0.072] N=721	0.104 [0.085] N=586
Above-normal BMIZ above +1	0.369 P=396	0.066 [0.059] N=1,067	0.086 [0.061] N=961	0.043 [0.066] N=834	0.045 [0.074] N=705	0.054 [0.087] N=576

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.109 [0.078] N=944	-0.105 [0.081] N=834	-0.054 [0.084] N=705	-0.076 [0.107] N=574	0.027 [0.125] N=443
Not underweight WAZ at least -2	0.006 [0.059] N=1,086	-0.001 [0.064] N=967	-0.020 [0.071] N=817	-0.055 [0.084] N=663	-0.070 [0.101] N=506
Neither wasted nor overweight WHZ -2 to +2	-0.071 [0.081] N=945	-0.081 [0.087] N=839	-0.058 [0.102] N=710	0.035 [0.109] N=577	0.038 [0.131] N=442
Neither low nor high BMIZ -2 to +2	-0.123 [0.077] N=929	**-0.142* [0.082] N=823**	-0.056 [0.090] N=696	0.018 [0.104] N=567	0.015 [0.134] N=438
Strict normal HAZ -2 to +3	-0.057 [0.078] N=944	-0.054 [0.081] N=834	-0.001 [0.083] N=705	0.016 [0.105] N=574	0.128 [0.129] N=443
Strict normal WAZ -2 to +1	0.111 [0.093] N=1,086	0.087 [0.096] N=967	0.057 [0.110] N=817	0.018 [0.122] N=663	0.071 [0.143] N=506
Strict normal WHZ -2 to +1	-0.034 [0.087] N=945	-0.093 [0.092] N=839	-0.036 [0.107] N=710	0.108 [0.112] N=577	0.082 [0.148] N=442
Strict normal BMIZ -2 to +1	-0.057 [0.094] N=929	-0.103 [0.098] N=823	-0.002 [0.114] N=696	0.128 [0.120] N=567	0.136 [0.153] N=438
Above-normal height HAZ above +3	-0.052 [0.042] N=944	-0.051 [0.044] N=834	-0.053 [0.056] N=705	-0.092 [0.065] N=574	-0.102 [0.086] N=443
Above-normal weight WAZ above +1	-0.105 [0.076] N=1,086	-0.088 [0.080] N=967	-0.076 [0.093] N=817	-0.073 [0.106] N=663	-0.141 [0.123] N=506
Above-normal WHZ above +1	-0.009 [0.097] N=945	0.030 [0.103] N=839	-0.068 [0.120] N=710	-0.133 [0.126] N=577	-0.174 [0.163] N=442
Above-normal BMIZ above +1	-0.001 [0.098] N=929	0.031 [0.102] N=823	-0.059 [0.118] N=696	-0.096 [0.132] N=567	-0.142 [0.168] N=438

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=844	-0.040 [0.057] N=1,088	-0.038 [0.058] N=978	0.005 [0.061] N=849	0.009 [0.069] N=718	0.048 [0.076] N=587
Not underweight WAZ at least -2	0.919 P=1,149	0.010 [0.035] N=1,250	0.006 [0.038] N=1,131	-0.002 [0.039] N=981	-0.019 [0.042] N=827	-0.018 [0.046] N=670
Neither wasted nor overweight WHZ -2 to +2	0.680 P=743	-0.040 [0.056] N=1,089	-0.050 [0.058] N=983	-0.045 [0.064] N=854	-0.005 [0.064] N=721	-0.026 [0.069] N=586
Neither low nor high BMIZ -2 to +2	0.650 P=695	**-0.126** [0.056] N=1,067**	**-0.144** [0.059] N=961**	**-0.110* [0.064] N=834**	-0.089 [0.064] N=705	-0.114 [0.069] N=576
Strict normal HAZ -2 to +3	0.702 P=768	-0.023 [0.055] N=1,088	-0.026 [0.056] N=978	0.008 [0.058] N=849	0.025 [0.065] N=718	0.054 [0.072] N=587
Strict normal WAZ -2 to +1	0.686 P=858	0.022 [0.057] N=1,250	-0.001 [0.059] N=1,131	-0.028 [0.063] N=981	-0.060 [0.066] N=827	-0.063 [0.070] N=670
Strict normal WHZ -2 to +1	0.508 P=548	-0.089 [0.056] N=1,089	**-0.124** [0.058] N=983**	**-0.111* [0.064] N=854**	-0.069 [0.067] N=721	-0.112 [0.079] N=586
Strict normal BMIZ -2 to +1	0.501 P=533	-0.079 [0.060] N=1,067	**-0.109* [0.062] N=961**	-0.060 [0.069] N=834	-0.026 [0.069] N=705	-0.057 [0.078] N=576
Above-normal height HAZ above +3	0.070 P=76	-0.017 [0.029] N=1,088	-0.012 [0.030] N=978	-0.004 [0.033] N=849	-0.016 [0.036] N=718	-0.007 [0.042] N=587
Above-normal weight WAZ above +1	0.232 P=291	-0.012 [0.051] N=1,250	0.007 [0.053] N=1,131	0.026 [0.056] N=981	0.041 [0.061] N=827	0.046 [0.066] N=670
Above-normal WHZ above +1	0.373 P=411	0.091 [0.060] N=1,089	**0.117* [0.063] N=983**	0.080 [0.069] N=854	0.082 [0.071] N=721	0.112 [0.085] N=586
Above-normal BMIZ above +1	0.369 P=396	0.065 [0.059] N=1,067	0.087 [0.061] N=961	0.044 [0.066] N=834	0.046 [0.074] N=705	0.061 [0.087] N=576

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.110 [0.077] N=944	-0.106 [0.080] N=834	-0.041 [0.084] N=705	-0.060 [0.108] N=574	0.031 [0.126] N=443
Not underweight WAZ at least -2	0.012 [0.058] N=1,086	0.006 [0.064] N=967	-0.012 [0.072] N=817	-0.050 [0.084] N=663	-0.060 [0.104] N=506
Neither wasted nor overweight WHZ -2 to +2	-0.066 [0.080] N=945	-0.075 [0.086] N=839	-0.057 [0.101] N=710	0.035 [0.109] N=577	0.035 [0.131] N=442
Neither low nor high BMIZ -2 to +2	-0.123 [0.077] N=929	**-0.141* [0.083] N=823**	-0.060 [0.090] N=696	0.008 [0.103] N=567	0.012 [0.129] N=438
Strict normal HAZ -2 to +3	-0.055 [0.076] N=944	-0.051 [0.080] N=834	0.012 [0.082] N=705	0.029 [0.105] N=574	0.130 [0.130] N=443
Strict normal WAZ -2 to +1	0.118 [0.095] N=1,086	0.095 [0.097] N=967	0.066 [0.111] N=817	0.024 [0.126] N=663	0.083 [0.150] N=506
Strict normal WHZ -2 to +1	-0.036 [0.086] N=945	-0.095 [0.092] N=839	-0.039 [0.107] N=710	0.099 [0.111] N=577	0.067 [0.143] N=442
Strict normal BMIZ -2 to +1	-0.060 [0.095] N=929	-0.106 [0.099] N=823	-0.007 [0.116] N=696	0.117 [0.119] N=567	0.130 [0.148] N=438
Above-normal height HAZ above +3	-0.055 [0.043] N=944	-0.055 [0.044] N=834	-0.053 [0.056] N=705	-0.090 [0.064] N=574	-0.099 [0.083] N=443
Above-normal weight WAZ above +1	-0.106 [0.077] N=1,086	-0.088 [0.081] N=967	-0.078 [0.092] N=817	-0.073 [0.106] N=663	-0.143 [0.125] N=506
Above-normal WHZ above +1	-0.003 [0.097] N=945	0.036 [0.103] N=839	-0.068 [0.122] N=710	-0.127 [0.126] N=577	-0.158 [0.162] N=442
Above-normal BMIZ above +1	0.003 [0.098] N=929	0.037 [0.101] N=823	-0.056 [0.120] N=696	-0.087 [0.132] N=567	-0.129 [0.165] N=438

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=773	-0.051 [0.062] N=996	-0.058 [0.064] N=895	-0.015 [0.066] N=783	-0.000 [0.071] N=660	0.040 [0.079] N=542
Not underweight WAZ at least -2	0.918 P=1,049	0.006 [0.037] N=1,142	0.004 [0.040] N=1,032	-0.005 [0.040] N=902	-0.025 [0.043] N=761	-0.030 [0.045] N=621
Neither wasted nor overweight WHZ -2 to +2	0.679 P=681	-0.042 [0.059] N=1,000	-0.049 [0.060] N=903	-0.034 [0.065] N=789	0.019 [0.064] N=665	-0.001 [0.071] N=544
Neither low nor high BMIZ -2 to +2	0.653 P=643	**-0.122** [0.058] N=980**	**-0.146** [0.060] N=883**	-0.096 [0.065] N=772	-0.070 [0.067] N=652	-0.106 [0.074] N=536
Strict normal HAZ -2 to +3	0.705 P=708	-0.036 [0.061] N=996	-0.052 [0.062] N=895	-0.018 [0.062] N=783	0.016 [0.069] N=660	0.042 [0.078] N=542
Strict normal WAZ -2 to +1	0.680 P=778	0.005 [0.058] N=1,142	-0.016 [0.061] N=1,032	-0.026 [0.065] N=902	-0.059 [0.068] N=761	-0.067 [0.070] N=621
Strict normal WHZ -2 to +1	0.508 P=502	**-0.103* [0.059] N=1,000**	**-0.139** [0.061] N=903**	**-0.113* [0.066] N=789**	-0.060 [0.070] N=665	-0.104 [0.083] N=544
Strict normal BMIZ -2 to +1	0.502 P=491	-0.096 [0.064] N=980	**-0.126* [0.066] N=883**	-0.057 [0.073] N=772	-0.027 [0.074] N=652	-0.064 [0.085] N=536
Above-normal height HAZ above +3	0.067 P=65	-0.015 [0.030] N=996	-0.006 [0.031] N=895	0.004 [0.034] N=783	-0.016 [0.039] N=660	-0.002 [0.047] N=542
Above-normal weight WAZ above +1	0.238 P=271	0.002 [0.051] N=1,142	0.020 [0.053] N=1,032	0.022 [0.057] N=902	0.034 [0.061] N=761	0.037 [0.064] N=621
Above-normal WHZ above +1	0.374 P=379	**0.107* [0.062] N=1,000**	**0.138** [0.065] N=903**	0.086 [0.071] N=789	0.071 [0.074] N=665	0.091 [0.086] N=544
Above-normal BMIZ above +1	0.371 P=366	0.080 [0.063] N=980	0.105 [0.064] N=883	0.040 [0.071] N=772	0.034 [0.077] N=652	0.038 [0.089] N=536

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.099 [0.089] N=862	-0.107 [0.095] N=761	-0.049 [0.098] N=649	-0.039 [0.119] N=526	0.099 [0.147] N=408
Not underweight WAZ at least -2	0.016 [0.062] N=990	0.012 [0.068] N=880	-0.008 [0.075] N=750	-0.053 [0.092] N=609	-0.058 [0.113] N=469
Neither wasted nor overweight WHZ -2 to +2	-0.062 [0.084] N=866	-0.066 [0.091] N=769	-0.030 [0.107] N=655	0.111 [0.113] N=531	0.143 [0.139] N=410
Neither low nor high BMIZ -2 to +2	**-0.134* [0.077] N=850**	**-0.161* [0.083] N=753**	-0.055 [0.091] N=642	0.036 [0.103] N=522	0.038 [0.132] N=406
Strict normal HAZ -2 to +3	-0.052 [0.089] N=862	-0.067 [0.095] N=761	-0.010 [0.093] N=649	0.068 [0.113] N=526	0.220 [0.143] N=408
Strict normal WAZ -2 to +1	0.105 [0.098] N=990	0.086 [0.102] N=880	0.096 [0.114] N=750	0.038 [0.131] N=609	0.098 [0.155] N=469
Strict normal WHZ -2 to +1	-0.050 [0.093] N=866	-0.112 [0.099] N=769	-0.032 [0.115] N=655	0.150 [0.115] N=531	0.168 [0.153] N=410
Strict normal BMIZ -2 to +1	-0.081 [0.098] N=850	-0.128 [0.103] N=753	0.007 [0.117] N=642	0.130 [0.116] N=522	0.174 [0.149] N=406
Above-normal height HAZ above +3	-0.047 [0.043] N=862	-0.040 [0.044] N=761	-0.040 [0.053] N=649	**-0.107* [0.062] N=526**	-0.121 [0.082] N=408
Above-normal weight WAZ above +1	-0.089 [0.079] N=990	-0.075 [0.084] N=880	-0.104 [0.095] N=750	-0.090 [0.111] N=609	-0.156 [0.132] N=469
Above-normal WHZ above +1	0.019 [0.104] N=866	0.068 [0.111] N=769	-0.057 [0.129] N=655	-0.150 [0.134] N=531	-0.250 [0.167] N=410
Above-normal BMIZ above +1	0.024 [0.103] N=850	0.064 [0.108] N=753	-0.063 [0.125] N=642	-0.102 [0.135] N=522	-0.201 [0.165] N=406

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.772 P=773	-0.049 [0.061] N=996	-0.056 [0.063] N=895	-0.012 [0.065] N=783	0.003 [0.070] N=660	0.043 [0.078] N=542
Not underweight WAZ at least -2	0.918 P=1,049	0.010 [0.036] N=1,142	0.007 [0.039] N=1,032	-0.001 [0.039] N=902	-0.021 [0.041] N=761	-0.027 [0.044] N=621
Neither wasted nor overweight WHZ -2 to +2	0.679 P=681	-0.038 [0.058] N=1,000	-0.044 [0.059] N=903	-0.028 [0.064] N=789	0.028 [0.063] N=665	0.009 [0.070] N=544
Neither low nor high BMIZ -2 to +2	0.653 P=643	**-0.123** [0.057] N=980**	**-0.145** [0.059] N=883**	-0.094 [0.064] N=772	-0.065 [0.065] N=652	-0.098 [0.071] N=536
Strict normal HAZ -2 to +3	0.705 P=708	-0.031 [0.060] N=996	-0.045 [0.061] N=895	-0.013 [0.061] N=783	0.023 [0.068] N=660	0.046 [0.076] N=542
Strict normal WAZ -2 to +1	0.680 P=778	0.011 [0.058] N=1,142	-0.008 [0.060] N=1,032	-0.021 [0.064] N=902	-0.056 [0.067] N=761	-0.067 [0.069] N=621
Strict normal WHZ -2 to +1	0.508 P=502	-0.095 [0.059] N=1,000	**-0.129** [0.061] N=903**	-0.102 [0.066] N=789	-0.047 [0.070] N=665	-0.089 [0.084] N=544
Strict normal BMIZ -2 to +1	0.502 P=491	-0.095 [0.063] N=980	**-0.125* [0.065] N=883**	-0.055 [0.072] N=772	-0.024 [0.072] N=652	-0.058 [0.082] N=536
Above-normal height HAZ above +3	0.067 P=65	-0.019 [0.031] N=996	-0.011 [0.032] N=895	0.001 [0.034] N=783	-0.019 [0.039] N=660	-0.003 [0.047] N=542
Above-normal weight WAZ above +1	0.238 P=271	-0.001 [0.050] N=1,142	0.015 [0.052] N=1,032	0.020 [0.056] N=902	0.035 [0.060] N=761	0.040 [0.063] N=621
Above-normal WHZ above +1	0.374 P=379	**0.103* [0.062] N=1,000**	**0.132** [0.065] N=903**	0.080 [0.071] N=789	0.065 [0.074] N=665	0.084 [0.088] N=544
Above-normal BMIZ above +1	0.371 P=366	0.080 [0.063] N=980	0.106 [0.064] N=883	0.040 [0.071] N=772	0.035 [0.078] N=652	0.037 [0.091] N=536

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.098 [0.088] N=862	-0.104 [0.093] N=761	-0.047 [0.096] N=649	-0.038 [0.116] N=526	0.082 [0.141] N=408
Not underweight WAZ at least -2	0.020 [0.062] N=990	0.016 [0.068] N=880	-0.003 [0.075] N=750	-0.050 [0.091] N=609	-0.068 [0.110] N=469
Neither wasted nor overweight WHZ -2 to +2	-0.066 [0.083] N=866	-0.068 [0.090] N=769	-0.029 [0.106] N=655	0.114 [0.112] N=531	0.130 [0.138] N=410
Neither low nor high BMIZ -2 to +2	**-0.142* [0.077] N=850**	**-0.167** [0.083] N=753**	-0.060 [0.090] N=642	0.032 [0.103] N=522	0.031 [0.127] N=406
Strict normal HAZ -2 to +3	-0.046 [0.088] N=862	-0.059 [0.094] N=761	-0.004 [0.092] N=649	0.071 [0.113] N=526	0.200 [0.144] N=408
Strict normal WAZ -2 to +1	0.116 [0.097] N=990	0.100 [0.101] N=880	0.104 [0.114] N=750	0.044 [0.131] N=609	0.089 [0.156] N=469
Strict normal WHZ -2 to +1	-0.050 [0.092] N=866	-0.108 [0.098] N=769	-0.025 [0.114] N=655	0.158 [0.114] N=531	0.163 [0.151] N=410
Strict normal BMIZ -2 to +1	-0.087 [0.097] N=850	-0.137 [0.102] N=753	0.000 [0.115] N=642	0.119 [0.116] N=522	0.143 [0.144] N=406
Above-normal height HAZ above +3	-0.053 [0.043] N=862	-0.045 [0.045] N=761	-0.043 [0.054] N=649	**-0.109* [0.062] N=526**	-0.118 [0.084] N=408
Above-normal weight WAZ above +1	-0.095 [0.078] N=990	-0.084 [0.083] N=880	-0.107 [0.094] N=750	-0.093 [0.109] N=609	-0.157 [0.130] N=469
Above-normal WHZ above +1	0.015 [0.102] N=866	0.061 [0.110] N=769	-0.068 [0.127] N=655	-0.162 [0.131] N=531	-0.249 [0.161] N=410
Above-normal BMIZ above +1	0.027 [0.102] N=850	0.069 [0.107] N=753	-0.060 [0.124] N=642	-0.094 [0.134] N=522	-0.181 [0.159] N=406

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.