Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,024	0.000 [0.037] N=1,238	0.000 [0.038] N=1,140	-0.004 [0.041] N=1,020	-0.014 [0.041] N=881	-0.006 [0.047] N=729
Vegetables consumed daily or several times weekly	0.766 P=949	0.015 [0.046] N=1,238	0.009 [0.048] N=1,140	-0.021 [0.051] N=1,020	-0.044 [0.054] N=881	-0.061 [0.060] N=729
Meat fish or poultry consumed daily or several times weekly	0.551 P=683	0.015 [0.059] N=1,238	0.018 [0.060] N=1,140	0.007 [0.067] N=1,020	0.022 [0.075] N=881	0.048 [0.081] N=729
Legumes consumed daily or several times weekly	0.558 P=687	-0.042 [0.053] N=1,238	-0.044 [0.056] N=1,140	-0.036 [0.060] N=1,020	-0.007 [0.066] N=881	0.010 [0.080] N=729
Animal products consumed daily or several times weekly	0.841 P=1,039	**0.090** [0.040] N=1,238**	**0.084** [0.042] N=1,140**	0.058 [0.045] N=1,020	0.065 [0.047] N=881	0.052 [0.052] N=729
Sweets consumed daily or several times weekly	0.384 P=478	-0.041 [0.052] N=1,238	-0.062 [0.054] N=1,140	-0.038 [0.059] N=1,020	-0.030 [0.062] N=881	0.013 [0.072] N=729
Snack foods consumed daily or several times weekly	0.293 P=358	0.015 [0.053] N=1,238	-0.010 [0.056] N=1,140	-0.001 [0.060] N=1,020	0.040 [0.064] N=881	0.056 [0.071] N=729
Packaged soft drinks consumed daily or several times weekly	0.162 P=193	-0.003 [0.039] N=1,238	-0.012 [0.042] N=1,140	-0.016 [0.046] N=1,020	-0.019 [0.050] N=881	-0.041 [0.057] N=729
Grains consumed daily or several times weekly	0.760 P=938	0.039 [0.046] N=1,238	0.046 [0.047] N=1,140	0.026 [0.050] N=1,020	0.030 [0.055] N=881	0.034 [0.060] N=729

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.008 [0.055] N=1,044	0.013 [0.057] N=946	0.003 [0.068] N=826	-0.036 [0.078] N=687	-0.006 [0.109] N=535
Vegetables consumed daily or several times weekly	0.021 [0.069] N=1,044	0.017 [0.075] N=946	-0.050 [0.084] N=826	-0.137 [0.104] N=687	**-0.236* [0.137] N=535**
Meat fish or poultry consumed daily or several times weekly	-0.059 [0.074] N=1,044	-0.069 [0.075] N=946	-0.121 [0.088] N=826	-0.164 [0.101] N=687	-0.194 [0.129] N=535
Legumes consumed daily or several times weekly	-0.095 [0.075] N=1,044	-0.100 [0.083] N=946	-0.108 [0.092] N=826	-0.089 [0.105] N=687	-0.084 [0.152] N=535
Animal products consumed daily or several times weekly	**0.109* [0.065] N=1,044**	0.103 [0.073] N=946	0.047 [0.081] N=826	0.050 [0.100] N=687	0.023 [0.131] N=535
Sweets consumed daily or several times weekly	-0.076 [0.071] N=1,044	-0.113 [0.076] N=946	-0.080 [0.090] N=826	-0.081 [0.098] N=687	0.015 [0.135] N=535
Snack foods consumed daily or several times weekly	-0.022 [0.071] N=1,044	-0.079 [0.076] N=946	-0.078 [0.088] N=826	-0.016 [0.105] N=687	-0.030 [0.135] N=535
Packaged soft drinks consumed daily or several times weekly	0.017 [0.055] N=1,044	0.004 [0.062] N=946	0.005 [0.072] N=826	-0.002 [0.088] N=687	-0.070 [0.127] N=535
Grains consumed daily or several times weekly	0.050 [0.071] N=1,044	0.067 [0.076] N=946	0.023 [0.086] N=826	0.031 [0.103] N=687	0.043 [0.136] N=535

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,024	0.000 [0.037] N=1,238	-0.001 [0.038] N=1,140	-0.004 [0.041] N=1,020	-0.015 [0.041] N=881	-0.007 [0.048] N=729
Vegetables consumed daily or several times weekly	0.766 P=949	0.015 [0.046] N=1,238	0.009 [0.048] N=1,140	-0.021 [0.051] N=1,020	-0.045 [0.054] N=881	-0.062 [0.060] N=729
Meat fish or poultry consumed daily or several times weekly	0.551 P=683	0.015 [0.059] N=1,238	0.017 [0.061] N=1,140	0.006 [0.067] N=1,020	0.021 [0.075] N=881	0.046 [0.081] N=729
Legumes consumed daily or several times weekly	0.558 P=687	-0.042 [0.053] N=1,238	-0.045 [0.056] N=1,140	-0.036 [0.060] N=1,020	-0.009 [0.066] N=881	0.008 [0.081] N=729
Animal products consumed daily or several times weekly	0.841 P=1,039	**0.090** [0.040] N=1,238**	**0.082* [0.042] N=1,140**	0.058 [0.045] N=1,020	0.064 [0.047] N=881	0.050 [0.052] N=729
Sweets consumed daily or several times weekly	0.384 P=478	-0.041 [0.052] N=1,238	-0.063 [0.054] N=1,140	-0.038 [0.059] N=1,020	-0.031 [0.062] N=881	0.012 [0.073] N=729
Snack foods consumed daily or several times weekly	0.293 P=358	0.015 [0.053] N=1,238	-0.011 [0.056] N=1,140	-0.002 [0.060] N=1,020	0.039 [0.065] N=881	0.055 [0.072] N=729
Packaged soft drinks consumed daily or several times weekly	0.162 P=193	-0.003 [0.039] N=1,238	-0.013 [0.042] N=1,140	-0.016 [0.046] N=1,020	-0.019 [0.050] N=881	-0.042 [0.057] N=729
Grains consumed daily or several times weekly	0.760 P=938	0.038 [0.046] N=1,238	0.045 [0.047] N=1,140	0.026 [0.050] N=1,020	0.030 [0.055] N=881	0.034 [0.060] N=729

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.009 [0.055] N=1,044	0.014 [0.057] N=946	0.006 [0.068] N=826	-0.035 [0.078] N=687	-0.004 [0.109] N=535
Vegetables consumed daily or several times weekly	0.020 [0.069] N=1,044	0.017 [0.075] N=946	-0.049 [0.085] N=826	-0.136 [0.105] N=687	**-0.235* [0.137] N=535**
Meat fish or poultry consumed daily or several times weekly	-0.057 [0.074] N=1,044	-0.068 [0.075] N=946	-0.117 [0.088] N=826	-0.161 [0.101] N=687	-0.191 [0.128] N=535
Legumes consumed daily or several times weekly	-0.093 [0.075] N=1,044	-0.099 [0.083] N=946	-0.104 [0.092] N=826	-0.086 [0.105] N=687	-0.081 [0.152] N=535
Animal products consumed daily or several times weekly	**0.112* [0.065] N=1,044**	0.104 [0.072] N=946	0.051 [0.081] N=826	0.053 [0.100] N=687	0.027 [0.130] N=535
Sweets consumed daily or several times weekly	-0.075 [0.071] N=1,044	-0.112 [0.076] N=946	-0.077 [0.090] N=826	-0.080 [0.098] N=687	0.015 [0.135] N=535
Snack foods consumed daily or several times weekly	-0.021 [0.071] N=1,044	-0.078 [0.077] N=946	-0.075 [0.088] N=826	-0.014 [0.105] N=687	-0.028 [0.135] N=535
Packaged soft drinks consumed daily or several times weekly	0.017 [0.055] N=1,044	0.004 [0.062] N=946	0.004 [0.072] N=826	-0.003 [0.088] N=687	-0.070 [0.128] N=535
Grains consumed daily or several times weekly	0.051 [0.070] N=1,044	0.068 [0.075] N=946	0.026 [0.085] N=826	0.032 [0.103] N=687	0.045 [0.135] N=535

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,024	-0.020 [0.037] N=1,238	-0.021 [0.038] N=1,140	-0.025 [0.040] N=1,020	-0.028 [0.041] N=881	-0.029 [0.046] N=729
Vegetables consumed daily or several times weekly	0.766 P=949	-0.002 [0.048] N=1,238	-0.010 [0.049] N=1,140	-0.039 [0.051] N=1,020	-0.056 [0.055] N=881	-0.084 [0.059] N=729
Meat fish or poultry consumed daily or several times weekly	0.551 P=683	-0.016 [0.059] N=1,238	-0.019 [0.060] N=1,140	-0.029 [0.066] N=1,020	-0.001 [0.073] N=881	0.016 [0.081] N=729
Legumes consumed daily or several times weekly	0.558 P=687	-0.057 [0.053] N=1,238	-0.061 [0.055] N=1,140	-0.052 [0.059] N=1,020	-0.017 [0.065] N=881	-0.002 [0.081] N=729
Animal products consumed daily or several times weekly	0.841 P=1,039	**0.079* [0.040] N=1,238**	**0.071* [0.042] N=1,140**	0.046 [0.045] N=1,020	0.057 [0.047] N=881	0.039 [0.051] N=729
Sweets consumed daily or several times weekly	0.384 P=478	-0.045 [0.052] N=1,238	-0.069 [0.054] N=1,140	-0.043 [0.059] N=1,020	-0.031 [0.062] N=881	0.008 [0.072] N=729
Snack foods consumed daily or several times weekly	0.293 P=358	0.017 [0.053] N=1,238	-0.011 [0.056] N=1,140	-0.003 [0.060] N=1,020	0.040 [0.064] N=881	0.056 [0.071] N=729
Packaged soft drinks consumed daily or several times weekly	0.162 P=193	0.004 [0.038] N=1,238	-0.004 [0.041] N=1,140	-0.008 [0.045] N=1,020	-0.014 [0.048] N=881	-0.033 [0.055] N=729
Grains consumed daily or several times weekly	0.760 P=938	0.034 [0.046] N=1,238	0.043 [0.047] N=1,140	0.026 [0.050] N=1,020	0.031 [0.055] N=881	0.036 [0.060] N=729

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.007 [0.056] N=1,044	-0.001 [0.058] N=946	-0.007 [0.067] N=826	-0.017 [0.081] N=687	-0.015 [0.114] N=535
Vegetables consumed daily or several times weekly	0.009 [0.070] N=1,044	0.004 [0.075] N=946	-0.058 [0.084] N=826	-0.117 [0.106] N=687	**-0.229* [0.136] N=535**
Meat fish or poultry consumed daily or several times weekly	-0.081 [0.071] N=1,044	-0.097 [0.072] N=946	**-0.145* [0.083] N=826**	-0.148 [0.096] N=687	-0.206 [0.132] N=535
Legumes consumed daily or several times weekly	-0.105 [0.076] N=1,044	-0.111 [0.082] N=946	-0.116 [0.090] N=826	-0.081 [0.106] N=687	-0.092 [0.153] N=535
Animal products consumed daily or several times weekly	**0.106* [0.063] N=1,044**	0.098 [0.070] N=946	0.045 [0.079] N=826	0.072 [0.098] N=687	0.045 [0.125] N=535
Sweets consumed daily or several times weekly	-0.076 [0.071] N=1,044	-0.114 [0.075] N=946	-0.073 [0.089] N=826	-0.069 [0.097] N=687	0.020 [0.133] N=535
Snack foods consumed daily or several times weekly	-0.019 [0.071] N=1,044	-0.077 [0.077] N=946	-0.070 [0.088] N=826	-0.011 [0.104] N=687	-0.029 [0.133] N=535
Packaged soft drinks consumed daily or several times weekly	0.025 [0.054] N=1,044	0.013 [0.060] N=946	0.015 [0.071] N=826	0.001 [0.087] N=687	-0.065 [0.127] N=535
Grains consumed daily or several times weekly	0.045 [0.070] N=1,044	0.067 [0.075] N=946	0.026 [0.085] N=826	0.028 [0.103] N=687	0.037 [0.135] N=535

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=1,024	-0.025 [0.037] N=1,238	-0.025 [0.038] N=1,140	-0.036 [0.041] N=1,020	-0.043 [0.042] N=881	-0.054 [0.048] N=729
Vegetables consumed daily or several times weekly	0.766 P=949	-0.004 [0.047] N=1,238	-0.007 [0.049] N=1,140	-0.042 [0.051] N=1,020	-0.061 [0.056] N=881	-0.091 [0.061] N=729
Meat fish or poultry consumed daily or several times weekly	0.551 P=683	-0.021 [0.058] N=1,238	-0.019 [0.058] N=1,140	-0.036 [0.065] N=1,020	-0.012 [0.072] N=881	0.002 [0.082] N=729
Legumes consumed daily or several times weekly	0.558 P=687	-0.055 [0.054] N=1,238	-0.054 [0.057] N=1,140	-0.047 [0.060] N=1,020	-0.017 [0.066] N=881	-0.007 [0.083] N=729
Animal products consumed daily or several times weekly	0.841 P=1,039	**0.077* [0.041] N=1,238**	0.071 [0.043] N=1,140	0.045 [0.046] N=1,020	0.051 [0.049] N=881	0.029 [0.053] N=729
Sweets consumed daily or several times weekly	0.384 P=478	-0.048 [0.052] N=1,238	-0.071 [0.054] N=1,140	-0.047 [0.059] N=1,020	-0.035 [0.063] N=881	0.005 [0.073] N=729
Snack foods consumed daily or several times weekly	0.293 P=358	0.018 [0.053] N=1,238	-0.009 [0.056] N=1,140	-0.001 [0.061] N=1,020	0.042 [0.065] N=881	0.063 [0.072] N=729
Packaged soft drinks consumed daily or several times weekly	0.162 P=193	0.004 [0.038] N=1,238	-0.006 [0.041] N=1,140	-0.008 [0.045] N=1,020	-0.011 [0.048] N=881	-0.026 [0.054] N=729
Grains consumed daily or several times weekly	0.760 P=938	0.042 [0.046] N=1,238	0.051 [0.046] N=1,140	0.035 [0.050] N=1,020	0.036 [0.055] N=881	0.041 [0.060] N=729

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.003 [0.055] N=1,044	0.013 [0.058] N=946	0.001 [0.067] N=826	-0.014 [0.076] N=687	-0.043 [0.115] N=535
Vegetables consumed daily or several times weekly	0.010 [0.070] N=1,044	0.010 [0.076] N=946	-0.061 [0.085] N=826	-0.137 [0.108] N=687	**-0.283* [0.146] N=535**
Meat fish or poultry consumed daily or several times weekly	-0.082 [0.070] N=1,044	-0.086 [0.070] N=946	**-0.145* [0.081] N=826**	**-0.159* [0.092] N=687**	**-0.257* [0.132] N=535**
Legumes consumed daily or several times weekly	-0.108 [0.076] N=1,044	-0.109 [0.083] N=946	-0.119 [0.092] N=826	-0.095 [0.108] N=687	-0.117 [0.156] N=535
Animal products consumed daily or several times weekly	**0.109* [0.064] N=1,044**	0.105 [0.072] N=946	0.046 [0.080] N=826	0.057 [0.100] N=687	0.009 [0.131] N=535
Sweets consumed daily or several times weekly	-0.071 [0.071] N=1,044	-0.111 [0.074] N=946	-0.073 [0.087] N=826	-0.074 [0.097] N=687	0.001 [0.134] N=535
Snack foods consumed daily or several times weekly	-0.018 [0.069] N=1,044	-0.079 [0.075] N=946	-0.073 [0.087] N=826	-0.024 [0.104] N=687	-0.040 [0.132] N=535
Packaged soft drinks consumed daily or several times weekly	0.027 [0.053] N=1,044	0.011 [0.060] N=946	0.012 [0.071] N=826	-0.008 [0.086] N=687	-0.062 [0.128] N=535
Grains consumed daily or several times weekly	0.049 [0.070] N=1,044	0.067 [0.075] N=946	0.025 [0.085] N=826	0.019 [0.104] N=687	0.017 [0.136] N=535

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=937	-0.015 [0.039] N=1,135	-0.026 [0.040] N=1,050	-0.025 [0.043] N=939	-0.032 [0.043] N=813	-0.035 [0.049] N=677
Vegetables consumed daily or several times weekly	0.767 P=871	0.006 [0.050] N=1,135	-0.007 [0.051] N=1,050	-0.032 [0.054] N=939	-0.051 [0.055] N=813	-0.069 [0.060] N=677
Meat fish or poultry consumed daily or several times weekly	0.554 P=628	0.023 [0.056] N=1,135	0.018 [0.057] N=1,050	0.009 [0.063] N=939	0.012 [0.069] N=813	0.033 [0.074] N=677
Legumes consumed daily or several times weekly	0.555 P=625	-0.051 [0.053] N=1,135	-0.068 [0.055] N=1,050	-0.052 [0.058] N=939	-0.030 [0.063] N=813	-0.015 [0.078] N=677
Animal products consumed daily or several times weekly	0.847 P=958	**0.095** [0.043] N=1,135**	**0.082* [0.045] N=1,050**	0.054 [0.046] N=939	0.048 [0.049] N=813	0.025 [0.054] N=677
Sweets consumed daily or several times weekly	0.383 P=436	-0.032 [0.054] N=1,135	-0.058 [0.057] N=1,050	-0.029 [0.062] N=939	-0.021 [0.064] N=813	0.026 [0.073] N=677
Snack foods consumed daily or several times weekly	0.294 P=329	0.009 [0.057] N=1,135	-0.009 [0.061] N=1,050	0.005 [0.066] N=939	0.047 [0.069] N=813	0.078 [0.076] N=677
Packaged soft drinks consumed daily or several times weekly	0.165 P=180	0.019 [0.039] N=1,135	0.008 [0.041] N=1,050	0.002 [0.046] N=939	-0.004 [0.048] N=813	-0.021 [0.056] N=677
Grains consumed daily or several times weekly	0.760 P=859	0.033 [0.048] N=1,135	0.032 [0.050] N=1,050	0.008 [0.054] N=939	0.009 [0.061] N=813	0.004 [0.066] N=677

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.011 [0.059] N=954	-0.000 [0.063] N=869	-0.007 [0.073] N=758	-0.044 [0.086] N=632	-0.041 [0.118] N=496
Vegetables consumed daily or several times weekly	0.031 [0.075] N=954	0.022 [0.082] N=869	-0.036 [0.093] N=758	-0.115 [0.113] N=632	-0.205 [0.142] N=496
Meat fish or poultry consumed daily or several times weekly	-0.027 [0.076] N=954	-0.050 [0.078] N=869	-0.091 [0.092] N=758	-0.165 [0.102] N=632	-0.201 [0.131] N=496
Legumes consumed daily or several times weekly	-0.085 [0.079] N=954	-0.114 [0.087] N=869	-0.100 [0.095] N=758	-0.087 [0.107] N=632	-0.079 [0.155] N=496
Animal products consumed daily or several times weekly	**0.139** [0.070] N=954**	0.123 [0.077] N=869	0.066 [0.086] N=758	0.051 [0.106] N=632	0.020 [0.142] N=496
Sweets consumed daily or several times weekly	-0.069 [0.076] N=954	-0.114 [0.082] N=869	-0.080 [0.099] N=758	-0.094 [0.109] N=632	-0.006 [0.149] N=496
Snack foods consumed daily or several times weekly	-0.040 [0.078] N=954	-0.082 [0.086] N=869	-0.076 [0.099] N=758	-0.013 [0.114] N=632	0.008 [0.148] N=496
Packaged soft drinks consumed daily or several times weekly	0.040 [0.056] N=954	0.025 [0.063] N=869	0.020 [0.076] N=758	0.011 [0.090] N=632	-0.036 [0.133] N=496
Grains consumed daily or several times weekly	0.058 [0.073] N=954	0.066 [0.079] N=869	0.008 [0.089] N=758	0.009 [0.111] N=632	0.008 [0.144] N=496

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=937	-0.017 [0.039] N=1,135	-0.027 [0.040] N=1,050	-0.024 [0.043] N=939	-0.032 [0.043] N=813	-0.034 [0.048] N=677
Vegetables consumed daily or several times weekly	0.767 P=871	0.004 [0.049] N=1,135	-0.007 [0.051] N=1,050	-0.031 [0.053] N=939	-0.049 [0.055] N=813	-0.070 [0.061] N=677
Meat fish or poultry consumed daily or several times weekly	0.554 P=628	0.022 [0.056] N=1,135	0.017 [0.057] N=1,050	0.009 [0.063] N=939	0.014 [0.069] N=813	0.032 [0.074] N=677
Legumes consumed daily or several times weekly	0.555 P=625	-0.051 [0.053] N=1,135	-0.068 [0.055] N=1,050	-0.051 [0.058] N=939	-0.027 [0.063] N=813	-0.014 [0.077] N=677
Animal products consumed daily or several times weekly	0.847 P=958	**0.095** [0.043] N=1,135**	**0.081* [0.044] N=1,050**	0.055 [0.046] N=939	0.052 [0.049] N=813	0.031 [0.053] N=677
Sweets consumed daily or several times weekly	0.383 P=436	-0.032 [0.053] N=1,135	-0.059 [0.056] N=1,050	-0.028 [0.061] N=939	-0.023 [0.064] N=813	0.024 [0.072] N=677
Snack foods consumed daily or several times weekly	0.294 P=329	0.009 [0.057] N=1,135	-0.010 [0.060] N=1,050	0.005 [0.065] N=939	0.045 [0.069] N=813	0.076 [0.076] N=677
Packaged soft drinks consumed daily or several times weekly	0.165 P=180	0.021 [0.039] N=1,135	0.009 [0.042] N=1,050	0.004 [0.046] N=939	-0.002 [0.049] N=813	-0.017 [0.056] N=677
Grains consumed daily or several times weekly	0.760 P=859	0.033 [0.048] N=1,135	0.033 [0.050] N=1,050	0.008 [0.054] N=939	0.010 [0.060] N=813	0.006 [0.066] N=677

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.001 [0.058] N=954	-0.008 [0.061] N=869	-0.006 [0.073] N=758	-0.038 [0.084] N=632	-0.036 [0.115] N=496
Vegetables consumed daily or several times weekly	0.022 [0.074] N=954	0.014 [0.080] N=869	-0.038 [0.092] N=758	-0.114 [0.111] N=632	-0.213 [0.141] N=496
Meat fish or poultry consumed daily or several times weekly	-0.031 [0.076] N=954	-0.053 [0.078] N=869	-0.091 [0.091] N=758	-0.160 [0.102] N=632	-0.204 [0.132] N=496
Legumes consumed daily or several times weekly	-0.088 [0.079] N=954	-0.117 [0.086] N=869	-0.100 [0.096] N=758	-0.082 [0.106] N=632	-0.077 [0.151] N=496
Animal products consumed daily or several times weekly	**0.133* [0.069] N=954**	0.118 [0.076] N=869	0.065 [0.085] N=758	0.055 [0.104] N=632	0.025 [0.138] N=496
Sweets consumed daily or several times weekly	-0.077 [0.075] N=954	-0.127 [0.081] N=869	-0.087 [0.098] N=758	-0.096 [0.107] N=632	-0.012 [0.146] N=496
Snack foods consumed daily or several times weekly	-0.046 [0.078] N=954	-0.091 [0.085] N=869	-0.081 [0.099] N=758	-0.017 [0.113] N=632	0.001 [0.148] N=496
Packaged soft drinks consumed daily or several times weekly	0.039 [0.056] N=954	0.023 [0.063] N=869	0.019 [0.075] N=758	0.014 [0.089] N=632	-0.027 [0.132] N=496
Grains consumed daily or several times weekly	0.055 [0.073] N=954	0.065 [0.079] N=869	0.010 [0.089] N=758	0.015 [0.110] N=632	0.014 [0.144] N=496

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=907	0.012 [0.048] N=1,080	0.018 [0.049] N=976	-0.004 [0.054] N=848	-0.026 [0.058] N=709	-0.023 [0.065] N=573
Vegetables consumed daily or several times weekly	0.779 P=842	-0.022 [0.057] N=1,080	-0.014 [0.060] N=976	-0.000 [0.065] N=848	-0.026 [0.070] N=709	-0.007 [0.076] N=573
Meat fish or poultry consumed daily or several times weekly	0.549 P=597	0.022 [0.069] N=1,080	0.016 [0.073] N=976	-0.018 [0.082] N=848	-0.001 [0.090] N=709	-0.011 [0.103] N=573
Legumes consumed daily or several times weekly	0.560 P=604	0.027 [0.067] N=1,080	0.050 [0.069] N=976	0.016 [0.074] N=848	-0.012 [0.082] N=709	0.007 [0.091] N=573
Animal products consumed daily or several times weekly	0.846 P=912	0.029 [0.044] N=1,080	0.035 [0.046] N=976	0.020 [0.051] N=848	0.023 [0.055] N=709	0.031 [0.060] N=573
Sweets consumed daily or several times weekly	0.393 P=429	-0.096 [0.062] N=1,080	**-0.113* [0.062] N=976**	-0.114 [0.070] N=848	**-0.144* [0.074] N=709**	**-0.199** [0.083] N=573**
Snack foods consumed daily or several times weekly	0.304 P=325	-0.081 [0.057] N=1,080	-0.093 [0.058] N=976	**-0.108* [0.061] N=848**	**-0.128** [0.064] N=709**	**-0.187** [0.073] N=573**
Packaged soft drinks consumed daily or several times weekly	0.161 P=169	-0.014 [0.041] N=1,080	-0.027 [0.042] N=976	-0.005 [0.045] N=848	-0.041 [0.048] N=709	**-0.119** [0.053] N=573**
Grains consumed daily or several times weekly	0.755 P=819	0.095 [0.059] N=1,080	**0.110* [0.062] N=976**	0.098 [0.067] N=848	0.090 [0.075] N=709	0.062 [0.083] N=573

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.074] N=942	0.055 [0.079] N=838	0.026 [0.097] N=710	0.028 [0.101] N=571	0.062 [0.138] N=435
Vegetables consumed daily or several times weekly	-0.048 [0.085] N=942	-0.044 [0.095] N=838	-0.031 [0.113] N=710	-0.081 [0.117] N=571	-0.061 [0.152] N=435
Meat fish or poultry consumed daily or several times weekly	-0.030 [0.085] N=942	-0.047 [0.092] N=838	-0.145 [0.104] N=710	-0.167 [0.114] N=571	**-0.249* [0.146] N=435**
Legumes consumed daily or several times weekly	0.074 [0.090] N=942	0.110 [0.095] N=838	0.067 [0.109] N=710	0.042 [0.128] N=571	0.147 [0.152] N=435
Animal products consumed daily or several times weekly	0.015 [0.063] N=942	0.023 [0.069] N=838	-0.013 [0.079] N=710	0.003 [0.084] N=571	0.022 [0.106] N=435
Sweets consumed daily or several times weekly	-0.025 [0.084] N=942	-0.050 [0.084] N=838	-0.027 [0.098] N=710	-0.063 [0.112] N=571	-0.174 [0.136] N=435
Snack foods consumed daily or several times weekly	-0.051 [0.074] N=942	-0.074 [0.077] N=838	-0.101 [0.084] N=710	-0.120 [0.094] N=571	**-0.277** [0.118] N=435**
Packaged soft drinks consumed daily or several times weekly	0.011 [0.065] N=942	-0.004 [0.067] N=838	0.051 [0.080] N=710	0.008 [0.088] N=571	-0.171 [0.110] N=435
Grains consumed daily or several times weekly	0.020 [0.078] N=942	0.025 [0.084] N=838	-0.022 [0.092] N=710	-0.096 [0.111] N=571	**-0.278** [0.121] N=435**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=907	0.013 [0.047] N=1,080	0.019 [0.049] N=976	-0.002 [0.054] N=848	-0.026 [0.058] N=709	-0.022 [0.064] N=573
Vegetables consumed daily or several times weekly	0.779 P=842	-0.022 [0.057] N=1,080	-0.013 [0.060] N=976	0.002 [0.065] N=848	-0.025 [0.070] N=709	-0.007 [0.076] N=573
Meat fish or poultry consumed daily or several times weekly	0.549 P=597	0.025 [0.070] N=1,080	0.019 [0.074] N=976	-0.014 [0.083] N=848	0.002 [0.091] N=709	-0.010 [0.104] N=573
Legumes consumed daily or several times weekly	0.560 P=604	0.029 [0.067] N=1,080	0.051 [0.069] N=976	0.017 [0.074] N=848	-0.012 [0.082] N=709	0.006 [0.091] N=573
Animal products consumed daily or several times weekly	0.846 P=912	0.031 [0.043] N=1,080	0.038 [0.045] N=976	0.022 [0.051] N=848	0.025 [0.055] N=709	0.032 [0.060] N=573
Sweets consumed daily or several times weekly	0.393 P=429	-0.093 [0.062] N=1,080	**-0.110* [0.063] N=976**	-0.111 [0.070] N=848	**-0.143* [0.074] N=709**	**-0.199** [0.083] N=573**
Snack foods consumed daily or several times weekly	0.304 P=325	-0.078 [0.056] N=1,080	-0.091 [0.058] N=976	**-0.107* [0.061] N=848**	**-0.129** [0.064] N=709**	**-0.187** [0.073] N=573**
Packaged soft drinks consumed daily or several times weekly	0.161 P=169	-0.013 [0.041] N=1,080	-0.026 [0.041] N=976	-0.003 [0.045] N=848	-0.040 [0.048] N=709	**-0.119** [0.052] N=573**
Grains consumed daily or several times weekly	0.755 P=819	0.097 [0.059] N=1,080	**0.111* [0.062] N=976**	0.099 [0.067] N=848	0.089 [0.076] N=709	0.062 [0.083] N=573

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.051 [0.073] N=942	0.059 [0.078] N=838	0.031 [0.095] N=710	0.030 [0.100] N=571	0.071 [0.136] N=435
Vegetables consumed daily or several times weekly	-0.046 [0.084] N=942	-0.040 [0.095] N=838	-0.025 [0.111] N=710	-0.073 [0.116] N=571	-0.050 [0.152] N=435
Meat fish or poultry consumed daily or several times weekly	-0.024 [0.084] N=942	-0.039 [0.091] N=838	-0.133 [0.103] N=710	-0.152 [0.114] N=571	-0.235 [0.145] N=435
Legumes consumed daily or several times weekly	0.077 [0.091] N=942	0.113 [0.095] N=838	0.070 [0.109] N=710	0.045 [0.128] N=571	0.144 [0.152] N=435
Animal products consumed daily or several times weekly	0.020 [0.061] N=942	0.030 [0.067] N=838	-0.007 [0.078] N=710	0.013 [0.082] N=571	0.039 [0.101] N=435
Sweets consumed daily or several times weekly	-0.018 [0.083] N=942	-0.041 [0.084] N=838	-0.019 [0.098] N=710	-0.058 [0.113] N=571	-0.167 [0.136] N=435
Snack foods consumed daily or several times weekly	-0.044 [0.074] N=942	-0.068 [0.076] N=838	-0.096 [0.083] N=710	-0.122 [0.093] N=571	**-0.276** [0.118] N=435**
Packaged soft drinks consumed daily or several times weekly	0.014 [0.065] N=942	-0.000 [0.067] N=838	0.057 [0.078] N=710	0.014 [0.087] N=571	-0.163 [0.108] N=435
Grains consumed daily or several times weekly	0.024 [0.079] N=942	0.027 [0.085] N=838	-0.021 [0.093] N=710	-0.103 [0.111] N=571	**-0.284** [0.121] N=435**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=907	-0.003 [0.046] N=1,080	0.001 [0.047] N=976	-0.008 [0.053] N=848	-0.032 [0.057] N=709	-0.030 [0.064] N=573
Vegetables consumed daily or several times weekly	0.779 P=842	-0.036 [0.055] N=1,080	-0.029 [0.058] N=976	-0.006 [0.063] N=848	-0.033 [0.067] N=709	-0.016 [0.072] N=573
Meat fish or poultry consumed daily or several times weekly	0.549 P=597	0.001 [0.066] N=1,080	-0.006 [0.070] N=976	-0.022 [0.077] N=848	-0.008 [0.084] N=709	-0.018 [0.095] N=573
Legumes consumed daily or several times weekly	0.560 P=604	0.017 [0.066] N=1,080	0.042 [0.069] N=976	0.015 [0.074] N=848	-0.016 [0.080] N=709	0.005 [0.088] N=573
Animal products consumed daily or several times weekly	0.846 P=912	0.021 [0.044] N=1,080	0.025 [0.046] N=976	0.016 [0.052] N=848	0.019 [0.056] N=709	0.027 [0.061] N=573
Sweets consumed daily or several times weekly	0.393 P=429	-0.096 [0.062] N=1,080	**-0.115* [0.063] N=976**	**-0.116* [0.070] N=848**	**-0.147* [0.075] N=709**	**-0.206** [0.084] N=573**
Snack foods consumed daily or several times weekly	0.304 P=325	-0.078 [0.057] N=1,080	-0.093 [0.058] N=976	**-0.111* [0.062] N=848**	**-0.133** [0.065] N=709**	**-0.194** [0.075] N=573**
Packaged soft drinks consumed daily or several times weekly	0.161 P=169	-0.008 [0.040] N=1,080	-0.022 [0.041] N=976	-0.003 [0.045] N=848	-0.038 [0.047] N=709	**-0.121** [0.051] N=573**
Grains consumed daily or several times weekly	0.755 P=819	0.094 [0.060] N=1,080	**0.108* [0.063] N=976**	0.098 [0.068] N=848	0.091 [0.077] N=709	0.063 [0.084] N=573

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.022 [0.073] N=942	0.026 [0.077] N=838	0.022 [0.094] N=710	0.017 [0.102] N=571	0.044 [0.138] N=435
Vegetables consumed daily or several times weekly	-0.070 [0.085] N=942	-0.068 [0.095] N=838	-0.039 [0.110] N=710	-0.086 [0.117] N=571	-0.076 [0.152] N=435
Meat fish or poultry consumed daily or several times weekly	-0.070 [0.084] N=942	-0.089 [0.091] N=838	-0.155 [0.102] N=710	-0.185 [0.114] N=571	**-0.293** [0.138] N=435**
Legumes consumed daily or several times weekly	0.052 [0.092] N=942	0.090 [0.095] N=838	0.064 [0.109] N=710	0.027 [0.126] N=571	0.121 [0.149] N=435
Animal products consumed daily or several times weekly	0.005 [0.061] N=942	0.013 [0.066] N=838	-0.012 [0.079] N=710	0.004 [0.085] N=571	0.022 [0.101] N=435
Sweets consumed daily or several times weekly	-0.017 [0.082] N=942	-0.041 [0.082] N=838	-0.017 [0.096] N=710	-0.056 [0.112] N=571	-0.163 [0.130] N=435
Snack foods consumed daily or several times weekly	-0.038 [0.073] N=942	-0.064 [0.076] N=838	-0.094 [0.082] N=710	-0.118 [0.092] N=571	**-0.272** [0.115] N=435**
Packaged soft drinks consumed daily or several times weekly	0.027 [0.063] N=942	0.013 [0.065] N=838	0.064 [0.077] N=710	0.026 [0.083] N=571	-0.149 [0.105] N=435
Grains consumed daily or several times weekly	0.019 [0.079] N=942	0.022 [0.086] N=838	-0.018 [0.094] N=710	-0.098 [0.112] N=571	**-0.277** [0.123] N=435**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=907	-0.006 [0.047] N=1,080	-0.000 [0.048] N=976	-0.014 [0.054] N=848	-0.045 [0.057] N=709	-0.045 [0.063] N=573
Vegetables consumed daily or several times weekly	0.779 P=842	-0.042 [0.056] N=1,080	-0.034 [0.059] N=976	-0.015 [0.064] N=848	-0.048 [0.067] N=709	-0.031 [0.071] N=573
Meat fish or poultry consumed daily or several times weekly	0.549 P=597	0.001 [0.064] N=1,080	-0.004 [0.067] N=976	-0.026 [0.075] N=848	-0.025 [0.081] N=709	-0.038 [0.091] N=573
Legumes consumed daily or several times weekly	0.560 P=604	0.015 [0.065] N=1,080	0.038 [0.067] N=976	0.008 [0.072] N=848	-0.025 [0.079] N=709	-0.002 [0.085] N=573
Animal products consumed daily or several times weekly	0.846 P=912	0.024 [0.043] N=1,080	0.030 [0.045] N=976	0.021 [0.051] N=848	0.019 [0.055] N=709	0.025 [0.059] N=573
Sweets consumed daily or several times weekly	0.393 P=429	-0.089 [0.063] N=1,080	**-0.108* [0.064] N=976**	-0.110 [0.071] N=848	**-0.143* [0.076] N=709**	**-0.200** [0.086] N=573**
Snack foods consumed daily or several times weekly	0.304 P=325	-0.073 [0.056] N=1,080	-0.085 [0.058] N=976	**-0.104* [0.060] N=848**	**-0.126** [0.063] N=709**	**-0.187** [0.073] N=573**
Packaged soft drinks consumed daily or several times weekly	0.161 P=169	-0.002 [0.040] N=1,080	-0.015 [0.040] N=976	0.003 [0.044] N=848	-0.028 [0.047] N=709	**-0.106** [0.052] N=573**
Grains consumed daily or several times weekly	0.755 P=819	0.093 [0.059] N=1,080	**0.105* [0.063] N=976**	0.089 [0.068] N=848	0.080 [0.077] N=709	0.052 [0.084] N=573

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.031 [0.076] N=942	0.037 [0.081] N=838	0.031 [0.101] N=710	0.007 [0.111] N=571	0.028 [0.146] N=435
Vegetables consumed daily or several times weekly	-0.072 [0.088] N=942	-0.068 [0.098] N=838	-0.040 [0.117] N=710	-0.107 [0.123] N=571	-0.105 [0.160] N=435
Meat fish or poultry consumed daily or several times weekly	-0.061 [0.084] N=942	-0.075 [0.091] N=838	-0.148 [0.103] N=710	**-0.209* [0.118] N=571**	**-0.325** [0.140] N=435**
Legumes consumed daily or several times weekly	0.054 [0.092] N=942	0.088 [0.097] N=838	0.051 [0.111] N=710	0.004 [0.131] N=571	0.094 [0.152] N=435
Animal products consumed daily or several times weekly	0.006 [0.061] N=942	0.015 [0.066] N=838	-0.014 [0.078] N=710	-0.008 [0.085] N=571	0.018 [0.101] N=435
Sweets consumed daily or several times weekly	-0.004 [0.082] N=942	-0.030 [0.082] N=838	-0.004 [0.095] N=710	-0.045 [0.112] N=571	-0.142 [0.133] N=435
Snack foods consumed daily or several times weekly	-0.029 [0.073] N=942	-0.051 [0.076] N=838	-0.081 [0.081] N=710	-0.105 [0.092] N=571	**-0.254** [0.118] N=435**
Packaged soft drinks consumed daily or several times weekly	0.029 [0.062] N=942	0.016 [0.064] N=838	0.064 [0.075] N=710	0.037 [0.081] N=571	-0.122 [0.106] N=435
Grains consumed daily or several times weekly	0.025 [0.077] N=942	0.026 [0.084] N=838	-0.025 [0.093] N=710	-0.113 [0.111] N=571	**-0.289** [0.119] N=435**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=828	0.008 [0.049] N=986	0.013 [0.050] N=888	0.014 [0.055] N=778	-0.023 [0.059] N=650	-0.022 [0.065] N=530
Vegetables consumed daily or several times weekly	0.782 P=772	-0.033 [0.057] N=986	-0.026 [0.061] N=888	0.004 [0.065] N=778	-0.040 [0.072] N=650	-0.035 [0.076] N=530
Meat fish or poultry consumed daily or several times weekly	0.551 P=546	0.022 [0.073] N=986	0.011 [0.078] N=888	-0.001 [0.087] N=778	-0.005 [0.099] N=650	-0.021 [0.113] N=530
Legumes consumed daily or several times weekly	0.559 P=551	0.038 [0.070] N=986	0.065 [0.072] N=888	0.031 [0.078] N=778	-0.016 [0.087] N=650	-0.008 [0.098] N=530
Animal products consumed daily or several times weekly	0.851 P=837	0.037 [0.045] N=986	0.045 [0.048] N=888	0.041 [0.054] N=778	0.032 [0.059] N=650	0.043 [0.065] N=530
Sweets consumed daily or several times weekly	0.399 P=396	**-0.104* [0.062] N=986**	**-0.126** [0.063] N=888**	**-0.125* [0.071] N=778**	**-0.170** [0.076] N=650**	**-0.227*** [0.085] N=530**
Snack foods consumed daily or several times weekly	0.308 P=301	-0.085 [0.061] N=986	-0.103 [0.062] N=888	**-0.118* [0.066] N=778**	**-0.143** [0.069] N=650**	**-0.207** [0.079] N=530**
Packaged soft drinks consumed daily or several times weekly	0.164 P=159	-0.029 [0.042] N=986	-0.045 [0.043] N=888	-0.022 [0.046] N=778	-0.068 [0.050] N=650	**-0.166*** [0.054] N=530**
Grains consumed daily or several times weekly	0.754 P=747	**0.115* [0.060] N=986**	**0.125* [0.064] N=888**	0.112 [0.069] N=778	0.094 [0.079] N=650	0.061 [0.088] N=530

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.044 [0.074] N=858	0.051 [0.079] N=760	0.071 [0.094] N=650	0.030 [0.098] N=522	0.044 [0.122] N=402
Vegetables consumed daily or several times weekly	-0.058 [0.083] N=858	-0.054 [0.094] N=760	-0.016 [0.108] N=650	-0.110 [0.117] N=522	-0.150 [0.146] N=402
Meat fish or poultry consumed daily or several times weekly	-0.019 [0.093] N=858	-0.041 [0.100] N=760	-0.085 [0.112] N=650	-0.163 [0.129] N=522	**-0.278* [0.163] N=402**
Legumes consumed daily or several times weekly	0.097 [0.096] N=858	0.140 [0.100] N=760	0.119 [0.112] N=650	0.074 [0.137] N=522	0.143 [0.168] N=402
Animal products consumed daily or several times weekly	0.017 [0.064] N=858	0.030 [0.070] N=760	0.024 [0.079] N=650	0.007 [0.090] N=522	0.009 [0.108] N=402
Sweets consumed daily or several times weekly	-0.020 [0.084] N=858	-0.052 [0.085] N=760	-0.027 [0.097] N=650	-0.093 [0.114] N=522	-0.222 [0.143] N=402
Snack foods consumed daily or several times weekly	-0.050 [0.078] N=858	-0.081 [0.083] N=760	-0.113 [0.089] N=650	-0.155 [0.101] N=522	**-0.322** [0.128] N=402**
Packaged soft drinks consumed daily or several times weekly	-0.004 [0.069] N=858	-0.024 [0.071] N=760	0.032 [0.082] N=650	-0.027 [0.095] N=522	**-0.273** [0.119] N=402**
Grains consumed daily or several times weekly	0.050 [0.083] N=858	0.046 [0.091] N=760	0.005 [0.099] N=650	-0.103 [0.120] N=522	**-0.312** [0.136] N=402**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=828	0.011 [0.048] N=986	0.017 [0.050] N=888	0.015 [0.054] N=778	-0.025 [0.058] N=650	-0.024 [0.064] N=530
Vegetables consumed daily or several times weekly	0.782 P=772	-0.031 [0.057] N=986	-0.025 [0.060] N=888	0.007 [0.065] N=778	-0.039 [0.071] N=650	-0.036 [0.077] N=530
Meat fish or poultry consumed daily or several times weekly	0.551 P=546	0.023 [0.072] N=986	0.013 [0.077] N=888	-0.001 [0.085] N=778	-0.010 [0.096] N=650	-0.024 [0.109] N=530
Legumes consumed daily or several times weekly	0.559 P=551	0.032 [0.069] N=986	0.061 [0.072] N=888	0.026 [0.078] N=778	-0.025 [0.086] N=650	-0.016 [0.098] N=530
Animal products consumed daily or several times weekly	0.851 P=837	0.034 [0.045] N=986	0.042 [0.047] N=888	0.038 [0.053] N=778	0.029 [0.058] N=650	0.040 [0.065] N=530
Sweets consumed daily or several times weekly	0.399 P=396	**-0.108* [0.064] N=986**	**-0.129** [0.065] N=888**	**-0.132* [0.073] N=778**	**-0.180** [0.079] N=650**	**-0.236*** [0.089] N=530**
Snack foods consumed daily or several times weekly	0.308 P=301	-0.083 [0.060] N=986	-0.101 [0.062] N=888	**-0.118* [0.065] N=778**	**-0.145** [0.068] N=650**	**-0.207*** [0.078] N=530**
Packaged soft drinks consumed daily or several times weekly	0.164 P=159	-0.030 [0.042] N=986	-0.047 [0.042] N=888	-0.026 [0.045] N=778	-0.072 [0.048] N=650	**-0.170*** [0.051] N=530**
Grains consumed daily or several times weekly	0.754 P=747	**0.116* [0.060] N=986**	**0.126** [0.063] N=888**	**0.114* [0.068] N=778**	0.098 [0.078] N=650	0.065 [0.086] N=530

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.048 [0.074] N=858	0.055 [0.079] N=760	0.070 [0.093] N=650	0.026 [0.097] N=522	0.049 [0.124] N=402
Vegetables consumed daily or several times weekly	-0.054 [0.081] N=858	-0.051 [0.093] N=760	-0.008 [0.107] N=650	-0.106 [0.115] N=522	-0.137 [0.143] N=402
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.093] N=858	-0.038 [0.101] N=760	-0.084 [0.112] N=650	-0.166 [0.129] N=522	-0.257 [0.165] N=402
Legumes consumed daily or several times weekly	0.097 [0.096] N=858	0.144 [0.100] N=760	0.126 [0.112] N=650	0.072 [0.138] N=522	0.166 [0.168] N=402
Animal products consumed daily or several times weekly	0.017 [0.064] N=858	0.031 [0.070] N=760	0.024 [0.078] N=650	0.009 [0.089] N=522	0.024 [0.108] N=402
Sweets consumed daily or several times weekly	-0.020 [0.084] N=858	-0.051 [0.085] N=760	-0.030 [0.097] N=650	-0.097 [0.114] N=522	-0.224 [0.143] N=402
Snack foods consumed daily or several times weekly	-0.048 [0.078] N=858	-0.082 [0.083] N=760	-0.111 [0.089] N=650	-0.147 [0.100] N=522	**-0.325** [0.125] N=402**
Packaged soft drinks consumed daily or several times weekly	-0.005 [0.069] N=858	-0.025 [0.072] N=760	0.029 [0.082] N=650	-0.025 [0.094] N=522	**-0.264** [0.117] N=402**
Grains consumed daily or several times weekly	0.051 [0.083] N=858	0.047 [0.090] N=760	0.010 [0.099] N=650	-0.097 [0.119] N=522	**-0.308** [0.132] N=402**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.