Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.805 P=1,033	0.051 [0.047] N=1,273	0.051 [0.049] N=1,179	0.041 [0.053] N=1,053	0.047 [0.055] N=906	0.026 [0.064] N=756
Not underweight WAZ at least -2	0.939 P=1,386	**-0.046** [0.023] N=1,479**	-0.041 [0.025] N=1,368	**-0.043* [0.026] N=1,222**	-0.023 [0.027] N=1,043	-0.012 [0.035] N=864
Neither wasted nor overweight WHZ -2 to +2	0.687 P=873	0.026 [0.052] N=1,264	0.008 [0.056] N=1,169	0.029 [0.059] N=1,047	0.017 [0.069] N=900	0.040 [0.077] N=748
Neither low nor high BMIZ -2 to +2	0.654 P=825	0.029 [0.057] N=1,245	0.024 [0.062] N=1,154	0.019 [0.064] N=1,031	-0.012 [0.072] N=881	-0.018 [0.080] N=733
Strict normal HAZ -2 to +3	0.707 P=911	0.053 [0.055] N=1,273	0.047 [0.057] N=1,179	0.026 [0.062] N=1,053	0.033 [0.065] N=906	0.043 [0.075] N=756
Strict normal WAZ -2 to +1	0.625 P=928	-0.036 [0.051] N=1,479	-0.040 [0.056] N=1,368	-0.092 [0.058] N=1,222	-0.093 [0.060] N=1,043	-0.052 [0.067] N=864
Strict normal WHZ -2 to +1	0.524 P=663	-0.018 [0.055] N=1,264	-0.030 [0.059] N=1,169	-0.036 [0.060] N=1,047	-0.058 [0.068] N=900	-0.061 [0.075] N=748
Strict normal BMIZ -2 to +1	0.506 P=637	-0.042 [0.057] N=1,245	-0.057 [0.061] N=1,154	-0.069 [0.063] N=1,031	-0.105 [0.071] N=881	-0.110 [0.078] N=733
Above-normal height HAZ above +3	0.099 P=122	-0.002 [0.030] N=1,273	0.003 [0.032] N=1,179	0.015 [0.035] N=1,053	0.014 [0.036] N=906	-0.017 [0.037] N=756
Above-normal weight WAZ above +1	0.315 P=458	-0.010 [0.047] N=1,479	-0.001 [0.051] N=1,368	0.050 [0.053] N=1,222	0.071 [0.055] N=1,043	0.041 [0.060] N=864
Above-normal WHZ above +1	0.361 P=454	0.066 [0.050] N=1,264	0.065 [0.053] N=1,169	**0.090* [0.053] N=1,047**	0.091 [0.057] N=900	**0.110* [0.061] N=748**
Above-normal BMIZ above +1	0.369 P=455	0.069 [0.050] N=1,245	0.076 [0.051] N=1,154	**0.093* [0.052] N=1,031**	0.084 [0.056] N=881	0.084 [0.062] N=733

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.031 [0.067] N=1,067	0.024 [0.072] N=973	0.013 [0.080] N=847	0.018 [0.093] N=700	-0.043 [0.133] N=550
Not underweight WAZ at least -2	**-0.084*** [0.032] N=1,249**	**-0.082** [0.037] N=1,138**	**-0.096** [0.039] N=992**	**-0.074* [0.043] N=813**	-0.075 [0.075] N=634
Neither wasted nor overweight WHZ -2 to +2	0.081 [0.064] N=1,060	0.055 [0.072] N=965	0.115 [0.075] N=843	0.118 [0.103] N=696	**0.266** [0.120] N=544**
Neither low nor high BMIZ -2 to +2	**0.118* [0.070] N=1,044**	0.123 [0.080] N=953	**0.147* [0.083] N=830**	0.132 [0.104] N=680	**0.204* [0.117] N=532**
Strict normal HAZ -2 to +3	0.037 [0.079] N=1,067	0.017 [0.083] N=973	-0.019 [0.095] N=847	-0.028 [0.110] N=700	-0.006 [0.146] N=550
Strict normal WAZ -2 to +1	0.022 [0.072] N=1,249	0.022 [0.085] N=1,138	-0.068 [0.091] N=992	-0.077 [0.101] N=813	0.032 [0.133] N=634
Strict normal WHZ -2 to +1	0.045 [0.071] N=1,060	0.035 [0.080] N=965	0.062 [0.081] N=843	0.052 [0.104] N=696	0.097 [0.128] N=544
Strict normal BMIZ -2 to +1	0.044 [0.071] N=1,044	0.035 [0.078] N=953	0.052 [0.081] N=830	0.017 [0.106] N=680	0.083 [0.124] N=532
Above-normal height HAZ above +3	-0.006 [0.045] N=1,067	0.008 [0.051] N=973	0.032 [0.059] N=847	0.046 [0.060] N=700	-0.037 [0.071] N=550
Above-normal weight WAZ above +1	-0.106 [0.066] N=1,249	-0.104 [0.076] N=1,138	-0.028 [0.084] N=992	0.003 [0.096] N=813	-0.106 [0.125] N=634
Above-normal WHZ above +1	0.023 [0.071] N=1,060	0.011 [0.079] N=965	0.023 [0.081] N=843	0.007 [0.098] N=696	0.020 [0.118] N=544
Above-normal BMIZ above +1	0.038 [0.073] N=1,044	0.043 [0.080] N=953	0.040 [0.083] N=830	0.011 [0.101] N=680	-0.049 [0.122] N=532

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.805 P=1,033	0.050 [0.047] N=1,273	0.049 [0.049] N=1,179	0.040 [0.053] N=1,053	0.046 [0.055] N=906	0.024 [0.064] N=756
Not underweight WAZ at least -2	0.939 P=1,386	**-0.047** [0.023] N=1,479**	**-0.042* [0.025] N=1,368**	**-0.044* [0.026] N=1,222**	-0.023 [0.027] N=1,043	-0.013 [0.035] N=864
Neither wasted nor overweight WHZ -2 to +2	0.687 P=873	0.023 [0.052] N=1,264	0.003 [0.056] N=1,169	0.025 [0.059] N=1,047	0.011 [0.069] N=900	0.032 [0.078] N=748
Neither low nor high BMIZ -2 to +2	0.654 P=825	0.028 [0.057] N=1,245	0.022 [0.063] N=1,154	0.017 [0.065] N=1,031	-0.015 [0.072] N=881	-0.021 [0.080] N=733
Strict normal HAZ -2 to +3	0.707 P=911	0.051 [0.055] N=1,273	0.044 [0.056] N=1,179	0.024 [0.061] N=1,053	0.030 [0.064] N=906	0.039 [0.075] N=756
Strict normal WAZ -2 to +1	0.625 P=928	-0.036 [0.051] N=1,479	-0.040 [0.056] N=1,368	-0.092 [0.058] N=1,222	-0.092 [0.060] N=1,043	-0.052 [0.067] N=864
Strict normal WHZ -2 to +1	0.524 P=663	-0.020 [0.055] N=1,264	-0.033 [0.059] N=1,169	-0.039 [0.060] N=1,047	-0.061 [0.068] N=900	-0.066 [0.075] N=748
Strict normal BMIZ -2 to +1	0.506 P=637	-0.043 [0.058] N=1,245	-0.059 [0.061] N=1,154	-0.072 [0.063] N=1,031	-0.108 [0.071] N=881	-0.112 [0.079] N=733
Above-normal height HAZ above +3	0.099 P=122	-0.002 [0.030] N=1,273	0.005 [0.032] N=1,179	0.016 [0.035] N=1,053	0.015 [0.035] N=906	-0.014 [0.037] N=756
Above-normal weight WAZ above +1	0.315 P=458	-0.011 [0.047] N=1,479	-0.002 [0.051] N=1,368	0.048 [0.053] N=1,222	0.069 [0.055] N=1,043	0.039 [0.060] N=864
Above-normal WHZ above +1	0.361 P=454	0.066 [0.050] N=1,264	0.065 [0.053] N=1,169	**0.091* [0.053] N=1,047**	0.091 [0.057] N=900	**0.109* [0.061] N=748**
Above-normal BMIZ above +1	0.369 P=455	0.070 [0.050] N=1,245	0.077 [0.052] N=1,154	**0.094* [0.052] N=1,031**	0.084 [0.057] N=881	0.084 [0.062] N=733

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.032 [0.067] N=1,067	0.026 [0.072] N=973	0.015 [0.079] N=847	0.018 [0.093] N=700	-0.045 [0.132] N=550
Not underweight WAZ at least -2	**-0.084*** [0.032] N=1,249**	**-0.082** [0.037] N=1,138**	**-0.096** [0.039] N=992**	**-0.074* [0.043] N=813**	-0.074 [0.074] N=634
Neither wasted nor overweight WHZ -2 to +2	0.081 [0.064] N=1,060	0.054 [0.071] N=965	0.118 [0.074] N=843	0.121 [0.104] N=696	**0.270** [0.118] N=544**
Neither low nor high BMIZ -2 to +2	**0.118* [0.070] N=1,044**	0.123 [0.080] N=953	**0.149* [0.084] N=830**	0.134 [0.104] N=680	**0.208* [0.117] N=532**
Strict normal HAZ -2 to +3	0.039 [0.078] N=1,067	0.020 [0.082] N=973	-0.012 [0.094] N=847	-0.022 [0.109] N=700	0.001 [0.146] N=550
Strict normal WAZ -2 to +1	0.021 [0.072] N=1,249	0.022 [0.085] N=1,138	-0.069 [0.091] N=992	-0.079 [0.100] N=813	0.031 [0.133] N=634
Strict normal WHZ -2 to +1	0.045 [0.071] N=1,060	0.034 [0.080] N=965	0.065 [0.080] N=843	0.053 [0.104] N=696	0.099 [0.127] N=544
Strict normal BMIZ -2 to +1	0.045 [0.071] N=1,044	0.035 [0.078] N=953	0.055 [0.081] N=830	0.020 [0.106] N=680	0.086 [0.123] N=532
Above-normal height HAZ above +3	-0.008 [0.045] N=1,067	0.006 [0.050] N=973	0.027 [0.059] N=847	0.040 [0.059] N=700	-0.046 [0.070] N=550
Above-normal weight WAZ above +1	-0.105 [0.066] N=1,249	-0.104 [0.077] N=1,138	-0.027 [0.084] N=992	0.004 [0.095] N=813	-0.105 [0.124] N=634
Above-normal WHZ above +1	0.023 [0.071] N=1,060	0.011 [0.079] N=965	0.023 [0.081] N=843	0.008 [0.098] N=696	0.021 [0.119] N=544
Above-normal BMIZ above +1	0.038 [0.073] N=1,044	0.043 [0.080] N=953	0.040 [0.083] N=830	0.011 [0.102] N=680	-0.048 [0.123] N=532

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.805 P=1,033	0.046 [0.048] N=1,273	0.042 [0.049] N=1,179	0.033 [0.053] N=1,053	0.043 [0.055] N=906	0.018 [0.065] N=756
Not underweight WAZ at least -2	0.939 P=1,386	**-0.049** [0.022] N=1,479**	**-0.045* [0.024] N=1,368**	**-0.047* [0.025] N=1,222**	-0.024 [0.026] N=1,043	-0.018 [0.035] N=864
Neither wasted nor overweight WHZ -2 to +2	0.687 P=873	0.020 [0.052] N=1,264	-0.000 [0.055] N=1,169	0.024 [0.059] N=1,047	0.011 [0.068] N=900	0.027 [0.077] N=748
Neither low nor high BMIZ -2 to +2	0.654 P=825	0.027 [0.058] N=1,245	0.019 [0.063] N=1,154	0.016 [0.065] N=1,031	-0.015 [0.072] N=881	-0.025 [0.080] N=733
Strict normal HAZ -2 to +3	0.707 P=911	0.047 [0.055] N=1,273	0.037 [0.057] N=1,179	0.017 [0.062] N=1,053	0.028 [0.065] N=906	0.032 [0.076] N=756
Strict normal WAZ -2 to +1	0.625 P=928	-0.029 [0.050] N=1,479	-0.036 [0.055] N=1,368	-0.089 [0.058] N=1,222	-0.091 [0.060] N=1,043	-0.052 [0.068] N=864
Strict normal WHZ -2 to +1	0.524 P=663	-0.023 [0.055] N=1,264	-0.037 [0.059] N=1,169	-0.042 [0.060] N=1,047	-0.062 [0.068] N=900	-0.071 [0.075] N=748
Strict normal BMIZ -2 to +1	0.506 P=637	-0.045 [0.058] N=1,245	-0.065 [0.061] N=1,154	-0.076 [0.064] N=1,031	-0.109 [0.071] N=881	-0.117 [0.079] N=733
Above-normal height HAZ above +3	0.099 P=122	-0.001 [0.029] N=1,273	0.005 [0.032] N=1,179	0.015 [0.035] N=1,053	0.015 [0.035] N=906	-0.014 [0.037] N=756
Above-normal weight WAZ above +1	0.315 P=458	-0.020 [0.045] N=1,479	-0.009 [0.050] N=1,368	0.042 [0.052] N=1,222	0.067 [0.054] N=1,043	0.035 [0.059] N=864
Above-normal WHZ above +1	0.361 P=454	0.067 [0.050] N=1,264	0.067 [0.053] N=1,169	**0.094* [0.054] N=1,047**	0.092 [0.057] N=900	**0.112* [0.062] N=748**
Above-normal BMIZ above +1	0.369 P=455	0.071 [0.050] N=1,245	0.080 [0.052] N=1,154	**0.098* [0.053] N=1,031**	0.086 [0.057] N=881	0.088 [0.063] N=733

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.030 [0.066] N=1,067	0.020 [0.071] N=973	0.008 [0.078] N=847	0.023 [0.090] N=700	-0.041 [0.129] N=550
Not underweight WAZ at least -2	**-0.084*** [0.031] N=1,249**	**-0.083** [0.037] N=1,138**	**-0.095** [0.038] N=992**	-0.068 [0.044] N=813	-0.071 [0.075] N=634
Neither wasted nor overweight WHZ -2 to +2	0.082 [0.066] N=1,060	0.054 [0.075] N=965	0.128 [0.078] N=843	0.142 [0.109] N=696	**0.268** [0.126] N=544**
Neither low nor high BMIZ -2 to +2	**0.120* [0.072] N=1,044**	0.123 [0.083] N=953	**0.158* [0.087] N=830**	0.149 [0.109] N=680	0.207 [0.126] N=532
Strict normal HAZ -2 to +3	0.039 [0.077] N=1,067	0.015 [0.081] N=973	-0.015 [0.091] N=847	-0.010 [0.106] N=700	0.007 [0.142] N=550
Strict normal WAZ -2 to +1	0.028 [0.072] N=1,249	0.026 [0.084] N=1,138	-0.064 [0.090] N=992	-0.073 [0.099] N=813	0.031 [0.132] N=634
Strict normal WHZ -2 to +1	0.045 [0.073] N=1,060	0.033 [0.083] N=965	0.071 [0.085] N=843	0.073 [0.112] N=696	0.094 [0.139] N=544
Strict normal BMIZ -2 to +1	0.045 [0.074] N=1,044	0.030 [0.081] N=953	0.058 [0.086] N=830	0.037 [0.114] N=680	0.082 [0.135] N=532
Above-normal height HAZ above +3	-0.009 [0.045] N=1,067	0.005 [0.050] N=973	0.022 [0.059] N=847	0.032 [0.059] N=700	-0.047 [0.070] N=550
Above-normal weight WAZ above +1	**-0.112* [0.065] N=1,249**	-0.109 [0.076] N=1,138	-0.032 [0.083] N=992	0.004 [0.095] N=813	-0.102 [0.123] N=634
Above-normal WHZ above +1	0.024 [0.072] N=1,060	0.013 [0.080] N=965	0.024 [0.081] N=843	-0.003 [0.099] N=696	0.025 [0.124] N=544
Above-normal BMIZ above +1	0.039 [0.075] N=1,044	0.047 [0.082] N=953	0.043 [0.084] N=830	0.000 [0.102] N=680	-0.047 [0.127] N=532

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.805 P=1,033	0.042 [0.048] N=1,273	0.038 [0.049] N=1,179	0.026 [0.053] N=1,053	0.037 [0.055] N=906	0.008 [0.064] N=756
Not underweight WAZ at least -2	0.939 P=1,386	**-0.053** [0.022] N=1,479**	**-0.050** [0.024] N=1,368**	**-0.053** [0.024] N=1,222**	-0.031 [0.025] N=1,043	-0.029 [0.034] N=864
Neither wasted nor overweight WHZ -2 to +2	0.687 P=873	0.019 [0.052] N=1,264	-0.002 [0.056] N=1,169	0.016 [0.059] N=1,047	0.006 [0.069] N=900	0.030 [0.077] N=748
Neither low nor high BMIZ -2 to +2	0.654 P=825	0.024 [0.058] N=1,245	0.017 [0.064] N=1,154	0.007 [0.066] N=1,031	-0.021 [0.072] N=881	-0.023 [0.081] N=733
Strict normal HAZ -2 to +3	0.707 P=911	0.042 [0.055] N=1,273	0.030 [0.057] N=1,179	0.007 [0.061] N=1,053	0.019 [0.064] N=906	0.017 [0.075] N=756
Strict normal WAZ -2 to +1	0.625 P=928	-0.031 [0.051] N=1,479	-0.040 [0.056] N=1,368	-0.092 [0.058] N=1,222	-0.092 [0.060] N=1,043	-0.053 [0.068] N=864
Strict normal WHZ -2 to +1	0.524 P=663	-0.023 [0.055] N=1,264	-0.036 [0.059] N=1,169	-0.046 [0.060] N=1,047	-0.066 [0.068] N=900	-0.064 [0.076] N=748
Strict normal BMIZ -2 to +1	0.506 P=637	-0.047 [0.058] N=1,245	-0.064 [0.062] N=1,154	-0.082 [0.064] N=1,031	-0.115 [0.071] N=881	-0.115 [0.080] N=733
Above-normal height HAZ above +3	0.099 P=122	-0.000 [0.029] N=1,273	0.008 [0.032] N=1,179	0.019 [0.035] N=1,053	0.018 [0.036] N=906	-0.009 [0.038] N=756
Above-normal weight WAZ above +1	0.315 P=458	-0.021 [0.046] N=1,479	-0.010 [0.050] N=1,368	0.039 [0.053] N=1,222	0.061 [0.055] N=1,043	0.024 [0.061] N=864
Above-normal WHZ above +1	0.361 P=454	0.066 [0.050] N=1,264	0.064 [0.054] N=1,169	**0.093* [0.054] N=1,047**	0.090 [0.058] N=900	0.102 [0.063] N=748
Above-normal BMIZ above +1	0.369 P=455	0.071 [0.050] N=1,245	0.078 [0.052] N=1,154	**0.099* [0.053] N=1,031**	0.085 [0.058] N=881	0.078 [0.064] N=733

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.027 [0.067] N=1,067	0.021 [0.072] N=973	0.007 [0.080] N=847	0.027 [0.092] N=700	-0.040 [0.131] N=550
Not underweight WAZ at least -2	**-0.082*** [0.031] N=1,249**	**-0.080** [0.036] N=1,138**	**-0.094** [0.038] N=992**	-0.061 [0.044] N=813	-0.072 [0.074] N=634
Neither wasted nor overweight WHZ -2 to +2	0.079 [0.065] N=1,060	0.054 [0.073] N=965	0.118 [0.076] N=843	0.122 [0.109] N=696	**0.238* [0.125] N=544**
Neither low nor high BMIZ -2 to +2	0.116 [0.072] N=1,044	0.124 [0.083] N=953	**0.147* [0.086] N=830**	0.130 [0.109] N=680	0.177 [0.124] N=532
Strict normal HAZ -2 to +3	0.037 [0.078] N=1,067	0.017 [0.082] N=973	-0.013 [0.093] N=847	0.000 [0.107] N=700	0.021 [0.144] N=550
Strict normal WAZ -2 to +1	0.032 [0.071] N=1,249	0.028 [0.084] N=1,138	-0.058 [0.090] N=992	-0.065 [0.099] N=813	0.017 [0.128] N=634
Strict normal WHZ -2 to +1	0.038 [0.072] N=1,060	0.032 [0.082] N=965	0.058 [0.083] N=843	0.040 [0.111] N=696	0.063 [0.139] N=544
Strict normal BMIZ -2 to +1	0.042 [0.072] N=1,044	0.038 [0.080] N=953	0.053 [0.083] N=830	0.014 [0.112] N=680	0.062 [0.132] N=532
Above-normal height HAZ above +3	-0.010 [0.045] N=1,067	0.004 [0.050] N=973	0.020 [0.059] N=847	0.027 [0.060] N=700	-0.062 [0.073] N=550
Above-normal weight WAZ above +1	**-0.114* [0.065] N=1,249**	-0.108 [0.076] N=1,138	-0.036 [0.084] N=992	0.004 [0.096] N=813	-0.088 [0.121] N=634
Above-normal WHZ above +1	0.030 [0.071] N=1,060	0.016 [0.080] N=965	0.033 [0.082] N=843	0.024 [0.101] N=696	0.052 [0.124] N=544
Above-normal BMIZ above +1	0.042 [0.074] N=1,044	0.044 [0.081] N=953	0.047 [0.084] N=830	0.028 [0.104] N=680	-0.017 [0.129] N=532

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.807 P=952	0.045 [0.050] N=1,169	0.038 [0.051] N=1,087	0.024 [0.055] N=968	0.021 [0.058] N=839	-0.013 [0.068] N=702
Not underweight WAZ at least -2	0.940 P=1,269	**-0.041* [0.023] N=1,354**	-0.036 [0.025] N=1,257	-0.040 [0.027] N=1,120	-0.021 [0.028] N=961	-0.017 [0.036] N=801
Neither wasted nor overweight WHZ -2 to +2	0.685 P=804	0.032 [0.052] N=1,165	0.009 [0.054] N=1,083	0.022 [0.058] N=969	0.008 [0.066] N=840	0.017 [0.074] N=701
Neither low nor high BMIZ -2 to +2	0.657 P=764	0.024 [0.061] N=1,146	0.019 [0.066] N=1,067	0.010 [0.071] N=953	-0.017 [0.078] N=821	-0.020 [0.088] N=686
Strict normal HAZ -2 to +3	0.708 P=841	0.061 [0.058] N=1,169	0.050 [0.060] N=1,087	0.025 [0.065] N=968	0.027 [0.069] N=839	0.025 [0.083] N=702
Strict normal WAZ -2 to +1	0.623 P=846	-0.047 [0.054] N=1,354	-0.040 [0.059] N=1,257	-0.098 [0.062] N=1,120	-0.097 [0.064] N=961	-0.074 [0.073] N=801
Strict normal WHZ -2 to +1	0.521 P=609	-0.027 [0.057] N=1,165	-0.044 [0.060] N=1,083	-0.058 [0.062] N=969	-0.078 [0.068] N=840	-0.091 [0.075] N=701
Strict normal BMIZ -2 to +1	0.507 P=588	-0.058 [0.061] N=1,146	-0.071 [0.064] N=1,067	-0.086 [0.068] N=953	-0.115 [0.076] N=821	-0.118 [0.085] N=686
Above-normal height HAZ above +3	0.099 P=111	-0.016 [0.031] N=1,169	-0.012 [0.033] N=1,087	-0.001 [0.036] N=968	-0.006 [0.036] N=839	-0.038 [0.038] N=702
Above-normal weight WAZ above +1	0.318 P=423	0.007 [0.051] N=1,354	0.004 [0.054] N=1,257	0.059 [0.058] N=1,120	0.076 [0.060] N=961	0.057 [0.066] N=801
Above-normal WHZ above +1	0.364 P=422	**0.098* [0.051] N=1,165**	**0.097* [0.054] N=1,083**	**0.130** [0.055] N=969**	**0.128** [0.057] N=840**	**0.156** [0.063] N=701**
Above-normal BMIZ above +1	0.372 P=422	**0.107** [0.052] N=1,146**	**0.110** [0.053] N=1,067**	**0.134** [0.054] N=953**	**0.122** [0.058] N=821**	**0.130** [0.062] N=686**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.061 [0.070] N=977	0.055 [0.075] N=895	0.039 [0.083] N=776	0.035 [0.095] N=647	-0.030 [0.144] N=510
Not underweight WAZ at least -2	**-0.078** [0.032] N=1,140**	**-0.078** [0.038] N=1,043**	**-0.094** [0.040] N=906**	**-0.077* [0.045] N=747**	-0.093 [0.074] N=587
Neither wasted nor overweight WHZ -2 to +2	**0.123* [0.065] N=974**	0.099 [0.072] N=892	**0.156** [0.078] N=778**	0.174 [0.107] N=649	**0.325** [0.125] N=510**
Neither low nor high BMIZ -2 to +2	**0.122* [0.074] N=958**	0.128 [0.083] N=879	0.148 [0.091] N=765	0.138 [0.112] N=633	**0.237* [0.127] N=498**
Strict normal HAZ -2 to +3	0.072 [0.081] N=977	0.055 [0.085] N=895	0.015 [0.096] N=776	0.014 [0.109] N=647	0.041 [0.157] N=510
Strict normal WAZ -2 to +1	0.018 [0.074] N=1,140	0.041 [0.086] N=1,043	-0.055 [0.094] N=906	-0.058 [0.101] N=747	0.019 [0.136] N=587
Strict normal WHZ -2 to +1	0.083 [0.070] N=974	0.075 [0.079] N=892	0.098 [0.084] N=778	0.112 [0.105] N=649	0.180 [0.131] N=510
Strict normal BMIZ -2 to +1	0.042 [0.074] N=958	0.039 [0.080] N=879	0.055 [0.086] N=765	0.042 [0.111] N=633	0.135 [0.129] N=498
Above-normal height HAZ above +3	-0.011 [0.049] N=977	0.001 [0.054] N=895	0.024 [0.062] N=776	0.021 [0.060] N=647	-0.071 [0.072] N=510
Above-normal weight WAZ above +1	-0.096 [0.069] N=1,140	-0.119 [0.078] N=1,043	-0.039 [0.088] N=906	-0.018 [0.096] N=747	-0.113 [0.129] N=587
Above-normal WHZ above +1	0.017 [0.073] N=974	-0.003 [0.079] N=892	0.012 [0.084] N=778	-0.012 [0.101] N=649	0.002 [0.124] N=510
Above-normal BMIZ above +1	0.042 [0.077] N=958	0.031 [0.082] N=879	0.033 [0.085] N=765	-0.006 [0.105] N=633	-0.078 [0.130] N=498

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.807 P=952	0.046 [0.050] N=1,169	0.039 [0.051] N=1,087	0.024 [0.055] N=968	0.019 [0.057] N=839	-0.013 [0.067] N=702
Not underweight WAZ at least -2	0.940 P=1,269	-0.038 [0.023] N=1,354	-0.034 [0.025] N=1,257	-0.038 [0.026] N=1,120	-0.021 [0.028] N=961	-0.015 [0.036] N=801
Neither wasted nor overweight WHZ -2 to +2	0.685 P=804	0.028 [0.051] N=1,165	0.005 [0.054] N=1,083	0.022 [0.057] N=969	0.014 [0.066] N=840	0.027 [0.073] N=701
Neither low nor high BMIZ -2 to +2	0.657 P=764	0.020 [0.060] N=1,146	0.016 [0.065] N=1,067	0.010 [0.070] N=953	-0.013 [0.077] N=821	-0.015 [0.086] N=686
Strict normal HAZ -2 to +3	0.708 P=841	0.062 [0.058] N=1,169	0.050 [0.060] N=1,087	0.025 [0.065] N=968	0.025 [0.069] N=839	0.024 [0.083] N=702
Strict normal WAZ -2 to +1	0.623 P=846	-0.046 [0.054] N=1,354	-0.039 [0.059] N=1,257	-0.099 [0.062] N=1,120	-0.098 [0.064] N=961	-0.073 [0.073] N=801
Strict normal WHZ -2 to +1	0.521 P=609	-0.031 [0.056] N=1,165	-0.047 [0.060] N=1,083	-0.058 [0.062] N=969	-0.073 [0.067] N=840	-0.083 [0.074] N=701
Strict normal BMIZ -2 to +1	0.507 P=588	-0.063 [0.061] N=1,146	-0.075 [0.064] N=1,067	-0.087 [0.068] N=953	-0.111 [0.076] N=821	-0.112 [0.084] N=686
Above-normal height HAZ above +3	0.099 P=111	-0.016 [0.030] N=1,169	-0.011 [0.033] N=1,087	-0.001 [0.036] N=968	-0.006 [0.036] N=839	-0.037 [0.038] N=702
Above-normal weight WAZ above +1	0.318 P=423	0.008 [0.050] N=1,354	0.005 [0.054] N=1,257	0.061 [0.058] N=1,120	0.076 [0.060] N=961	0.058 [0.066] N=801
Above-normal WHZ above +1	0.364 P=422	**0.101** [0.051] N=1,165**	**0.100* [0.053] N=1,083**	**0.129** [0.054] N=969**	**0.123** [0.057] N=840**	**0.149** [0.061] N=701**
Above-normal BMIZ above +1	0.372 P=422	**0.111** [0.051] N=1,146**	**0.114** [0.052] N=1,067**	**0.134** [0.053] N=953**	**0.118** [0.056] N=821**	**0.123** [0.061] N=686**

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.064 [0.071] N=977	0.057 [0.076] N=895	0.042 [0.083] N=776	0.036 [0.095] N=647	-0.024 [0.141] N=510
Not underweight WAZ at least -2	**-0.072** [0.033] N=1,140**	**-0.072* [0.038] N=1,043**	**-0.090** [0.040] N=906**	**-0.077* [0.045] N=747**	-0.086 [0.076] N=587
Neither wasted nor overweight WHZ -2 to +2	**0.110* [0.065] N=974**	0.085 [0.071] N=892	**0.147* [0.077] N=778**	**0.177* [0.106] N=649**	**0.337*** [0.122] N=510**
Neither low nor high BMIZ -2 to +2	0.108 [0.073] N=958	0.115 [0.082] N=879	0.139 [0.090] N=765	0.140 [0.109] N=633	**0.237* [0.123] N=498**
Strict normal HAZ -2 to +3	0.076 [0.081] N=977	0.057 [0.085] N=895	0.020 [0.097] N=776	0.014 [0.109] N=647	0.043 [0.156] N=510
Strict normal WAZ -2 to +1	0.020 [0.074] N=1,140	0.041 [0.085] N=1,043	-0.057 [0.093] N=906	-0.059 [0.101] N=747	0.024 [0.136] N=587
Strict normal WHZ -2 to +1	0.068 [0.070] N=974	0.060 [0.079] N=892	0.090 [0.083] N=778	0.114 [0.104] N=649	0.193 [0.129] N=510
Strict normal BMIZ -2 to +1	0.027 [0.073] N=958	0.025 [0.079] N=879	0.046 [0.085] N=765	0.040 [0.110] N=633	0.138 [0.127] N=498
Above-normal height HAZ above +3	-0.012 [0.048] N=977	-0.001 [0.053] N=895	0.022 [0.063] N=776	0.022 [0.060] N=647	-0.066 [0.071] N=510
Above-normal weight WAZ above +1	-0.092 [0.068] N=1,140	-0.113 [0.077] N=1,043	-0.032 [0.087] N=906	-0.018 [0.096] N=747	-0.111 [0.129] N=587
Above-normal WHZ above +1	0.030 [0.073] N=974	0.011 [0.079] N=892	0.021 [0.084] N=778	-0.015 [0.101] N=649	-0.012 [0.124] N=510
Above-normal BMIZ above +1	0.055 [0.076] N=958	0.044 [0.081] N=879	0.041 [0.084] N=765	-0.005 [0.103] N=633	-0.083 [0.127] N=498

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=912	0.048 [0.054] N=1,113	0.034 [0.055] N=1,002	0.077 [0.057] N=871	0.068 [0.067] N=736	0.121 [0.074] N=594
Not underweight WAZ at least -2	0.944 P=1,205	0.003 [0.028] N=1,279	0.006 [0.029] N=1,158	-0.007 [0.029] N=1,004	-0.016 [0.028] N=846	-0.006 [0.031] N=680
Neither wasted nor overweight WHZ -2 to +2	0.684 P=762	-0.049 [0.054] N=1,111	-0.070 [0.057] N=1,004	-0.049 [0.061] N=872	-0.018 [0.063] N=734	-0.031 [0.070] N=591
Neither low nor high BMIZ -2 to +2	0.655 P=718	**-0.120** [0.061] N=1,090**	**-0.139** [0.065] N=985**	-0.118 [0.071] N=855	-0.096 [0.075] N=720	-0.135 [0.082] N=582
Strict normal HAZ -2 to +3	0.720 P=804	0.062 [0.055] N=1,113	0.052 [0.058] N=1,002	0.071 [0.061] N=871	0.071 [0.066] N=736	**0.148* [0.076] N=594**
Strict normal WAZ -2 to +1	0.627 P=803	0.048 [0.061] N=1,279	0.033 [0.063] N=1,158	0.026 [0.068] N=1,004	0.012 [0.073] N=846	0.039 [0.081] N=680
Strict normal WHZ -2 to +1	0.515 P=568	**-0.097* [0.056] N=1,111**	**-0.128** [0.058] N=1,004**	**-0.113* [0.062] N=872**	-0.066 [0.068] N=734	-0.100 [0.081] N=591
Strict normal BMIZ -2 to +1	0.504 P=551	-0.099 [0.062] N=1,090	**-0.121* [0.065] N=985**	-0.081 [0.073] N=855	-0.052 [0.076] N=720	-0.120 [0.086] N=582
Above-normal height HAZ above +3	0.101 P=108	-0.014 [0.035] N=1,113	-0.018 [0.037] N=1,002	0.007 [0.041] N=871	-0.003 [0.041] N=736	-0.027 [0.050] N=594
Above-normal weight WAZ above +1	0.317 P=402	-0.044 [0.055] N=1,279	-0.027 [0.057] N=1,158	-0.033 [0.062] N=1,004	-0.028 [0.068] N=846	-0.044 [0.076] N=680
Above-normal WHZ above +1	0.371 P=416	0.090 [0.062] N=1,111	**0.112* [0.064] N=1,004**	0.089 [0.070] N=872	0.071 [0.075] N=734	0.093 [0.090] N=591
Above-normal BMIZ above +1	0.370 P=403	0.065 [0.062] N=1,090	0.078 [0.064] N=985	0.048 [0.070] N=855	0.035 [0.080] N=720	0.077 [0.094] N=582

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.022 [0.078] N=968	-0.047 [0.083] N=857	0.006 [0.090] N=726	-0.049 [0.116] N=591	0.103 [0.126] N=449
Not underweight WAZ at least -2	0.015 [0.048] N=1,115	0.020 [0.052] N=994	-0.008 [0.057] N=840	-0.019 [0.061] N=682	0.007 [0.069] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.069 [0.076] N=968	-0.098 [0.082] N=861	-0.066 [0.094] N=729	-0.005 [0.100] N=591	0.002 [0.127] N=448
Neither low nor high BMIZ -2 to +2	-0.102 [0.074] N=951	-0.126 [0.080] N=846	-0.082 [0.090] N=716	-0.019 [0.104] N=581	-0.061 [0.133] N=443
Strict normal HAZ -2 to +3	-0.002 [0.083] N=968	-0.021 [0.091] N=857	-0.013 [0.097] N=726	-0.047 [0.116] N=591	0.175 [0.133] N=449
Strict normal WAZ -2 to +1	0.105 [0.091] N=1,115	0.086 [0.094] N=994	0.090 [0.106] N=840	0.093 [0.122] N=682	0.211 [0.150] N=516
Strict normal WHZ -2 to +1	-0.044 [0.083] N=968	-0.102 [0.088] N=861	-0.053 [0.101] N=729	0.077 [0.106] N=591	0.085 [0.144] N=448
Strict normal BMIZ -2 to +1	-0.061 [0.084] N=951	-0.099 [0.089] N=846	-0.013 [0.107] N=716	0.087 [0.115] N=581	-0.013 [0.149] N=443
Above-normal height HAZ above +3	-0.020 [0.057] N=968	-0.027 [0.061] N=857	0.018 [0.073] N=726	-0.002 [0.077] N=591	-0.071 [0.102] N=449
Above-normal weight WAZ above +1	-0.090 [0.075] N=1,115	-0.066 [0.078] N=994	-0.099 [0.088] N=840	-0.112 [0.103] N=682	-0.204 [0.130] N=516
Above-normal WHZ above +1	-0.001 [0.093] N=968	0.036 [0.100] N=861	-0.036 [0.116] N=729	-0.116 [0.121] N=591	-0.192 [0.153] N=448
Above-normal BMIZ above +1	0.004 [0.092] N=951	0.026 [0.097] N=846	-0.049 [0.113] N=716	-0.106 [0.126] N=581	-0.082 [0.159] N=443

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=912	0.050 [0.054] N=1,113	0.035 [0.056] N=1,002	0.077 [0.058] N=871	0.067 [0.068] N=736	0.119 [0.074] N=594
Not underweight WAZ at least -2	0.944 P=1,205	0.004 [0.028] N=1,279	0.007 [0.029] N=1,158	-0.007 [0.029] N=1,004	-0.016 [0.029] N=846	-0.006 [0.031] N=680
Neither wasted nor overweight WHZ -2 to +2	0.684 P=762	-0.041 [0.055] N=1,111	-0.059 [0.057] N=1,004	-0.039 [0.061] N=872	-0.009 [0.063] N=734	-0.023 [0.072] N=591
Neither low nor high BMIZ -2 to +2	0.655 P=718	**-0.115* [0.060] N=1,090**	**-0.132** [0.064] N=985**	-0.110 [0.071] N=855	-0.091 [0.075] N=720	-0.132 [0.082] N=582
Strict normal HAZ -2 to +3	0.720 P=804	0.067 [0.056] N=1,113	0.057 [0.059] N=1,002	0.074 [0.062] N=871	0.073 [0.067] N=736	**0.149* [0.076] N=594**
Strict normal WAZ -2 to +1	0.627 P=803	0.048 [0.062] N=1,279	0.034 [0.063] N=1,158	0.028 [0.068] N=1,004	0.013 [0.073] N=846	0.038 [0.081] N=680
Strict normal WHZ -2 to +1	0.515 P=568	-0.091 [0.056] N=1,111	**-0.121** [0.059] N=1,004**	**-0.107* [0.063] N=872**	-0.063 [0.068] N=734	-0.097 [0.083] N=591
Strict normal BMIZ -2 to +1	0.504 P=551	-0.095 [0.062] N=1,090	**-0.114* [0.065] N=985**	-0.076 [0.072] N=855	-0.049 [0.077] N=720	-0.118 [0.087] N=582
Above-normal height HAZ above +3	0.101 P=108	-0.017 [0.035] N=1,113	-0.022 [0.037] N=1,002	0.003 [0.042] N=871	-0.007 [0.042] N=736	-0.030 [0.050] N=594
Above-normal weight WAZ above +1	0.317 P=402	-0.044 [0.055] N=1,279	-0.027 [0.057] N=1,158	-0.035 [0.062] N=1,004	-0.029 [0.068] N=846	-0.045 [0.076] N=680
Above-normal WHZ above +1	0.371 P=416	0.089 [0.062] N=1,111	**0.110* [0.065] N=1,004**	0.087 [0.071] N=872	0.073 [0.075] N=734	0.095 [0.089] N=591
Above-normal BMIZ above +1	0.370 P=403	0.065 [0.062] N=1,090	0.075 [0.065] N=985	0.046 [0.071] N=855	0.035 [0.080] N=720	0.077 [0.094] N=582

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.014 [0.079] N=968	-0.041 [0.084] N=857	0.009 [0.091] N=726	-0.048 [0.118] N=591	0.102 [0.129] N=449
Not underweight WAZ at least -2	0.017 [0.049] N=1,115	0.022 [0.052] N=994	-0.008 [0.058] N=840	-0.019 [0.063] N=682	0.005 [0.072] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.053 [0.076] N=968	-0.076 [0.083] N=861	-0.039 [0.095] N=729	0.031 [0.102] N=591	0.046 [0.128] N=448
Neither low nor high BMIZ -2 to +2	-0.091 [0.074] N=951	-0.110 [0.080] N=846	-0.063 [0.089] N=716	-0.002 [0.105] N=581	-0.048 [0.133] N=443
Strict normal HAZ -2 to +3	0.013 [0.083] N=968	-0.005 [0.091] N=857	0.002 [0.098] N=726	-0.031 [0.118] N=591	0.191 [0.133] N=449
Strict normal WAZ -2 to +1	0.105 [0.091] N=1,115	0.085 [0.095] N=994	0.090 [0.107] N=840	0.090 [0.124] N=682	0.198 [0.154] N=516
Strict normal WHZ -2 to +1	-0.033 [0.083] N=968	-0.088 [0.088] N=861	-0.036 [0.101] N=729	0.086 [0.106] N=591	0.103 [0.141] N=448
Strict normal BMIZ -2 to +1	-0.051 [0.084] N=951	-0.082 [0.089] N=846	0.003 [0.106] N=716	0.101 [0.115] N=581	0.004 [0.149] N=443
Above-normal height HAZ above +3	-0.026 [0.057] N=968	-0.036 [0.061] N=857	0.007 [0.074] N=726	-0.016 [0.077] N=591	-0.090 [0.103] N=449
Above-normal weight WAZ above +1	-0.088 [0.075] N=1,115	-0.063 [0.079] N=994	-0.098 [0.089] N=840	-0.109 [0.104] N=682	-0.194 [0.134] N=516
Above-normal WHZ above +1	-0.002 [0.094] N=968	0.032 [0.101] N=861	-0.041 [0.117] N=729	-0.111 [0.123] N=591	-0.184 [0.155] N=448
Above-normal BMIZ above +1	0.005 [0.093] N=951	0.021 [0.098] N=846	-0.053 [0.114] N=716	-0.105 [0.127] N=581	-0.080 [0.162] N=443

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=912	0.046 [0.052] N=1,113	0.033 [0.055] N=1,002	0.080 [0.056] N=871	0.068 [0.065] N=736	**0.127* [0.071] N=594**
Not underweight WAZ at least -2	0.944 P=1,205	0.003 [0.028] N=1,279	0.005 [0.029] N=1,158	-0.007 [0.029] N=1,004	-0.015 [0.029] N=846	-0.005 [0.031] N=680
Neither wasted nor overweight WHZ -2 to +2	0.684 P=762	-0.044 [0.055] N=1,111	-0.062 [0.058] N=1,004	-0.035 [0.062] N=872	-0.004 [0.064] N=734	-0.023 [0.072] N=591
Neither low nor high BMIZ -2 to +2	0.655 P=718	**-0.118* [0.061] N=1,090**	**-0.133** [0.064] N=985**	-0.107 [0.072] N=855	-0.088 [0.076] N=720	-0.133 [0.083] N=582
Strict normal HAZ -2 to +3	0.720 P=804	0.064 [0.055] N=1,113	0.056 [0.058] N=1,002	0.080 [0.061] N=871	0.080 [0.066] N=736	**0.164** [0.074] N=594**
Strict normal WAZ -2 to +1	0.627 P=803	0.048 [0.063] N=1,279	0.033 [0.064] N=1,158	0.026 [0.069] N=1,004	0.013 [0.074] N=846	0.044 [0.082] N=680
Strict normal WHZ -2 to +1	0.515 P=568	**-0.093* [0.056] N=1,111**	**-0.122** [0.058] N=1,004**	**-0.106* [0.063] N=872**	-0.064 [0.068] N=734	-0.098 [0.082] N=591
Strict normal BMIZ -2 to +1	0.504 P=551	-0.099 [0.062] N=1,090	**-0.115* [0.064] N=985**	-0.075 [0.072] N=855	-0.048 [0.077] N=720	-0.116 [0.086] N=582
Above-normal height HAZ above +3	0.101 P=108	-0.018 [0.035] N=1,113	-0.023 [0.037] N=1,002	-0.000 [0.043] N=871	-0.012 [0.042] N=736	-0.037 [0.051] N=594
Above-normal weight WAZ above +1	0.317 P=402	-0.045 [0.056] N=1,279	-0.028 [0.058] N=1,158	-0.033 [0.064] N=1,004	-0.028 [0.070] N=846	-0.049 [0.078] N=680
Above-normal WHZ above +1	0.371 P=416	0.090 [0.061] N=1,111	**0.110* [0.064] N=1,004**	0.088 [0.070] N=872	0.075 [0.074] N=734	0.095 [0.088] N=591
Above-normal BMIZ above +1	0.370 P=403	0.067 [0.061] N=1,090	0.074 [0.063] N=985	0.046 [0.069] N=855	0.035 [0.078] N=720	0.073 [0.092] N=582

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.026 [0.078] N=968	-0.048 [0.083] N=857	0.004 [0.089] N=726	-0.062 [0.116] N=591	0.084 [0.129] N=449
Not underweight WAZ at least -2	0.012 [0.048] N=1,115	0.017 [0.051] N=994	-0.010 [0.057] N=840	-0.022 [0.062] N=682	-0.005 [0.072] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.064 [0.079] N=968	-0.091 [0.085] N=861	-0.042 [0.098] N=729	0.026 [0.104] N=591	0.032 [0.131] N=448
Neither low nor high BMIZ -2 to +2	-0.099 [0.076] N=951	-0.120 [0.081] N=846	-0.067 [0.090] N=716	-0.010 [0.107] N=581	-0.062 [0.134] N=443
Strict normal HAZ -2 to +3	0.002 [0.084] N=968	-0.010 [0.090] N=857	-0.005 [0.099] N=726	-0.047 [0.120] N=591	0.174 [0.138] N=449
Strict normal WAZ -2 to +1	0.111 [0.092] N=1,115	0.091 [0.096] N=994	0.087 [0.108] N=840	0.085 [0.124] N=682	0.191 [0.152] N=516
Strict normal WHZ -2 to +1	-0.042 [0.083] N=968	-0.099 [0.088] N=861	-0.043 [0.100] N=729	0.081 [0.105] N=591	0.087 [0.142] N=448
Strict normal BMIZ -2 to +1	-0.059 [0.083] N=951	-0.090 [0.088] N=846	-0.005 [0.105] N=716	0.090 [0.115] N=581	-0.011 [0.151] N=443
Above-normal height HAZ above +3	-0.027 [0.058] N=968	-0.038 [0.061] N=857	0.009 [0.075] N=726	-0.016 [0.078] N=591	-0.090 [0.105] N=449
Above-normal weight WAZ above +1	-0.099 [0.076] N=1,115	-0.074 [0.080] N=994	-0.097 [0.091] N=840	-0.107 [0.106] N=682	-0.196 [0.133] N=516
Above-normal WHZ above +1	0.001 [0.094] N=968	0.035 [0.101] N=861	-0.037 [0.116] N=729	-0.107 [0.122] N=591	-0.176 [0.155] N=448
Above-normal BMIZ above +1	0.010 [0.092] N=951	0.024 [0.098] N=846	-0.045 [0.113] N=716	-0.094 [0.126] N=581	-0.066 [0.163] N=443

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.820 P=912	0.050 [0.053] N=1,113	0.038 [0.055] N=1,002	0.085 [0.057] N=871	0.070 [0.066] N=736	**0.121* [0.072] N=594**
Not underweight WAZ at least -2	0.944 P=1,205	0.005 [0.028] N=1,279	0.007 [0.028] N=1,158	-0.005 [0.029] N=1,004	-0.017 [0.029] N=846	-0.007 [0.032] N=680
Neither wasted nor overweight WHZ -2 to +2	0.684 P=762	-0.042 [0.055] N=1,111	-0.062 [0.057] N=1,004	-0.042 [0.061] N=872	-0.013 [0.063] N=734	-0.028 [0.070] N=591
Neither low nor high BMIZ -2 to +2	0.655 P=718	**-0.117* [0.060] N=1,090**	**-0.134** [0.064] N=985**	-0.114 [0.071] N=855	-0.095 [0.075] N=720	-0.132 [0.080] N=582
Strict normal HAZ -2 to +3	0.720 P=804	0.067 [0.055] N=1,113	0.060 [0.058] N=1,002	0.081 [0.061] N=871	0.075 [0.066] N=736	**0.151** [0.074] N=594**
Strict normal WAZ -2 to +1	0.627 P=803	0.052 [0.063] N=1,279	0.036 [0.064] N=1,158	0.030 [0.069] N=1,004	0.014 [0.073] N=846	0.041 [0.081] N=680
Strict normal WHZ -2 to +1	0.515 P=568	**-0.093* [0.055] N=1,111**	**-0.124** [0.057] N=1,004**	**-0.111* [0.061] N=872**	-0.067 [0.066] N=734	-0.102 [0.079] N=591
Strict normal BMIZ -2 to +1	0.504 P=551	-0.093 [0.061] N=1,090	**-0.113* [0.064] N=985**	-0.077 [0.071] N=855	-0.051 [0.074] N=720	-0.121 [0.085] N=582
Above-normal height HAZ above +3	0.101 P=108	-0.017 [0.035] N=1,113	-0.022 [0.037] N=1,002	0.004 [0.042] N=871	-0.005 [0.041] N=736	-0.030 [0.049] N=594
Above-normal weight WAZ above +1	0.317 P=402	-0.048 [0.057] N=1,279	-0.029 [0.059] N=1,158	-0.035 [0.063] N=1,004	-0.031 [0.069] N=846	-0.047 [0.077] N=680
Above-normal WHZ above +1	0.371 P=416	0.092 [0.061] N=1,111	**0.113* [0.064] N=1,004**	0.091 [0.070] N=872	0.077 [0.073] N=734	0.105 [0.088] N=591
Above-normal BMIZ above +1	0.370 P=403	0.065 [0.061] N=1,090	0.075 [0.064] N=985	0.047 [0.069] N=855	0.038 [0.078] N=720	0.086 [0.093] N=582

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.020 [0.076] N=968	-0.041 [0.082] N=857	0.022 [0.089] N=726	-0.043 [0.117] N=591	0.089 [0.127] N=449
Not underweight WAZ at least -2	0.019 [0.047] N=1,115	0.024 [0.050] N=994	-0.001 [0.057] N=840	-0.016 [0.062] N=682	0.006 [0.073] N=516
Neither wasted nor overweight WHZ -2 to +2	-0.058 [0.079] N=968	-0.083 [0.085] N=861	-0.044 [0.096] N=729	0.024 [0.105] N=591	0.025 [0.131] N=448
Neither low nor high BMIZ -2 to +2	-0.104 [0.076] N=951	-0.123 [0.081] N=846	-0.078 [0.090] N=716	-0.024 [0.105] N=581	-0.077 [0.128] N=443
Strict normal HAZ -2 to +3	0.004 [0.082] N=968	-0.009 [0.090] N=857	0.005 [0.098] N=726	-0.041 [0.118] N=591	0.162 [0.134] N=449
Strict normal WAZ -2 to +1	0.113 [0.093] N=1,115	0.091 [0.096] N=994	0.093 [0.108] N=840	0.091 [0.124] N=682	0.192 [0.153] N=516
Strict normal WHZ -2 to +1	-0.043 [0.083] N=968	-0.101 [0.088] N=861	-0.050 [0.100] N=729	0.069 [0.104] N=591	0.066 [0.138] N=448
Strict normal BMIZ -2 to +1	-0.061 [0.083] N=951	-0.093 [0.088] N=846	-0.011 [0.105] N=716	0.082 [0.111] N=581	-0.024 [0.145] N=443
Above-normal height HAZ above +3	-0.024 [0.057] N=968	-0.033 [0.061] N=857	0.017 [0.074] N=726	-0.002 [0.077] N=591	-0.072 [0.103] N=449
Above-normal weight WAZ above +1	-0.095 [0.077] N=1,115	-0.067 [0.080] N=994	-0.094 [0.091] N=840	-0.107 [0.105] N=682	-0.186 [0.133] N=516
Above-normal WHZ above +1	0.002 [0.094] N=968	0.038 [0.101] N=861	-0.037 [0.117] N=729	-0.103 [0.121] N=591	-0.160 [0.156] N=448
Above-normal BMIZ above +1	0.012 [0.092] N=951	0.028 [0.097] N=846	-0.045 [0.113] N=716	-0.089 [0.125] N=581	-0.053 [0.162] N=443

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.823 P=837	0.042 [0.056] N=1,019	0.024 [0.058] N=917	0.070 [0.058] N=802	0.063 [0.065] N=675	0.110 [0.074] N=547
Not underweight WAZ at least -2	0.944 P=1,100	-0.001 [0.030] N=1,168	0.002 [0.031] N=1,056	-0.011 [0.032] N=922	-0.025 [0.032] N=778	-0.018 [0.034] N=630
Neither wasted nor overweight WHZ -2 to +2	0.682 P=698	-0.054 [0.059] N=1,021	-0.074 [0.062] N=923	-0.043 [0.064] N=805	-0.005 [0.067] N=677	-0.012 [0.074] N=549
Neither low nor high BMIZ -2 to +2	0.660 P=665	-0.099 [0.062] N=1,001	**-0.113* [0.065] N=905**	-0.076 [0.071] N=790	-0.049 [0.077] N=665	-0.085 [0.085] N=541
Strict normal HAZ -2 to +3	0.724 P=742	0.068 [0.058] N=1,019	0.055 [0.061] N=917	0.076 [0.061] N=802	0.083 [0.066] N=675	**0.154** [0.076] N=547**
Strict normal WAZ -2 to +1	0.623 P=730	0.042 [0.062] N=1,168	0.026 [0.065] N=1,056	0.034 [0.072] N=922	0.013 [0.077] N=778	0.039 [0.083] N=630
Strict normal WHZ -2 to +1	0.515 P=522	**-0.109* [0.058] N=1,021**	**-0.145** [0.061] N=923**	**-0.116* [0.065] N=805**	-0.064 [0.071] N=677	-0.090 [0.086] N=549
Strict normal BMIZ -2 to +1	0.505 P=507	-0.089 [0.063] N=1,001	**-0.109* [0.066] N=905**	-0.050 [0.073] N=790	-0.022 [0.076] N=665	-0.084 [0.089] N=541
Above-normal height HAZ above +3	0.099 P=95	-0.026 [0.037] N=1,019	-0.031 [0.039] N=917	-0.006 [0.044] N=802	-0.020 [0.043] N=675	-0.044 [0.053] N=547
Above-normal weight WAZ above +1	0.321 P=370	-0.043 [0.055] N=1,168	-0.024 [0.058] N=1,056	-0.044 [0.064] N=922	-0.038 [0.069] N=778	-0.056 [0.075] N=630
Above-normal WHZ above +1	0.371 P=383	**0.109* [0.063] N=1,021**	**0.137** [0.067] N=923**	0.100 [0.073] N=805	0.074 [0.076] N=677	0.085 [0.090] N=549
Above-normal BMIZ above +1	0.372 P=373	0.074 [0.064] N=1,001	0.091 [0.067] N=905	0.041 [0.074] N=790	0.022 [0.082] N=665	0.048 [0.097] N=541

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.000 [0.086] N=885	-0.032 [0.093] N=783	0.024 [0.096] N=668	-0.011 [0.125] N=541	0.169 [0.148] N=413
Not underweight WAZ at least -2	0.021 [0.052] N=1,016	0.027 [0.055] N=904	0.002 [0.062] N=770	-0.016 [0.071] N=626	0.015 [0.082] N=478
Neither wasted nor overweight WHZ -2 to +2	-0.066 [0.082] N=887	-0.089 [0.090] N=789	-0.031 [0.102] N=671	0.077 [0.109] N=543	0.136 [0.136] N=415
Neither low nor high BMIZ -2 to +2	-0.098 [0.078] N=870	-0.113 [0.084] N=774	-0.042 [0.092] N=659	0.051 [0.110] N=534	0.016 [0.141] N=410
Strict normal HAZ -2 to +3	0.028 [0.088] N=885	0.007 [0.097] N=783	0.020 [0.099] N=668	0.026 [0.121] N=541	**0.282* [0.145] N=413**
Strict normal WAZ -2 to +1	0.100 [0.090] N=1,016	0.082 [0.094] N=904	0.116 [0.109] N=770	0.087 [0.124] N=626	0.185 [0.147] N=478
Strict normal WHZ -2 to +1	-0.064 [0.090] N=887	-0.126 [0.096] N=789	-0.047 [0.106] N=671	0.109 [0.109] N=543	0.181 [0.152] N=415
Strict normal BMIZ -2 to +1	-0.068 [0.087] N=870	-0.104 [0.094] N=774	0.022 [0.107] N=659	0.134 [0.108] N=534	0.068 [0.149] N=410
Above-normal height HAZ above +3	-0.028 [0.057] N=885	-0.039 [0.061] N=783	0.004 [0.073] N=668	-0.036 [0.077] N=541	-0.112 [0.108] N=413
Above-normal weight WAZ above +1	-0.079 [0.073] N=1,016	-0.055 [0.078] N=904	-0.113 [0.089] N=770	-0.103 [0.100] N=626	-0.170 [0.123] N=478
Above-normal WHZ above +1	0.030 [0.101] N=887	0.075 [0.109] N=789	-0.020 [0.124] N=671	-0.115 [0.129] N=543	-0.242 [0.164] N=415
Above-normal BMIZ above +1	0.032 [0.097] N=870	0.059 [0.103] N=774	-0.050 [0.118] N=659	-0.111 [0.125] N=534	-0.136 [0.161] N=410

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.823 P=837	0.041 [0.056] N=1,019	0.023 [0.058] N=917	0.068 [0.058] N=802	0.062 [0.065] N=675	0.111 [0.073] N=547
Not underweight WAZ at least -2	0.944 P=1,100	0.003 [0.030] N=1,168	0.005 [0.031] N=1,056	-0.007 [0.031] N=922	-0.020 [0.031] N=778	-0.013 [0.033] N=630
Neither wasted nor overweight WHZ -2 to +2	0.682 P=698	-0.046 [0.058] N=1,021	-0.065 [0.060] N=923	-0.034 [0.063] N=805	0.006 [0.065] N=677	-0.003 [0.072] N=549
Neither low nor high BMIZ -2 to +2	0.660 P=665	-0.096 [0.060] N=1,001	**-0.112* [0.064] N=905**	-0.075 [0.069] N=790	-0.045 [0.075] N=665	-0.080 [0.081] N=541
Strict normal HAZ -2 to +3	0.724 P=742	0.066 [0.058] N=1,019	0.054 [0.061] N=917	0.074 [0.061] N=802	0.084 [0.065] N=675	**0.155** [0.075] N=547**
Strict normal WAZ -2 to +1	0.623 P=730	0.046 [0.062] N=1,168	0.030 [0.064] N=1,056	0.038 [0.071] N=922	0.017 [0.075] N=778	0.044 [0.080] N=630
Strict normal WHZ -2 to +1	0.515 P=522	**-0.101* [0.058] N=1,021**	**-0.136** [0.061] N=923**	**-0.107* [0.065] N=805**	-0.052 [0.070] N=677	-0.075 [0.087] N=549
Strict normal BMIZ -2 to +1	0.505 P=507	-0.087 [0.062] N=1,001	**-0.109* [0.065] N=905**	-0.049 [0.071] N=790	-0.021 [0.074] N=665	-0.082 [0.087] N=541
Above-normal height HAZ above +3	0.099 P=95	-0.025 [0.036] N=1,019	-0.030 [0.039] N=917	-0.006 [0.043] N=802	-0.021 [0.043] N=675	-0.044 [0.053] N=547
Above-normal weight WAZ above +1	0.321 P=370	-0.044 [0.055] N=1,168	-0.026 [0.058] N=1,056	-0.045 [0.064] N=922	-0.037 [0.069] N=778	-0.057 [0.074] N=630
Above-normal WHZ above +1	0.371 P=383	**0.105* [0.063] N=1,021**	**0.132* [0.067] N=923**	0.096 [0.073] N=805	0.069 [0.076] N=677	0.076 [0.093] N=549
Above-normal BMIZ above +1	0.372 P=373	0.074 [0.065] N=1,001	0.092 [0.068] N=905	0.042 [0.074] N=790	0.023 [0.082] N=665	0.048 [0.099] N=541

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.001 [0.086] N=885	-0.030 [0.092] N=783	0.025 [0.095] N=668	-0.007 [0.123] N=541	0.162 [0.142] N=413
Not underweight WAZ at least -2	0.023 [0.052] N=1,016	0.026 [0.056] N=904	0.004 [0.063] N=770	-0.016 [0.071] N=626	0.005 [0.080] N=478
Neither wasted nor overweight WHZ -2 to +2	-0.059 [0.082] N=887	-0.083 [0.090] N=789	-0.023 [0.102] N=671	0.084 [0.109] N=543	0.122 [0.136] N=415
Neither low nor high BMIZ -2 to +2	-0.099 [0.077] N=870	-0.118 [0.084] N=774	-0.045 [0.092] N=659	0.048 [0.110] N=534	0.016 [0.137] N=410
Strict normal HAZ -2 to +3	0.023 [0.088] N=885	0.001 [0.098] N=783	0.015 [0.099] N=668	0.020 [0.121] N=541	**0.259* [0.143] N=413**
Strict normal WAZ -2 to +1	0.100 [0.091] N=1,016	0.080 [0.095] N=904	0.111 [0.110] N=770	0.080 [0.124] N=626	0.164 [0.146] N=478
Strict normal WHZ -2 to +1	-0.059 [0.089] N=887	-0.121 [0.095] N=789	-0.040 [0.106] N=671	0.118 [0.108] N=543	0.182 [0.149] N=415
Strict normal BMIZ -2 to +1	-0.072 [0.087] N=870	-0.110 [0.094] N=774	0.017 [0.107] N=659	0.121 [0.110] N=534	0.046 [0.148] N=410
Above-normal height HAZ above +3	-0.023 [0.057] N=885	-0.032 [0.061] N=783	0.011 [0.073] N=668	-0.027 [0.076] N=541	-0.097 [0.109] N=413
Above-normal weight WAZ above +1	-0.077 [0.072] N=1,016	-0.054 [0.077] N=904	-0.107 [0.088] N=770	-0.096 [0.099] N=626	-0.159 [0.120] N=478
Above-normal WHZ above +1	0.024 [0.099] N=887	0.067 [0.108] N=789	-0.030 [0.122] N=671	-0.127 [0.125] N=543	-0.251 [0.158] N=415
Above-normal BMIZ above +1	0.033 [0.096] N=870	0.062 [0.103] N=774	-0.047 [0.117] N=659	-0.102 [0.125] N=534	-0.118 [0.158] N=410

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.