Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=996	0.004 [0.036] N=1,204	0.003 [0.036] N=1,108	-0.007 [0.040] N=992	-0.021 [0.041] N=856	-0.027 [0.048] N=706
Vegetables consumed daily or several times weekly	0.767 P=923	0.007 [0.047] N=1,204	-0.000 [0.049] N=1,108	-0.031 [0.051] N=992	-0.057 [0.057] N=856	-0.081 [0.062] N=706
Meat fish or poultry consumed daily or several times weekly	0.546 P=660	0.015 [0.062] N=1,204	0.016 [0.064] N=1,108	0.006 [0.071] N=992	0.016 [0.079] N=856	0.032 [0.088] N=706
Legumes consumed daily or several times weekly	0.553 P=664	-0.042 [0.053] N=1,204	-0.044 [0.056] N=1,108	-0.038 [0.060] N=992	-0.015 [0.067] N=856	0.004 [0.081] N=706
Animal products consumed daily or several times weekly	0.843 P=1,012	**0.085** [0.042] N=1,204**	**0.080* [0.044] N=1,108**	0.058 [0.046] N=992	0.060 [0.049] N=856	0.057 [0.053] N=706
Sweets consumed daily or several times weekly	0.380 P=461	-0.035 [0.050] N=1,204	-0.053 [0.052] N=1,108	-0.035 [0.056] N=992	-0.036 [0.058] N=856	0.013 [0.067] N=706
Snack foods consumed daily or several times weekly	0.288 P=342	0.020 [0.050] N=1,204	-0.007 [0.052] N=1,108	-0.006 [0.056] N=992	0.030 [0.060] N=856	0.051 [0.064] N=706
Packaged soft drinks consumed daily or several times weekly	0.159 P=185	0.001 [0.037] N=1,204	-0.011 [0.039] N=1,108	-0.018 [0.043] N=992	-0.022 [0.047] N=856	-0.045 [0.052] N=706
Grains consumed daily or several times weekly	0.758 P=910	0.031 [0.045] N=1,204	0.040 [0.046] N=1,108	0.018 [0.049] N=992	0.019 [0.055] N=856	0.015 [0.060] N=706

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.029 [0.055] N=1,015	0.038 [0.055] N=919	0.024 [0.066] N=803	-0.011 [0.077] N=667	-0.015 [0.106] N=517
Vegetables consumed daily or several times weekly	0.020 [0.070] N=1,015	0.017 [0.074] N=919	-0.043 [0.085] N=803	-0.131 [0.109] N=667	**-0.251* [0.140] N=517**
Meat fish or poultry consumed daily or several times weekly	-0.067 [0.076] N=1,015	-0.079 [0.077] N=919	-0.119 [0.090] N=803	**-0.178* [0.098] N=667**	**-0.236* [0.131] N=517**
Legumes consumed daily or several times weekly	-0.089 [0.076] N=1,015	-0.092 [0.084] N=919	-0.096 [0.093] N=803	-0.085 [0.106] N=667	-0.087 [0.149] N=517
Animal products consumed daily or several times weekly	0.103 [0.069] N=1,015	0.103 [0.076] N=919	0.058 [0.086] N=803	0.055 [0.105] N=667	0.065 [0.133] N=517
Sweets consumed daily or several times weekly	-0.056 [0.069] N=1,015	-0.086 [0.074] N=919	-0.052 [0.086] N=803	-0.067 [0.094] N=667	0.068 [0.132] N=517
Snack foods consumed daily or several times weekly	-0.013 [0.069] N=1,015	-0.071 [0.075] N=919	-0.079 [0.085] N=803	-0.026 [0.101] N=667	-0.021 [0.128] N=517
Packaged soft drinks consumed daily or several times weekly	0.012 [0.055] N=1,015	-0.011 [0.063] N=919	-0.018 [0.074] N=803	-0.029 [0.091] N=667	-0.108 [0.128] N=517
Grains consumed daily or several times weekly	0.040 [0.070] N=1,015	0.062 [0.074] N=919	0.011 [0.083] N=803	0.008 [0.097] N=667	-0.028 [0.127] N=517

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=996	0.004 [0.036] N=1,204	0.001 [0.037] N=1,108	-0.007 [0.040] N=992	-0.022 [0.042] N=856	-0.028 [0.048] N=706
Vegetables consumed daily or several times weekly	0.767 P=923	0.007 [0.047] N=1,204	-0.001 [0.049] N=1,108	-0.031 [0.051] N=992	-0.057 [0.057] N=856	-0.082 [0.062] N=706
Meat fish or poultry consumed daily or several times weekly	0.546 P=660	0.014 [0.062] N=1,204	0.014 [0.064] N=1,108	0.005 [0.071] N=992	0.015 [0.079] N=856	0.030 [0.089] N=706
Legumes consumed daily or several times weekly	0.553 P=664	-0.043 [0.054] N=1,204	-0.045 [0.056] N=1,108	-0.038 [0.061] N=992	-0.016 [0.068] N=856	0.003 [0.081] N=706
Animal products consumed daily or several times weekly	0.843 P=1,012	**0.085** [0.042] N=1,204**	**0.079* [0.044] N=1,108**	0.058 [0.046] N=992	0.059 [0.050] N=856	0.055 [0.054] N=706
Sweets consumed daily or several times weekly	0.380 P=461	-0.035 [0.050] N=1,204	-0.054 [0.052] N=1,108	-0.035 [0.056] N=992	-0.037 [0.058] N=856	0.012 [0.067] N=706
Snack foods consumed daily or several times weekly	0.288 P=342	0.019 [0.050] N=1,204	-0.008 [0.052] N=1,108	-0.006 [0.056] N=992	0.029 [0.060] N=856	0.050 [0.064] N=706
Packaged soft drinks consumed daily or several times weekly	0.159 P=185	0.001 [0.037] N=1,204	-0.011 [0.040] N=1,108	-0.018 [0.043] N=992	-0.022 [0.047] N=856	-0.045 [0.052] N=706
Grains consumed daily or several times weekly	0.758 P=910	0.031 [0.045] N=1,204	0.039 [0.045] N=1,108	0.018 [0.049] N=992	0.019 [0.055] N=856	0.013 [0.060] N=706

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.030 [0.055] N=1,015	0.038 [0.055] N=919	0.027 [0.066] N=803	-0.010 [0.078] N=667	-0.015 [0.106] N=517
Vegetables consumed daily or several times weekly	0.019 [0.070] N=1,015	0.017 [0.074] N=919	-0.042 [0.085] N=803	-0.131 [0.109] N=667	**-0.251* [0.140] N=517**
Meat fish or poultry consumed daily or several times weekly	-0.066 [0.076] N=1,015	-0.078 [0.077] N=919	-0.116 [0.089] N=803	**-0.176* [0.099] N=667**	**-0.235* [0.131] N=517**
Legumes consumed daily or several times weekly	-0.088 [0.077] N=1,015	-0.092 [0.085] N=919	-0.092 [0.093] N=803	-0.084 [0.106] N=667	-0.086 [0.149] N=517
Animal products consumed daily or several times weekly	0.105 [0.068] N=1,015	0.103 [0.075] N=919	0.061 [0.086] N=803	0.057 [0.105] N=667	0.066 [0.132] N=517
Sweets consumed daily or several times weekly	-0.056 [0.069] N=1,015	-0.086 [0.074] N=919	-0.051 [0.086] N=803	-0.066 [0.094] N=667	0.068 [0.132] N=517
Snack foods consumed daily or several times weekly	-0.012 [0.069] N=1,015	-0.071 [0.075] N=919	-0.077 [0.085] N=803	-0.025 [0.101] N=667	-0.020 [0.128] N=517
Packaged soft drinks consumed daily or several times weekly	0.012 [0.055] N=1,015	-0.011 [0.063] N=919	-0.019 [0.074] N=803	-0.030 [0.091] N=667	-0.108 [0.129] N=517
Grains consumed daily or several times weekly	0.041 [0.070] N=1,015	0.062 [0.073] N=919	0.014 [0.082] N=803	0.009 [0.097] N=667	-0.027 [0.127] N=517

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=996	-0.018 [0.035] N=1,204	-0.020 [0.035] N=1,108	-0.030 [0.037] N=992	-0.035 [0.039] N=856	-0.049 [0.045] N=706
Vegetables consumed daily or several times weekly	0.767 P=923	-0.010 [0.048] N=1,204	-0.020 [0.049] N=1,108	-0.049 [0.052] N=992	-0.067 [0.057] N=856	**-0.102* [0.061] N=706**
Meat fish or poultry consumed daily or several times weekly	0.546 P=660	-0.015 [0.061] N=1,204	-0.019 [0.063] N=1,108	-0.028 [0.069] N=992	-0.003 [0.076] N=856	0.005 [0.087] N=706
Legumes consumed daily or several times weekly	0.553 P=664	-0.057 [0.053] N=1,204	-0.060 [0.055] N=1,108	-0.053 [0.058] N=992	-0.023 [0.065] N=856	-0.005 [0.081] N=706
Animal products consumed daily or several times weekly	0.843 P=1,012	**0.074* [0.042] N=1,204**	0.067 [0.044] N=1,108	0.046 [0.046] N=992	0.053 [0.049] N=856	0.045 [0.053] N=706
Sweets consumed daily or several times weekly	0.380 P=461	-0.039 [0.050] N=1,204	-0.059 [0.052] N=1,108	-0.040 [0.056] N=992	-0.038 [0.059] N=856	0.009 [0.067] N=706
Snack foods consumed daily or several times weekly	0.288 P=342	0.021 [0.050] N=1,204	-0.008 [0.052] N=1,108	-0.008 [0.056] N=992	0.030 [0.060] N=856	0.051 [0.065] N=706
Packaged soft drinks consumed daily or several times weekly	0.159 P=185	0.008 [0.036] N=1,204	-0.003 [0.038] N=1,108	-0.010 [0.042] N=992	-0.017 [0.046] N=856	-0.037 [0.050] N=706
Grains consumed daily or several times weekly	0.758 P=910	0.026 [0.045] N=1,204	0.036 [0.045] N=1,108	0.017 [0.049] N=992	0.018 [0.054] N=856	0.015 [0.060] N=706

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.014 [0.054] N=1,015	0.021 [0.055] N=919	0.012 [0.064] N=803	0.009 [0.079] N=667	-0.020 [0.110] N=517
Vegetables consumed daily or several times weekly	0.009 [0.071] N=1,015	0.005 [0.074] N=919	-0.049 [0.084] N=803	-0.107 [0.109] N=667	**-0.238* [0.139] N=517**
Meat fish or poultry consumed daily or several times weekly	-0.088 [0.073] N=1,015	-0.105 [0.075] N=919	**-0.141* [0.084] N=803**	-0.154 [0.095] N=667	**-0.232* [0.130] N=517**
Legumes consumed daily or several times weekly	-0.099 [0.077] N=1,015	-0.103 [0.084] N=919	-0.102 [0.091] N=803	-0.074 [0.107] N=667	-0.090 [0.151] N=517
Animal products consumed daily or several times weekly	0.100 [0.067] N=1,015	0.098 [0.074] N=919	0.055 [0.084] N=803	0.079 [0.103] N=667	0.089 [0.126] N=517
Sweets consumed daily or several times weekly	-0.057 [0.069] N=1,015	-0.087 [0.074] N=919	-0.047 [0.086] N=803	-0.058 [0.093] N=667	0.070 [0.132] N=517
Snack foods consumed daily or several times weekly	-0.011 [0.069] N=1,015	-0.070 [0.075] N=919	-0.075 [0.085] N=803	-0.026 [0.099] N=667	-0.031 [0.127] N=517
Packaged soft drinks consumed daily or several times weekly	0.021 [0.053] N=1,015	-0.001 [0.062] N=919	-0.007 [0.073] N=803	-0.027 [0.090] N=667	-0.107 [0.127] N=517
Grains consumed daily or several times weekly	0.034 [0.069] N=1,015	0.059 [0.073] N=919	0.011 [0.082] N=803	-0.000 [0.096] N=667	-0.045 [0.126] N=517

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.832 P=996	-0.019 [0.035] N=1,204	-0.021 [0.036] N=1,108	-0.039 [0.038] N=992	-0.047 [0.040] N=856	-0.071 [0.048] N=706
Vegetables consumed daily or several times weekly	0.767 P=923	-0.010 [0.048] N=1,204	-0.015 [0.049] N=1,108	-0.051 [0.052] N=992	-0.071 [0.058] N=856	**-0.107* [0.063] N=706**
Meat fish or poultry consumed daily or several times weekly	0.546 P=660	-0.019 [0.060] N=1,204	-0.017 [0.061] N=1,108	-0.033 [0.067] N=992	-0.014 [0.076] N=856	-0.011 [0.088] N=706
Legumes consumed daily or several times weekly	0.553 P=664	-0.054 [0.053] N=1,204	-0.053 [0.056] N=1,108	-0.049 [0.060] N=992	-0.023 [0.067] N=856	-0.011 [0.082] N=706
Animal products consumed daily or several times weekly	0.843 P=1,012	**0.073* [0.042] N=1,204**	0.067 [0.045] N=1,108	0.043 [0.047] N=992	0.046 [0.050] N=856	0.034 [0.054] N=706
Sweets consumed daily or several times weekly	0.380 P=461	-0.041 [0.051] N=1,204	-0.063 [0.052] N=1,108	-0.045 [0.056] N=992	-0.042 [0.059] N=856	0.006 [0.068] N=706
Snack foods consumed daily or several times weekly	0.288 P=342	0.022 [0.050] N=1,204	-0.007 [0.053] N=1,108	-0.007 [0.057] N=992	0.031 [0.061] N=856	0.057 [0.065] N=706
Packaged soft drinks consumed daily or several times weekly	0.159 P=185	0.007 [0.036] N=1,204	-0.007 [0.039] N=1,108	-0.012 [0.043] N=992	-0.017 [0.046] N=856	-0.031 [0.049] N=706
Grains consumed daily or several times weekly	0.758 P=910	0.034 [0.045] N=1,204	0.044 [0.045] N=1,108	0.025 [0.049] N=992	0.023 [0.054] N=856	0.018 [0.060] N=706

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.027 [0.053] N=1,015	0.038 [0.055] N=919	0.021 [0.063] N=803	0.013 [0.073] N=667	-0.049 [0.111] N=517
Vegetables consumed daily or several times weekly	0.011 [0.071] N=1,015	0.012 [0.075] N=919	-0.053 [0.085] N=803	-0.124 [0.110] N=667	**-0.286* [0.147] N=517**
Meat fish or poultry consumed daily or several times weekly	-0.086 [0.072] N=1,015	-0.091 [0.072] N=919	**-0.138* [0.083] N=803**	**-0.165* [0.093] N=667**	**-0.287** [0.130] N=517**
Legumes consumed daily or several times weekly	-0.100 [0.078] N=1,015	-0.098 [0.085] N=919	-0.104 [0.093] N=803	-0.089 [0.110] N=667	-0.119 [0.154] N=517
Animal products consumed daily or several times weekly	0.104 [0.067] N=1,015	0.105 [0.075] N=919	0.058 [0.084] N=803	0.069 [0.104] N=667	0.061 [0.132] N=517
Sweets consumed daily or several times weekly	-0.051 [0.069] N=1,015	-0.085 [0.073] N=919	-0.047 [0.085] N=803	-0.062 [0.093] N=667	0.057 [0.132] N=517
Snack foods consumed daily or several times weekly	-0.009 [0.068] N=1,015	-0.071 [0.074] N=919	-0.074 [0.085] N=803	-0.035 [0.100] N=667	-0.028 [0.125] N=517
Packaged soft drinks consumed daily or several times weekly	0.022 [0.053] N=1,015	-0.005 [0.061] N=919	-0.012 [0.073] N=803	-0.036 [0.088] N=667	-0.102 [0.126] N=517
Grains consumed daily or several times weekly	0.040 [0.070] N=1,015	0.061 [0.073] N=919	0.014 [0.082] N=803	-0.004 [0.098] N=667	-0.057 [0.128] N=517

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=910	-0.005 [0.038] N=1,103	-0.017 [0.039] N=1,020	-0.021 [0.041] N=913	-0.033 [0.042] N=790	-0.054 [0.047] N=656
Vegetables consumed daily or several times weekly	0.766 P=845	-0.003 [0.050] N=1,103	-0.016 [0.051] N=1,020	-0.040 [0.054] N=913	-0.062 [0.057] N=790	-0.091 [0.060] N=656
Meat fish or poultry consumed daily or several times weekly	0.549 P=606	0.017 [0.058] N=1,103	0.011 [0.059] N=1,020	0.003 [0.065] N=913	-0.002 [0.072] N=790	0.003 [0.079] N=656
Legumes consumed daily or several times weekly	0.549 P=603	-0.052 [0.054] N=1,103	-0.069 [0.057] N=1,020	-0.055 [0.060] N=913	-0.037 [0.066] N=790	-0.026 [0.079] N=656
Animal products consumed daily or several times weekly	0.848 P=932	**0.092** [0.044] N=1,103**	**0.079* [0.046] N=1,020**	0.054 [0.047] N=913	0.041 [0.050] N=790	0.025 [0.054] N=656
Sweets consumed daily or several times weekly	0.378 P=419	-0.028 [0.052] N=1,103	-0.051 [0.055] N=1,020	-0.026 [0.060] N=913	-0.026 [0.062] N=790	0.029 [0.070] N=656
Snack foods consumed daily or several times weekly	0.288 P=313	0.011 [0.055] N=1,103	-0.008 [0.058] N=1,020	-0.001 [0.062] N=913	0.037 [0.066] N=790	0.072 [0.072] N=656
Packaged soft drinks consumed daily or several times weekly	0.161 P=172	0.021 [0.037] N=1,103	0.008 [0.040] N=1,020	-0.001 [0.044] N=913	-0.008 [0.047] N=790	-0.024 [0.052] N=656
Grains consumed daily or several times weekly	0.756 P=830	0.023 [0.047] N=1,103	0.025 [0.049] N=1,020	-0.001 [0.053] N=913	-0.003 [0.060] N=790	-0.018 [0.066] N=656

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.057] N=927	0.034 [0.060] N=844	0.028 [0.070] N=737	-0.004 [0.083] N=614	-0.041 [0.112] N=480
Vegetables consumed daily or several times weekly	0.032 [0.075] N=927	0.025 [0.080] N=844	-0.023 [0.092] N=737	-0.100 [0.116] N=614	-0.213 [0.141] N=480
Meat fish or poultry consumed daily or several times weekly	-0.039 [0.079] N=927	-0.059 [0.081] N=844	-0.083 [0.095] N=737	**-0.172* [0.103] N=614**	**-0.250* [0.136] N=480**
Legumes consumed daily or several times weekly	-0.077 [0.081] N=927	-0.105 [0.089] N=844	-0.086 [0.097] N=737	-0.076 [0.109] N=614	-0.086 [0.155] N=480
Animal products consumed daily or several times weekly	**0.138* [0.073] N=927**	0.127 [0.080] N=844	0.080 [0.089] N=737	0.060 [0.110] N=614	0.056 [0.141] N=480
Sweets consumed daily or several times weekly	-0.052 [0.074] N=927	-0.088 [0.081] N=844	-0.052 [0.096] N=737	-0.072 [0.106] N=614	0.067 [0.148] N=480
Snack foods consumed daily or several times weekly	-0.031 [0.077] N=927	-0.073 [0.084] N=844	-0.072 [0.096] N=737	-0.019 [0.110] N=614	0.025 [0.142] N=480
Packaged soft drinks consumed daily or several times weekly	0.034 [0.056] N=927	0.011 [0.065] N=844	-0.002 [0.078] N=737	-0.014 [0.096] N=614	-0.066 [0.139] N=480
Grains consumed daily or several times weekly	0.047 [0.071] N=927	0.059 [0.076] N=844	-0.003 [0.084] N=737	-0.011 [0.101] N=614	-0.064 [0.132] N=480

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.831 P=910	-0.008 [0.038] N=1,103	-0.019 [0.038] N=1,020	-0.021 [0.041] N=913	-0.035 [0.043] N=790	-0.055 [0.047] N=656
Vegetables consumed daily or several times weekly	0.766 P=845	-0.004 [0.050] N=1,103	-0.016 [0.051] N=1,020	-0.039 [0.054] N=913	-0.060 [0.057] N=790	-0.091 [0.061] N=656
Meat fish or poultry consumed daily or several times weekly	0.549 P=606	0.015 [0.058] N=1,103	0.009 [0.060] N=1,020	0.004 [0.065] N=913	-0.001 [0.072] N=790	0.001 [0.080] N=656
Legumes consumed daily or several times weekly	0.549 P=603	-0.052 [0.054] N=1,103	-0.069 [0.056] N=1,020	-0.054 [0.060] N=913	-0.035 [0.065] N=790	-0.026 [0.078] N=656
Animal products consumed daily or several times weekly	0.848 P=932	**0.092** [0.044] N=1,103**	**0.078* [0.045] N=1,020**	0.055 [0.047] N=913	0.046 [0.050] N=790	0.031 [0.054] N=656
Sweets consumed daily or several times weekly	0.378 P=419	-0.029 [0.051] N=1,103	-0.051 [0.054] N=1,020	-0.025 [0.059] N=913	-0.028 [0.061] N=790	0.026 [0.069] N=656
Snack foods consumed daily or several times weekly	0.288 P=313	0.010 [0.055] N=1,103	-0.009 [0.058] N=1,020	-0.001 [0.062] N=913	0.035 [0.066] N=790	0.068 [0.072] N=656
Packaged soft drinks consumed daily or several times weekly	0.161 P=172	0.024 [0.037] N=1,103	0.010 [0.040] N=1,020	0.002 [0.044] N=913	-0.004 [0.047] N=790	-0.019 [0.052] N=656
Grains consumed daily or several times weekly	0.756 P=830	0.023 [0.047] N=1,103	0.026 [0.049] N=1,020	-0.000 [0.053] N=913	-0.002 [0.060] N=790	-0.016 [0.066] N=656

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.032 [0.057] N=927	0.027 [0.059] N=844	0.028 [0.070] N=737	0.001 [0.083] N=614	-0.036 [0.109] N=480
Vegetables consumed daily or several times weekly	0.024 [0.074] N=927	0.018 [0.079] N=844	-0.026 [0.091] N=737	-0.099 [0.114] N=614	-0.220 [0.141] N=480
Meat fish or poultry consumed daily or several times weekly	-0.043 [0.079] N=927	-0.062 [0.081] N=844	-0.083 [0.094] N=737	-0.168 [0.103] N=614	**-0.251* [0.139] N=480**
Legumes consumed daily or several times weekly	-0.080 [0.081] N=927	-0.107 [0.089] N=844	-0.086 [0.097] N=737	-0.071 [0.109] N=614	-0.084 [0.152] N=480
Animal products consumed daily or several times weekly	**0.132* [0.072] N=927**	0.122 [0.078] N=844	0.080 [0.088] N=737	0.065 [0.108] N=614	0.059 [0.137] N=480
Sweets consumed daily or several times weekly	-0.061 [0.073] N=927	-0.100 [0.080] N=844	-0.058 [0.096] N=737	-0.074 [0.104] N=614	0.060 [0.146] N=480
Snack foods consumed daily or several times weekly	-0.037 [0.077] N=927	-0.082 [0.083] N=844	-0.076 [0.095] N=737	-0.021 [0.109] N=614	0.018 [0.142] N=480
Packaged soft drinks consumed daily or several times weekly	0.032 [0.056] N=927	0.008 [0.065] N=844	-0.002 [0.078] N=737	-0.009 [0.096] N=614	-0.058 [0.138] N=480
Grains consumed daily or several times weekly	0.045 [0.071] N=927	0.059 [0.075] N=844	-0.001 [0.084] N=737	-0.006 [0.101] N=614	-0.059 [0.133] N=480

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=880	0.015 [0.048] N=1,046	0.023 [0.049] N=944	0.003 [0.054] N=821	-0.025 [0.056] N=685	-0.025 [0.065] N=559
Vegetables consumed daily or several times weekly	0.780 P=816	-0.021 [0.056] N=1,046	-0.012 [0.059] N=944	0.013 [0.066] N=821	-0.015 [0.071] N=685	-0.002 [0.077] N=559
Meat fish or poultry consumed daily or several times weekly	0.542 P=573	0.038 [0.069] N=1,046	0.035 [0.072] N=944	-0.005 [0.081] N=821	0.009 [0.092] N=685	-0.004 [0.105] N=559
Legumes consumed daily or several times weekly	0.556 P=584	0.040 [0.066] N=1,046	0.064 [0.068] N=944	0.043 [0.073] N=821	0.010 [0.081] N=685	0.023 [0.090] N=559
Animal products consumed daily or several times weekly	0.845 P=882	0.034 [0.044] N=1,046	0.040 [0.047] N=944	0.026 [0.052] N=821	0.025 [0.056] N=685	0.035 [0.062] N=559
Sweets consumed daily or several times weekly	0.386 P=409	-0.087 [0.059] N=1,046	**-0.102* [0.060] N=944**	-0.098 [0.067] N=821	**-0.129* [0.070] N=685**	**-0.182** [0.079] N=559**
Snack foods consumed daily or several times weekly	0.301 P=312	-0.065 [0.055] N=1,046	-0.073 [0.057] N=944	-0.089 [0.061] N=821	-0.104 [0.064] N=685	**-0.166** [0.075] N=559**
Packaged soft drinks consumed daily or several times weekly	0.156 P=160	-0.019 [0.040] N=1,046	-0.032 [0.041] N=944	-0.006 [0.045] N=821	-0.041 [0.047] N=685	**-0.123** [0.052] N=559**
Grains consumed daily or several times weekly	0.752 P=791	0.098 [0.060] N=1,046	**0.115* [0.063] N=944**	0.105 [0.068] N=821	0.088 [0.077] N=685	0.062 [0.086] N=559

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.074] N=911	0.065 [0.080] N=809	0.042 [0.097] N=686	0.033 [0.096] N=550	0.062 [0.131] N=424
Vegetables consumed daily or several times weekly	-0.056 [0.083] N=911	-0.054 [0.093] N=809	-0.021 [0.113] N=686	-0.073 [0.118] N=550	-0.054 [0.153] N=424
Meat fish or poultry consumed daily or several times weekly	-0.001 [0.085] N=911	-0.016 [0.090] N=809	-0.115 [0.102] N=686	-0.132 [0.115] N=550	-0.208 [0.146] N=424
Legumes consumed daily or several times weekly	0.098 [0.089] N=911	0.134 [0.093] N=809	0.112 [0.106] N=686	0.094 [0.125] N=550	0.200 [0.151] N=424
Animal products consumed daily or several times weekly	0.010 [0.065] N=911	0.018 [0.071] N=809	-0.013 [0.081] N=686	0.000 [0.085] N=550	0.028 [0.103] N=424
Sweets consumed daily or several times weekly	-0.007 [0.082] N=911	-0.023 [0.084] N=809	0.011 [0.097] N=686	-0.020 [0.110] N=550	-0.125 [0.137] N=424
Snack foods consumed daily or several times weekly	-0.037 [0.069] N=911	-0.050 [0.073] N=809	-0.083 [0.079] N=686	-0.095 [0.090] N=550	**-0.274** [0.112] N=424**
Packaged soft drinks consumed daily or several times weekly	0.013 [0.065] N=911	0.001 [0.067] N=809	0.065 [0.079] N=686	0.026 [0.088] N=550	-0.167 [0.105] N=424
Grains consumed daily or several times weekly	0.020 [0.077] N=911	0.032 [0.085] N=809	-0.018 [0.093] N=686	-0.107 [0.112] N=550	**-0.283** [0.122] N=424**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=880	0.015 [0.047] N=1,046	0.024 [0.049] N=944	0.005 [0.054] N=821	-0.024 [0.056] N=685	-0.024 [0.064] N=559
Vegetables consumed daily or several times weekly	0.780 P=816	-0.020 [0.056] N=1,046	-0.012 [0.059] N=944	0.014 [0.065] N=821	-0.013 [0.070] N=685	-0.002 [0.077] N=559
Meat fish or poultry consumed daily or several times weekly	0.542 P=573	0.041 [0.069] N=1,046	0.038 [0.073] N=944	-0.000 [0.082] N=821	0.013 [0.093] N=685	-0.003 [0.107] N=559
Legumes consumed daily or several times weekly	0.556 P=584	0.041 [0.066] N=1,046	0.065 [0.068] N=944	0.043 [0.073] N=821	0.010 [0.081] N=685	0.023 [0.090] N=559
Animal products consumed daily or several times weekly	0.845 P=882	0.035 [0.044] N=1,046	0.042 [0.046] N=944	0.027 [0.052] N=821	0.026 [0.056] N=685	0.036 [0.062] N=559
Sweets consumed daily or several times weekly	0.386 P=409	-0.085 [0.059] N=1,046	**-0.099* [0.060] N=944**	-0.095 [0.067] N=821	**-0.128* [0.071] N=685**	**-0.182** [0.079] N=559**
Snack foods consumed daily or several times weekly	0.301 P=312	-0.063 [0.054] N=1,046	-0.072 [0.056] N=944	-0.087 [0.060] N=821	-0.104 [0.064] N=685	**-0.166** [0.075] N=559**
Packaged soft drinks consumed daily or several times weekly	0.156 P=160	-0.018 [0.040] N=1,046	-0.031 [0.041] N=944	-0.004 [0.045] N=821	-0.039 [0.047] N=685	**-0.123** [0.051] N=559**
Grains consumed daily or several times weekly	0.752 P=791	**0.100* [0.060] N=1,046**	**0.117* [0.063] N=944**	0.106 [0.068] N=821	0.088 [0.078] N=685	0.062 [0.086] N=559

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.058 [0.073] N=911	0.068 [0.079] N=809	0.046 [0.095] N=686	0.035 [0.095] N=550	0.068 [0.130] N=424
Vegetables consumed daily or several times weekly	-0.056 [0.083] N=911	-0.052 [0.093] N=809	-0.017 [0.112] N=686	-0.068 [0.117] N=550	-0.048 [0.154] N=424
Meat fish or poultry consumed daily or several times weekly	0.003 [0.085] N=911	-0.008 [0.090] N=809	-0.104 [0.102] N=686	-0.116 [0.115] N=550	-0.198 [0.146] N=424
Legumes consumed daily or several times weekly	0.100 [0.090] N=911	0.137 [0.094] N=809	0.115 [0.106] N=686	0.097 [0.125] N=550	0.196 [0.149] N=424
Animal products consumed daily or several times weekly	0.013 [0.063] N=911	0.023 [0.069] N=809	-0.008 [0.080] N=686	0.010 [0.083] N=550	0.040 [0.100] N=424
Sweets consumed daily or several times weekly	-0.002 [0.082] N=911	-0.017 [0.084] N=809	0.019 [0.096] N=686	-0.015 [0.111] N=550	-0.120 [0.138] N=424
Snack foods consumed daily or several times weekly	-0.032 [0.069] N=911	-0.045 [0.073] N=809	-0.078 [0.078] N=686	-0.094 [0.089] N=550	**-0.273** [0.113] N=424**
Packaged soft drinks consumed daily or several times weekly	0.015 [0.064] N=911	0.003 [0.067] N=809	0.070 [0.078] N=686	0.032 [0.087] N=550	-0.161 [0.104] N=424
Grains consumed daily or several times weekly	0.023 [0.079] N=911	0.035 [0.086] N=809	-0.016 [0.095] N=686	-0.112 [0.112] N=550	**-0.286** [0.122] N=424**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=880	0.002 [0.046] N=1,046	0.007 [0.047] N=944	0.001 [0.053] N=821	-0.029 [0.056] N=685	-0.030 [0.065] N=559
Vegetables consumed daily or several times weekly	0.780 P=816	-0.032 [0.055] N=1,046	-0.025 [0.058] N=944	0.008 [0.064] N=821	-0.020 [0.069] N=685	-0.011 [0.075] N=559
Meat fish or poultry consumed daily or several times weekly	0.542 P=573	0.020 [0.065] N=1,046	0.016 [0.068] N=944	-0.007 [0.077] N=821	0.005 [0.085] N=685	-0.011 [0.098] N=559
Legumes consumed daily or several times weekly	0.556 P=584	0.030 [0.066] N=1,046	0.056 [0.068] N=944	0.041 [0.074] N=821	0.007 [0.080] N=685	0.021 [0.089] N=559
Animal products consumed daily or several times weekly	0.845 P=882	0.026 [0.044] N=1,046	0.030 [0.047] N=944	0.022 [0.054] N=821	0.022 [0.057] N=685	0.031 [0.063] N=559
Sweets consumed daily or several times weekly	0.386 P=409	-0.088 [0.059] N=1,046	**-0.105* [0.060] N=944**	-0.100 [0.067] N=821	**-0.130* [0.071] N=685**	**-0.188** [0.079] N=559**
Snack foods consumed daily or several times weekly	0.301 P=312	-0.063 [0.055] N=1,046	-0.074 [0.057] N=944	-0.091 [0.061] N=821	-0.107 [0.066] N=685	**-0.173** [0.077] N=559**
Packaged soft drinks consumed daily or several times weekly	0.156 P=160	-0.014 [0.040] N=1,046	-0.029 [0.041] N=944	-0.005 [0.044] N=821	-0.038 [0.047] N=685	**-0.124** [0.050] N=559**
Grains consumed daily or several times weekly	0.752 P=791	0.097 [0.060] N=1,046	**0.114* [0.063] N=944**	0.107 [0.069] N=821	0.091 [0.078] N=685	0.064 [0.086] N=559

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.032 [0.073] N=911	0.038 [0.077] N=809	0.041 [0.093] N=686	0.024 [0.097] N=550	0.047 [0.133] N=424
Vegetables consumed daily or several times weekly	-0.076 [0.083] N=911	-0.076 [0.093] N=809	-0.025 [0.111] N=686	-0.078 [0.118] N=550	-0.070 [0.156] N=424
Meat fish or poultry consumed daily or several times weekly	-0.035 [0.084] N=911	-0.049 [0.090] N=809	-0.117 [0.102] N=686	-0.139 [0.115] N=550	**-0.245* [0.141] N=424**
Legumes consumed daily or several times weekly	0.078 [0.091] N=911	0.117 [0.094] N=809	0.111 [0.106] N=686	0.083 [0.121] N=550	0.179 [0.148] N=424
Animal products consumed daily or several times weekly	-0.002 [0.063] N=911	0.007 [0.069] N=809	-0.011 [0.081] N=686	0.003 [0.086] N=550	0.026 [0.102] N=424
Sweets consumed daily or several times weekly	-0.000 [0.080] N=911	-0.017 [0.082] N=809	0.022 [0.093] N=686	-0.012 [0.109] N=550	-0.112 [0.131] N=424
Snack foods consumed daily or several times weekly	-0.027 [0.068] N=911	-0.043 [0.072] N=809	-0.077 [0.077] N=686	-0.090 [0.087] N=550	**-0.265** [0.110] N=424**
Packaged soft drinks consumed daily or several times weekly	0.027 [0.062] N=911	0.014 [0.064] N=809	0.074 [0.075] N=686	0.042 [0.082] N=550	-0.147 [0.098] N=424
Grains consumed daily or several times weekly	0.018 [0.079] N=911	0.030 [0.087] N=809	-0.011 [0.097] N=686	-0.105 [0.113] N=550	**-0.276** [0.125] N=424**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=880	-0.004 [0.047] N=1,046	0.003 [0.048] N=944	-0.006 [0.054] N=821	-0.044 [0.056] N=685	-0.050 [0.063] N=559
Vegetables consumed daily or several times weekly	0.780 P=816	-0.040 [0.055] N=1,046	-0.032 [0.058] N=944	-0.002 [0.065] N=821	-0.037 [0.068] N=685	-0.030 [0.073] N=559
Meat fish or poultry consumed daily or several times weekly	0.542 P=573	0.015 [0.063] N=1,046	0.013 [0.066] N=944	-0.014 [0.074] N=821	-0.015 [0.083] N=685	-0.037 [0.095] N=559
Legumes consumed daily or several times weekly	0.556 P=584	0.027 [0.065] N=1,046	0.052 [0.067] N=944	0.036 [0.072] N=821	-0.003 [0.078] N=685	0.012 [0.086] N=559
Animal products consumed daily or several times weekly	0.845 P=882	0.028 [0.044] N=1,046	0.034 [0.046] N=944	0.027 [0.052] N=821	0.020 [0.057] N=685	0.029 [0.062] N=559
Sweets consumed daily or several times weekly	0.386 P=409	-0.080 [0.060] N=1,046	-0.097 [0.061] N=944	-0.093 [0.068] N=821	**-0.128* [0.072] N=685**	**-0.183** [0.081] N=559**
Snack foods consumed daily or several times weekly	0.301 P=312	-0.056 [0.055] N=1,046	-0.064 [0.056] N=944	-0.081 [0.060] N=821	-0.098 [0.064] N=685	**-0.162** [0.075] N=559**
Packaged soft drinks consumed daily or several times weekly	0.156 P=160	-0.006 [0.039] N=1,046	-0.018 [0.040] N=944	0.004 [0.044] N=821	-0.026 [0.047] N=685	**-0.105** [0.052] N=559**
Grains consumed daily or several times weekly	0.752 P=791	0.098 [0.060] N=1,046	**0.113* [0.063] N=944**	0.102 [0.069] N=821	0.084 [0.078] N=685	0.060 [0.086] N=559

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.041 [0.077] N=911	0.047 [0.082] N=809	0.052 [0.102] N=686	0.013 [0.108] N=550	0.020 [0.145] N=424
Vegetables consumed daily or several times weekly	-0.080 [0.086] N=911	-0.078 [0.097] N=809	-0.029 [0.118] N=686	-0.103 [0.124] N=550	-0.106 [0.164] N=424
Meat fish or poultry consumed daily or several times weekly	-0.031 [0.085] N=911	-0.041 [0.092] N=809	-0.113 [0.103] N=686	-0.166 [0.121] N=550	**-0.286* [0.144] N=424**
Legumes consumed daily or several times weekly	0.078 [0.091] N=911	0.112 [0.096] N=809	0.101 [0.108] N=686	0.058 [0.126] N=550	0.149 [0.153] N=424
Animal products consumed daily or several times weekly	0.000 [0.063] N=911	0.009 [0.069] N=809	-0.012 [0.080] N=686	-0.008 [0.088] N=550	0.018 [0.106] N=424
Sweets consumed daily or several times weekly	0.013 [0.081] N=911	-0.007 [0.082] N=809	0.036 [0.093] N=686	-0.005 [0.111] N=550	-0.097 [0.135] N=424
Snack foods consumed daily or several times weekly	-0.017 [0.069] N=911	-0.029 [0.072] N=809	-0.060 [0.077] N=686	-0.078 [0.089] N=550	**-0.246** [0.115] N=424**
Packaged soft drinks consumed daily or several times weekly	0.030 [0.062] N=911	0.019 [0.064] N=809	0.076 [0.075] N=686	0.054 [0.080] N=550	-0.114 [0.101] N=424
Grains consumed daily or several times weekly	0.027 [0.078] N=911	0.036 [0.085] N=809	-0.012 [0.095] N=686	-0.116 [0.112] N=550	**-0.280** [0.122] N=424**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=803	0.012 [0.048] N=955	0.020 [0.050] N=859	0.022 [0.054] N=754	-0.024 [0.058] N=628	-0.031 [0.065] N=517
Vegetables consumed daily or several times weekly	0.781 P=747	-0.031 [0.056] N=955	-0.025 [0.060] N=859	0.014 [0.065] N=754	-0.034 [0.073] N=628	-0.048 [0.078] N=517
Meat fish or poultry consumed daily or several times weekly	0.543 P=523	0.037 [0.074] N=955	0.027 [0.079] N=859	0.013 [0.087] N=754	0.007 [0.102] N=628	-0.019 [0.117] N=517
Legumes consumed daily or several times weekly	0.555 P=532	0.052 [0.069] N=955	0.079 [0.071] N=859	0.055 [0.078] N=754	0.000 [0.087] N=628	-0.002 [0.098] N=517
Animal products consumed daily or several times weekly	0.849 P=809	0.039 [0.045] N=955	0.044 [0.048] N=859	0.045 [0.055] N=754	0.027 [0.060] N=628	0.035 [0.067] N=517
Sweets consumed daily or several times weekly	0.390 P=376	-0.097 [0.060] N=955	**-0.113* [0.061] N=859**	-0.109 [0.069] N=754	**-0.156** [0.074] N=628**	**-0.215** [0.083] N=517**
Snack foods consumed daily or several times weekly	0.304 P=288	-0.071 [0.058] N=955	-0.083 [0.061] N=859	-0.099 [0.065] N=754	**-0.117* [0.070] N=628**	**-0.188** [0.081] N=517**
Packaged soft drinks consumed daily or several times weekly	0.160 P=150	-0.035 [0.042] N=955	-0.051 [0.043] N=859	-0.026 [0.046] N=754	-0.071 [0.050] N=628	**-0.172*** [0.054] N=517**
Grains consumed daily or several times weekly	0.749 P=719	**0.116* [0.061] N=955**	**0.130** [0.065] N=859**	**0.119* [0.071] N=754**	0.088 [0.083] N=628	0.051 [0.092] N=517

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.053 [0.074] N=830	0.066 [0.079] N=734	0.088 [0.094] N=629	0.030 [0.096] N=503	0.015 [0.124] N=392
Vegetables consumed daily or several times weekly	-0.068 [0.079] N=830	-0.065 [0.090] N=734	-0.014 [0.108] N=629	-0.120 [0.118] N=503	-0.191 [0.145] N=392
Meat fish or poultry consumed daily or several times weekly	0.010 [0.094] N=830	-0.009 [0.101] N=734	-0.056 [0.111] N=629	-0.131 [0.133] N=503	-0.263 [0.166] N=392
Legumes consumed daily or several times weekly	0.126 [0.093] N=830	**0.170* [0.097] N=734**	0.166 [0.108] N=629	0.126 [0.131] N=503	0.190 [0.165] N=392
Animal products consumed daily or several times weekly	0.009 [0.064] N=830	0.020 [0.071] N=734	0.020 [0.080] N=629	-0.011 [0.091] N=503	-0.017 [0.114] N=392
Sweets consumed daily or several times weekly	-0.003 [0.083] N=830	-0.022 [0.085] N=734	0.012 [0.096] N=629	-0.052 [0.114] N=503	-0.185 [0.142] N=392
Snack foods consumed daily or several times weekly	-0.041 [0.072] N=830	-0.057 [0.078] N=734	-0.094 [0.082] N=629	-0.122 [0.097] N=503	**-0.314** [0.120] N=392**
Packaged soft drinks consumed daily or several times weekly	-0.004 [0.069] N=830	-0.023 [0.072] N=734	0.040 [0.082] N=629	-0.015 [0.097] N=503	**-0.281** [0.116] N=392**
Grains consumed daily or several times weekly	0.050 [0.085] N=830	0.059 [0.093] N=734	0.015 [0.103] N=629	-0.109 [0.124] N=503	**-0.326** [0.137] N=392**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=803	0.016 [0.047] N=955	0.026 [0.049] N=859	0.024 [0.053] N=754	-0.025 [0.056] N=628	-0.034 [0.064] N=517
Vegetables consumed daily or several times weekly	0.781 P=747	-0.029 [0.056] N=955	-0.022 [0.059] N=859	0.018 [0.065] N=754	-0.032 [0.071] N=628	-0.048 [0.079] N=517
Meat fish or poultry consumed daily or several times weekly	0.543 P=523	0.039 [0.073] N=955	0.030 [0.077] N=859	0.013 [0.085] N=754	-0.001 [0.098] N=628	-0.026 [0.114] N=517
Legumes consumed daily or several times weekly	0.555 P=532	0.046 [0.068] N=955	0.074 [0.071] N=859	0.050 [0.077] N=754	-0.010 [0.085] N=628	-0.013 [0.098] N=517
Animal products consumed daily or several times weekly	0.849 P=809	0.036 [0.045] N=955	0.042 [0.048] N=859	0.042 [0.054] N=754	0.024 [0.059] N=628	0.032 [0.067] N=517
Sweets consumed daily or several times weekly	0.390 P=376	-0.101 [0.061] N=955	**-0.117* [0.063] N=859**	-0.116 [0.070] N=754	**-0.166** [0.077] N=628**	**-0.224** [0.086] N=517**
Snack foods consumed daily or several times weekly	0.304 P=288	-0.068 [0.058] N=955	-0.080 [0.060] N=859	-0.097 [0.064] N=754	**-0.118* [0.069] N=628**	**-0.188** [0.079] N=517**
Packaged soft drinks consumed daily or several times weekly	0.160 P=150	-0.036 [0.042] N=955	-0.052 [0.043] N=859	-0.029 [0.045] N=754	-0.073 [0.049] N=628	**-0.176*** [0.052] N=517**
Grains consumed daily or several times weekly	0.749 P=719	**0.117* [0.061] N=955**	**0.131** [0.065] N=859**	**0.121* [0.070] N=754**	0.093 [0.081] N=628	0.055 [0.091] N=517

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.058 [0.073] N=830	0.070 [0.079] N=734	0.086 [0.093] N=629	0.022 [0.094] N=503	0.017 [0.125] N=392
Vegetables consumed daily or several times weekly	-0.063 [0.078] N=830	-0.061 [0.089] N=734	-0.004 [0.106] N=629	-0.116 [0.115] N=503	-0.180 [0.142] N=392
Meat fish or poultry consumed daily or several times weekly	0.013 [0.094] N=830	-0.005 [0.101] N=734	-0.055 [0.111] N=629	-0.134 [0.132] N=503	-0.241 [0.167] N=392
Legumes consumed daily or several times weekly	0.127 [0.094] N=830	**0.176* [0.097] N=734**	0.174 [0.108] N=629	0.122 [0.130] N=503	0.207 [0.165] N=392
Animal products consumed daily or several times weekly	0.010 [0.064] N=830	0.021 [0.071] N=734	0.021 [0.079] N=629	-0.010 [0.091] N=503	-0.006 [0.115] N=392
Sweets consumed daily or several times weekly	-0.002 [0.083] N=830	-0.021 [0.086] N=734	0.009 [0.096] N=629	-0.055 [0.113] N=503	-0.187 [0.142] N=392
Snack foods consumed daily or several times weekly	-0.037 [0.072] N=830	-0.057 [0.077] N=734	-0.091 [0.081] N=629	-0.114 [0.095] N=503	**-0.317*** [0.118] N=392**
Packaged soft drinks consumed daily or several times weekly	-0.004 [0.069] N=830	-0.023 [0.072] N=734	0.039 [0.082] N=629	-0.014 [0.096] N=503	**-0.275** [0.114] N=392**
Grains consumed daily or several times weekly	0.052 [0.084] N=830	0.060 [0.093] N=734	0.021 [0.102] N=629	-0.102 [0.123] N=503	**-0.321** [0.133] N=392**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.