Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Youngest Child

Age reference: 12 November 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=950	0.040 [0.047] N=1,245	0.039 [0.050] N=1,151	0.034 [0.052] N=1,027	0.069 [0.056] N=883	0.052 [0.059] N=735
Not underweight WAZ at least -2	0.910 P=1,319	**-0.077*** [0.027] N=1,449**	**-0.063** [0.028] N=1,340**	**-0.059** [0.029] N=1,198**	-0.052 [0.032] N=1,021	-0.045 [0.036] N=843
Neither wasted nor overweight WHZ -2 to +2	0.683 P=851	0.007 [0.054] N=1,240	-0.014 [0.057] N=1,147	-0.002 [0.061] N=1,026	-0.012 [0.070] N=879	0.010 [0.079] N=728
Neither low nor high BMIZ -2 to +2	0.648 P=799	0.029 [0.057] N=1,222	0.027 [0.062] N=1,132	0.021 [0.063] N=1,010	0.003 [0.074] N=863	-0.004 [0.084] N=715
Strict normal HAZ -2 to +3	0.687 P=868	0.066 [0.051] N=1,245	0.075 [0.054] N=1,151	0.067 [0.058] N=1,027	0.087 [0.060] N=883	0.080 [0.065] N=735
Strict normal WAZ -2 to +1	0.688 P=999	**-0.098* [0.050] N=1,449**	**-0.099* [0.053] N=1,340**	**-0.111** [0.056] N=1,198**	**-0.118** [0.058] N=1,021**	-0.086 [0.065] N=843
Strict normal WHZ -2 to +1	0.519 P=644	-0.017 [0.057] N=1,240	-0.032 [0.062] N=1,147	-0.045 [0.065] N=1,026	-0.068 [0.072] N=879	-0.077 [0.080] N=728
Strict normal BMIZ -2 to +1	0.501 P=616	-0.025 [0.059] N=1,222	-0.029 [0.063] N=1,132	-0.035 [0.067] N=1,010	-0.058 [0.077] N=863	-0.063 [0.090] N=715
Above-normal height HAZ above +3	0.067 P=82	-0.027 [0.028] N=1,245	-0.037 [0.029] N=1,151	-0.033 [0.032] N=1,027	-0.019 [0.034] N=883	-0.028 [0.037] N=735
Above-normal weight WAZ above +1	0.223 P=320	0.020 [0.045] N=1,449	0.036 [0.048] N=1,340	0.052 [0.051] N=1,198	0.066 [0.054] N=1,021	0.042 [0.060] N=843
Above-normal WHZ above +1	0.362 P=448	0.057 [0.054] N=1,240	0.059 [0.057] N=1,147	0.087 [0.058] N=1,026	0.093 [0.061] N=879	**0.111* [0.066] N=728**
Above-normal BMIZ above +1	0.368 P=447	0.056 [0.053] N=1,222	0.057 [0.056] N=1,132	0.064 [0.060] N=1,010	0.059 [0.064] N=863	0.057 [0.074] N=715

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.019 [0.071] N=1,046	0.019 [0.078] N=952	0.020 [0.087] N=828	0.098 [0.104] N=684	0.104 [0.132] N=536
Not underweight WAZ at least -2	**-0.121*** [0.037] N=1,224**	**-0.098** [0.041] N=1,115**	**-0.097** [0.043] N=973**	**-0.102** [0.051] N=796**	-0.098 [0.073] N=618
Neither wasted nor overweight WHZ -2 to +2	0.069 [0.063] N=1,041	0.037 [0.069] N=948	0.082 [0.072] N=827	0.086 [0.098] N=680	**0.240** [0.107] N=529**
Neither low nor high BMIZ -2 to +2	0.088 [0.069] N=1,025	0.092 [0.076] N=935	0.115 [0.076] N=813	0.114 [0.103] N=666	0.164 [0.117] N=518
Strict normal HAZ -2 to +3	0.070 [0.078] N=1,046	0.089 [0.086] N=952	0.097 [0.098] N=828	0.147 [0.115] N=684	0.216 [0.143] N=536
Strict normal WAZ -2 to +1	-0.080 [0.068] N=1,224	-0.075 [0.075] N=1,115	-0.100 [0.082] N=973	-0.117 [0.088] N=796	-0.020 [0.108] N=618
Strict normal WHZ -2 to +1	0.045 [0.075] N=1,041	0.029 [0.084] N=948	0.038 [0.090] N=827	0.019 [0.113] N=680	0.051 [0.135] N=529
Strict normal BMIZ -2 to +1	0.010 [0.068] N=1,025	0.012 [0.074] N=935	0.032 [0.078] N=813	0.001 [0.103] N=666	0.040 [0.122] N=518
Above-normal height HAZ above +3	-0.051 [0.038] N=1,046	**-0.070* [0.042] N=952**	-0.077 [0.048] N=828	-0.048 [0.053] N=684	**-0.112* [0.059] N=536**
Above-normal weight WAZ above +1	-0.041 [0.060] N=1,224	-0.023 [0.067] N=1,115	0.003 [0.074] N=973	0.015 [0.083] N=796	-0.078 [0.107] N=618
Above-normal WHZ above +1	0.018 [0.078] N=1,041	0.010 [0.087] N=948	0.033 [0.094] N=827	0.039 [0.112] N=680	0.046 [0.132] N=529
Above-normal BMIZ above +1	0.061 [0.074] N=1,025	0.056 [0.081] N=935	0.047 [0.088] N=813	0.043 [0.104] N=666	-0.005 [0.121] N=518

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=950	0.038 [0.047] N=1,245	0.037 [0.049] N=1,151	0.032 [0.052] N=1,027	0.067 [0.056] N=883	0.049 [0.059] N=735
Not underweight WAZ at least -2	0.910 P=1,319	**-0.078*** [0.027] N=1,449**	**-0.064** [0.028] N=1,340**	**-0.059** [0.029] N=1,198**	**-0.053* [0.032] N=1,021**	-0.046 [0.036] N=843
Neither wasted nor overweight WHZ -2 to +2	0.683 P=851	0.004 [0.053] N=1,240	-0.018 [0.056] N=1,147	-0.005 [0.061] N=1,026	-0.017 [0.070] N=879	0.003 [0.079] N=728
Neither low nor high BMIZ -2 to +2	0.648 P=799	0.028 [0.057] N=1,222	0.026 [0.062] N=1,132	0.020 [0.064] N=1,010	0.001 [0.074] N=863	-0.007 [0.084] N=715
Strict normal HAZ -2 to +3	0.687 P=868	0.064 [0.051] N=1,245	0.072 [0.054] N=1,151	0.065 [0.057] N=1,027	0.084 [0.060] N=883	0.076 [0.066] N=735
Strict normal WAZ -2 to +1	0.688 P=999	**-0.099** [0.050] N=1,449**	**-0.101* [0.053] N=1,340**	**-0.112** [0.056] N=1,198**	**-0.118** [0.058] N=1,021**	-0.088 [0.065] N=843
Strict normal WHZ -2 to +1	0.519 P=644	-0.020 [0.057] N=1,240	-0.035 [0.061] N=1,147	-0.048 [0.064] N=1,026	-0.071 [0.071] N=879	-0.082 [0.079] N=728
Strict normal BMIZ -2 to +1	0.501 P=616	-0.027 [0.059] N=1,222	-0.032 [0.063] N=1,132	-0.037 [0.067] N=1,010	-0.061 [0.077] N=863	-0.066 [0.090] N=715
Above-normal height HAZ above +3	0.067 P=82	-0.026 [0.028] N=1,245	-0.036 [0.029] N=1,151	-0.033 [0.032] N=1,027	-0.017 [0.034] N=883	-0.027 [0.037] N=735
Above-normal weight WAZ above +1	0.223 P=320	0.021 [0.045] N=1,449	0.036 [0.048] N=1,340	0.053 [0.051] N=1,198	0.066 [0.054] N=1,021	0.042 [0.060] N=843
Above-normal WHZ above +1	0.362 P=448	0.058 [0.054] N=1,240	0.059 [0.057] N=1,147	0.087 [0.058] N=1,026	0.093 [0.061] N=879	**0.111* [0.066] N=728**
Above-normal BMIZ above +1	0.368 P=447	0.058 [0.053] N=1,222	0.058 [0.056] N=1,132	0.065 [0.060] N=1,010	0.060 [0.064] N=863	0.058 [0.074] N=715

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.021 [0.070] N=1,046	0.022 [0.077] N=952	0.025 [0.085] N=828	0.101 [0.103] N=684	0.105 [0.132] N=536
Not underweight WAZ at least -2	**-0.120*** [0.037] N=1,224**	**-0.098** [0.041] N=1,115**	**-0.097** [0.043] N=973**	**-0.103** [0.051] N=796**	-0.098 [0.073] N=618
Neither wasted nor overweight WHZ -2 to +2	0.069 [0.062] N=1,041	0.037 [0.068] N=948	0.085 [0.071] N=827	0.086 [0.098] N=680	**0.238** [0.105] N=529**
Neither low nor high BMIZ -2 to +2	0.088 [0.069] N=1,025	0.092 [0.076] N=935	0.116 [0.077] N=813	0.115 [0.103] N=666	0.164 [0.118] N=518
Strict normal HAZ -2 to +3	0.073 [0.077] N=1,046	0.094 [0.084] N=952	0.106 [0.095] N=828	0.154 [0.112] N=684	0.219 [0.143] N=536
Strict normal WAZ -2 to +1	-0.079 [0.068] N=1,224	-0.075 [0.075] N=1,115	-0.099 [0.082] N=973	-0.118 [0.088] N=796	-0.020 [0.108] N=618
Strict normal WHZ -2 to +1	0.045 [0.074] N=1,041	0.029 [0.084] N=948	0.040 [0.089] N=827	0.019 [0.112] N=680	0.050 [0.134] N=529
Strict normal BMIZ -2 to +1	0.011 [0.068] N=1,025	0.012 [0.073] N=935	0.035 [0.078] N=813	0.002 [0.103] N=666	0.040 [0.121] N=518
Above-normal height HAZ above +3	-0.052 [0.038] N=1,046	**-0.072* [0.042] N=952**	**-0.081* [0.048] N=828**	-0.052 [0.052] N=684	**-0.114* [0.059] N=536**
Above-normal weight WAZ above +1	-0.041 [0.060] N=1,224	-0.023 [0.067] N=1,115	0.003 [0.074] N=973	0.015 [0.083] N=796	-0.078 [0.107] N=618
Above-normal WHZ above +1	0.018 [0.078] N=1,041	0.010 [0.087] N=948	0.033 [0.094] N=827	0.039 [0.112] N=680	0.046 [0.132] N=529
Above-normal BMIZ above +1	0.060 [0.074] N=1,025	0.056 [0.081] N=935	0.047 [0.088] N=813	0.043 [0.104] N=666	-0.005 [0.121] N=518

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=950	0.035 [0.047] N=1,245	0.030 [0.049] N=1,151	0.026 [0.052] N=1,027	0.065 [0.055] N=883	0.039 [0.058] N=735
Not underweight WAZ at least -2	0.910 P=1,319	**-0.081*** [0.026] N=1,449**	**-0.068** [0.028] N=1,340**	**-0.064** [0.029] N=1,198**	**-0.056* [0.031] N=1,021**	-0.052 [0.036] N=843
Neither wasted nor overweight WHZ -2 to +2	0.683 P=851	0.001 [0.053] N=1,240	-0.022 [0.055] N=1,147	-0.007 [0.060] N=1,026	-0.019 [0.068] N=879	-0.002 [0.077] N=728
Neither low nor high BMIZ -2 to +2	0.648 P=799	0.026 [0.057] N=1,222	0.020 [0.062] N=1,132	0.016 [0.063] N=1,010	-0.001 [0.073] N=863	-0.012 [0.084] N=715
Strict normal HAZ -2 to +3	0.687 P=868	0.061 [0.051] N=1,245	0.065 [0.053] N=1,151	0.059 [0.057] N=1,027	0.084 [0.059] N=883	0.064 [0.065] N=735
Strict normal WAZ -2 to +1	0.688 P=999	**-0.097* [0.049] N=1,449**	**-0.101* [0.052] N=1,340**	**-0.113** [0.055] N=1,198**	**-0.120** [0.058] N=1,021**	-0.092 [0.066] N=843
Strict normal WHZ -2 to +1	0.519 P=644	-0.022 [0.057] N=1,240	-0.039 [0.061] N=1,147	-0.052 [0.064] N=1,026	-0.074 [0.071] N=879	-0.088 [0.078] N=728
Strict normal BMIZ -2 to +1	0.501 P=616	-0.030 [0.059] N=1,222	-0.037 [0.063] N=1,132	-0.042 [0.067] N=1,010	-0.064 [0.076] N=863	-0.071 [0.089] N=715
Above-normal height HAZ above +3	0.067 P=82	-0.026 [0.027] N=1,245	-0.035 [0.029] N=1,151	-0.034 [0.032] N=1,027	-0.019 [0.034] N=883	-0.024 [0.036] N=735
Above-normal weight WAZ above +1	0.223 P=320	0.016 [0.045] N=1,449	0.033 [0.047] N=1,340	0.049 [0.050] N=1,198	0.064 [0.054] N=1,021	0.041 [0.059] N=843
Above-normal WHZ above +1	0.362 P=448	0.058 [0.054] N=1,240	0.061 [0.057] N=1,147	0.091 [0.058] N=1,026	0.095 [0.061] N=879	**0.115* [0.067] N=728**
Above-normal BMIZ above +1	0.368 P=447	0.060 [0.054] N=1,222	0.062 [0.056] N=1,132	0.069 [0.060] N=1,010	0.063 [0.064] N=863	0.063 [0.074] N=715

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.022 [0.070] N=1,046	0.017 [0.076] N=952	0.020 [0.084] N=828	0.113 [0.098] N=684	0.111 [0.123] N=536
Not underweight WAZ at least -2	**-0.119*** [0.037] N=1,224**	**-0.099** [0.041] N=1,115**	**-0.097** [0.043] N=973**	**-0.094* [0.052] N=796**	-0.097 [0.074] N=618
Neither wasted nor overweight WHZ -2 to +2	0.070 [0.064] N=1,041	0.036 [0.071] N=948	0.092 [0.074] N=827	0.102 [0.102] N=680	**0.235** [0.112] N=529**
Neither low nor high BMIZ -2 to +2	0.091 [0.071] N=1,025	0.089 [0.079] N=935	0.121 [0.080] N=813	0.129 [0.106] N=666	0.164 [0.122] N=518
Strict normal HAZ -2 to +3	0.077 [0.076] N=1,046	0.092 [0.082] N=952	0.109 [0.093] N=828	**0.179* [0.105] N=684**	**0.230* [0.132] N=536**
Strict normal WAZ -2 to +1	-0.075 [0.068] N=1,224	-0.074 [0.076] N=1,115	-0.097 [0.083] N=973	-0.108 [0.090] N=796	-0.022 [0.109] N=618
Strict normal WHZ -2 to +1	0.046 [0.076] N=1,041	0.027 [0.087] N=948	0.045 [0.092] N=827	0.038 [0.118] N=680	0.047 [0.142] N=529
Strict normal BMIZ -2 to +1	0.013 [0.070] N=1,025	0.007 [0.077] N=935	0.037 [0.082] N=813	0.018 [0.109] N=666	0.039 [0.130] N=518
Above-normal height HAZ above +3	-0.056 [0.038] N=1,046	**-0.075* [0.042] N=952**	**-0.090* [0.047] N=828**	-0.067 [0.051] N=684	**-0.118** [0.056] N=536**
Above-normal weight WAZ above +1	-0.044 [0.060] N=1,224	-0.025 [0.067] N=1,115	-0.000 [0.074] N=973	0.014 [0.085] N=796	-0.074 [0.107] N=618
Above-normal WHZ above +1	0.018 [0.079] N=1,041	0.011 [0.088] N=948	0.033 [0.094] N=827	0.026 [0.112] N=680	0.046 [0.135] N=529
Above-normal BMIZ above +1	0.060 [0.075] N=1,025	0.059 [0.082] N=935	0.048 [0.089] N=813	0.031 [0.103] N=666	-0.006 [0.125] N=518

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.754 P=950	0.030 [0.048] N=1,245	0.028 [0.049] N=1,151	0.020 [0.052] N=1,027	0.059 [0.056] N=883	0.034 [0.058] N=735
Not underweight WAZ at least -2	0.910 P=1,319	**-0.085*** [0.026] N=1,449**	**-0.073*** [0.028] N=1,340**	**-0.070** [0.029] N=1,198**	**-0.065** [0.031] N=1,021**	**-0.065* [0.036] N=843**
Neither wasted nor overweight WHZ -2 to +2	0.683 P=851	0.000 [0.053] N=1,240	-0.024 [0.056] N=1,147	-0.015 [0.060] N=1,026	-0.023 [0.069] N=879	0.001 [0.078] N=728
Neither low nor high BMIZ -2 to +2	0.648 P=799	0.025 [0.057] N=1,222	0.021 [0.062] N=1,132	0.010 [0.063] N=1,010	-0.007 [0.073] N=863	-0.011 [0.085] N=715
Strict normal HAZ -2 to +3	0.687 P=868	0.053 [0.052] N=1,245	0.057 [0.055] N=1,151	0.046 [0.059] N=1,027	0.069 [0.063] N=883	0.046 [0.069] N=735
Strict normal WAZ -2 to +1	0.688 P=999	**-0.100** [0.050] N=1,449**	**-0.106** [0.053] N=1,340**	**-0.120** [0.056] N=1,198**	**-0.129** [0.059] N=1,021**	-0.099 [0.067] N=843
Strict normal WHZ -2 to +1	0.519 P=644	-0.022 [0.057] N=1,240	-0.038 [0.061] N=1,147	-0.057 [0.063] N=1,026	-0.076 [0.071] N=879	-0.080 [0.079] N=728
Strict normal BMIZ -2 to +1	0.501 P=616	-0.031 [0.059] N=1,222	-0.036 [0.062] N=1,132	-0.048 [0.066] N=1,010	-0.070 [0.076] N=863	-0.072 [0.089] N=715
Above-normal height HAZ above +3	0.067 P=82	-0.023 [0.028] N=1,245	-0.030 [0.030] N=1,151	-0.026 [0.033] N=1,027	-0.009 [0.035] N=883	-0.012 [0.038] N=735
Above-normal weight WAZ above +1	0.223 P=320	0.015 [0.045] N=1,449	0.033 [0.048] N=1,340	0.050 [0.051] N=1,198	0.064 [0.054] N=1,021	0.035 [0.061] N=843
Above-normal WHZ above +1	0.362 P=448	0.058 [0.054] N=1,240	0.059 [0.057] N=1,147	0.091 [0.059] N=1,026	0.093 [0.062] N=879	0.104 [0.068] N=728
Above-normal BMIZ above +1	0.368 P=447	0.058 [0.054] N=1,222	0.058 [0.056] N=1,132	0.070 [0.060] N=1,010	0.062 [0.064] N=863	0.055 [0.075] N=715

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.014 [0.070] N=1,046	0.017 [0.076] N=952	0.015 [0.085] N=828	0.112 [0.099] N=684	0.108 [0.125] N=536
Not underweight WAZ at least -2	**-0.120*** [0.037] N=1,224**	**-0.098** [0.041] N=1,115**	**-0.098** [0.043] N=973**	**-0.088* [0.050] N=796**	-0.097 [0.070] N=618
Neither wasted nor overweight WHZ -2 to +2	0.069 [0.064] N=1,041	0.039 [0.070] N=948	0.087 [0.073] N=827	0.089 [0.103] N=680	**0.216* [0.113] N=529**
Neither low nor high BMIZ -2 to +2	0.090 [0.072] N=1,025	0.096 [0.078] N=935	0.117 [0.079] N=813	0.119 [0.106] N=666	0.148 [0.122] N=518
Strict normal HAZ -2 to +3	0.071 [0.076] N=1,046	0.090 [0.083] N=952	0.102 [0.094] N=828	**0.185* [0.107] N=684**	**0.243* [0.136] N=536**
Strict normal WAZ -2 to +1	-0.071 [0.068] N=1,224	-0.072 [0.074] N=1,115	-0.094 [0.082] N=973	-0.103 [0.087] N=796	-0.040 [0.105] N=618
Strict normal WHZ -2 to +1	0.040 [0.076] N=1,041	0.028 [0.086] N=948	0.036 [0.091] N=827	0.013 [0.119] N=680	0.026 [0.147] N=529
Strict normal BMIZ -2 to +1	0.012 [0.070] N=1,025	0.017 [0.076] N=935	0.035 [0.080] N=813	0.004 [0.108] N=666	0.030 [0.130] N=518
Above-normal height HAZ above +3	-0.057 [0.038] N=1,046	**-0.074* [0.042] N=952**	**-0.087* [0.048] N=828**	-0.073 [0.052] N=684	**-0.135** [0.059] N=536**
Above-normal weight WAZ above +1	-0.049 [0.060] N=1,224	-0.027 [0.066] N=1,115	-0.004 [0.074] N=973	0.015 [0.083] N=796	-0.056 [0.105] N=618
Above-normal WHZ above +1	0.023 [0.079] N=1,041	0.013 [0.088] N=948	0.040 [0.095] N=827	0.046 [0.114] N=680	0.063 [0.138] N=529
Above-normal BMIZ above +1	0.064 [0.075] N=1,025	0.056 [0.082] N=935	0.053 [0.089] N=813	0.053 [0.105] N=666	0.016 [0.127] N=518

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.753 P=873	0.037 [0.050] N=1,144	0.034 [0.053] N=1,063	0.025 [0.056] N=946	0.052 [0.060] N=820	0.020 [0.063] N=685
Not underweight WAZ at least -2	0.911 P=1,208	**-0.070** [0.028] N=1,327**	**-0.058* [0.030] N=1,232**	**-0.053* [0.031] N=1,099**	-0.047 [0.035] N=942	-0.043 [0.039] N=783
Neither wasted nor overweight WHZ -2 to +2	0.682 P=785	0.015 [0.053] N=1,143	-0.011 [0.055] N=1,063	-0.007 [0.060] N=950	-0.019 [0.068] N=821	-0.010 [0.076] N=683
Neither low nor high BMIZ -2 to +2	0.650 P=740	0.025 [0.061] N=1,126	0.019 [0.066] N=1,048	0.008 [0.069] N=935	-0.009 [0.079] N=806	-0.016 [0.089] N=671
Strict normal HAZ -2 to +3	0.689 P=802	0.079 [0.056] N=1,144	0.086 [0.059] N=1,063	0.074 [0.063] N=946	0.084 [0.067] N=820	0.063 [0.075] N=685
Strict normal WAZ -2 to +1	0.683 P=909	**-0.109** [0.052] N=1,327**	**-0.109** [0.055] N=1,232**	**-0.123** [0.058] N=1,099**	**-0.132** [0.061] N=942**	-0.111 [0.069] N=783
Strict normal WHZ -2 to +1	0.516 P=591	-0.025 [0.059] N=1,143	-0.045 [0.063] N=1,063	-0.067 [0.066] N=950	-0.086 [0.072] N=821	-0.107 [0.079] N=683
Strict normal BMIZ -2 to +1	0.499 P=568	-0.049 [0.062] N=1,126	-0.055 [0.066] N=1,048	-0.063 [0.071] N=935	-0.078 [0.080] N=806	-0.085 [0.091] N=671
Above-normal height HAZ above +3	0.064 P=71	-0.042 [0.029] N=1,144	**-0.053* [0.031] N=1,063**	-0.048 [0.034] N=946	-0.032 [0.035] N=820	-0.043 [0.039] N=685
Above-normal weight WAZ above +1	0.228 P=299	0.039 [0.047] N=1,327	0.051 [0.049] N=1,232	0.070 [0.052] N=1,099	0.085 [0.055] N=942	0.068 [0.061] N=783
Above-normal WHZ above +1	0.365 P=417	0.091 [0.055] N=1,143	0.094 [0.058] N=1,063	**0.129** [0.060] N=950**	**0.131** [0.062] N=821**	**0.160** [0.067] N=683**
Above-normal BMIZ above +1	0.372 P=416	**0.093* [0.054] N=1,126**	0.091 [0.056] N=1,048	**0.103* [0.059] N=935**	0.092 [0.063] N=806	0.101 [0.072] N=671

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.065 [0.075] N=958	0.073 [0.082] N=877	0.079 [0.091] N=760	0.158 [0.109] N=634	0.157 [0.143] N=499
Not underweight WAZ at least -2	**-0.112*** [0.039] N=1,118**	**-0.093** [0.043] N=1,023**	**-0.095** [0.045] N=890**	**-0.105* [0.053] N=733**	-0.106 [0.077] N=574
Neither wasted nor overweight WHZ -2 to +2	**0.108* [0.064] N=957**	0.074 [0.070] N=877	0.115 [0.076] N=764	0.129 [0.101] N=635	**0.284** [0.109] N=497**
Neither low nor high BMIZ -2 to +2	0.111 [0.072] N=942	0.114 [0.078] N=864	0.132 [0.083] N=751	0.146 [0.109] N=622	**0.235* [0.118] N=487**
Strict normal HAZ -2 to +3	0.132 [0.083] N=958	**0.163* [0.089] N=877**	**0.174* [0.101] N=760**	**0.229* [0.117] N=634**	**0.297* [0.155] N=499**
Strict normal WAZ -2 to +1	-0.072 [0.068] N=1,118	-0.061 [0.074] N=1,023	-0.085 [0.082] N=890	-0.108 [0.085] N=733	-0.025 [0.108] N=574
Strict normal WHZ -2 to +1	0.081 [0.075] N=957	0.063 [0.085] N=877	0.069 [0.094] N=764	0.076 [0.115] N=635	0.126 [0.141] N=497
Strict normal BMIZ -2 to +1	0.009 [0.071] N=942	0.011 [0.077] N=864	0.035 [0.085] N=751	0.032 [0.109] N=622	0.103 [0.128] N=487
Above-normal height HAZ above +3	-0.067 [0.041] N=958	**-0.090** [0.044] N=877**	**-0.095* [0.051] N=760**	-0.071 [0.055] N=634	**-0.140** [0.064] N=499**
Above-normal weight WAZ above +1	-0.040 [0.061] N=1,118	-0.032 [0.066] N=1,023	-0.010 [0.074] N=890	0.004 [0.079] N=733	-0.081 [0.105] N=574
Above-normal WHZ above +1	0.019 [0.082] N=957	0.004 [0.090] N=877	0.030 [0.099] N=764	0.023 [0.117] N=635	0.037 [0.142] N=497
Above-normal BMIZ above +1	0.064 [0.079] N=942	0.048 [0.085] N=864	0.040 [0.092] N=751	0.018 [0.108] N=622	-0.037 [0.130] N=487

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.753 P=873	0.036 [0.050] N=1,144	0.032 [0.053] N=1,063	0.025 [0.055] N=946	0.053 [0.059] N=820	0.020 [0.062] N=685
Not underweight WAZ at least -2	0.911 P=1,208	**-0.067** [0.028] N=1,327**	**-0.055* [0.029] N=1,232**	**-0.052* [0.031] N=1,099**	-0.049 [0.034] N=942	-0.042 [0.039] N=783
Neither wasted nor overweight WHZ -2 to +2	0.682 P=785	0.011 [0.052] N=1,143	-0.015 [0.055] N=1,063	-0.006 [0.059] N=950	-0.012 [0.068] N=821	0.001 [0.075] N=683
Neither low nor high BMIZ -2 to +2	0.650 P=740	0.019 [0.061] N=1,126	0.015 [0.065] N=1,048	0.008 [0.068] N=935	-0.003 [0.078] N=806	-0.012 [0.088] N=671
Strict normal HAZ -2 to +3	0.689 P=802	0.077 [0.055] N=1,144	0.083 [0.059] N=1,063	0.073 [0.063] N=946	0.085 [0.066] N=820	0.063 [0.074] N=685
Strict normal WAZ -2 to +1	0.683 P=909	**-0.110** [0.052] N=1,327**	**-0.110** [0.054] N=1,232**	**-0.123** [0.058] N=1,099**	**-0.132** [0.061] N=942**	-0.107 [0.069] N=783
Strict normal WHZ -2 to +1	0.516 P=591	-0.029 [0.059] N=1,143	-0.049 [0.063] N=1,063	-0.067 [0.066] N=950	-0.080 [0.072] N=821	-0.097 [0.078] N=683
Strict normal BMIZ -2 to +1	0.499 P=568	-0.057 [0.062] N=1,126	-0.060 [0.066] N=1,048	-0.064 [0.071] N=935	-0.076 [0.080] N=806	-0.081 [0.090] N=671
Above-normal height HAZ above +3	0.064 P=71	-0.041 [0.028] N=1,144	**-0.051* [0.031] N=1,063**	-0.048 [0.033] N=946	-0.032 [0.034] N=820	-0.044 [0.038] N=685
Above-normal weight WAZ above +1	0.228 P=299	0.042 [0.047] N=1,327	0.054 [0.049] N=1,232	0.072 [0.052] N=1,099	0.083 [0.055] N=942	0.065 [0.061] N=783
Above-normal WHZ above +1	0.365 P=417	**0.094* [0.055] N=1,143**	**0.096* [0.058] N=1,063**	**0.128** [0.060] N=950**	**0.125** [0.061] N=821**	**0.152** [0.066] N=683**
Above-normal BMIZ above +1	0.372 P=416	**0.098* [0.054] N=1,126**	**0.094* [0.056] N=1,048**	**0.104* [0.059] N=935**	0.090 [0.062] N=806	0.096 [0.071] N=671

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.060 [0.075] N=958	0.066 [0.082] N=877	0.075 [0.091] N=760	0.155 [0.109] N=634	0.162 [0.141] N=499
Not underweight WAZ at least -2	**-0.106*** [0.038] N=1,118**	**-0.087** [0.042] N=1,023**	**-0.090** [0.044] N=890**	**-0.106** [0.053] N=733**	-0.098 [0.076] N=574
Neither wasted nor overweight WHZ -2 to +2	0.094 [0.063] N=957	0.059 [0.069] N=877	0.106 [0.075] N=764	0.131 [0.100] N=635	**0.295*** [0.104] N=497**
Neither low nor high BMIZ -2 to +2	0.091 [0.072] N=942	0.097 [0.077] N=864	0.123 [0.082] N=751	0.145 [0.108] N=622	**0.227* [0.116] N=487**
Strict normal HAZ -2 to +3	0.124 [0.082] N=958	**0.152* [0.088] N=877**	**0.171* [0.100] N=760**	**0.225* [0.117] N=634**	**0.298* [0.151] N=499**
Strict normal WAZ -2 to +1	-0.072 [0.068] N=1,118	-0.062 [0.074] N=1,023	-0.086 [0.082] N=890	-0.107 [0.085] N=733	-0.008 [0.111] N=574
Strict normal WHZ -2 to +1	0.065 [0.075] N=957	0.048 [0.085] N=877	0.061 [0.093] N=764	0.078 [0.114] N=635	0.141 [0.137] N=497
Strict normal BMIZ -2 to +1	-0.011 [0.071] N=942	-0.006 [0.077] N=864	0.025 [0.084] N=751	0.029 [0.109] N=622	0.105 [0.125] N=487
Above-normal height HAZ above +3	-0.064 [0.040] N=958	**-0.086* [0.044] N=877**	**-0.095* [0.051] N=760**	-0.070 [0.054] N=634	**-0.137** [0.063] N=499**
Above-normal weight WAZ above +1	-0.034 [0.061] N=1,118	-0.024 [0.065] N=1,023	-0.004 [0.074] N=890	0.001 [0.080] N=733	-0.090 [0.108] N=574
Above-normal WHZ above +1	0.031 [0.081] N=957	0.018 [0.090] N=877	0.038 [0.099] N=764	0.020 [0.117] N=635	0.023 [0.141] N=497
Above-normal BMIZ above +1	0.079 [0.079] N=942	0.061 [0.084] N=864	0.048 [0.092] N=751	0.021 [0.106] N=622	-0.038 [0.127] N=487

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=836	-0.030 [0.059] N=1,084	-0.031 [0.061] N=976	0.004 [0.063] N=848	0.017 [0.072] N=715	0.061 [0.078] N=583
Not underweight WAZ at least -2	0.914 P=1,143	0.006 [0.036] N=1,250	0.005 [0.038] N=1,131	-0.007 [0.039] N=981	-0.018 [0.042] N=826	-0.013 [0.046] N=669
Neither wasted nor overweight WHZ -2 to +2	0.678 P=738	-0.032 [0.056] N=1,084	-0.051 [0.058] N=979	-0.033 [0.062] N=851	0.007 [0.064] N=716	-0.007 [0.072] N=581
Neither low nor high BMIZ -2 to +2	0.646 P=690	**-0.135** [0.057] N=1,065**	**-0.161*** [0.060] N=961**	**-0.117* [0.065] N=835**	-0.084 [0.068] N=703	-0.113 [0.075] N=572
Strict normal HAZ -2 to +3	0.699 P=761	-0.025 [0.055] N=1,084	-0.029 [0.056] N=976	-0.003 [0.057] N=848	0.014 [0.064] N=715	0.056 [0.071] N=583
Strict normal WAZ -2 to +1	0.685 P=855	0.017 [0.058] N=1,250	-0.006 [0.059] N=1,131	-0.032 [0.063] N=981	-0.057 [0.067] N=826	-0.056 [0.073] N=669
Strict normal WHZ -2 to +1	0.508 P=546	-0.087 [0.056] N=1,084	**-0.120** [0.058] N=979**	-0.100 [0.063] N=851	-0.052 [0.069] N=716	-0.085 [0.082] N=581
Strict normal BMIZ -2 to +1	0.501 P=532	-0.086 [0.061] N=1,065	**-0.115* [0.064] N=961**	-0.063 [0.071] N=835	-0.022 [0.073] N=703	-0.055 [0.083] N=572
Above-normal height HAZ above +3	0.069 P=75	-0.006 [0.028] N=1,084	-0.002 [0.029] N=976	0.007 [0.033] N=848	0.003 [0.036] N=715	0.005 [0.043] N=583
Above-normal weight WAZ above +1	0.229 P=288	-0.011 [0.050] N=1,250	0.011 [0.052] N=1,131	0.025 [0.055] N=981	0.038 [0.061] N=826	0.043 [0.068] N=669
Above-normal WHZ above +1	0.375 P=411	0.088 [0.061] N=1,084	**0.112* [0.064] N=979**	0.079 [0.070] N=851	0.074 [0.074] N=716	0.096 [0.089] N=581
Above-normal BMIZ above +1	0.369 P=395	0.062 [0.060] N=1,065	0.083 [0.063] N=961	0.045 [0.068] N=835	0.040 [0.076] N=703	0.053 [0.089] N=572

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.088 [0.084] N=942	-0.089 [0.087] N=834	-0.041 [0.093] N=706	-0.039 [0.113] N=573	0.080 [0.129] N=441
Not underweight WAZ at least -2	-0.001 [0.060] N=1,088	-0.005 [0.066] N=969	-0.034 [0.073] N=819	-0.062 [0.084] N=664	-0.060 [0.101] N=507
Neither wasted nor overweight WHZ -2 to +2	-0.064 [0.078] N=942	-0.093 [0.084] N=837	-0.069 [0.095] N=709	-0.002 [0.102] N=574	0.003 [0.127] N=439
Neither low nor high BMIZ -2 to +2	**-0.134* [0.078] N=928**	**-0.169** [0.084] N=824**	-0.085 [0.093] N=698	-0.002 [0.109] N=566	-0.000 [0.140] N=435
Strict normal HAZ -2 to +3	-0.050 [0.079] N=942	-0.052 [0.083] N=834	-0.011 [0.084] N=706	0.009 [0.104] N=573	0.169 [0.122] N=441
Strict normal WAZ -2 to +1	0.096 [0.095] N=1,088	0.069 [0.098] N=969	0.038 [0.111] N=819	0.014 [0.127] N=664	0.089 [0.149] N=507
Strict normal WHZ -2 to +1	-0.042 [0.085] N=942	-0.102 [0.090] N=837	-0.045 [0.103] N=709	0.091 [0.109] N=574	0.094 [0.147] N=439
Strict normal BMIZ -2 to +1	-0.064 [0.096] N=928	-0.113 [0.101] N=824	-0.014 [0.117] N=698	0.114 [0.127] N=566	0.127 [0.157] N=435
Above-normal height HAZ above +3	-0.038 [0.042] N=942	-0.036 [0.044] N=834	-0.030 [0.056] N=706	-0.048 [0.066] N=573	-0.090 [0.087] N=441
Above-normal weight WAZ above +1	-0.098 [0.075] N=1,088	-0.074 [0.079] N=969	-0.072 [0.090] N=819	-0.076 [0.104] N=664	-0.149 [0.122] N=507
Above-normal WHZ above +1	-0.001 [0.096] N=942	0.038 [0.103] N=837	-0.053 [0.120] N=709	-0.120 [0.124] N=574	-0.176 [0.157] N=439
Above-normal BMIZ above +1	0.002 [0.098] N=928	0.037 [0.103] N=824	-0.041 [0.120] N=698	-0.084 [0.134] N=566	-0.130 [0.163] N=435

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=836	-0.026 [0.060] N=1,084	-0.027 [0.061] N=976	0.007 [0.064] N=848	0.019 [0.072] N=715	0.061 [0.079] N=583
Not underweight WAZ at least -2	0.914 P=1,143	0.008 [0.037] N=1,250	0.007 [0.039] N=1,131	-0.006 [0.039] N=981	-0.016 [0.042] N=826	-0.011 [0.046] N=669
Neither wasted nor overweight WHZ -2 to +2	0.678 P=738	-0.025 [0.056] N=1,084	-0.042 [0.058] N=979	-0.024 [0.063] N=851	0.015 [0.064] N=716	0.001 [0.073] N=581
Neither low nor high BMIZ -2 to +2	0.646 P=690	**-0.130** [0.057] N=1,065**	**-0.155** [0.060] N=961**	**-0.110* [0.065] N=835**	-0.080 [0.068] N=703	-0.109 [0.076] N=572
Strict normal HAZ -2 to +3	0.699 P=761	-0.017 [0.056] N=1,084	-0.020 [0.057] N=976	0.004 [0.058] N=848	0.019 [0.065] N=715	0.059 [0.072] N=583
Strict normal WAZ -2 to +1	0.685 P=855	0.020 [0.058] N=1,250	-0.002 [0.059] N=1,131	-0.027 [0.063] N=981	-0.053 [0.068] N=826	-0.053 [0.073] N=669
Strict normal WHZ -2 to +1	0.508 P=546	-0.081 [0.056] N=1,084	**-0.114* [0.059] N=979**	-0.093 [0.063] N=851	-0.049 [0.069] N=716	-0.081 [0.083] N=581
Strict normal BMIZ -2 to +1	0.501 P=532	-0.082 [0.062] N=1,065	**-0.109* [0.065] N=961**	-0.058 [0.071] N=835	-0.018 [0.073] N=703	-0.052 [0.084] N=572
Above-normal height HAZ above +3	0.069 P=75	-0.008 [0.028] N=1,084	-0.006 [0.029] N=976	0.002 [0.033] N=848	-0.001 [0.037] N=715	0.002 [0.043] N=583
Above-normal weight WAZ above +1	0.229 P=288	-0.012 [0.050] N=1,250	0.009 [0.052] N=1,131	0.022 [0.055] N=981	0.037 [0.061] N=826	0.042 [0.068] N=669
Above-normal WHZ above +1	0.375 P=411	0.087 [0.061] N=1,084	**0.110* [0.065] N=979**	0.076 [0.070] N=851	0.074 [0.074] N=716	0.097 [0.089] N=581
Above-normal BMIZ above +1	0.369 P=395	0.060 [0.061] N=1,065	0.079 [0.063] N=961	0.042 [0.069] N=835	0.038 [0.077] N=703	0.052 [0.090] N=572

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.078 [0.084] N=942	-0.079 [0.088] N=834	-0.035 [0.093] N=706	-0.036 [0.115] N=573	0.078 [0.131] N=441
Not underweight WAZ at least -2	0.001 [0.061] N=1,088	-0.002 [0.067] N=969	-0.030 [0.073] N=819	-0.056 [0.085] N=664	-0.056 [0.101] N=507
Neither wasted nor overweight WHZ -2 to +2	-0.051 [0.078] N=942	-0.073 [0.084] N=837	-0.045 [0.095] N=709	0.033 [0.104] N=574	0.045 [0.130] N=439
Neither low nor high BMIZ -2 to +2	-0.125 [0.078] N=928	**-0.155* [0.085] N=824**	-0.066 [0.092] N=698	0.017 [0.110] N=566	0.018 [0.141] N=435
Strict normal HAZ -2 to +3	-0.036 [0.079] N=942	-0.035 [0.082] N=834	0.005 [0.084] N=706	0.025 [0.105] N=573	0.179 [0.124] N=441
Strict normal WAZ -2 to +1	0.099 [0.095] N=1,088	0.072 [0.098] N=969	0.043 [0.111] N=819	0.016 [0.127] N=664	0.087 [0.149] N=507
Strict normal WHZ -2 to +1	-0.032 [0.085] N=942	-0.088 [0.089] N=837	-0.027 [0.102] N=709	0.106 [0.109] N=574	0.116 [0.144] N=439
Strict normal BMIZ -2 to +1	-0.055 [0.096] N=928	-0.100 [0.101] N=824	-0.001 [0.116] N=698	0.127 [0.127] N=566	0.139 [0.156] N=435
Above-normal height HAZ above +3	-0.043 [0.042] N=942	-0.044 [0.045] N=834	-0.040 [0.058] N=706	-0.061 [0.068] N=573	-0.102 [0.090] N=441
Above-normal weight WAZ above +1	-0.098 [0.075] N=1,088	-0.074 [0.079] N=969	-0.074 [0.090] N=819	-0.072 [0.103] N=664	-0.143 [0.122] N=507
Above-normal WHZ above +1	-0.003 [0.097] N=942	0.035 [0.104] N=837	-0.059 [0.120] N=709	-0.120 [0.125] N=574	-0.173 [0.159] N=439
Above-normal BMIZ above +1	0.000 [0.099] N=928	0.033 [0.103] N=824	-0.046 [0.120] N=698	-0.085 [0.135] N=566	-0.126 [0.166] N=435

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=836	-0.030 [0.058] N=1,084	-0.028 [0.060] N=976	0.009 [0.062] N=848	0.020 [0.070] N=715	0.063 [0.076] N=583
Not underweight WAZ at least -2	0.914 P=1,143	0.004 [0.036] N=1,250	0.002 [0.038] N=1,131	-0.007 [0.038] N=981	-0.017 [0.041] N=826	-0.013 [0.044] N=669
Neither wasted nor overweight WHZ -2 to +2	0.678 P=738	-0.028 [0.057] N=1,084	-0.044 [0.059] N=979	-0.020 [0.064] N=851	0.020 [0.065] N=716	0.001 [0.074] N=581
Neither low nor high BMIZ -2 to +2	0.646 P=690	**-0.134** [0.057] N=1,065**	**-0.156** [0.060] N=961**	-0.107 [0.066] N=835	-0.077 [0.069] N=703	-0.111 [0.076] N=572
Strict normal HAZ -2 to +3	0.699 P=761	-0.022 [0.055] N=1,084	-0.022 [0.057] N=976	0.009 [0.058] N=848	0.022 [0.064] N=715	0.064 [0.070] N=583
Strict normal WAZ -2 to +1	0.685 P=855	0.016 [0.058] N=1,250	-0.008 [0.059] N=1,131	-0.030 [0.063] N=981	-0.054 [0.066] N=826	-0.054 [0.071] N=669
Strict normal WHZ -2 to +1	0.508 P=546	-0.083 [0.056] N=1,084	**-0.114* [0.058] N=979**	-0.093 [0.064] N=851	-0.051 [0.069] N=716	-0.082 [0.084] N=581
Strict normal BMIZ -2 to +1	0.501 P=532	-0.086 [0.061] N=1,065	**-0.111* [0.064] N=961**	-0.059 [0.071] N=835	-0.020 [0.074] N=703	-0.055 [0.083] N=572
Above-normal height HAZ above +3	0.069 P=75	-0.008 [0.028] N=1,084	-0.006 [0.029] N=976	-0.000 [0.034] N=848	-0.002 [0.038] N=715	-0.001 [0.044] N=583
Above-normal weight WAZ above +1	0.229 P=288	-0.012 [0.051] N=1,250	0.010 [0.052] N=1,131	0.023 [0.057] N=981	0.037 [0.062] N=826	0.040 [0.069] N=669
Above-normal WHZ above +1	0.375 P=411	0.088 [0.061] N=1,084	**0.110* [0.064] N=979**	0.079 [0.069] N=851	0.077 [0.073] N=716	0.098 [0.088] N=581
Above-normal BMIZ above +1	0.369 P=395	0.062 [0.060] N=1,065	0.079 [0.062] N=961	0.044 [0.067] N=835	0.041 [0.075] N=703	0.052 [0.088] N=572

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.092 [0.084] N=942	-0.086 [0.087] N=834	-0.041 [0.091] N=706	-0.050 [0.113] N=573	0.054 [0.132] N=441
Not underweight WAZ at least -2	-0.006 [0.059] N=1,088	-0.011 [0.065] N=969	-0.032 [0.071] N=819	-0.060 [0.083] N=664	-0.066 [0.099] N=507
Neither wasted nor overweight WHZ -2 to +2	-0.061 [0.080] N=942	-0.087 [0.086] N=837	-0.046 [0.098] N=709	0.027 [0.108] N=574	0.031 [0.134] N=439
Neither low nor high BMIZ -2 to +2	**-0.136* [0.079] N=928**	**-0.168** [0.085] N=824**	-0.069 [0.092] N=698	0.010 [0.111] N=566	0.003 [0.142] N=435
Strict normal HAZ -2 to +3	-0.050 [0.080] N=942	-0.043 [0.082] N=834	0.001 [0.084] N=706	0.010 [0.106] N=573	0.151 [0.129] N=441
Strict normal WAZ -2 to +1	0.101 [0.094] N=1,088	0.070 [0.096] N=969	0.040 [0.110] N=819	0.012 [0.123] N=664	0.078 [0.142] N=507
Strict normal WHZ -2 to +1	-0.039 [0.084] N=942	-0.098 [0.089] N=837	-0.034 [0.102] N=709	0.099 [0.108] N=574	0.099 [0.146] N=439
Strict normal BMIZ -2 to +1	-0.061 [0.095] N=928	-0.107 [0.100] N=824	-0.005 [0.115] N=698	0.122 [0.126] N=566	0.134 [0.157] N=435
Above-normal height HAZ above +3	-0.042 [0.043] N=942	-0.043 [0.045] N=834	-0.041 [0.059] N=706	-0.060 [0.069] N=573	-0.097 [0.094] N=441
Above-normal weight WAZ above +1	-0.107 [0.075] N=1,088	-0.082 [0.079] N=969	-0.072 [0.091] N=819	-0.072 [0.104] N=664	-0.143 [0.120] N=507
Above-normal WHZ above +1	-0.002 [0.096] N=942	0.036 [0.104] N=837	-0.053 [0.119] N=709	-0.115 [0.123] N=574	-0.164 [0.160] N=439
Above-normal BMIZ above +1	0.003 [0.098] N=928	0.034 [0.103] N=824	-0.041 [0.118] N=698	-0.080 [0.132] N=566	-0.122 [0.167] N=435

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=836	-0.030 [0.058] N=1,084	-0.027 [0.060] N=976	0.012 [0.063] N=848	0.020 [0.070] N=715	0.058 [0.077] N=583
Not underweight WAZ at least -2	0.914 P=1,143	0.008 [0.035] N=1,250	0.007 [0.038] N=1,131	-0.002 [0.039] N=981	-0.016 [0.042] N=826	-0.012 [0.047] N=669
Neither wasted nor overweight WHZ -2 to +2	0.678 P=738	-0.026 [0.056] N=1,084	-0.044 [0.058] N=979	-0.027 [0.063] N=851	0.013 [0.064] N=716	0.000 [0.070] N=581
Neither low nor high BMIZ -2 to +2	0.646 P=690	**-0.133** [0.057] N=1,065**	**-0.157** [0.060] N=961**	**-0.111* [0.065] N=835**	-0.081 [0.068] N=703	-0.108 [0.073] N=572
Strict normal HAZ -2 to +3	0.699 P=761	-0.021 [0.055] N=1,084	-0.020 [0.056] N=976	0.010 [0.057] N=848	0.023 [0.064] N=715	0.061 [0.071] N=583
Strict normal WAZ -2 to +1	0.685 P=855	0.024 [0.058] N=1,250	-0.001 [0.059] N=1,131	-0.026 [0.063] N=981	-0.054 [0.067] N=826	-0.054 [0.073] N=669
Strict normal WHZ -2 to +1	0.508 P=546	-0.083 [0.055] N=1,084	**-0.116** [0.058] N=979**	-0.098 [0.063] N=851	-0.051 [0.067] N=716	-0.084 [0.080] N=581
Strict normal BMIZ -2 to +1	0.501 P=532	-0.080 [0.061] N=1,065	**-0.106* [0.064] N=961**	-0.057 [0.070] N=835	-0.016 [0.072] N=703	-0.049 [0.080] N=572
Above-normal height HAZ above +3	0.069 P=75	-0.009 [0.029] N=1,084	-0.007 [0.030] N=976	0.002 [0.034] N=848	-0.002 [0.037] N=715	-0.002 [0.043] N=583
Above-normal weight WAZ above +1	0.229 P=288	-0.016 [0.051] N=1,250	0.008 [0.053] N=1,131	0.023 [0.056] N=981	0.037 [0.062] N=826	0.042 [0.069] N=669
Above-normal WHZ above +1	0.375 P=411	0.088 [0.061] N=1,084	**0.112* [0.064] N=979**	0.080 [0.070] N=851	0.078 [0.073] N=716	0.105 [0.087] N=581
Above-normal BMIZ above +1	0.369 P=395	0.060 [0.060] N=1,065	0.078 [0.062] N=961	0.044 [0.068] N=835	0.040 [0.075] N=703	0.057 [0.089] N=572

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.089 [0.082] N=942	-0.085 [0.086] N=834	-0.026 [0.091] N=706	-0.033 [0.114] N=573	0.060 [0.132] N=441
Not underweight WAZ at least -2	0.003 [0.058] N=1,088	-0.001 [0.064] N=969	-0.020 [0.072] N=819	-0.052 [0.084] N=664	-0.052 [0.102] N=507
Neither wasted nor overweight WHZ -2 to +2	-0.056 [0.080] N=942	-0.078 [0.086] N=837	-0.046 [0.096] N=709	0.029 [0.108] N=574	0.027 [0.131] N=439
Neither low nor high BMIZ -2 to +2	**-0.136* [0.079] N=928**	**-0.166* [0.085] N=824**	-0.073 [0.093] N=698	0.002 [0.111] N=566	-0.004 [0.136] N=435
Strict normal HAZ -2 to +3	-0.046 [0.078] N=942	-0.041 [0.081] N=834	0.015 [0.084] N=706	0.025 [0.105] N=573	0.153 [0.129] N=441
Strict normal WAZ -2 to +1	0.111 [0.095] N=1,088	0.080 [0.098] N=969	0.050 [0.111] N=819	0.018 [0.126] N=664	0.087 [0.148] N=507
Strict normal WHZ -2 to +1	-0.040 [0.084] N=942	-0.099 [0.089] N=837	-0.038 [0.102] N=709	0.093 [0.107] N=574	0.086 [0.140] N=439
Strict normal BMIZ -2 to +1	-0.065 [0.095] N=928	-0.109 [0.100] N=824	-0.010 [0.116] N=698	0.114 [0.125] N=566	0.124 [0.151] N=435
Above-normal height HAZ above +3	-0.043 [0.043] N=942	-0.044 [0.045] N=834	-0.041 [0.058] N=706	-0.058 [0.067] N=573	-0.093 [0.091] N=441
Above-normal weight WAZ above +1	-0.108 [0.076] N=1,088	-0.081 [0.080] N=969	-0.070 [0.091] N=819	-0.069 [0.105] N=664	-0.138 [0.125] N=507
Above-normal WHZ above +1	0.001 [0.096] N=942	0.039 [0.104] N=837	-0.055 [0.121] N=709	-0.113 [0.124] N=574	-0.155 [0.159] N=439
Above-normal BMIZ above +1	0.007 [0.097] N=928	0.039 [0.102] N=824	-0.036 [0.120] N=698	-0.073 [0.132] N=566	-0.110 [0.164] N=435

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=766	-0.040 [0.064] N=993	-0.044 [0.066] N=894	-0.006 [0.067] N=782	0.014 [0.073] N=657	0.051 [0.082] N=538
Not underweight WAZ at least -2	0.914 P=1,044	0.001 [0.037] N=1,142	0.000 [0.040] N=1,032	-0.005 [0.040] N=902	-0.023 [0.043] N=760	-0.025 [0.047] N=620
Neither wasted nor overweight WHZ -2 to +2	0.677 P=677	-0.032 [0.059] N=996	-0.048 [0.061] N=900	-0.019 [0.064] N=786	0.032 [0.065] N=660	0.022 [0.074] N=539
Neither low nor high BMIZ -2 to +2	0.650 P=639	**-0.132** [0.059] N=979**	**-0.161** [0.062] N=884**	-0.098 [0.067] N=773	-0.064 [0.071] N=650	-0.100 [0.079] N=532
Strict normal HAZ -2 to +3	0.702 P=702	-0.029 [0.060] N=993	-0.039 [0.062] N=894	-0.013 [0.061] N=782	0.019 [0.068] N=657	0.048 [0.077] N=538
Strict normal WAZ -2 to +1	0.680 P=776	0.005 [0.059] N=1,142	-0.018 [0.061] N=1,032	-0.023 [0.066] N=902	-0.054 [0.070] N=760	-0.059 [0.073] N=620
Strict normal WHZ -2 to +1	0.508 P=501	**-0.097* [0.058] N=996**	**-0.132** [0.061] N=900**	-0.099 [0.065] N=786	-0.046 [0.070] N=660	-0.081 [0.084] N=539
Strict normal BMIZ -2 to +1	0.502 P=491	-0.097 [0.065] N=979	**-0.124* [0.068] N=884**	-0.054 [0.074] N=773	-0.018 [0.075] N=650	-0.054 [0.087] N=532
Above-normal height HAZ above +3	0.066 P=64	-0.011 [0.031] N=993	-0.004 [0.032] N=894	0.007 [0.035] N=782	-0.004 [0.040] N=657	0.003 [0.049] N=538
Above-normal weight WAZ above +1	0.234 P=268	-0.003 [0.050] N=1,142	0.018 [0.053] N=1,032	0.018 [0.056] N=902	0.031 [0.061] N=760	0.034 [0.066] N=620
Above-normal WHZ above +1	0.374 P=379	**0.104* [0.063] N=996**	**0.132** [0.067] N=900**	0.086 [0.072] N=786	0.072 [0.075] N=660	0.089 [0.087] N=539
Above-normal BMIZ above +1	0.370 P=365	0.074 [0.063] N=979	0.096 [0.066] N=884	0.039 [0.071] N=773	0.030 [0.077] N=650	0.035 [0.090] N=532

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.077 [0.095] N=861	-0.082 [0.100] N=762	-0.032 [0.103] N=650	-0.005 [0.125] N=525	0.136 [0.157] N=406
Not underweight WAZ at least -2	0.003 [0.062] N=992	-0.001 [0.068] N=882	-0.018 [0.075] N=752	-0.056 [0.091] N=610	-0.048 [0.111] N=470
Neither wasted nor overweight WHZ -2 to +2	-0.060 [0.083] N=864	-0.080 [0.090] N=768	-0.030 [0.103] N=654	0.091 [0.111] N=528	0.126 [0.138] N=407
Neither low nor high BMIZ -2 to +2	**-0.151* [0.079] N=850**	**-0.191** [0.085] N=755**	-0.073 [0.091] N=644	0.024 [0.110] N=521	0.021 [0.137] N=403
Strict normal HAZ -2 to +3	-0.035 [0.089] N=861	-0.045 [0.094] N=762	-0.001 [0.092] N=650	0.070 [0.113] N=525	**0.242* [0.144] N=406**
Strict normal WAZ -2 to +1	0.095 [0.098] N=992	0.067 [0.102] N=882	0.080 [0.114] N=752	0.032 [0.132] N=610	0.111 [0.151] N=470
Strict normal WHZ -2 to +1	-0.057 [0.091] N=864	-0.119 [0.097] N=768	-0.032 [0.109] N=654	0.132 [0.111] N=528	0.166 [0.149] N=407
Strict normal BMIZ -2 to +1	-0.089 [0.098] N=850	-0.136 [0.104] N=755	-0.001 [0.116] N=644	0.119 [0.120] N=521	0.163 [0.148] N=403
Above-normal height HAZ above +3	-0.042 [0.044] N=861	-0.037 [0.046] N=762	-0.032 [0.057] N=650	-0.075 [0.067] N=525	-0.106 [0.091] N=406
Above-normal weight WAZ above +1	-0.092 [0.078] N=992	-0.069 [0.083] N=882	-0.098 [0.094] N=752	-0.087 [0.109] N=610	-0.159 [0.129] N=470
Above-normal WHZ above +1	0.027 [0.103] N=864	0.075 [0.112] N=768	-0.039 [0.127] N=654	-0.120 [0.130] N=528	-0.212 [0.161] N=407
Above-normal BMIZ above +1	0.031 [0.103] N=850	0.070 [0.109] N=755	-0.041 [0.124] N=644	-0.078 [0.133] N=521	-0.161 [0.160] N=403

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.768 P=766	-0.039 [0.063] N=993	-0.042 [0.065] N=894	-0.005 [0.067] N=782	0.017 [0.072] N=657	0.053 [0.080] N=538
Not underweight WAZ at least -2	0.914 P=1,044	0.005 [0.037] N=1,142	0.002 [0.039] N=1,032	-0.002 [0.039] N=902	-0.020 [0.042] N=760	-0.022 [0.045] N=620
Neither wasted nor overweight WHZ -2 to +2	0.677 P=677	-0.023 [0.058] N=996	-0.039 [0.060] N=900	-0.011 [0.064] N=786	0.043 [0.065] N=660	0.032 [0.073] N=539
Neither low nor high BMIZ -2 to +2	0.650 P=639	**-0.132** [0.058] N=979**	**-0.159*** [0.061] N=884**	-0.096 [0.065] N=773	-0.059 [0.068] N=650	-0.092 [0.076] N=532
Strict normal HAZ -2 to +3	0.702 P=702	-0.028 [0.059] N=993	-0.038 [0.061] N=894	-0.012 [0.060] N=782	0.021 [0.066] N=657	0.051 [0.075] N=538
Strict normal WAZ -2 to +1	0.680 P=776	0.012 [0.058] N=1,142	-0.011 [0.060] N=1,032	-0.018 [0.065] N=902	-0.052 [0.068] N=760	-0.058 [0.071] N=620
Strict normal WHZ -2 to +1	0.508 P=501	-0.089 [0.058] N=996	**-0.123** [0.061] N=900**	-0.090 [0.065] N=786	-0.034 [0.070] N=660	-0.066 [0.085] N=539
Strict normal BMIZ -2 to +1	0.502 P=491	-0.093 [0.064] N=979	**-0.122* [0.066] N=884**	-0.051 [0.072] N=773	-0.014 [0.073] N=650	-0.049 [0.085] N=532
Above-normal height HAZ above +3	0.066 P=64	-0.011 [0.030] N=993	-0.004 [0.031] N=894	0.007 [0.035] N=782	-0.005 [0.040] N=657	0.003 [0.048] N=538
Above-normal weight WAZ above +1	0.234 P=268	-0.007 [0.049] N=1,142	0.013 [0.052] N=1,032	0.016 [0.055] N=902	0.032 [0.060] N=760	0.037 [0.065] N=620
Above-normal WHZ above +1	0.374 P=379	0.100 [0.062] N=996	**0.128* [0.066] N=900**	0.081 [0.072] N=786	0.066 [0.075] N=660	0.081 [0.089] N=539
Above-normal BMIZ above +1	0.370 P=365	0.073 [0.063] N=979	0.096 [0.066] N=884	0.039 [0.072] N=773	0.031 [0.078] N=650	0.034 [0.092] N=532

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.077 [0.094] N=861	-0.081 [0.099] N=762	-0.032 [0.102] N=650	-0.007 [0.123] N=525	0.117 [0.149] N=406
Not underweight WAZ at least -2	0.005 [0.062] N=992	0.001 [0.069] N=882	-0.016 [0.075] N=752	-0.055 [0.090] N=610	-0.062 [0.107] N=470
Neither wasted nor overweight WHZ -2 to +2	-0.053 [0.083] N=864	-0.073 [0.090] N=768	-0.021 [0.102] N=654	0.099 [0.111] N=528	0.114 [0.139] N=407
Neither low nor high BMIZ -2 to +2	**-0.156** [0.079] N=850**	**-0.196** [0.085] N=755**	-0.077 [0.092] N=644	0.020 [0.110] N=521	0.017 [0.133] N=403
Strict normal HAZ -2 to +3	-0.037 [0.089] N=861	-0.047 [0.094] N=762	-0.004 [0.092] N=650	0.066 [0.112] N=525	0.224 [0.143] N=406
Strict normal WAZ -2 to +1	0.104 [0.097] N=992	0.079 [0.101] N=882	0.086 [0.114] N=752	0.035 [0.131] N=610	0.095 [0.152] N=470
Strict normal WHZ -2 to +1	-0.054 [0.089] N=864	-0.115 [0.096] N=768	-0.025 [0.109] N=654	0.139 [0.110] N=528	0.163 [0.147] N=407
Strict normal BMIZ -2 to +1	-0.090 [0.098] N=850	-0.140 [0.104] N=755	-0.005 [0.115] N=644	0.110 [0.121] N=521	0.135 [0.144] N=403
Above-normal height HAZ above +3	-0.040 [0.044] N=861	-0.034 [0.046] N=762	-0.029 [0.058] N=650	-0.073 [0.066] N=525	-0.107 [0.093] N=406
Above-normal weight WAZ above +1	-0.099 [0.077] N=992	-0.078 [0.082] N=882	-0.102 [0.093] N=752	-0.090 [0.107] N=610	-0.156 [0.126] N=470
Above-normal WHZ above +1	0.021 [0.102] N=864	0.068 [0.111] N=768	-0.049 [0.126] N=654	-0.132 [0.127] N=528	-0.217 [0.156] N=407
Above-normal BMIZ above +1	0.031 [0.102] N=850	0.073 [0.109] N=755	-0.039 [0.124] N=644	-0.071 [0.133] N=521	-0.143 [0.155] N=403

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.