Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-2: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=960	0.013 [0.038] N=1,159	0.011 [0.039] N=1,069	0.006 [0.042] N=956	0.000 [0.044] N=829	-0.009 [0.052] N=682
Vegetables consumed daily or several times weekly	0.769 P=890	0.011 [0.050] N=1,159	0.001 [0.051] N=1,069	-0.023 [0.055] N=956	-0.037 [0.059] N=829	-0.075 [0.067] N=682
Meat fish or poultry consumed daily or several times weekly	0.544 P=631	0.020 [0.065] N=1,159	0.020 [0.068] N=1,069	0.021 [0.075] N=956	0.031 [0.083] N=829	0.050 [0.094] N=682
Legumes consumed daily or several times weekly	0.550 P=634	-0.017 [0.055] N=1,159	-0.023 [0.057] N=1,069	-0.008 [0.061] N=956	0.022 [0.067] N=829	0.043 [0.078] N=682
Animal products consumed daily or several times weekly	0.844 P=975	0.071 [0.043] N=1,159	0.060 [0.046] N=1,069	0.036 [0.049] N=956	0.051 [0.053] N=829	0.052 [0.058] N=682
Sweets consumed daily or several times weekly	0.368 P=431	-0.027 [0.049] N=1,159	-0.047 [0.051] N=1,069	-0.027 [0.054] N=956	-0.025 [0.058] N=829	0.034 [0.067] N=682
Snack foods consumed daily or several times weekly	0.274 P=314	0.016 [0.048] N=1,159	-0.012 [0.050] N=1,069	-0.010 [0.054] N=956	0.033 [0.059] N=829	0.064 [0.062] N=682
Packaged soft drinks consumed daily or several times weekly	0.149 P=168	-0.007 [0.038] N=1,159	-0.017 [0.041] N=1,069	-0.021 [0.045] N=956	-0.035 [0.046] N=829	-0.062 [0.051] N=682
Grains consumed daily or several times weekly	0.754 P=872	0.034 [0.048] N=1,159	0.038 [0.048] N=1,069	0.013 [0.052] N=956	0.023 [0.056] N=829	0.020 [0.062] N=682

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.025 [0.056] N=979	0.026 [0.056] N=889	0.011 [0.067] N=776	-0.015 [0.077] N=649	-0.035 [0.100] N=502
Vegetables consumed daily or several times weekly	0.021 [0.073] N=979	0.005 [0.077] N=889	-0.047 [0.088] N=776	-0.116 [0.109] N=649	**-0.259* [0.138] N=502**
Meat fish or poultry consumed daily or several times weekly	-0.086 [0.078] N=979	-0.106 [0.079] N=889	-0.129 [0.095] N=776	**-0.203* [0.103] N=649**	**-0.271* [0.137] N=502**
Legumes consumed daily or several times weekly	-0.088 [0.076] N=979	-0.107 [0.080] N=889	-0.094 [0.089] N=776	-0.070 [0.099] N=649	-0.045 [0.143] N=502
Animal products consumed daily or several times weekly	0.073 [0.065] N=979	0.057 [0.072] N=889	0.001 [0.081] N=776	0.017 [0.099] N=649	0.010 [0.118] N=502
Sweets consumed daily or several times weekly	-0.055 [0.068] N=979	-0.094 [0.072] N=889	-0.060 [0.083] N=776	-0.065 [0.088] N=649	0.101 [0.124] N=502
Snack foods consumed daily or several times weekly	-0.019 [0.065] N=979	-0.080 [0.071] N=889	-0.092 [0.081] N=776	-0.016 [0.096] N=649	0.048 [0.122] N=502
Packaged soft drinks consumed daily or several times weekly	0.016 [0.056] N=979	0.002 [0.063] N=889	0.002 [0.075] N=776	-0.028 [0.086] N=649	-0.098 [0.121] N=502
Grains consumed daily or several times weekly	0.031 [0.076] N=979	0.044 [0.079] N=889	-0.011 [0.090] N=776	-0.006 [0.106] N=649	-0.040 [0.141] N=502

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=960	0.012 [0.038] N=1,159	0.009 [0.039] N=1,069	0.006 [0.042] N=956	-0.000 [0.044] N=829	-0.010 [0.052] N=682
Vegetables consumed daily or several times weekly	0.769 P=890	0.011 [0.050] N=1,159	0.000 [0.051] N=1,069	-0.023 [0.054] N=956	-0.038 [0.059] N=829	-0.076 [0.067] N=682
Meat fish or poultry consumed daily or several times weekly	0.544 P=631	0.019 [0.066] N=1,159	0.018 [0.068] N=1,069	0.020 [0.075] N=956	0.029 [0.083] N=829	0.049 [0.094] N=682
Legumes consumed daily or several times weekly	0.550 P=634	-0.018 [0.055] N=1,159	-0.025 [0.058] N=1,069	-0.008 [0.062] N=956	0.021 [0.067] N=829	0.041 [0.079] N=682
Animal products consumed daily or several times weekly	0.844 P=975	0.070 [0.043] N=1,159	0.058 [0.046] N=1,069	0.035 [0.049] N=956	0.050 [0.054] N=829	0.051 [0.059] N=682
Sweets consumed daily or several times weekly	0.368 P=431	-0.028 [0.049] N=1,159	-0.049 [0.051] N=1,069	-0.027 [0.054] N=956	-0.026 [0.058] N=829	0.033 [0.067] N=682
Snack foods consumed daily or several times weekly	0.274 P=314	0.016 [0.048] N=1,159	-0.013 [0.050] N=1,069	-0.010 [0.054] N=956	0.032 [0.059] N=829	0.062 [0.062] N=682
Packaged soft drinks consumed daily or several times weekly	0.149 P=168	-0.008 [0.038] N=1,159	-0.018 [0.041] N=1,069	-0.021 [0.045] N=956	-0.036 [0.046] N=829	-0.063 [0.051] N=682
Grains consumed daily or several times weekly	0.754 P=872	0.034 [0.048] N=1,159	0.037 [0.048] N=1,069	0.012 [0.051] N=956	0.023 [0.056] N=829	0.018 [0.062] N=682

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.026 [0.056] N=979	0.026 [0.056] N=889	0.013 [0.068] N=776	-0.013 [0.077] N=649	-0.033 [0.100] N=502
Vegetables consumed daily or several times weekly	0.021 [0.073] N=979	0.005 [0.077] N=889	-0.047 [0.088] N=776	-0.115 [0.110] N=649	**-0.259* [0.139] N=502**
Meat fish or poultry consumed daily or several times weekly	-0.085 [0.078] N=979	-0.107 [0.079] N=889	-0.126 [0.095] N=776	**-0.202* [0.104] N=649**	**-0.269* [0.138] N=502**
Legumes consumed daily or several times weekly	-0.087 [0.076] N=979	-0.107 [0.081] N=889	-0.090 [0.088] N=776	-0.069 [0.098] N=649	-0.042 [0.143] N=502
Animal products consumed daily or several times weekly	0.074 [0.064] N=979	0.057 [0.072] N=889	0.003 [0.081] N=776	0.018 [0.098] N=649	0.012 [0.117] N=502
Sweets consumed daily or several times weekly	-0.054 [0.068] N=979	-0.095 [0.072] N=889	-0.058 [0.083] N=776	-0.064 [0.087] N=649	0.102 [0.124] N=502
Snack foods consumed daily or several times weekly	-0.018 [0.065] N=979	-0.080 [0.071] N=889	-0.089 [0.081] N=776	-0.014 [0.096] N=649	0.050 [0.122] N=502
Packaged soft drinks consumed daily or several times weekly	0.016 [0.056] N=979	0.002 [0.063] N=889	0.002 [0.075] N=776	-0.028 [0.086] N=649	-0.098 [0.121] N=502
Grains consumed daily or several times weekly	0.032 [0.075] N=979	0.044 [0.078] N=889	-0.009 [0.089] N=776	-0.005 [0.105] N=649	-0.038 [0.140] N=502

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=960	-0.012 [0.037] N=1,159	-0.013 [0.037] N=1,069	-0.018 [0.040] N=956	-0.017 [0.041] N=829	-0.035 [0.047] N=682
Vegetables consumed daily or several times weekly	0.769 P=890	-0.008 [0.051] N=1,159	-0.020 [0.052] N=1,069	-0.043 [0.054] N=956	-0.052 [0.059] N=829	-0.102 [0.064] N=682
Meat fish or poultry consumed daily or several times weekly	0.544 P=631	-0.018 [0.064] N=1,159	-0.020 [0.066] N=1,069	-0.019 [0.073] N=956	0.003 [0.079] N=829	0.015 [0.091] N=682
Legumes consumed daily or several times weekly	0.550 P=634	-0.035 [0.054] N=1,159	-0.042 [0.055] N=1,069	-0.024 [0.058] N=956	0.012 [0.064] N=829	0.029 [0.077] N=682
Animal products consumed daily or several times weekly	0.844 P=975	0.057 [0.043] N=1,159	0.045 [0.046] N=1,069	0.021 [0.049] N=956	0.040 [0.053] N=829	0.036 [0.058] N=682
Sweets consumed daily or several times weekly	0.368 P=431	-0.031 [0.049] N=1,159	-0.055 [0.051] N=1,069	-0.032 [0.054] N=956	-0.026 [0.058] N=829	0.029 [0.067] N=682
Snack foods consumed daily or several times weekly	0.274 P=314	0.018 [0.048] N=1,159	-0.013 [0.050] N=1,069	-0.013 [0.054] N=956	0.033 [0.059] N=829	0.063 [0.063] N=682
Packaged soft drinks consumed daily or several times weekly	0.149 P=168	0.001 [0.037] N=1,159	-0.009 [0.040] N=1,069	-0.013 [0.044] N=956	-0.029 [0.045] N=829	-0.054 [0.049] N=682
Grains consumed daily or several times weekly	0.754 P=872	0.028 [0.047] N=1,159	0.034 [0.047] N=1,069	0.012 [0.051] N=956	0.024 [0.056] N=829	0.021 [0.062] N=682

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.013 [0.055] N=979	0.016 [0.056] N=889	0.004 [0.065] N=776	0.015 [0.077] N=649	-0.019 [0.103] N=502
Vegetables consumed daily or several times weekly	0.013 [0.074] N=979	-0.002 [0.076] N=889	-0.049 [0.087] N=776	-0.083 [0.108] N=649	**-0.227* [0.136] N=502**
Meat fish or poultry consumed daily or several times weekly	-0.106 [0.075] N=979	-0.127 [0.077] N=889	-0.146 [0.091] N=776	**-0.176* [0.100] N=649**	**-0.255* [0.137] N=502**
Legumes consumed daily or several times weekly	-0.096 [0.077] N=979	-0.112 [0.080] N=889	-0.094 [0.086] N=776	-0.051 [0.098] N=649	-0.040 [0.142] N=502
Animal products consumed daily or several times weekly	0.071 [0.063] N=979	0.055 [0.071] N=889	-0.000 [0.079] N=776	0.046 [0.097] N=649	0.048 [0.114] N=502
Sweets consumed daily or several times weekly	-0.055 [0.068] N=979	-0.095 [0.072] N=889	-0.056 [0.082] N=776	-0.050 [0.087] N=649	0.112 [0.126] N=502
Snack foods consumed daily or several times weekly	-0.021 [0.065] N=979	-0.083 [0.072] N=889	-0.090 [0.081] N=776	-0.012 [0.096] N=649	0.043 [0.123] N=502
Packaged soft drinks consumed daily or several times weekly	0.027 [0.054] N=979	0.012 [0.062] N=889	0.013 [0.074] N=776	-0.021 [0.085] N=649	-0.094 [0.119] N=502
Grains consumed daily or several times weekly	0.025 [0.075] N=979	0.041 [0.078] N=889	-0.012 [0.089] N=776	-0.011 [0.104] N=649	-0.049 [0.140] N=502

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=960	-0.015 [0.037] N=1,159	-0.015 [0.038] N=1,069	-0.027 [0.039] N=956	-0.029 [0.041] N=829	-0.053 [0.049] N=682
Vegetables consumed daily or several times weekly	0.769 P=890	-0.008 [0.051] N=1,159	-0.016 [0.052] N=1,069	-0.044 [0.054] N=956	-0.056 [0.060] N=829	-0.102 [0.067] N=682
Meat fish or poultry consumed daily or several times weekly	0.544 P=631	-0.023 [0.063] N=1,159	-0.019 [0.065] N=1,069	-0.024 [0.071] N=956	-0.008 [0.079] N=829	0.003 [0.093] N=682
Legumes consumed daily or several times weekly	0.550 P=634	-0.032 [0.055] N=1,159	-0.035 [0.057] N=1,069	-0.021 [0.061] N=956	0.009 [0.067] N=829	0.024 [0.080] N=682
Animal products consumed daily or several times weekly	0.844 P=975	0.055 [0.044] N=1,159	0.045 [0.047] N=1,069	0.019 [0.050] N=956	0.034 [0.054] N=829	0.029 [0.059] N=682
Sweets consumed daily or several times weekly	0.368 P=431	-0.035 [0.050] N=1,159	-0.059 [0.051] N=1,069	-0.038 [0.055] N=956	-0.031 [0.059] N=829	0.023 [0.069] N=682
Snack foods consumed daily or several times weekly	0.274 P=314	0.019 [0.048] N=1,159	-0.011 [0.051] N=1,069	-0.012 [0.055] N=956	0.033 [0.059] N=829	0.066 [0.064] N=682
Packaged soft drinks consumed daily or several times weekly	0.149 P=168	-0.001 [0.037] N=1,159	-0.013 [0.040] N=1,069	-0.016 [0.044] N=956	-0.030 [0.045] N=829	-0.051 [0.048] N=682
Grains consumed daily or several times weekly	0.754 P=872	0.036 [0.048] N=1,159	0.042 [0.047] N=1,069	0.019 [0.051] N=956	0.026 [0.056] N=829	0.022 [0.063] N=682

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.019 [0.054] N=979	0.027 [0.056] N=889	0.008 [0.064] N=776	0.008 [0.072] N=649	-0.060 [0.104] N=502
Vegetables consumed daily or several times weekly	0.009 [0.074] N=979	-0.001 [0.077] N=889	-0.058 [0.088] N=776	-0.113 [0.111] N=649	**-0.295** [0.147] N=502**
Meat fish or poultry consumed daily or several times weekly	-0.112 [0.075] N=979	-0.120 [0.075] N=889	**-0.150* [0.091] N=776**	**-0.201** [0.100] N=649**	**-0.328** [0.137] N=502**
Legumes consumed daily or several times weekly	-0.100 [0.077] N=979	-0.112 [0.081] N=889	-0.101 [0.089] N=776	-0.075 [0.101] N=649	-0.079 [0.145] N=502
Animal products consumed daily or several times weekly	0.072 [0.063] N=979	0.059 [0.072] N=889	0.000 [0.080] N=776	0.030 [0.097] N=649	0.011 [0.118] N=502
Sweets consumed daily or several times weekly	-0.048 [0.068] N=979	-0.092 [0.071] N=889	-0.054 [0.081] N=776	-0.053 [0.088] N=649	0.102 [0.129] N=502
Snack foods consumed daily or several times weekly	-0.015 [0.064] N=979	-0.080 [0.071] N=889	-0.086 [0.081] N=776	-0.017 [0.096] N=649	0.051 [0.119] N=502
Packaged soft drinks consumed daily or several times weekly	0.028 [0.053] N=979	0.009 [0.061] N=889	0.009 [0.073] N=776	-0.029 [0.082] N=649	-0.089 [0.116] N=502
Grains consumed daily or several times weekly	0.030 [0.075] N=979	0.043 [0.078] N=889	-0.010 [0.090] N=776	-0.015 [0.106] N=649	-0.063 [0.142] N=502

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=876	0.003 [0.040] N=1,060	-0.010 [0.041] N=981	-0.010 [0.044] N=877	-0.011 [0.046] N=763	-0.038 [0.054] N=632
Vegetables consumed daily or several times weekly	0.768 P=813	0.000 [0.054] N=1,060	-0.019 [0.055] N=981	-0.037 [0.058] N=877	-0.047 [0.061] N=763	-0.092 [0.067] N=632
Meat fish or poultry consumed daily or several times weekly	0.546 P=578	0.026 [0.063] N=1,060	0.017 [0.064] N=981	0.019 [0.071] N=877	0.016 [0.077] N=763	0.023 [0.088] N=632
Legumes consumed daily or several times weekly	0.547 P=575	-0.025 [0.057] N=1,060	-0.047 [0.058] N=981	-0.023 [0.062] N=877	0.008 [0.067] N=763	0.020 [0.079] N=632
Animal products consumed daily or several times weekly	0.849 P=897	**0.075* [0.045] N=1,060**	0.056 [0.047] N=981	0.027 [0.049] N=877	0.030 [0.053] N=763	0.016 [0.058] N=632
Sweets consumed daily or several times weekly	0.367 P=391	-0.025 [0.052] N=1,060	-0.053 [0.054] N=981	-0.023 [0.058] N=877	-0.015 [0.061] N=763	0.046 [0.070] N=632
Snack foods consumed daily or several times weekly	0.273 P=286	0.005 [0.053] N=1,060	-0.018 [0.056] N=981	-0.009 [0.060] N=877	0.041 [0.064] N=763	0.085 [0.069] N=632
Packaged soft drinks consumed daily or several times weekly	0.150 P=155	0.013 [0.038] N=1,060	-0.001 [0.041] N=981	-0.006 [0.046] N=877	-0.022 [0.046] N=763	-0.044 [0.052] N=632
Grains consumed daily or several times weekly	0.752 P=794	0.022 [0.051] N=1,060	0.019 [0.051] N=981	-0.011 [0.056] N=877	-0.001 [0.062] N=763	-0.015 [0.068] N=632

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.038 [0.057] N=893	0.023 [0.060] N=814	0.012 [0.070] N=710	-0.004 [0.082] N=596	-0.062 [0.105] N=465
Vegetables consumed daily or several times weekly	0.037 [0.078] N=893	0.011 [0.083] N=814	-0.034 [0.094] N=710	-0.083 [0.117] N=596	-0.222 [0.140] N=465
Meat fish or poultry consumed daily or several times weekly	-0.053 [0.082] N=893	-0.084 [0.084] N=814	-0.093 [0.101] N=710	**-0.191* [0.108] N=596**	**-0.278* [0.143] N=465**
Legumes consumed daily or several times weekly	-0.071 [0.081] N=893	-0.113 [0.085] N=814	-0.078 [0.092] N=710	-0.041 [0.100] N=596	-0.019 [0.150] N=465
Animal products consumed daily or several times weekly	0.111 [0.068] N=893	0.082 [0.076] N=814	0.021 [0.083] N=710	0.024 [0.101] N=596	0.006 [0.125] N=465
Sweets consumed daily or several times weekly	-0.054 [0.073] N=893	-0.103 [0.079] N=814	-0.063 [0.092] N=710	-0.069 [0.098] N=596	0.097 [0.136] N=465
Snack foods consumed daily or several times weekly	-0.038 [0.073] N=893	-0.088 [0.080] N=814	-0.091 [0.090] N=710	-0.002 [0.102] N=596	0.098 [0.131] N=465
Packaged soft drinks consumed daily or several times weekly	0.045 [0.057] N=893	0.026 [0.065] N=814	0.022 [0.079] N=710	-0.004 [0.089] N=596	-0.050 [0.129] N=465
Grains consumed daily or several times weekly	0.035 [0.078] N=893	0.036 [0.083] N=814	-0.032 [0.093] N=710	-0.020 [0.111] N=596	-0.072 [0.145] N=465

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.834 P=876	-0.003 [0.040] N=1,060	-0.014 [0.041] N=981	-0.014 [0.044] N=877	-0.017 [0.046] N=763	-0.043 [0.052] N=632
Vegetables consumed daily or several times weekly	0.768 P=813	-0.001 [0.053] N=1,060	-0.019 [0.054] N=981	-0.037 [0.058] N=877	-0.044 [0.061] N=763	-0.092 [0.066] N=632
Meat fish or poultry consumed daily or several times weekly	0.546 P=578	0.021 [0.063] N=1,060	0.012 [0.065] N=981	0.016 [0.071] N=877	0.012 [0.077] N=763	0.018 [0.088] N=632
Legumes consumed daily or several times weekly	0.547 P=575	-0.026 [0.056] N=1,060	-0.047 [0.058] N=981	-0.024 [0.061] N=877	0.007 [0.067] N=763	0.018 [0.078] N=632
Animal products consumed daily or several times weekly	0.849 P=897	**0.075* [0.044] N=1,060**	0.055 [0.047] N=981	0.028 [0.049] N=877	0.035 [0.053] N=763	0.022 [0.058] N=632
Sweets consumed daily or several times weekly	0.367 P=391	-0.024 [0.050] N=1,060	-0.051 [0.053] N=981	-0.023 [0.057] N=877	-0.020 [0.060] N=763	0.039 [0.068] N=632
Snack foods consumed daily or several times weekly	0.273 P=286	0.006 [0.052] N=1,060	-0.018 [0.055] N=981	-0.010 [0.060] N=877	0.037 [0.064] N=763	0.079 [0.069] N=632
Packaged soft drinks consumed daily or several times weekly	0.150 P=155	0.018 [0.038] N=1,060	0.002 [0.041] N=981	-0.003 [0.045] N=877	-0.019 [0.046] N=763	-0.041 [0.051] N=632
Grains consumed daily or several times weekly	0.752 P=794	0.023 [0.051] N=1,060	0.020 [0.051] N=981	-0.012 [0.056] N=877	-0.000 [0.062] N=763	-0.014 [0.068] N=632

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.027 [0.057] N=893	0.014 [0.060] N=814	0.011 [0.070] N=710	-0.003 [0.081] N=596	-0.065 [0.102] N=465
Vegetables consumed daily or several times weekly	0.029 [0.077] N=893	0.003 [0.082] N=814	-0.037 [0.094] N=710	-0.083 [0.115] N=596	-0.231 [0.139] N=465
Meat fish or poultry consumed daily or several times weekly	-0.060 [0.082] N=893	-0.090 [0.084] N=814	-0.095 [0.100] N=710	**-0.190* [0.108] N=596**	**-0.284* [0.146] N=465**
Legumes consumed daily or several times weekly	-0.074 [0.080] N=893	-0.115 [0.084] N=814	-0.079 [0.093] N=710	-0.040 [0.101] N=596	-0.022 [0.147] N=465
Animal products consumed daily or several times weekly	0.104 [0.067] N=893	0.075 [0.074] N=814	0.019 [0.082] N=710	0.027 [0.100] N=596	0.007 [0.122] N=465
Sweets consumed daily or several times weekly	-0.060 [0.072] N=893	-0.113 [0.078] N=814	-0.068 [0.091] N=710	-0.073 [0.095] N=596	0.087 [0.133] N=465
Snack foods consumed daily or several times weekly	-0.042 [0.073] N=893	-0.095 [0.079] N=814	-0.093 [0.090] N=710	-0.005 [0.102] N=596	0.091 [0.132] N=465
Packaged soft drinks consumed daily or several times weekly	0.046 [0.057] N=893	0.025 [0.065] N=814	0.023 [0.079] N=710	-0.000 [0.089] N=596	-0.043 [0.129] N=465
Grains consumed daily or several times weekly	0.034 [0.077] N=893	0.036 [0.082] N=814	-0.031 [0.093] N=710	-0.016 [0.111] N=596	-0.069 [0.147] N=465

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=840	0.030 [0.052] N=998	0.035 [0.054] N=898	0.011 [0.060] N=787	-0.002 [0.064] N=658	0.007 [0.075] N=536
Vegetables consumed daily or several times weekly	0.782 P=780	0.012 [0.060] N=998	0.020 [0.063] N=898	0.042 [0.069] N=787	0.016 [0.075] N=658	0.044 [0.085] N=536
Meat fish or poultry consumed daily or several times weekly	0.538 P=540	0.020 [0.073] N=998	0.013 [0.077] N=898	-0.019 [0.085] N=787	0.005 [0.097] N=658	0.012 [0.112] N=536
Legumes consumed daily or several times weekly	0.550 P=550	0.013 [0.071] N=998	0.034 [0.073] N=898	0.017 [0.079] N=787	-0.027 [0.086] N=658	-0.011 [0.096] N=536
Animal products consumed daily or several times weekly	0.845 P=841	0.032 [0.050] N=998	0.036 [0.053] N=898	0.026 [0.059] N=787	0.026 [0.065] N=658	0.046 [0.073] N=536
Sweets consumed daily or several times weekly	0.371 P=376	-0.101 [0.061] N=998	**-0.118* [0.062] N=898**	-0.113 [0.070] N=787	**-0.144* [0.073] N=658**	**-0.203** [0.079] N=536**
Snack foods consumed daily or several times weekly	0.284 P=282	-0.077 [0.055] N=998	-0.091 [0.056] N=898	**-0.109* [0.059] N=787**	**-0.121* [0.062] N=658**	**-0.190*** [0.071] N=536**
Packaged soft drinks consumed daily or several times weekly	0.144 P=142	-0.008 [0.042] N=998	-0.022 [0.043] N=898	0.011 [0.044] N=787	-0.011 [0.046] N=658	**-0.087* [0.051] N=536**
Grains consumed daily or several times weekly	0.746 P=749	0.101 [0.065] N=998	**0.117* [0.068] N=898**	0.102 [0.074] N=787	0.088 [0.084] N=658	0.067 [0.094] N=536

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.058 [0.077] N=871	0.062 [0.081] N=771	0.033 [0.100] N=660	0.050 [0.104] N=531	0.088 [0.140] N=409
Vegetables consumed daily or several times weekly	-0.032 [0.086] N=871	-0.029 [0.095] N=771	-0.004 [0.112] N=660	-0.055 [0.119] N=531	-0.017 [0.155] N=409
Meat fish or poultry consumed daily or several times weekly	-0.039 [0.088] N=871	-0.061 [0.090] N=771	-0.145 [0.100] N=660	-0.161 [0.119] N=531	-0.213 [0.147] N=409
Legumes consumed daily or several times weekly	0.089 [0.097] N=871	0.118 [0.100] N=771	0.117 [0.111] N=660	0.077 [0.133] N=531	0.192 [0.157] N=409
Animal products consumed daily or several times weekly	0.004 [0.065] N=871	0.011 [0.071] N=771	0.001 [0.083] N=660	0.013 [0.088] N=531	0.046 [0.107] N=409
Sweets consumed daily or several times weekly	-0.008 [0.085] N=871	-0.028 [0.087] N=771	0.014 [0.099] N=660	-0.009 [0.111] N=531	-0.099 [0.139] N=409
Snack foods consumed daily or several times weekly	-0.034 [0.072] N=871	-0.050 [0.076] N=771	-0.071 [0.080] N=660	-0.068 [0.089] N=531	**-0.243** [0.114] N=409**
Packaged soft drinks consumed daily or several times weekly	0.020 [0.068] N=871	-0.002 [0.072] N=771	0.065 [0.078] N=660	0.038 [0.088] N=531	-0.147 [0.107] N=409
Grains consumed daily or several times weekly	0.006 [0.078] N=871	0.016 [0.085] N=771	-0.035 [0.093] N=660	-0.144 [0.108] N=531	**-0.337*** [0.116] N=409**

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=840	0.031 [0.052] N=998	0.035 [0.053] N=898	0.012 [0.059] N=787	-0.002 [0.064] N=658	0.007 [0.074] N=536
Vegetables consumed daily or several times weekly	0.782 P=780	0.012 [0.060] N=998	0.021 [0.062] N=898	0.043 [0.069] N=787	0.017 [0.075] N=658	0.044 [0.084] N=536
Meat fish or poultry consumed daily or several times weekly	0.538 P=540	0.021 [0.074] N=998	0.014 [0.077] N=898	-0.015 [0.086] N=787	0.007 [0.097] N=658	0.012 [0.112] N=536
Legumes consumed daily or several times weekly	0.550 P=550	0.013 [0.071] N=998	0.034 [0.073] N=898	0.018 [0.079] N=787	-0.027 [0.086] N=658	-0.011 [0.096] N=536
Animal products consumed daily or several times weekly	0.845 P=841	0.032 [0.049] N=998	0.037 [0.052] N=898	0.028 [0.059] N=787	0.027 [0.064] N=658	0.046 [0.071] N=536
Sweets consumed daily or several times weekly	0.371 P=376	-0.100 [0.061] N=998	**-0.117* [0.063] N=898**	-0.111 [0.070] N=787	**-0.144* [0.074] N=658**	**-0.203** [0.079] N=536**
Snack foods consumed daily or several times weekly	0.284 P=282	-0.077 [0.054] N=998	-0.090 [0.055] N=898	**-0.107* [0.058] N=787**	**-0.120* [0.062] N=658**	**-0.190*** [0.071] N=536**
Packaged soft drinks consumed daily or several times weekly	0.144 P=142	-0.007 [0.041] N=998	-0.021 [0.042] N=898	0.013 [0.044] N=787	-0.010 [0.046] N=658	**-0.087* [0.051] N=536**
Grains consumed daily or several times weekly	0.746 P=749	0.101 [0.064] N=998	**0.117* [0.068] N=898**	0.103 [0.074] N=787	0.087 [0.085] N=658	0.067 [0.094] N=536

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.059 [0.076] N=871	0.064 [0.080] N=771	0.036 [0.098] N=660	0.051 [0.103] N=531	0.091 [0.138] N=409
Vegetables consumed daily or several times weekly	-0.032 [0.085] N=871	-0.029 [0.094] N=771	-0.001 [0.112] N=660	-0.051 [0.119] N=531	-0.013 [0.155] N=409
Meat fish or poultry consumed daily or several times weekly	-0.038 [0.087] N=871	-0.058 [0.090] N=771	-0.137 [0.099] N=660	-0.150 [0.117] N=531	-0.207 [0.146] N=409
Legumes consumed daily or several times weekly	0.090 [0.098] N=871	0.120 [0.100] N=771	0.119 [0.111] N=660	0.080 [0.133] N=531	0.190 [0.155] N=409
Animal products consumed daily or several times weekly	0.005 [0.063] N=871	0.014 [0.069] N=771	0.005 [0.082] N=660	0.022 [0.086] N=531	0.055 [0.100] N=409
Sweets consumed daily or several times weekly	-0.007 [0.084] N=871	-0.025 [0.087] N=771	0.019 [0.098] N=660	-0.005 [0.112] N=531	-0.096 [0.139] N=409
Snack foods consumed daily or several times weekly	-0.032 [0.072] N=871	-0.048 [0.075] N=771	-0.068 [0.079] N=660	-0.068 [0.089] N=531	**-0.242** [0.115] N=409**
Packaged soft drinks consumed daily or several times weekly	0.020 [0.068] N=871	-0.000 [0.072] N=771	0.069 [0.077] N=660	0.043 [0.087] N=531	-0.142 [0.105] N=409
Grains consumed daily or several times weekly	0.007 [0.079] N=871	0.017 [0.086] N=771	-0.033 [0.094] N=660	-0.148 [0.108] N=531	**-0.339*** [0.117] N=409**

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=840	0.023 [0.050] N=998	0.026 [0.051] N=898	0.015 [0.057] N=787	0.001 [0.062] N=658	0.005 [0.073] N=536
Vegetables consumed daily or several times weekly	0.782 P=780	0.006 [0.058] N=998	0.014 [0.061] N=898	0.046 [0.066] N=787	0.017 [0.073] N=658	0.038 [0.082] N=536
Meat fish or poultry consumed daily or several times weekly	0.538 P=540	0.011 [0.068] N=998	0.007 [0.072] N=898	-0.009 [0.079] N=787	0.013 [0.088] N=658	0.015 [0.102] N=536
Legumes consumed daily or several times weekly	0.550 P=550	0.008 [0.072] N=998	0.030 [0.074] N=898	0.020 [0.080] N=787	-0.024 [0.086] N=658	-0.010 [0.096] N=536
Animal products consumed daily or several times weekly	0.845 P=841	0.027 [0.049] N=998	0.032 [0.051] N=898	0.028 [0.058] N=787	0.027 [0.063] N=658	0.044 [0.070] N=536
Sweets consumed daily or several times weekly	0.371 P=376	-0.101 [0.061] N=998	**-0.120* [0.063] N=898**	-0.113 [0.070] N=787	**-0.146* [0.074] N=658**	**-0.208** [0.080] N=536**
Snack foods consumed daily or several times weekly	0.284 P=282	-0.076 [0.054] N=998	-0.090 [0.056] N=898	**-0.108* [0.059] N=787**	**-0.121* [0.063] N=658**	**-0.193*** [0.072] N=536**
Packaged soft drinks consumed daily or several times weekly	0.144 P=142	-0.006 [0.040] N=998	-0.022 [0.042] N=898	0.008 [0.043] N=787	-0.015 [0.045] N=658	**-0.093* [0.050] N=536**
Grains consumed daily or several times weekly	0.746 P=749	0.099 [0.064] N=998	**0.113* [0.068] N=898**	0.103 [0.075] N=787	0.088 [0.085] N=658	0.067 [0.095] N=536

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.041 [0.075] N=871	0.043 [0.077] N=771	0.038 [0.094] N=660	0.040 [0.104] N=531	0.066 [0.140] N=409
Vegetables consumed daily or several times weekly	-0.045 [0.085] N=871	-0.045 [0.094] N=771	-0.003 [0.109] N=660	-0.062 [0.119] N=531	-0.043 [0.157] N=409
Meat fish or poultry consumed daily or several times weekly	-0.063 [0.087] N=871	-0.082 [0.091] N=771	-0.138 [0.098] N=660	-0.167 [0.116] N=531	**-0.251* [0.140] N=409**
Legumes consumed daily or several times weekly	0.080 [0.098] N=871	0.114 [0.099] N=771	0.124 [0.110] N=660	0.072 [0.129] N=531	0.176 [0.156] N=409
Animal products consumed daily or several times weekly	-0.004 [0.063] N=871	0.005 [0.068] N=771	0.006 [0.081] N=660	0.015 [0.087] N=531	0.037 [0.100] N=409
Sweets consumed daily or several times weekly	-0.005 [0.083] N=871	-0.023 [0.085] N=771	0.022 [0.096] N=660	-0.003 [0.111] N=531	-0.092 [0.135] N=409
Snack foods consumed daily or several times weekly	-0.030 [0.071] N=871	-0.047 [0.075] N=771	-0.067 [0.079] N=660	-0.066 [0.089] N=531	**-0.240** [0.115] N=409**
Packaged soft drinks consumed daily or several times weekly	0.030 [0.066] N=871	0.007 [0.070] N=771	0.070 [0.075] N=660	0.050 [0.084] N=531	-0.132 [0.102] N=409
Grains consumed daily or several times weekly	0.002 [0.080] N=871	0.010 [0.087] N=771	-0.029 [0.096] N=660	-0.147 [0.110] N=531	**-0.335*** [0.120] N=409**

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=840	0.017 [0.051] N=998	0.021 [0.052] N=898	0.009 [0.059] N=787	-0.014 [0.062] N=658	-0.012 [0.072] N=536
Vegetables consumed daily or several times weekly	0.782 P=780	-0.002 [0.059] N=998	0.008 [0.062] N=898	0.033 [0.067] N=787	-0.000 [0.072] N=658	0.023 [0.080] N=536
Meat fish or poultry consumed daily or several times weekly	0.538 P=540	0.004 [0.067] N=998	0.000 [0.071] N=898	-0.018 [0.078] N=787	-0.008 [0.087] N=658	-0.010 [0.100] N=536
Legumes consumed daily or several times weekly	0.550 P=550	0.004 [0.070] N=998	0.025 [0.072] N=898	0.015 [0.077] N=787	-0.031 [0.084] N=658	-0.013 [0.093] N=536
Animal products consumed daily or several times weekly	0.845 P=841	0.028 [0.048] N=998	0.034 [0.051] N=898	0.031 [0.057] N=787	0.027 [0.063] N=658	0.046 [0.070] N=536
Sweets consumed daily or several times weekly	0.371 P=376	-0.095 [0.062] N=998	**-0.117* [0.063] N=898**	-0.109 [0.070] N=787	**-0.144* [0.074] N=658**	**-0.205** [0.080] N=536**
Snack foods consumed daily or several times weekly	0.284 P=282	-0.071 [0.054] N=998	-0.084 [0.055] N=898	**-0.102* [0.058] N=787**	**-0.115* [0.062] N=658**	**-0.186*** [0.071] N=536**
Packaged soft drinks consumed daily or several times weekly	0.144 P=142	0.002 [0.040] N=998	-0.013 [0.042] N=898	0.019 [0.043] N=787	-0.001 [0.045] N=658	-0.072 [0.051] N=536
Grains consumed daily or several times weekly	0.746 P=749	0.096 [0.064] N=998	0.108 [0.068] N=898	0.096 [0.075] N=787	0.078 [0.086] N=658	0.059 [0.095] N=536

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.041 [0.079] N=871	0.041 [0.083] N=771	0.038 [0.101] N=660	0.017 [0.111] N=531	0.029 [0.146] N=409
Vegetables consumed daily or several times weekly	-0.055 [0.088] N=871	-0.053 [0.098] N=771	-0.015 [0.115] N=660	-0.091 [0.123] N=531	-0.077 [0.159] N=409
Meat fish or poultry consumed daily or several times weekly	-0.068 [0.088] N=871	-0.087 [0.093] N=771	-0.145 [0.100] N=660	**-0.203* [0.121] N=531**	**-0.300** [0.141] N=409**
Legumes consumed daily or several times weekly	0.069 [0.100] N=871	0.095 [0.102] N=771	0.103 [0.112] N=660	0.039 [0.133] N=531	0.134 [0.159] N=409
Animal products consumed daily or several times weekly	-0.009 [0.063] N=871	-0.001 [0.069] N=771	-0.000 [0.080] N=660	-0.003 [0.091] N=531	0.022 [0.106] N=409
Sweets consumed daily or several times weekly	0.002 [0.083] N=871	-0.023 [0.085] N=771	0.031 [0.095] N=660	-0.000 [0.110] N=531	-0.082 [0.132] N=409
Snack foods consumed daily or several times weekly	-0.023 [0.072] N=871	-0.039 [0.075] N=771	-0.055 [0.079] N=660	-0.058 [0.090] N=531	**-0.226* [0.117] N=409**
Packaged soft drinks consumed daily or several times weekly	0.030 [0.066] N=871	0.008 [0.070] N=771	0.073 [0.074] N=660	0.059 [0.082] N=531	-0.101 [0.103] N=409
Grains consumed daily or several times weekly	0.006 [0.079] N=871	0.008 [0.086] N=771	-0.035 [0.094] N=660	-0.164 [0.111] N=531	**-0.347*** [0.122] N=409**

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=765	0.028 [0.054] N=909	0.034 [0.056] N=815	0.030 [0.062] N=721	-0.005 [0.067] N=602	-0.008 [0.078] N=495
Vegetables consumed daily or several times weekly	0.784 P=712	0.007 [0.061] N=909	0.014 [0.065] N=815	0.048 [0.070] N=721	-0.006 [0.079] N=602	-0.009 [0.089] N=495
Meat fish or poultry consumed daily or several times weekly	0.538 P=491	0.009 [0.079] N=909	-0.006 [0.084] N=815	-0.013 [0.094] N=721	-0.007 [0.109] N=602	-0.011 [0.127] N=495
Legumes consumed daily or several times weekly	0.549 P=500	0.019 [0.075] N=909	0.040 [0.077] N=815	0.022 [0.085] N=721	-0.043 [0.093] N=602	-0.044 [0.105] N=495
Animal products consumed daily or several times weekly	0.850 P=770	0.036 [0.052] N=909	0.040 [0.056] N=815	0.044 [0.062] N=721	0.017 [0.069] N=602	0.029 [0.077] N=495
Sweets consumed daily or several times weekly	0.375 P=345	**-0.109* [0.062] N=909**	**-0.129** [0.064] N=815**	**-0.121* [0.072] N=721**	**-0.173** [0.078] N=602**	**-0.238*** [0.085] N=495**
Snack foods consumed daily or several times weekly	0.285 P=259	-0.093 [0.058] N=909	**-0.109* [0.060] N=815**	**-0.127** [0.064] N=721**	**-0.147** [0.067] N=602**	**-0.220*** [0.076] N=495**
Packaged soft drinks consumed daily or several times weekly	0.146 P=132	-0.024 [0.043] N=909	-0.042 [0.045] N=815	-0.007 [0.045] N=721	-0.040 [0.049] N=602	**-0.133** [0.054] N=495**
Grains consumed daily or several times weekly	0.742 P=679	**0.121* [0.067] N=909**	**0.135* [0.071] N=815**	0.118 [0.079] N=721	0.084 [0.091] N=602	0.050 [0.101] N=495

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.064 [0.081] N=792	0.078 [0.084] N=698	0.085 [0.099] N=604	0.061 [0.107] N=485	0.045 [0.132] N=378
Vegetables consumed daily or several times weekly	-0.034 [0.084] N=792	-0.025 [0.093] N=698	0.018 [0.109] N=604	-0.093 [0.119] N=485	-0.158 [0.146] N=378
Meat fish or poultry consumed daily or several times weekly	-0.033 [0.098] N=792	-0.062 [0.102] N=698	-0.105 [0.110] N=604	-0.164 [0.138] N=485	**-0.288* [0.173] N=378**
Legumes consumed daily or several times weekly	0.113 [0.102] N=792	0.148 [0.104] N=698	0.160 [0.114] N=604	0.096 [0.138] N=485	0.151 [0.170] N=378
Animal products consumed daily or several times weekly	0.007 [0.067] N=792	0.018 [0.075] N=698	0.035 [0.084] N=604	-0.000 [0.095] N=485	-0.019 [0.109] N=378
Sweets consumed daily or several times weekly	-0.005 [0.083] N=792	-0.026 [0.087] N=698	0.018 [0.097] N=604	-0.043 [0.113] N=485	-0.167 [0.138] N=378
Snack foods consumed daily or several times weekly	-0.050 [0.077] N=792	-0.067 [0.083] N=698	-0.092 [0.087] N=604	-0.118 [0.101] N=485	**-0.302** [0.124] N=378**
Packaged soft drinks consumed daily or several times weekly	-0.003 [0.073] N=792	-0.032 [0.079] N=698	0.038 [0.083] N=604	-0.012 [0.096] N=485	**-0.274** [0.113] N=378**
Grains consumed daily or several times weekly	0.042 [0.087] N=792	0.053 [0.096] N=698	-0.002 [0.105] N=604	-0.154 [0.123] N=485	**-0.390*** [0.133] N=378**

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=765	0.034 [0.053] N=909	0.041 [0.055] N=815	0.033 [0.061] N=721	-0.007 [0.065] N=602	-0.010 [0.076] N=495
Vegetables consumed daily or several times weekly	0.784 P=712	0.009 [0.061] N=909	0.016 [0.064] N=815	0.051 [0.070] N=721	-0.005 [0.078] N=602	-0.009 [0.089] N=495
Meat fish or poultry consumed daily or several times weekly	0.538 P=491	0.013 [0.078] N=909	-0.001 [0.083] N=815	-0.011 [0.091] N=721	-0.018 [0.106] N=602	-0.020 [0.123] N=495
Legumes consumed daily or several times weekly	0.549 P=500	0.012 [0.075] N=909	0.035 [0.078] N=815	0.019 [0.084] N=721	-0.055 [0.092] N=602	-0.055 [0.105] N=495
Animal products consumed daily or several times weekly	0.850 P=770	0.033 [0.051] N=909	0.038 [0.055] N=815	0.041 [0.061] N=721	0.015 [0.067] N=602	0.026 [0.076] N=495
Sweets consumed daily or several times weekly	0.375 P=345	**-0.113* [0.063] N=909**	**-0.133** [0.065] N=815**	**-0.129* [0.073] N=721**	**-0.183** [0.080] N=602**	**-0.250*** [0.087] N=495**
Snack foods consumed daily or several times weekly	0.285 P=259	-0.087 [0.057] N=909	**-0.104* [0.059] N=815**	**-0.124** [0.062] N=721**	**-0.145** [0.066] N=602**	**-0.217*** [0.074] N=495**
Packaged soft drinks consumed daily or several times weekly	0.146 P=132	-0.027 [0.043] N=909	-0.045 [0.044] N=815	-0.013 [0.045] N=721	-0.044 [0.047] N=602	**-0.139*** [0.051] N=495**
Grains consumed daily or several times weekly	0.742 P=679	**0.122* [0.066] N=909**	**0.136* [0.071] N=815**	0.119 [0.077] N=721	0.089 [0.089] N=602	0.054 [0.099] N=495

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.071 [0.080] N=792	0.084 [0.083] N=698	0.087 [0.099] N=604	0.052 [0.105] N=485	0.048 [0.133] N=378
Vegetables consumed daily or several times weekly	-0.029 [0.083] N=792	-0.022 [0.092] N=698	0.027 [0.108] N=604	-0.088 [0.117] N=485	-0.145 [0.143] N=378
Meat fish or poultry consumed daily or several times weekly	-0.029 [0.099] N=792	-0.056 [0.103] N=698	-0.099 [0.111] N=604	-0.170 [0.137] N=485	-0.260 [0.179] N=378
Legumes consumed daily or several times weekly	0.112 [0.103] N=792	0.154 [0.106] N=698	0.170 [0.115] N=604	0.089 [0.140] N=485	0.172 [0.174] N=378
Animal products consumed daily or several times weekly	0.007 [0.067] N=792	0.020 [0.075] N=698	0.036 [0.084] N=604	-0.000 [0.095] N=485	-0.007 [0.111] N=378
Sweets consumed daily or several times weekly	-0.003 [0.083] N=792	-0.025 [0.088] N=698	0.016 [0.097] N=604	-0.047 [0.113] N=485	-0.170 [0.140] N=378
Snack foods consumed daily or several times weekly	-0.044 [0.077] N=792	-0.066 [0.082] N=698	-0.091 [0.086] N=604	-0.110 [0.098] N=485	**-0.308** [0.122] N=378**
Packaged soft drinks consumed daily or several times weekly	-0.004 [0.074] N=792	-0.033 [0.078] N=698	0.035 [0.082] N=604	-0.008 [0.094] N=485	**-0.267** [0.112] N=378**
Grains consumed daily or several times weekly	0.044 [0.086] N=792	0.055 [0.095] N=698	0.003 [0.103] N=604	-0.144 [0.122] N=485	**-0.380*** [0.131] N=378**

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.