Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-2: Youngest Child

Age reference: 16 December 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.695 P=847	0.059 [0.046] N=1,206	0.056 [0.049] N=1,119	0.048 [0.052] N=998	0.070 [0.055] N=859	0.040 [0.058] N=715
Not underweight WAZ at least -2	0.882 P=1,244	**-0.088*** [0.028] N=1,405**	**-0.074** [0.029] N=1,302**	**-0.057* [0.031] N=1,163**	**-0.063** [0.031] N=996**	**-0.069* [0.036] N=822**
Neither wasted nor overweight WHZ -2 to +2	0.682 P=824	0.025 [0.055] N=1,200	0.008 [0.058] N=1,111	0.024 [0.063] N=993	0.013 [0.072] N=854	0.045 [0.079] N=705
Neither low nor high BMIZ -2 to +2	0.632 P=758	0.055 [0.053] N=1,186	0.038 [0.057] N=1,100	0.042 [0.059] N=981	0.013 [0.068] N=841	0.001 [0.076] N=696
Strict normal HAZ -2 to +3	0.634 P=776	0.068 [0.052] N=1,206	0.076 [0.056] N=1,119	0.055 [0.060] N=998	0.047 [0.061] N=859	0.025 [0.069] N=715
Strict normal WAZ -2 to +1	0.710 P=1,007	**-0.113** [0.050] N=1,405**	**-0.116** [0.053] N=1,302**	**-0.103* [0.056] N=1,163**	**-0.113* [0.058] N=996**	-0.091 [0.065] N=822
Strict normal WHZ -2 to +1	0.519 P=623	0.004 [0.057] N=1,200	-0.014 [0.061] N=1,111	-0.019 [0.063] N=993	-0.035 [0.071] N=854	-0.040 [0.079] N=705
Strict normal BMIZ -2 to +1	0.483 P=579	-0.000 [0.055] N=1,186	-0.018 [0.059] N=1,100	-0.013 [0.063] N=981	-0.043 [0.072] N=841	-0.077 [0.084] N=696
Above-normal height HAZ above +3	0.061 P=71	-0.009 [0.030] N=1,206	-0.020 [0.032] N=1,119	-0.006 [0.035] N=998	0.023 [0.038] N=859	0.014 [0.041] N=715
Above-normal weight WAZ above +1	0.172 P=237	0.025 [0.041] N=1,405	0.042 [0.045] N=1,302	0.046 [0.047] N=1,163	0.050 [0.050] N=996	0.022 [0.055] N=822
Above-normal WHZ above +1	0.362 P=434	0.048 [0.052] N=1,200	0.056 [0.055] N=1,111	0.071 [0.056] N=993	0.072 [0.060] N=854	0.088 [0.066] N=705
Above-normal BMIZ above +1	0.376 P=444	0.053 [0.052] N=1,186	0.063 [0.055] N=1,100	0.058 [0.059] N=981	0.051 [0.065] N=841	0.073 [0.078] N=696

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.067 [0.065] N=1,016	0.063 [0.072] N=929	0.064 [0.082] N=808	0.121 [0.093] N=669	0.117 [0.112] N=525
Not underweight WAZ at least -2	**-0.123*** [0.042] N=1,189**	**-0.102** [0.046] N=1,086**	-0.072 [0.052] N=947	-0.095 [0.060] N=780	-0.125 [0.081] N=606
Neither wasted nor overweight WHZ -2 to +2	0.077 [0.065] N=1,010	0.050 [0.072] N=921	0.098 [0.073] N=803	0.092 [0.097] N=664	**0.266** [0.106] N=515**
Neither low nor high BMIZ -2 to +2	**0.139** [0.068] N=996**	0.123 [0.077] N=910	**0.164** [0.077] N=791**	0.144 [0.105] N=651	**0.207* [0.123] N=506**
Strict normal HAZ -2 to +3	0.114 [0.072] N=1,016	**0.138* [0.079] N=929**	0.129 [0.090] N=808	0.128 [0.102] N=669	0.172 [0.132] N=525
Strict normal WAZ -2 to +1	-0.108 [0.070] N=1,189	-0.110 [0.078] N=1,086	-0.085 [0.088] N=947	-0.108 [0.097] N=780	-0.049 [0.122] N=606
Strict normal WHZ -2 to +1	0.061 [0.075] N=1,010	0.036 [0.085] N=921	0.058 [0.086] N=803	0.043 [0.108] N=664	0.102 [0.135] N=515
Strict normal BMIZ -2 to +1	0.064 [0.065] N=996	0.044 [0.071] N=910	0.086 [0.074] N=791	0.054 [0.096] N=651	0.039 [0.119] N=506
Above-normal height HAZ above +3	-0.047 [0.039] N=1,016	**-0.075* [0.043] N=929**	-0.065 [0.051] N=808	-0.007 [0.064] N=669	-0.055 [0.075] N=525
Above-normal weight WAZ above +1	-0.015 [0.054] N=1,189	0.009 [0.062] N=1,086	0.013 [0.069] N=947	0.013 [0.077] N=780	-0.075 [0.091] N=606
Above-normal WHZ above +1	0.013 [0.076] N=1,010	0.020 [0.086] N=921	0.022 [0.090] N=803	0.017 [0.109] N=664	-0.002 [0.135] N=515
Above-normal BMIZ above +1	0.044 [0.069] N=996	0.057 [0.076] N=910	0.026 [0.082] N=791	0.006 [0.096] N=651	0.020 [0.122] N=506

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.695 P=847	0.057 [0.046] N=1,206	0.054 [0.048] N=1,119	0.046 [0.051] N=998	0.068 [0.054] N=859	0.038 [0.058] N=715
Not underweight WAZ at least -2	0.882 P=1,244	**-0.089*** [0.028] N=1,405**	**-0.075** [0.029] N=1,302**	**-0.058* [0.031] N=1,163**	**-0.063** [0.031] N=996**	**-0.071** [0.035] N=822**
Neither wasted nor overweight WHZ -2 to +2	0.682 P=824	0.021 [0.055] N=1,200	0.004 [0.058] N=1,111	0.020 [0.063] N=993	0.007 [0.072] N=854	0.037 [0.079] N=705
Neither low nor high BMIZ -2 to +2	0.632 P=758	0.053 [0.053] N=1,186	0.036 [0.057] N=1,100	0.040 [0.060] N=981	0.010 [0.068] N=841	-0.004 [0.077] N=696
Strict normal HAZ -2 to +3	0.634 P=776	0.065 [0.052] N=1,206	0.072 [0.056] N=1,119	0.051 [0.059] N=998	0.044 [0.061] N=859	0.022 [0.069] N=715
Strict normal WAZ -2 to +1	0.710 P=1,007	**-0.115** [0.050] N=1,405**	**-0.118** [0.053] N=1,302**	**-0.105* [0.056] N=1,163**	**-0.114* [0.058] N=996**	-0.094 [0.065] N=822
Strict normal WHZ -2 to +1	0.519 P=623	0.001 [0.057] N=1,200	-0.018 [0.061] N=1,111	-0.022 [0.063] N=993	-0.039 [0.070] N=854	-0.045 [0.079] N=705
Strict normal BMIZ -2 to +1	0.483 P=579	-0.004 [0.056] N=1,186	-0.022 [0.059] N=1,100	-0.016 [0.063] N=981	-0.047 [0.072] N=841	-0.082 [0.085] N=696
Above-normal height HAZ above +3	0.061 P=71	-0.008 [0.030] N=1,206	-0.019 [0.032] N=1,119	-0.005 [0.035] N=998	0.024 [0.038] N=859	0.015 [0.041] N=715
Above-normal weight WAZ above +1	0.172 P=237	0.026 [0.042] N=1,405	0.043 [0.045] N=1,302	0.047 [0.047] N=1,163	0.051 [0.050] N=996	0.023 [0.055] N=822
Above-normal WHZ above +1	0.362 P=434	0.049 [0.052] N=1,200	0.056 [0.055] N=1,111	0.072 [0.056] N=993	0.073 [0.060] N=854	0.088 [0.066] N=705
Above-normal BMIZ above +1	0.376 P=444	0.055 [0.052] N=1,186	0.065 [0.055] N=1,100	0.060 [0.059] N=981	0.053 [0.065] N=841	0.075 [0.078] N=696

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.068 [0.065] N=1,016	0.064 [0.071] N=929	0.067 [0.082] N=808	0.123 [0.093] N=669	0.118 [0.112] N=525
Not underweight WAZ at least -2	**-0.122*** [0.042] N=1,189**	**-0.102** [0.046] N=1,086**	-0.072 [0.053] N=947	-0.095 [0.060] N=780	-0.125 [0.081] N=606
Neither wasted nor overweight WHZ -2 to +2	0.076 [0.065] N=1,010	0.049 [0.071] N=921	0.100 [0.072] N=803	0.094 [0.098] N=664	**0.269** [0.103] N=515**
Neither low nor high BMIZ -2 to +2	**0.139** [0.068] N=996**	0.122 [0.077] N=910	**0.165** [0.078] N=791**	0.145 [0.106] N=651	**0.208* [0.124] N=506**
Strict normal HAZ -2 to +3	0.116 [0.071] N=1,016	**0.140* [0.078] N=929**	0.134 [0.090] N=808	0.133 [0.102] N=669	0.176 [0.133] N=525
Strict normal WAZ -2 to +1	-0.107 [0.070] N=1,189	-0.110 [0.078] N=1,086	-0.085 [0.088] N=947	-0.108 [0.097] N=780	-0.049 [0.122] N=606
Strict normal WHZ -2 to +1	0.060 [0.074] N=1,010	0.035 [0.084] N=921	0.060 [0.085] N=803	0.044 [0.107] N=664	0.104 [0.134] N=515
Strict normal BMIZ -2 to +1	0.064 [0.065] N=996	0.043 [0.071] N=910	0.087 [0.074] N=791	0.056 [0.095] N=651	0.041 [0.120] N=506
Above-normal height HAZ above +3	-0.048 [0.039] N=1,016	**-0.075* [0.043] N=929**	-0.068 [0.051] N=808	-0.009 [0.064] N=669	-0.058 [0.076] N=525
Above-normal weight WAZ above +1	-0.015 [0.054] N=1,189	0.009 [0.062] N=1,086	0.012 [0.069] N=947	0.013 [0.077] N=780	-0.075 [0.091] N=606
Above-normal WHZ above +1	0.013 [0.076] N=1,010	0.019 [0.086] N=921	0.022 [0.090] N=803	0.018 [0.110] N=664	-0.002 [0.135] N=515
Above-normal BMIZ above +1	0.044 [0.069] N=996	0.058 [0.075] N=910	0.026 [0.082] N=791	0.006 [0.096] N=651	0.020 [0.122] N=506

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.695 P=847	0.052 [0.046] N=1,206	0.045 [0.048] N=1,119	0.037 [0.051] N=998	0.064 [0.054] N=859	0.026 [0.057] N=715
Not underweight WAZ at least -2	0.882 P=1,244	**-0.094*** [0.027] N=1,405**	**-0.082*** [0.028] N=1,302**	**-0.065** [0.030] N=1,163**	**-0.068** [0.030] N=996**	**-0.080** [0.034] N=822**
Neither wasted nor overweight WHZ -2 to +2	0.682 P=824	0.020 [0.054] N=1,200	0.001 [0.057] N=1,111	0.019 [0.061] N=993	0.008 [0.070] N=854	0.034 [0.078] N=705
Neither low nor high BMIZ -2 to +2	0.632 P=758	0.051 [0.053] N=1,186	0.030 [0.057] N=1,100	0.036 [0.060] N=981	0.009 [0.067] N=841	-0.009 [0.075] N=696
Strict normal HAZ -2 to +3	0.634 P=776	0.060 [0.052] N=1,206	0.063 [0.055] N=1,119	0.043 [0.059] N=998	0.040 [0.060] N=859	0.009 [0.068] N=715
Strict normal WAZ -2 to +1	0.710 P=1,007	**-0.114** [0.049] N=1,405**	**-0.120** [0.053] N=1,302**	**-0.107* [0.056] N=1,163**	**-0.117** [0.058] N=996**	-0.099 [0.066] N=822
Strict normal WHZ -2 to +1	0.519 P=623	-0.001 [0.057] N=1,200	-0.021 [0.061] N=1,111	-0.024 [0.062] N=993	-0.040 [0.069] N=854	-0.049 [0.078] N=705
Strict normal BMIZ -2 to +1	0.483 P=579	-0.007 [0.056] N=1,186	-0.028 [0.059] N=1,100	-0.021 [0.063] N=981	-0.049 [0.071] N=841	-0.088 [0.084] N=696
Above-normal height HAZ above +3	0.061 P=71	-0.008 [0.030] N=1,206	-0.018 [0.032] N=1,119	-0.006 [0.035] N=998	0.024 [0.037] N=859	0.018 [0.042] N=715
Above-normal weight WAZ above +1	0.172 P=237	0.019 [0.041] N=1,405	0.038 [0.044] N=1,302	0.042 [0.047] N=1,163	0.049 [0.050] N=996	0.019 [0.055] N=822
Above-normal WHZ above +1	0.362 P=434	0.049 [0.052] N=1,200	0.058 [0.056] N=1,111	0.075 [0.056] N=993	0.075 [0.060] N=854	0.091 [0.067] N=705
Above-normal BMIZ above +1	0.376 P=444	0.058 [0.052] N=1,186	0.069 [0.056] N=1,100	0.064 [0.059] N=981	0.056 [0.066] N=841	0.081 [0.080] N=696

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.068 [0.064] N=1,016	0.060 [0.071] N=929	0.059 [0.081] N=808	0.130 [0.090] N=669	0.127 [0.109] N=525
Not underweight WAZ at least -2	**-0.121*** [0.041] N=1,189**	**-0.102** [0.046] N=1,086**	-0.072 [0.052] N=947	-0.084 [0.060] N=780	-0.120 [0.081] N=606
Neither wasted nor overweight WHZ -2 to +2	0.078 [0.066] N=1,010	0.051 [0.073] N=921	0.113 [0.074] N=803	0.117 [0.101] N=664	**0.275** [0.110] N=515**
Neither low nor high BMIZ -2 to +2	**0.144** [0.070] N=996**	0.122 [0.080] N=910	**0.176** [0.081] N=791**	0.172 [0.108] N=651	**0.216* [0.126] N=506**
Strict normal HAZ -2 to +3	**0.118* [0.071] N=1,016**	**0.136* [0.077] N=929**	0.132 [0.089] N=808	0.149 [0.099] N=669	0.183 [0.132] N=525
Strict normal WAZ -2 to +1	-0.105 [0.071] N=1,189	-0.111 [0.079] N=1,086	-0.084 [0.089] N=947	-0.100 [0.099] N=780	-0.050 [0.124] N=606
Strict normal WHZ -2 to +1	0.062 [0.076] N=1,010	0.036 [0.087] N=921	0.069 [0.088] N=803	0.068 [0.112] N=664	0.108 [0.142] N=515
Strict normal BMIZ -2 to +1	0.068 [0.067] N=996	0.042 [0.074] N=910	0.098 [0.078] N=791	0.084 [0.100] N=651	0.048 [0.126] N=506
Above-normal height HAZ above +3	-0.050 [0.039] N=1,016	**-0.076* [0.042] N=929**	-0.072 [0.050] N=808	-0.019 [0.062] N=669	-0.056 [0.077] N=525
Above-normal weight WAZ above +1	-0.015 [0.054] N=1,189	0.009 [0.062] N=1,086	0.012 [0.069] N=947	0.016 [0.078] N=780	-0.070 [0.092] N=606
Above-normal WHZ above +1	0.011 [0.077] N=1,010	0.019 [0.087] N=921	0.018 [0.090] N=803	-0.000 [0.110] N=664	-0.008 [0.138] N=515
Above-normal BMIZ above +1	0.042 [0.069] N=996	0.058 [0.077] N=910	0.022 [0.083] N=791	-0.011 [0.096] N=651	0.012 [0.125] N=506

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.695 P=847	0.046 [0.046] N=1,206	0.044 [0.048] N=1,119	0.035 [0.051] N=998	0.062 [0.054] N=859	0.027 [0.056] N=715
Not underweight WAZ at least -2	0.882 P=1,244	**-0.099*** [0.027] N=1,405**	**-0.086*** [0.028] N=1,302**	**-0.073** [0.030] N=1,163**	**-0.078*** [0.029] N=996**	**-0.094*** [0.034] N=822**
Neither wasted nor overweight WHZ -2 to +2	0.682 P=824	0.018 [0.055] N=1,200	-0.003 [0.058] N=1,111	0.011 [0.062] N=993	0.001 [0.072] N=854	0.037 [0.079] N=705
Neither low nor high BMIZ -2 to +2	0.632 P=758	0.047 [0.053] N=1,186	0.027 [0.058] N=1,100	0.025 [0.060] N=981	-0.005 [0.068] N=841	-0.015 [0.077] N=696
Strict normal HAZ -2 to +3	0.634 P=776	0.051 [0.052] N=1,206	0.058 [0.056] N=1,119	0.035 [0.060] N=998	0.032 [0.061] N=859	0.000 [0.070] N=715
Strict normal WAZ -2 to +1	0.710 P=1,007	**-0.117** [0.050] N=1,405**	**-0.122** [0.053] N=1,302**	**-0.111** [0.056] N=1,163**	**-0.124** [0.058] N=996**	-0.103 [0.065] N=822
Strict normal WHZ -2 to +1	0.519 P=623	-0.001 [0.057] N=1,200	-0.022 [0.061] N=1,111	-0.031 [0.062] N=993	-0.045 [0.070] N=854	-0.044 [0.080] N=705
Strict normal BMIZ -2 to +1	0.483 P=579	-0.010 [0.056] N=1,186	-0.032 [0.059] N=1,100	-0.031 [0.063] N=981	-0.062 [0.071] N=841	-0.096 [0.084] N=696
Above-normal height HAZ above +3	0.061 P=71	-0.005 [0.030] N=1,206	-0.014 [0.033] N=1,119	-0.000 [0.036] N=998	0.030 [0.038] N=859	0.026 [0.042] N=715
Above-normal weight WAZ above +1	0.172 P=237	0.018 [0.041] N=1,405	0.036 [0.044] N=1,302	0.039 [0.047] N=1,163	0.046 [0.050] N=996	0.009 [0.055] N=822
Above-normal WHZ above +1	0.362 P=434	0.049 [0.053] N=1,200	0.058 [0.056] N=1,111	0.077 [0.057] N=993	0.075 [0.061] N=854	0.084 [0.070] N=705
Above-normal BMIZ above +1	0.376 P=444	0.057 [0.052] N=1,186	0.068 [0.056] N=1,100	0.066 [0.059] N=981	0.057 [0.066] N=841	0.075 [0.080] N=696

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.055 [0.065] N=1,016	0.054 [0.071] N=929	0.052 [0.081] N=808	0.124 [0.092] N=669	0.110 [0.110] N=525
Not underweight WAZ at least -2	**-0.124*** [0.041] N=1,189**	**-0.103** [0.045] N=1,086**	-0.075 [0.051] N=947	-0.081 [0.060] N=780	-0.122 [0.081] N=606
Neither wasted nor overweight WHZ -2 to +2	0.079 [0.066] N=1,010	0.053 [0.073] N=921	0.108 [0.073] N=803	0.103 [0.102] N=664	**0.256** [0.111] N=515**
Neither low nor high BMIZ -2 to +2	**0.143** [0.070] N=996**	0.128 [0.079] N=910	**0.172** [0.080] N=791**	0.169 [0.109] N=651	0.205 [0.127] N=506
Strict normal HAZ -2 to +3	0.106 [0.071] N=1,016	**0.132* [0.078] N=929**	0.126 [0.089] N=808	0.153 [0.100] N=669	0.183 [0.133] N=525
Strict normal WAZ -2 to +1	-0.105 [0.070] N=1,189	-0.111 [0.078] N=1,086	-0.084 [0.089] N=947	-0.096 [0.097] N=780	-0.063 [0.122] N=606
Strict normal WHZ -2 to +1	0.057 [0.076] N=1,010	0.037 [0.086] N=921	0.061 [0.087] N=803	0.046 [0.113] N=664	0.092 [0.146] N=515
Strict normal BMIZ -2 to +1	0.066 [0.067] N=996	0.049 [0.074] N=910	0.095 [0.076] N=791	0.080 [0.100] N=651	0.051 [0.127] N=506
Above-normal height HAZ above +3	-0.052 [0.039] N=1,016	**-0.078* [0.042] N=929**	-0.074 [0.051] N=808	-0.029 [0.064] N=669	-0.073 [0.077] N=525
Above-normal weight WAZ above +1	-0.019 [0.054] N=1,189	0.009 [0.061] N=1,086	0.009 [0.069] N=947	0.016 [0.076] N=780	-0.060 [0.090] N=606
Above-normal WHZ above +1	0.017 [0.077] N=1,010	0.023 [0.086] N=921	0.026 [0.090] N=803	0.019 [0.110] N=664	0.006 [0.139] N=515
Above-normal BMIZ above +1	0.048 [0.070] N=996	0.059 [0.076] N=910	0.029 [0.083] N=791	0.005 [0.096] N=651	0.024 [0.125] N=506

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.694 P=781	0.053 [0.051] N=1,111	0.052 [0.054] N=1,034	0.041 [0.057] N=920	0.057 [0.061] N=799	0.021 [0.064] N=668
Not underweight WAZ at least -2	0.881 P=1,136	**-0.078*** [0.029] N=1,285**	**-0.067** [0.030] N=1,194**	-0.050 [0.032] N=1,064	**-0.058* [0.033] N=917**	**-0.070* [0.036] N=762**
Neither wasted nor overweight WHZ -2 to +2	0.681 P=759	0.034 [0.055] N=1,105	0.013 [0.058] N=1,027	0.019 [0.063] N=917	0.008 [0.072] N=796	0.022 [0.078] N=660
Neither low nor high BMIZ -2 to +2	0.631 P=700	0.066 [0.057] N=1,093	0.050 [0.060] N=1,016	0.050 [0.064] N=906	0.024 [0.073] N=784	0.007 [0.080] N=652
Strict normal HAZ -2 to +3	0.635 P=719	0.072 [0.058] N=1,111	0.082 [0.063] N=1,034	0.054 [0.067] N=920	0.042 [0.071] N=799	0.014 [0.082] N=668
Strict normal WAZ -2 to +1	0.705 P=914	**-0.120** [0.051] N=1,285**	**-0.121** [0.054] N=1,194**	**-0.108* [0.057] N=1,064**	**-0.120** [0.059] N=917**	**-0.111* [0.067] N=762**
Strict normal WHZ -2 to +1	0.516 P=571	-0.004 [0.060] N=1,105	-0.024 [0.064] N=1,027	-0.040 [0.066] N=917	-0.049 [0.072] N=796	-0.069 [0.080] N=660
Strict normal BMIZ -2 to +1	0.482 P=535	-0.013 [0.059] N=1,093	-0.030 [0.062] N=1,016	-0.029 [0.067] N=906	-0.052 [0.075] N=784	-0.093 [0.085] N=652
Above-normal height HAZ above +3	0.059 P=62	-0.019 [0.032] N=1,111	-0.030 [0.035] N=1,034	-0.013 [0.038] N=920	0.015 [0.040] N=799	0.006 [0.044] N=668
Above-normal weight WAZ above +1	0.176 P=222	0.042 [0.043] N=1,285	0.054 [0.046] N=1,194	0.058 [0.048] N=1,064	0.062 [0.050] N=917	0.041 [0.055] N=762
Above-normal WHZ above +1	0.366 P=404	0.081 [0.054] N=1,105	0.088 [0.057] N=1,027	**0.110* [0.058] N=917**	**0.105* [0.062] N=796**	**0.135** [0.068] N=660**
Above-normal BMIZ above +1	0.378 P=411	**0.089* [0.053] N=1,093**	**0.093* [0.056] N=1,016**	0.092 [0.060] N=906	0.081 [0.065] N=784	0.117 [0.077] N=652

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.099 [0.071] N=934	0.107 [0.079] N=857	0.114 [0.089] N=743	0.171 [0.104] N=622	0.178 [0.124] N=491
Not underweight WAZ at least -2	**-0.110** [0.043] N=1,085**	**-0.093* [0.048] N=994**	-0.065 [0.054] N=864	-0.097 [0.062] N=717	**-0.142* [0.081] N=562**
Neither wasted nor overweight WHZ -2 to +2	**0.120* [0.065] N=928**	0.094 [0.071] N=850	**0.137* [0.075] N=740**	0.151 [0.101] N=619	**0.326*** [0.110] N=483**
Neither low nor high BMIZ -2 to +2	**0.182** [0.071] N=916**	**0.174** [0.077] N=839**	**0.214*** [0.081] N=729**	**0.218** [0.109] N=607**	**0.319** [0.123] N=475**
Strict normal HAZ -2 to +3	**0.158** [0.076] N=934**	**0.196** [0.082] N=857**	**0.190** [0.094] N=743**	**0.196* [0.106] N=622**	**0.257* [0.139] N=491**
Strict normal WAZ -2 to +1	-0.099 [0.072] N=1,085	-0.096 [0.079] N=994	-0.070 [0.090] N=864	-0.098 [0.101] N=717	-0.059 [0.125] N=562
Strict normal WHZ -2 to +1	0.101 [0.075] N=928	0.082 [0.085] N=850	0.099 [0.090] N=740	0.121 [0.109] N=619	0.196 [0.138] N=483
Strict normal BMIZ -2 to +1	0.091 [0.065] N=916	0.077 [0.071] N=839	0.125 [0.077] N=729	0.122 [0.097] N=607	0.140 [0.121] N=475
Above-normal height HAZ above +3	-0.059 [0.043] N=934	**-0.089* [0.046] N=857**	-0.076 [0.054] N=743	-0.025 [0.068] N=622	-0.079 [0.080] N=491
Above-normal weight WAZ above +1	-0.010 [0.056] N=1,085	0.002 [0.062] N=994	0.005 [0.071] N=864	0.001 [0.079] N=717	-0.082 [0.092] N=562
Above-normal WHZ above +1	0.011 [0.079] N=928	0.005 [0.086] N=850	0.009 [0.093] N=740	-0.016 [0.114] N=619	-0.030 [0.141] N=483
Above-normal BMIZ above +1	0.045 [0.071] N=916	0.042 [0.076] N=839	0.005 [0.084] N=729	-0.029 [0.098] N=607	-0.022 [0.127] N=475

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.694 P=781	0.052 [0.050] N=1,111	0.051 [0.053] N=1,034	0.040 [0.056] N=920	0.059 [0.060] N=799	0.024 [0.062] N=668
Not underweight WAZ at least -2	0.881 P=1,136	**-0.077*** [0.029] N=1,285**	**-0.066** [0.030] N=1,194**	-0.050 [0.032] N=1,064	**-0.061* [0.033] N=917**	**-0.070* [0.037] N=762**
Neither wasted nor overweight WHZ -2 to +2	0.681 P=759	0.031 [0.055] N=1,105	0.011 [0.058] N=1,027	0.021 [0.063] N=917	0.015 [0.072] N=796	0.035 [0.078] N=660
Neither low nor high BMIZ -2 to +2	0.631 P=700	0.063 [0.056] N=1,093	0.049 [0.060] N=1,016	0.053 [0.064] N=906	0.031 [0.072] N=784	0.014 [0.079] N=652
Strict normal HAZ -2 to +3	0.635 P=719	0.069 [0.057] N=1,111	0.079 [0.062] N=1,034	0.053 [0.066] N=920	0.046 [0.069] N=799	0.021 [0.078] N=668
Strict normal WAZ -2 to +1	0.705 P=914	**-0.121** [0.051] N=1,285**	**-0.122** [0.053] N=1,194**	**-0.110* [0.057] N=1,064**	**-0.122** [0.059] N=917**	-0.108 [0.067] N=762
Strict normal WHZ -2 to +1	0.516 P=571	-0.006 [0.059] N=1,105	-0.026 [0.063] N=1,027	-0.037 [0.066] N=917	-0.042 [0.072] N=796	-0.055 [0.080] N=660
Strict normal BMIZ -2 to +1	0.482 P=535	-0.019 [0.059] N=1,093	-0.034 [0.062] N=1,016	-0.029 [0.067] N=906	-0.048 [0.075] N=784	-0.084 [0.085] N=652
Above-normal height HAZ above +3	0.059 P=62	-0.018 [0.032] N=1,111	-0.028 [0.034] N=1,034	-0.013 [0.037] N=920	0.013 [0.040] N=799	0.003 [0.043] N=668
Above-normal weight WAZ above +1	0.176 P=222	0.044 [0.043] N=1,285	0.056 [0.046] N=1,194	0.059 [0.048] N=1,064	0.061 [0.051] N=917	0.038 [0.056] N=762
Above-normal WHZ above +1	0.366 P=404	0.081 [0.053] N=1,105	0.087 [0.057] N=1,027	**0.106* [0.058] N=917**	0.096 [0.061] N=796	**0.122* [0.067] N=660**
Above-normal BMIZ above +1	0.378 P=411	**0.091* [0.053] N=1,093**	**0.094* [0.056] N=1,016**	0.091 [0.059] N=906	0.075 [0.064] N=784	0.107 [0.075] N=652

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.089 [0.071] N=934	0.096 [0.078] N=857	0.105 [0.089] N=743	0.162 [0.104] N=622	0.175 [0.123] N=491
Not underweight WAZ at least -2	**-0.106** [0.044] N=1,085**	**-0.088* [0.048] N=994**	-0.061 [0.054] N=864	-0.098 [0.062] N=717	-0.131 [0.083] N=562
Neither wasted nor overweight WHZ -2 to +2	**0.108* [0.064] N=928**	0.082 [0.070] N=850	**0.129* [0.074] N=740**	0.152 [0.099] N=619	**0.335*** [0.104] N=483**
Neither low nor high BMIZ -2 to +2	**0.164** [0.071] N=916**	**0.159** [0.078] N=839**	**0.203** [0.081] N=729**	**0.217** [0.109] N=607**	**0.309** [0.122] N=475**
Strict normal HAZ -2 to +3	**0.143* [0.076] N=934**	**0.177** [0.082] N=857**	**0.176* [0.094] N=743**	**0.183* [0.107] N=622**	**0.247* [0.137] N=491**
Strict normal WAZ -2 to +1	-0.100 [0.072] N=1,085	-0.095 [0.079] N=994	-0.070 [0.090] N=864	-0.098 [0.100] N=717	-0.043 [0.128] N=562
Strict normal WHZ -2 to +1	0.087 [0.074] N=928	0.068 [0.084] N=850	0.091 [0.089] N=740	0.123 [0.108] N=619	0.211 [0.136] N=483
Strict normal BMIZ -2 to +1	0.070 [0.066] N=916	0.059 [0.072] N=839	0.112 [0.078] N=729	0.118 [0.098] N=607	0.139 [0.120] N=475
Above-normal height HAZ above +3	-0.054 [0.043] N=934	**-0.082* [0.046] N=857**	-0.071 [0.054] N=743	-0.021 [0.068] N=622	-0.072 [0.079] N=491
Above-normal weight WAZ above +1	-0.005 [0.056] N=1,085	0.007 [0.062] N=994	0.008 [0.071] N=864	-0.001 [0.080] N=717	-0.088 [0.095] N=562
Above-normal WHZ above +1	0.021 [0.078] N=928	0.018 [0.087] N=850	0.016 [0.093] N=740	-0.020 [0.114] N=619	-0.045 [0.141] N=483
Above-normal BMIZ above +1	0.057 [0.071] N=916	0.054 [0.076] N=839	0.014 [0.083] N=729	-0.028 [0.097] N=607	-0.024 [0.125] N=475

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=740	-0.050 [0.069] N=1,040	-0.053 [0.070] N=933	-0.029 [0.075] N=815	-0.033 [0.083] N=689	-0.008 [0.092] N=560
Not underweight WAZ at least -2	0.882 P=1,066	-0.018 [0.037] N=1,203	-0.022 [0.039] N=1,085	-0.046 [0.041] N=947	-0.037 [0.044] N=799	-0.023 [0.047] N=647
Neither wasted nor overweight WHZ -2 to +2	0.679 P=710	-0.031 [0.059] N=1,040	-0.057 [0.062] N=937	-0.052 [0.066] N=818	-0.014 [0.069] N=691	-0.009 [0.078] N=560
Neither low nor high BMIZ -2 to +2	0.635 P=654	-0.072 [0.061] N=1,025	-0.103 [0.065] N=924	-0.072 [0.071] N=805	-0.032 [0.073] N=680	-0.039 [0.078] N=554
Strict normal HAZ -2 to +3	0.646 P=676	-0.081 [0.067] N=1,040	-0.091 [0.068] N=933	-0.071 [0.071] N=815	-0.061 [0.079] N=689	-0.042 [0.088] N=560
Strict normal WAZ -2 to +1	0.706 P=854	0.006 [0.059] N=1,203	-0.018 [0.060] N=1,085	-0.048 [0.064] N=947	-0.050 [0.070] N=799	-0.065 [0.074] N=647
Strict normal WHZ -2 to +1	0.508 P=525	-0.070 [0.056] N=1,040	**-0.108* [0.059] N=937**	-0.100 [0.064] N=818	-0.060 [0.070] N=691	-0.075 [0.083] N=560
Strict normal BMIZ -2 to +1	0.486 P=498	-0.028 [0.066] N=1,025	-0.061 [0.069] N=924	-0.005 [0.077] N=805	0.036 [0.083] N=680	0.007 [0.090] N=554
Above-normal height HAZ above +3	0.063 P=64	0.032 [0.026] N=1,040	0.038 [0.027] N=933	0.042 [0.029] N=815	0.028 [0.032] N=689	0.034 [0.037] N=560
Above-normal weight WAZ above +1	0.177 P=212	-0.024 [0.044] N=1,203	-0.004 [0.046] N=1,085	0.002 [0.049] N=947	0.013 [0.055] N=799	0.042 [0.059] N=647
Above-normal WHZ above +1	0.373 P=392	0.057 [0.064] N=1,040	0.077 [0.068] N=937	0.048 [0.074] N=818	0.059 [0.078] N=691	0.073 [0.091] N=560
Above-normal BMIZ above +1	0.373 P=384	0.031 [0.063] N=1,025	0.054 [0.065] N=924	0.008 [0.071] N=805	0.014 [0.079] N=680	0.031 [0.087] N=554

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.081 [0.101] N=906	-0.095 [0.104] N=799	-0.051 [0.116] N=681	-0.080 [0.140] N=555	-0.033 [0.165] N=426
Not underweight WAZ at least -2	-0.002 [0.059] N=1,048	-0.012 [0.065] N=930	-0.057 [0.072] N=792	-0.052 [0.081] N=644	-0.014 [0.092] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.069 [0.081] N=905	-0.108 [0.089] N=802	-0.107 [0.097] N=683	-0.057 [0.110] N=556	-0.056 [0.143] N=425
Neither low nor high BMIZ -2 to +2	-0.067 [0.086] N=896	-0.109 [0.096] N=795	-0.030 [0.109] N=676	0.060 [0.119] N=551	0.086 [0.142] N=425
Strict normal HAZ -2 to +3	-0.105 [0.098] N=906	-0.127 [0.102] N=799	-0.092 [0.113] N=681	-0.097 [0.137] N=555	-0.065 [0.169] N=426
Strict normal WAZ -2 to +1	0.097 [0.084] N=1,048	0.069 [0.088] N=930	0.031 [0.098] N=792	0.046 [0.113] N=644	0.046 [0.122] N=492
Strict normal WHZ -2 to +1	-0.038 [0.080] N=905	-0.099 [0.086] N=802	-0.065 [0.097] N=683	0.054 [0.110] N=556	0.058 [0.142] N=425
Strict normal BMIZ -2 to +1	0.004 [0.100] N=896	-0.048 [0.108] N=795	0.075 [0.128] N=676	0.202 [0.146] N=551	0.175 [0.169] N=425
Above-normal height HAZ above +3	0.024 [0.040] N=906	0.032 [0.043] N=799	0.041 [0.051] N=681	0.017 [0.060] N=555	0.033 [0.077] N=426
Above-normal weight WAZ above +1	-0.099 [0.062] N=1,048	-0.080 [0.066] N=930	-0.089 [0.074] N=792	-0.098 [0.086] N=644	-0.060 [0.096] N=492
Above-normal WHZ above +1	-0.015 [0.088] N=905	0.012 [0.095] N=802	-0.063 [0.106] N=683	-0.094 [0.117] N=556	-0.127 [0.142] N=425
Above-normal BMIZ above +1	-0.020 [0.091] N=896	0.014 [0.096] N=795	-0.078 [0.111] N=676	-0.097 [0.132] N=551	-0.077 [0.146] N=425

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=740	-0.047 [0.069] N=1,040	-0.051 [0.070] N=933	-0.028 [0.075] N=815	-0.032 [0.083] N=689	-0.008 [0.092] N=560
Not underweight WAZ at least -2	0.882 P=1,066	-0.017 [0.037] N=1,203	-0.021 [0.039] N=1,085	-0.045 [0.040] N=947	-0.037 [0.044] N=799	-0.023 [0.047] N=647
Neither wasted nor overweight WHZ -2 to +2	0.679 P=710	-0.026 [0.059] N=1,040	-0.050 [0.062] N=937	-0.044 [0.067] N=818	-0.007 [0.070] N=691	-0.001 [0.080] N=560
Neither low nor high BMIZ -2 to +2	0.635 P=654	-0.071 [0.061] N=1,025	-0.099 [0.065] N=924	-0.068 [0.071] N=805	-0.031 [0.073] N=680	-0.038 [0.079] N=554
Strict normal HAZ -2 to +3	0.646 P=676	-0.078 [0.067] N=1,040	-0.087 [0.068] N=933	-0.067 [0.071] N=815	-0.058 [0.079] N=689	-0.040 [0.089] N=560
Strict normal WAZ -2 to +1	0.706 P=854	0.009 [0.059] N=1,203	-0.015 [0.061] N=1,085	-0.044 [0.064] N=947	-0.048 [0.070] N=799	-0.062 [0.074] N=647
Strict normal WHZ -2 to +1	0.508 P=525	-0.067 [0.057] N=1,040	**-0.103* [0.060] N=937**	-0.094 [0.065] N=818	-0.057 [0.071] N=691	-0.071 [0.086] N=560
Strict normal BMIZ -2 to +1	0.486 P=498	-0.025 [0.066] N=1,025	-0.057 [0.069] N=924	-0.001 [0.078] N=805	0.038 [0.083] N=680	0.009 [0.091] N=554
Above-normal height HAZ above +3	0.063 P=64	0.030 [0.026] N=1,040	0.036 [0.027] N=933	0.040 [0.029] N=815	0.026 [0.032] N=689	0.032 [0.037] N=560
Above-normal weight WAZ above +1	0.177 P=212	-0.026 [0.044] N=1,203	-0.006 [0.045] N=1,085	-0.001 [0.049] N=947	0.011 [0.054] N=799	0.040 [0.058] N=647
Above-normal WHZ above +1	0.373 P=392	0.057 [0.064] N=1,040	0.076 [0.068] N=937	0.046 [0.074] N=818	0.059 [0.078] N=691	0.074 [0.092] N=560
Above-normal BMIZ above +1	0.373 P=384	0.029 [0.063] N=1,025	0.052 [0.065] N=924	0.005 [0.072] N=805	0.013 [0.080] N=680	0.030 [0.088] N=554

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.077 [0.101] N=906	-0.093 [0.104] N=799	-0.053 [0.115] N=681	-0.085 [0.140] N=555	-0.041 [0.165] N=426
Not underweight WAZ at least -2	-0.001 [0.059] N=1,048	-0.010 [0.066] N=930	-0.056 [0.072] N=792	-0.052 [0.082] N=644	-0.013 [0.093] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.061 [0.081] N=905	-0.095 [0.089] N=802	-0.088 [0.097] N=683	-0.032 [0.111] N=556	-0.025 [0.145] N=425
Neither low nor high BMIZ -2 to +2	-0.064 [0.086] N=896	-0.102 [0.096] N=795	-0.021 [0.107] N=676	0.064 [0.119] N=551	0.091 [0.142] N=425
Strict normal HAZ -2 to +3	-0.098 [0.098] N=906	-0.118 [0.101] N=799	-0.086 [0.112] N=681	-0.091 [0.136] N=555	-0.060 [0.167] N=426
Strict normal WAZ -2 to +1	0.099 [0.085] N=1,048	0.070 [0.089] N=930	0.034 [0.099] N=792	0.043 [0.114] N=644	0.040 [0.121] N=492
Strict normal WHZ -2 to +1	-0.032 [0.081] N=905	-0.090 [0.086] N=802	-0.052 [0.097] N=683	0.067 [0.110] N=556	0.075 [0.142] N=425
Strict normal BMIZ -2 to +1	0.009 [0.100] N=896	-0.041 [0.108] N=795	0.082 [0.128] N=676	0.206 [0.145] N=551	0.178 [0.169] N=425
Above-normal height HAZ above +3	0.020 [0.040] N=906	0.026 [0.043] N=799	0.033 [0.051] N=681	0.006 [0.059] N=555	0.018 [0.075] N=426
Above-normal weight WAZ above +1	-0.100 [0.062] N=1,048	-0.081 [0.066] N=930	-0.090 [0.074] N=792	-0.094 [0.084] N=644	-0.053 [0.093] N=492
Above-normal WHZ above +1	-0.015 [0.089] N=905	0.011 [0.096] N=802	-0.066 [0.107] N=683	-0.094 [0.118] N=556	-0.123 [0.145] N=425
Above-normal BMIZ above +1	-0.021 [0.092] N=896	0.012 [0.097] N=795	-0.080 [0.112] N=676	-0.096 [0.132] N=551	-0.069 [0.149] N=425

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=740	-0.045 [0.068] N=1,040	-0.045 [0.069] N=933	-0.016 [0.073] N=815	-0.019 [0.081] N=689	0.002 [0.089] N=560
Not underweight WAZ at least -2	0.882 P=1,066	-0.018 [0.035] N=1,203	-0.022 [0.037] N=1,085	-0.042 [0.039] N=947	-0.035 [0.041] N=799	-0.022 [0.042] N=647
Neither wasted nor overweight WHZ -2 to +2	0.679 P=710	-0.025 [0.060] N=1,040	-0.050 [0.064] N=937	-0.036 [0.069] N=818	0.002 [0.072] N=691	0.001 [0.081] N=560
Neither low nor high BMIZ -2 to +2	0.635 P=654	-0.070 [0.061] N=1,025	-0.099 [0.065] N=924	-0.060 [0.071] N=805	-0.024 [0.074] N=680	-0.036 [0.079] N=554
Strict normal HAZ -2 to +3	0.646 P=676	-0.076 [0.066] N=1,040	-0.081 [0.068] N=933	-0.054 [0.071] N=815	-0.045 [0.079] N=689	-0.030 [0.087] N=560
Strict normal WAZ -2 to +1	0.706 P=854	0.008 [0.058] N=1,203	-0.017 [0.059] N=1,085	-0.043 [0.063] N=947	-0.046 [0.068] N=799	-0.061 [0.070] N=647
Strict normal WHZ -2 to +1	0.508 P=525	-0.067 [0.057] N=1,040	**-0.102* [0.060] N=937**	-0.093 [0.066] N=818	-0.058 [0.071] N=691	-0.074 [0.085] N=560
Strict normal BMIZ -2 to +1	0.486 P=498	-0.025 [0.066] N=1,025	-0.058 [0.069] N=924	0.002 [0.078] N=805	0.038 [0.083] N=680	0.008 [0.089] N=554
Above-normal height HAZ above +3	0.063 P=64	0.030 [0.026] N=1,040	0.036 [0.027] N=933	0.038 [0.030] N=815	0.026 [0.033] N=689	0.033 [0.039] N=560
Above-normal weight WAZ above +1	0.177 P=212	-0.026 [0.045] N=1,203	-0.005 [0.046] N=1,085	0.001 [0.050] N=947	0.011 [0.055] N=799	0.039 [0.059] N=647
Above-normal WHZ above +1	0.373 P=392	0.057 [0.064] N=1,040	0.075 [0.068] N=937	0.048 [0.074] N=818	0.062 [0.077] N=691	0.077 [0.091] N=560
Above-normal BMIZ above +1	0.373 P=384	0.030 [0.063] N=1,025	0.051 [0.065] N=924	0.007 [0.071] N=805	0.016 [0.079] N=680	0.034 [0.086] N=554

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.086 [0.099] N=906	-0.094 [0.102] N=799	-0.052 [0.113] N=681	-0.092 [0.138] N=555	-0.061 [0.165] N=426
Not underweight WAZ at least -2	-0.008 [0.057] N=1,048	-0.020 [0.063] N=930	-0.056 [0.070] N=792	-0.057 [0.080] N=644	-0.029 [0.088] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.068 [0.084] N=905	-0.108 [0.091] N=802	-0.085 [0.101] N=683	-0.033 [0.115] N=556	-0.032 [0.149] N=425
Neither low nor high BMIZ -2 to +2	-0.075 [0.085] N=896	-0.119 [0.095] N=795	-0.019 [0.105] N=676	0.061 [0.117] N=551	0.080 [0.141] N=425
Strict normal HAZ -2 to +3	-0.107 [0.097] N=906	-0.121 [0.100] N=799	-0.086 [0.111] N=681	-0.100 [0.134] N=555	-0.087 [0.164] N=426
Strict normal WAZ -2 to +1	0.099 [0.083] N=1,048	0.064 [0.086] N=930	0.033 [0.098] N=792	0.039 [0.111] N=644	0.030 [0.114] N=492
Strict normal WHZ -2 to +1	-0.036 [0.081] N=905	-0.097 [0.087] N=802	-0.054 [0.097] N=683	0.065 [0.111] N=556	0.066 [0.145] N=425
Strict normal BMIZ -2 to +1	0.005 [0.099] N=896	-0.049 [0.107] N=795	0.081 [0.127] N=676	0.205 [0.144] N=551	0.171 [0.169] N=425
Above-normal height HAZ above +3	0.021 [0.040] N=906	0.027 [0.042] N=799	0.034 [0.052] N=681	0.008 [0.059] N=555	0.026 [0.075] N=426
Above-normal weight WAZ above +1	**-0.107* [0.062] N=1,048**	-0.084 [0.066] N=930	-0.089 [0.075] N=792	-0.097 [0.085] N=644	-0.059 [0.093] N=492
Above-normal WHZ above +1	-0.016 [0.089] N=905	0.010 [0.096] N=802	-0.064 [0.106] N=683	-0.093 [0.118] N=556	-0.118 [0.149] N=425
Above-normal BMIZ above +1	-0.021 [0.092] N=896	0.011 [0.097] N=795	-0.078 [0.111] N=676	-0.096 [0.131] N=551	-0.066 [0.150] N=425

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=740	-0.046 [0.068] N=1,040	-0.046 [0.069] N=933	-0.019 [0.073] N=815	-0.026 [0.080] N=689	-0.009 [0.089] N=560
Not underweight WAZ at least -2	0.882 P=1,066	-0.018 [0.035] N=1,203	-0.022 [0.037] N=1,085	-0.042 [0.039] N=947	-0.036 [0.042] N=799	-0.025 [0.044] N=647
Neither wasted nor overweight WHZ -2 to +2	0.679 P=710	-0.023 [0.060] N=1,040	-0.048 [0.063] N=937	-0.043 [0.068] N=818	-0.005 [0.072] N=691	-0.002 [0.080] N=560
Neither low nor high BMIZ -2 to +2	0.635 P=654	-0.069 [0.061] N=1,025	-0.097 [0.066] N=924	-0.065 [0.071] N=805	-0.029 [0.073] N=680	-0.038 [0.077] N=554
Strict normal HAZ -2 to +3	0.646 P=676	-0.075 [0.066] N=1,040	-0.080 [0.068] N=933	-0.056 [0.070] N=815	-0.049 [0.078] N=689	-0.033 [0.087] N=560
Strict normal WAZ -2 to +1	0.706 P=854	0.009 [0.058] N=1,203	-0.017 [0.060] N=1,085	-0.045 [0.064] N=947	-0.049 [0.070] N=799	-0.066 [0.073] N=647
Strict normal WHZ -2 to +1	0.508 P=525	-0.065 [0.057] N=1,040	**-0.102* [0.060] N=937**	-0.097 [0.065] N=818	-0.057 [0.069] N=691	-0.075 [0.082] N=560
Strict normal BMIZ -2 to +1	0.486 P=498	-0.020 [0.066] N=1,025	-0.052 [0.069] N=924	0.002 [0.077] N=805	0.039 [0.082] N=680	0.008 [0.088] N=554
Above-normal height HAZ above +3	0.063 P=64	0.029 [0.027] N=1,040	0.034 [0.028] N=933	0.037 [0.029] N=815	0.023 [0.032] N=689	0.025 [0.038] N=560
Above-normal weight WAZ above +1	0.177 P=212	-0.027 [0.044] N=1,203	-0.005 [0.046] N=1,085	0.003 [0.049] N=947	0.013 [0.054] N=799	0.041 [0.057] N=647
Above-normal WHZ above +1	0.373 P=392	0.057 [0.064] N=1,040	0.075 [0.068] N=937	0.048 [0.074] N=818	0.062 [0.077] N=691	0.083 [0.090] N=560
Above-normal BMIZ above +1	0.373 P=384	0.029 [0.063] N=1,025	0.050 [0.066] N=924	0.007 [0.072] N=805	0.017 [0.079] N=680	0.041 [0.087] N=554

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.086 [0.097] N=906	-0.093 [0.100] N=799	-0.042 [0.112] N=681	-0.082 [0.137] N=555	-0.059 [0.163] N=426
Not underweight WAZ at least -2	-0.003 [0.056] N=1,048	-0.014 [0.062] N=930	-0.048 [0.071] N=792	-0.049 [0.079] N=644	-0.016 [0.090] N=492
Neither wasted nor overweight WHZ -2 to +2	-0.063 [0.083] N=905	-0.097 [0.091] N=802	-0.083 [0.099] N=683	-0.030 [0.115] N=556	-0.032 [0.146] N=425
Neither low nor high BMIZ -2 to +2	-0.070 [0.087] N=896	-0.108 [0.097] N=795	-0.018 [0.109] N=676	0.058 [0.120] N=551	0.080 [0.140] N=425
Strict normal HAZ -2 to +3	-0.108 [0.095] N=906	-0.120 [0.098] N=799	-0.078 [0.110] N=681	-0.097 [0.135] N=555	-0.086 [0.165] N=426
Strict normal WAZ -2 to +1	0.103 [0.084] N=1,048	0.071 [0.088] N=930	0.039 [0.099] N=792	0.047 [0.113] N=644	0.042 [0.119] N=492
Strict normal WHZ -2 to +1	-0.037 [0.081] N=905	-0.094 [0.087] N=802	-0.055 [0.097] N=683	0.060 [0.110] N=556	0.064 [0.138] N=425
Strict normal BMIZ -2 to +1	0.004 [0.100] N=896	-0.045 [0.108] N=795	0.081 [0.128] N=676	0.200 [0.145] N=551	0.176 [0.166] N=425
Above-normal height HAZ above +3	0.022 [0.041] N=906	0.026 [0.043] N=799	0.035 [0.053] N=681	0.015 [0.059] N=555	0.027 [0.073] N=426
Above-normal weight WAZ above +1	**-0.106* [0.063] N=1,048**	-0.085 [0.066] N=930	-0.087 [0.076] N=792	-0.096 [0.087] N=644	-0.058 [0.095] N=492
Above-normal WHZ above +1	-0.014 [0.089] N=905	0.010 [0.097] N=802	-0.068 [0.108] N=683	-0.095 [0.117] N=556	-0.117 [0.145] N=425
Above-normal BMIZ above +1	-0.018 [0.091] N=896	0.013 [0.097] N=795	-0.077 [0.112] N=676	-0.092 [0.131] N=551	-0.067 [0.147] N=425

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=680	-0.045 [0.074] N=954	-0.051 [0.077] N=856	-0.013 [0.080] N=753	-0.010 [0.086] N=634	0.008 [0.095] N=518
Not underweight WAZ at least -2	0.880 P=969	-0.016 [0.040] N=1,097	-0.020 [0.043] N=988	-0.043 [0.044] N=869	-0.043 [0.047] N=734	-0.035 [0.051] N=599
Neither wasted nor overweight WHZ -2 to +2	0.678 P=650	-0.033 [0.062] N=954	-0.059 [0.065] N=860	-0.041 [0.070] N=754	0.011 [0.072] N=636	0.015 [0.083] N=519
Neither low nor high BMIZ -2 to +2	0.636 P=603	-0.074 [0.064] N=941	-0.111 [0.068] N=849	-0.057 [0.072] N=744	-0.011 [0.075] N=628	-0.029 [0.080] N=515
Strict normal HAZ -2 to +3	0.648 P=624	-0.078 [0.073] N=954	-0.096 [0.075] N=856	-0.061 [0.077] N=753	-0.039 [0.085] N=634	-0.036 [0.095] N=518
Strict normal WAZ -2 to +1	0.700 P=773	0.005 [0.062] N=1,097	-0.018 [0.065] N=988	-0.028 [0.068] N=869	-0.030 [0.074] N=734	-0.050 [0.075] N=599
Strict normal WHZ -2 to +1	0.508 P=481	-0.088 [0.060] N=954	**-0.129** [0.063] N=860**	-0.102 [0.067] N=754	-0.053 [0.074] N=636	-0.070 [0.089] N=519
Strict normal BMIZ -2 to +1	0.489 P=461	-0.050 [0.070] N=941	-0.089 [0.074] N=849	-0.008 [0.080] N=744	0.034 [0.085] N=628	0.004 [0.095] N=515
Above-normal height HAZ above +3	0.061 P=56	0.033 [0.029] N=954	0.045 [0.030] N=856	0.048 [0.032] N=753	0.029 [0.036] N=634	0.043 [0.042] N=518
Above-normal weight WAZ above +1	0.179 P=196	-0.021 [0.044] N=1,097	-0.001 [0.046] N=988	-0.015 [0.050] N=869	-0.012 [0.054] N=734	0.015 [0.055] N=599
Above-normal WHZ above +1	0.373 P=361	0.081 [0.066] N=954	0.104 [0.071] N=860	0.056 [0.076] N=754	0.056 [0.079] N=636	0.063 [0.091] N=519
Above-normal BMIZ above +1	0.371 P=352	0.050 [0.065] N=941	0.078 [0.069] N=849	0.009 [0.074] N=744	0.007 [0.081] N=628	0.012 [0.090] N=515

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.085 [0.111] N=829	-0.103 [0.118] N=731	-0.042 [0.127] N=628	-0.057 [0.151] N=509	0.001 [0.178] N=393
Not underweight WAZ at least -2	0.012 [0.063] N=954	0.004 [0.070] N=845	-0.037 [0.077] N=726	-0.045 [0.090] N=591	0.004 [0.101] N=456
Neither wasted nor overweight WHZ -2 to +2	-0.070 [0.084] N=829	-0.108 [0.093] N=735	-0.082 [0.105] N=629	0.013 [0.118] N=511	0.032 [0.157] N=394
Neither low nor high BMIZ -2 to +2	-0.096 [0.088] N=820	-0.152 [0.098] N=728	-0.035 [0.108] N=623	0.061 [0.118] N=507	0.049 [0.134] N=394
Strict normal HAZ -2 to +3	-0.110 [0.109] N=829	-0.143 [0.115] N=731	-0.088 [0.124] N=628	-0.052 [0.149] N=509	-0.027 [0.184] N=393
Strict normal WAZ -2 to +1	0.100 [0.091] N=954	0.073 [0.097] N=845	0.072 [0.106] N=726	0.078 [0.126] N=591	0.087 [0.131] N=456
Strict normal WHZ -2 to +1	-0.064 [0.086] N=829	-0.135 [0.093] N=735	-0.060 [0.104] N=629	0.080 [0.115] N=511	0.090 [0.153] N=394
Strict normal BMIZ -2 to +1	-0.047 [0.105] N=820	-0.114 [0.113] N=728	0.047 [0.130] N=623	0.160 [0.141] N=507	0.124 [0.162] N=394
Above-normal height HAZ above +3	0.025 [0.041] N=829	0.040 [0.043] N=731	0.046 [0.052] N=628	-0.005 [0.058] N=509	0.029 [0.073] N=393
Above-normal weight WAZ above +1	-0.088 [0.063] N=954	-0.069 [0.068] N=845	-0.109 [0.077] N=726	-0.122 [0.087] N=591	-0.082 [0.099] N=456
Above-normal WHZ above +1	0.025 [0.095] N=829	0.067 [0.104] N=735	-0.041 [0.114] N=629	-0.083 [0.123] N=511	-0.127 [0.154] N=394
Above-normal BMIZ above +1	0.027 [0.095] N=820	0.079 [0.100] N=728	-0.046 [0.114] N=623	-0.057 [0.126] N=507	-0.045 [0.141] N=394

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.709 P=680	-0.048 [0.074] N=954	-0.052 [0.077] N=856	-0.014 [0.080] N=753	-0.009 [0.086] N=634	0.012 [0.095] N=518
Not underweight WAZ at least -2	0.880 P=969	-0.013 [0.039] N=1,097	-0.018 [0.042] N=988	-0.039 [0.043] N=869	-0.038 [0.046] N=734	-0.030 [0.049] N=599
Neither wasted nor overweight WHZ -2 to +2	0.678 P=650	-0.027 [0.061] N=954	-0.052 [0.064] N=860	-0.032 [0.069] N=754	0.021 [0.071] N=636	0.023 [0.082] N=519
Neither low nor high BMIZ -2 to +2	0.636 P=603	-0.078 [0.063] N=941	**-0.111* [0.067] N=849**	-0.056 [0.071] N=744	-0.009 [0.073] N=628	-0.022 [0.078] N=515
Strict normal HAZ -2 to +3	0.648 P=624	-0.079 [0.071] N=954	-0.095 [0.074] N=856	-0.060 [0.075] N=753	-0.036 [0.083] N=634	-0.029 [0.093] N=518
Strict normal WAZ -2 to +1	0.700 P=773	0.011 [0.062] N=1,097	-0.012 [0.064] N=988	-0.023 [0.067] N=869	-0.028 [0.073] N=734	-0.047 [0.074] N=599
Strict normal WHZ -2 to +1	0.508 P=481	-0.084 [0.059] N=954	**-0.123* [0.063] N=860**	-0.093 [0.067] N=754	-0.043 [0.073] N=636	-0.058 [0.090] N=519
Strict normal BMIZ -2 to +1	0.489 P=461	-0.050 [0.069] N=941	-0.089 [0.073] N=849	-0.007 [0.079] N=744	0.033 [0.084] N=628	0.008 [0.093] N=515
Above-normal height HAZ above +3	0.061 P=56	0.032 [0.029] N=954	0.043 [0.030] N=856	0.047 [0.032] N=753	0.027 [0.036] N=634	0.041 [0.042] N=518
Above-normal weight WAZ above +1	0.179 P=196	-0.025 [0.044] N=1,097	-0.006 [0.046] N=988	-0.016 [0.049] N=869	-0.011 [0.053] N=734	0.018 [0.054] N=599
Above-normal WHZ above +1	0.373 P=361	0.080 [0.066] N=954	0.102 [0.071] N=860	0.052 [0.076] N=754	0.052 [0.079] N=636	0.057 [0.093] N=519
Above-normal BMIZ above +1	0.371 P=352	0.052 [0.065] N=941	0.081 [0.068] N=849	0.011 [0.074] N=744	0.011 [0.081] N=628	0.014 [0.090] N=515

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.088 [0.111] N=829	-0.104 [0.117] N=731	-0.042 [0.126] N=628	-0.056 [0.149] N=509	0.001 [0.176] N=393
Not underweight WAZ at least -2	0.013 [0.063] N=954	0.005 [0.070] N=845	-0.034 [0.077] N=726	-0.043 [0.089] N=591	-0.004 [0.101] N=456
Neither wasted nor overweight WHZ -2 to +2	-0.068 [0.084] N=829	-0.105 [0.092] N=735	-0.077 [0.105] N=629	0.016 [0.118] N=511	0.014 [0.158] N=394
Neither low nor high BMIZ -2 to +2	-0.104 [0.089] N=820	-0.157 [0.098] N=728	-0.040 [0.110] N=623	0.056 [0.120] N=507	0.051 [0.138] N=394
Strict normal HAZ -2 to +3	-0.113 [0.109] N=829	-0.145 [0.115] N=731	-0.089 [0.124] N=628	-0.053 [0.150] N=509	-0.026 [0.185] N=393
Strict normal WAZ -2 to +1	0.108 [0.091] N=954	0.082 [0.097] N=845	0.078 [0.106] N=726	0.079 [0.126] N=591	0.070 [0.135] N=456
Strict normal WHZ -2 to +1	-0.067 [0.085] N=829	-0.136 [0.092] N=735	-0.059 [0.103] N=629	0.083 [0.115] N=511	0.085 [0.154] N=394
Strict normal BMIZ -2 to +1	-0.051 [0.105] N=820	-0.120 [0.114] N=728	0.042 [0.131] N=623	0.148 [0.146] N=507	0.110 [0.168] N=394
Above-normal height HAZ above +3	0.025 [0.041] N=829	0.041 [0.043] N=731	0.047 [0.053] N=628	-0.003 [0.058] N=509	0.028 [0.073] N=393
Above-normal weight WAZ above +1	-0.095 [0.063] N=954	-0.077 [0.068] N=845	-0.112 [0.076] N=726	-0.122 [0.087] N=591	-0.074 [0.098] N=456
Above-normal WHZ above +1	0.023 [0.094] N=829	0.064 [0.103] N=735	-0.048 [0.113] N=629	-0.092 [0.121] N=511	-0.127 [0.149] N=394
Above-normal BMIZ above +1	0.028 [0.094] N=820	0.082 [0.101] N=728	-0.044 [0.114] N=623	-0.049 [0.128] N=507	-0.029 [0.142] N=394

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 35 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.