Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,513	0.029 [0.032] N=1,791	0.030 [0.033] N=1,655	0.037 [0.035] N=1,487	0.019 [0.036] N=1,267	0.019 [0.040] N=1,042
Vegetables consumed daily or several times weekly	0.762 P=1,365	0.023 [0.040] N=1,791	0.022 [0.042] N=1,655	0.011 [0.044] N=1,487	-0.018 [0.047] N=1,267	-0.056 [0.051] N=1,042
Meat fish or poultry consumed daily or several times weekly	0.568 P=1,020	0.047 [0.053] N=1,791	0.051 [0.056] N=1,655	0.033 [0.060] N=1,487	0.060 [0.067] N=1,267	0.048 [0.073] N=1,042
Legumes consumed daily or several times weekly	0.560 P=999	0.025 [0.050] N=1,791	0.033 [0.053] N=1,655	0.042 [0.054] N=1,487	0.092 [0.060] N=1,267	0.080 [0.068] N=1,042
Animal products consumed daily or several times weekly	0.854 P=1,527	**0.083** [0.033] N=1,791**	**0.078** [0.034] N=1,655**	0.055 [0.035] N=1,487	**0.065* [0.037] N=1,267**	0.044 [0.040] N=1,042
Sweets consumed daily or several times weekly	0.502 P=908	-0.049 [0.045] N=1,791	-0.057 [0.047] N=1,655	-0.058 [0.047] N=1,487	-0.027 [0.050] N=1,267	-0.006 [0.057] N=1,042
Snack foods consumed daily or several times weekly	0.373 P=667	0.029 [0.042] N=1,791	0.012 [0.044] N=1,655	0.010 [0.048] N=1,487	0.046 [0.052] N=1,267	0.034 [0.057] N=1,042
Packaged soft drinks consumed daily or several times weekly	0.222 P=391	0.001 [0.039] N=1,791	0.005 [0.041] N=1,655	-0.001 [0.044] N=1,487	0.019 [0.049] N=1,267	-0.013 [0.054] N=1,042
Grains consumed daily or several times weekly	0.818 P=1,466	0.035 [0.038] N=1,791	0.044 [0.039] N=1,655	0.023 [0.041] N=1,487	0.029 [0.044] N=1,267	0.009 [0.049] N=1,042

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.045] N=1,525	0.052 [0.048] N=1,389	0.067 [0.055] N=1,221	0.032 [0.066] N=1,001	0.051 [0.092] N=776
Vegetables consumed daily or several times weekly	0.050 [0.055] N=1,525	0.057 [0.060] N=1,389	0.048 [0.063] N=1,221	-0.011 [0.080] N=1,001	-0.101 [0.097] N=776
Meat fish or poultry consumed daily or several times weekly	0.011 [0.066] N=1,525	0.008 [0.071] N=1,389	-0.041 [0.076] N=1,221	-0.018 [0.096] N=1,001	-0.088 [0.113] N=776
Legumes consumed daily or several times weekly	0.007 [0.068] N=1,525	0.018 [0.074] N=1,389	0.026 [0.077] N=1,221	0.133 [0.097] N=1,001	0.104 [0.123] N=776
Animal products consumed daily or several times weekly	**0.101* [0.051] N=1,525**	**0.095* [0.056] N=1,389**	0.048 [0.062] N=1,221	0.069 [0.074] N=1,001	0.018 [0.091] N=776
Sweets consumed daily or several times weekly	-0.090 [0.060] N=1,525	-0.104 [0.065] N=1,389	-0.115 [0.070] N=1,221	-0.059 [0.079] N=1,001	-0.022 [0.107] N=776
Snack foods consumed daily or several times weekly	-0.007 [0.057] N=1,525	-0.043 [0.060] N=1,389	-0.059 [0.068] N=1,221	0.007 [0.088] N=1,001	-0.094 [0.099] N=776
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.051] N=1,525	0.001 [0.055] N=1,389	-0.008 [0.064] N=1,221	0.038 [0.080] N=1,001	-0.044 [0.099] N=776
Grains consumed daily or several times weekly	0.085 [0.060] N=1,525	**0.115* [0.065] N=1,389**	0.083 [0.074] N=1,221	0.122 [0.091] N=1,001	0.114 [0.126] N=776

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,513	0.029 [0.032] N=1,791	0.030 [0.033] N=1,655	0.037 [0.035] N=1,487	0.019 [0.036] N=1,267	0.019 [0.040] N=1,042
Vegetables consumed daily or several times weekly	0.762 P=1,365	0.023 [0.040] N=1,791	0.021 [0.042] N=1,655	0.011 [0.044] N=1,487	-0.018 [0.047] N=1,267	-0.056 [0.051] N=1,042
Meat fish or poultry consumed daily or several times weekly	0.568 P=1,020	0.047 [0.053] N=1,791	0.051 [0.056] N=1,655	0.033 [0.060] N=1,487	0.060 [0.067] N=1,267	0.048 [0.073] N=1,042
Legumes consumed daily or several times weekly	0.560 P=999	0.025 [0.050] N=1,791	0.033 [0.053] N=1,655	0.042 [0.054] N=1,487	0.091 [0.060] N=1,267	0.080 [0.069] N=1,042
Animal products consumed daily or several times weekly	0.854 P=1,527	**0.082** [0.033] N=1,791**	**0.077** [0.034] N=1,655**	0.055 [0.036] N=1,487	**0.064* [0.037] N=1,267**	0.043 [0.040] N=1,042
Sweets consumed daily or several times weekly	0.502 P=908	-0.050 [0.045] N=1,791	-0.058 [0.047] N=1,655	-0.058 [0.047] N=1,487	-0.027 [0.050] N=1,267	-0.005 [0.057] N=1,042
Snack foods consumed daily or several times weekly	0.373 P=667	0.029 [0.043] N=1,791	0.012 [0.045] N=1,655	0.010 [0.048] N=1,487	0.046 [0.053] N=1,267	0.034 [0.057] N=1,042
Packaged soft drinks consumed daily or several times weekly	0.222 P=391	0.001 [0.039] N=1,791	0.005 [0.041] N=1,655	-0.001 [0.045] N=1,487	0.019 [0.049] N=1,267	-0.012 [0.054] N=1,042
Grains consumed daily or several times weekly	0.818 P=1,466	0.035 [0.038] N=1,791	0.044 [0.039] N=1,655	0.023 [0.041] N=1,487	0.029 [0.044] N=1,267	0.009 [0.049] N=1,042

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.045] N=1,525	0.053 [0.048] N=1,389	0.068 [0.055] N=1,221	0.032 [0.066] N=1,001	0.052 [0.092] N=776
Vegetables consumed daily or several times weekly	0.050 [0.055] N=1,525	0.058 [0.060] N=1,389	0.048 [0.063] N=1,221	-0.010 [0.080] N=1,001	-0.101 [0.097] N=776
Meat fish or poultry consumed daily or several times weekly	0.011 [0.066] N=1,525	0.008 [0.071] N=1,389	-0.041 [0.076] N=1,221	-0.019 [0.096] N=1,001	-0.091 [0.112] N=776
Legumes consumed daily or several times weekly	0.007 [0.068] N=1,525	0.019 [0.074] N=1,389	0.028 [0.077] N=1,221	0.135 [0.097] N=1,001	0.106 [0.123] N=776
Animal products consumed daily or several times weekly	**0.102** [0.051] N=1,525**	**0.097* [0.056] N=1,389**	0.051 [0.063] N=1,221	0.072 [0.074] N=1,001	0.022 [0.091] N=776
Sweets consumed daily or several times weekly	-0.089 [0.060] N=1,525	-0.103 [0.065] N=1,389	-0.114 [0.069] N=1,221	-0.059 [0.079] N=1,001	-0.024 [0.107] N=776
Snack foods consumed daily or several times weekly	-0.007 [0.057] N=1,525	-0.042 [0.061] N=1,389	-0.057 [0.068] N=1,221	0.008 [0.088] N=1,001	-0.094 [0.099] N=776
Packaged soft drinks consumed daily or several times weekly	-0.010 [0.051] N=1,525	0.001 [0.055] N=1,389	-0.008 [0.064] N=1,221	0.038 [0.080] N=1,001	-0.045 [0.100] N=776
Grains consumed daily or several times weekly	0.085 [0.060] N=1,525	**0.115* [0.065] N=1,389**	0.084 [0.074] N=1,221	0.121 [0.091] N=1,001	0.110 [0.127] N=776

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,513	0.005 [0.033] N=1,791	0.005 [0.034] N=1,655	0.015 [0.036] N=1,487	-0.002 [0.037] N=1,267	-0.005 [0.040] N=1,042
Vegetables consumed daily or several times weekly	0.762 P=1,365	0.004 [0.040] N=1,791	0.000 [0.042] N=1,655	-0.008 [0.044] N=1,487	-0.034 [0.047] N=1,267	-0.078 [0.051] N=1,042
Meat fish or poultry consumed daily or several times weekly	0.568 P=1,020	0.010 [0.052] N=1,791	0.010 [0.055] N=1,655	-0.002 [0.060] N=1,487	0.028 [0.066] N=1,267	0.010 [0.073] N=1,042
Legumes consumed daily or several times weekly	0.560 P=999	0.005 [0.050] N=1,791	0.013 [0.053] N=1,655	0.024 [0.054] N=1,487	0.078 [0.060] N=1,267	0.068 [0.069] N=1,042
Animal products consumed daily or several times weekly	0.854 P=1,527	**0.067** [0.033] N=1,791**	**0.061* [0.034] N=1,655**	0.040 [0.036] N=1,487	0.052 [0.038] N=1,267	0.028 [0.041] N=1,042
Sweets consumed daily or several times weekly	0.502 P=908	-0.060 [0.045] N=1,791	-0.069 [0.047] N=1,655	-0.070 [0.048] N=1,487	-0.034 [0.050] N=1,267	-0.015 [0.057] N=1,042
Snack foods consumed daily or several times weekly	0.373 P=667	0.031 [0.042] N=1,791	0.014 [0.044] N=1,655	0.008 [0.048] N=1,487	0.047 [0.052] N=1,267	0.039 [0.057] N=1,042
Packaged soft drinks consumed daily or several times weekly	0.222 P=391	0.008 [0.038] N=1,791	0.015 [0.040] N=1,655	0.005 [0.044] N=1,487	0.025 [0.048] N=1,267	-0.003 [0.053] N=1,042
Grains consumed daily or several times weekly	0.818 P=1,466	0.027 [0.038] N=1,791	0.039 [0.039] N=1,655	0.018 [0.041] N=1,487	0.024 [0.044] N=1,267	0.007 [0.050] N=1,042

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.024 [0.048] N=1,525	0.029 [0.051] N=1,389	0.049 [0.058] N=1,221	0.027 [0.073] N=1,001	0.039 [0.104] N=776
Vegetables consumed daily or several times weekly	0.036 [0.055] N=1,525	0.039 [0.059] N=1,389	0.036 [0.062] N=1,221	-0.011 [0.080] N=1,001	-0.104 [0.098] N=776
Meat fish or poultry consumed daily or several times weekly	-0.018 [0.064] N=1,525	-0.028 [0.069] N=1,389	-0.065 [0.076] N=1,221	-0.028 [0.097] N=1,001	-0.108 [0.120] N=776
Legumes consumed daily or several times weekly	-0.008 [0.068] N=1,525	0.002 [0.074] N=1,389	0.015 [0.077] N=1,221	0.130 [0.097] N=1,001	0.101 [0.123] N=776
Animal products consumed daily or several times weekly	**0.090* [0.050] N=1,525**	0.083 [0.054] N=1,389	0.040 [0.062] N=1,221	0.075 [0.074] N=1,001	0.027 [0.089] N=776
Sweets consumed daily or several times weekly	-0.098 [0.061] N=1,525	**-0.114* [0.066] N=1,389**	**-0.124* [0.070] N=1,221**	-0.062 [0.079] N=1,001	-0.028 [0.106] N=776
Snack foods consumed daily or several times weekly	-0.008 [0.056] N=1,525	-0.042 [0.060] N=1,389	-0.062 [0.068] N=1,221	0.004 [0.086] N=1,001	-0.096 [0.099] N=776
Packaged soft drinks consumed daily or several times weekly	-0.004 [0.050] N=1,525	0.008 [0.054] N=1,389	-0.006 [0.063] N=1,221	0.039 [0.079] N=1,001	-0.043 [0.101] N=776
Grains consumed daily or several times weekly	0.078 [0.061] N=1,525	**0.110* [0.066] N=1,389**	0.079 [0.075] N=1,221	0.116 [0.092] N=1,001	0.105 [0.130] N=776

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.845 P=1,513	-0.000 [0.032] N=1,791	-0.000 [0.033] N=1,655	0.006 [0.035] N=1,487	-0.011 [0.037] N=1,267	-0.018 [0.041] N=1,042
Vegetables consumed daily or several times weekly	0.762 P=1,365	0.003 [0.040] N=1,791	0.003 [0.042] N=1,655	-0.008 [0.044] N=1,487	-0.037 [0.047] N=1,267	-0.081 [0.051] N=1,042
Meat fish or poultry consumed daily or several times weekly	0.568 P=1,020	0.006 [0.051] N=1,791	0.006 [0.053] N=1,655	-0.009 [0.058] N=1,487	0.017 [0.065] N=1,267	-0.006 [0.072] N=1,042
Legumes consumed daily or several times weekly	0.560 P=999	0.008 [0.050] N=1,791	0.016 [0.053] N=1,655	0.025 [0.054] N=1,487	0.078 [0.060] N=1,267	0.065 [0.069] N=1,042
Animal products consumed daily or several times weekly	0.854 P=1,527	**0.065* [0.033] N=1,791**	**0.060* [0.035] N=1,655**	0.039 [0.037] N=1,487	0.048 [0.039] N=1,267	0.025 [0.041] N=1,042
Sweets consumed daily or several times weekly	0.502 P=908	-0.062 [0.045] N=1,791	-0.073 [0.046] N=1,655	-0.076 [0.047] N=1,487	-0.038 [0.049] N=1,267	-0.021 [0.057] N=1,042
Snack foods consumed daily or several times weekly	0.373 P=667	0.030 [0.042] N=1,791	0.013 [0.044] N=1,655	0.006 [0.048] N=1,487	0.047 [0.052] N=1,267	0.035 [0.057] N=1,042
Packaged soft drinks consumed daily or several times weekly	0.222 P=391	0.010 [0.038] N=1,791	0.015 [0.040] N=1,655	0.006 [0.044] N=1,487	0.028 [0.048] N=1,267	0.000 [0.052] N=1,042
Grains consumed daily or several times weekly	0.818 P=1,466	0.031 [0.037] N=1,791	0.042 [0.039] N=1,655	0.021 [0.041] N=1,487	0.028 [0.044] N=1,267	0.011 [0.050] N=1,042

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.022 [0.046] N=1,525	0.029 [0.049] N=1,389	0.049 [0.055] N=1,221	0.021 [0.069] N=1,001	0.024 [0.098] N=776
Vegetables consumed daily or several times weekly	0.033 [0.055] N=1,525	0.040 [0.060] N=1,389	0.034 [0.063] N=1,221	-0.026 [0.082] N=1,001	-0.136 [0.100] N=776
Meat fish or poultry consumed daily or several times weekly	-0.022 [0.064] N=1,525	-0.029 [0.068] N=1,389	-0.068 [0.074] N=1,221	-0.048 [0.096] N=1,001	-0.149 [0.122] N=776
Legumes consumed daily or several times weekly	-0.009 [0.069] N=1,525	0.003 [0.075] N=1,389	0.015 [0.077] N=1,221	0.125 [0.099] N=1,001	0.083 [0.128] N=776
Animal products consumed daily or several times weekly	**0.091* [0.051] N=1,525**	0.086 [0.056] N=1,389	0.042 [0.063] N=1,221	0.064 [0.076] N=1,001	0.014 [0.094] N=776
Sweets consumed daily or several times weekly	-0.093 [0.061] N=1,525	**-0.110* [0.065] N=1,389**	**-0.120* [0.068] N=1,221**	-0.054 [0.078] N=1,001	-0.029 [0.105] N=776
Snack foods consumed daily or several times weekly	-0.003 [0.057] N=1,525	-0.039 [0.060] N=1,389	-0.058 [0.068] N=1,221	0.014 [0.087] N=1,001	-0.086 [0.098] N=776
Packaged soft drinks consumed daily or several times weekly	-0.001 [0.050] N=1,525	0.010 [0.055] N=1,389	-0.003 [0.064] N=1,221	0.042 [0.078] N=1,001	-0.032 [0.098] N=776
Grains consumed daily or several times weekly	0.079 [0.060] N=1,525	**0.112* [0.065] N=1,389**	0.080 [0.074] N=1,221	0.116 [0.091] N=1,001	0.101 [0.129] N=776

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=1,404	0.017 [0.034] N=1,665	0.013 [0.035] N=1,544	0.022 [0.038] N=1,385	0.010 [0.039] N=1,183	0.003 [0.042] N=975
Vegetables consumed daily or several times weekly	0.762 P=1,269	0.013 [0.043] N=1,665	0.009 [0.045] N=1,544	0.003 [0.047] N=1,385	-0.024 [0.050] N=1,183	-0.064 [0.053] N=975
Meat fish or poultry consumed daily or several times weekly	0.569 P=949	0.056 [0.052] N=1,665	0.057 [0.054] N=1,544	0.040 [0.058] N=1,385	0.054 [0.065] N=1,183	0.032 [0.069] N=975
Legumes consumed daily or several times weekly	0.557 P=923	0.030 [0.049] N=1,665	0.032 [0.052] N=1,544	0.048 [0.053] N=1,385	0.096 [0.059] N=1,183	0.080 [0.066] N=975
Animal products consumed daily or several times weekly	0.857 P=1,426	**0.084** [0.034] N=1,665**	**0.079** [0.035] N=1,544**	0.057 [0.037] N=1,385	0.055 [0.039] N=1,183	0.031 [0.042] N=975
Sweets consumed daily or several times weekly	0.505 P=848	-0.040 [0.047] N=1,665	-0.048 [0.049] N=1,544	-0.051 [0.050] N=1,385	-0.017 [0.052] N=1,183	0.001 [0.059] N=975
Snack foods consumed daily or several times weekly	0.376 P=625	0.030 [0.044] N=1,665	0.022 [0.047] N=1,544	0.023 [0.050] N=1,385	0.055 [0.054] N=1,183	0.055 [0.059] N=975
Packaged soft drinks consumed daily or several times weekly	0.226 P=371	0.020 [0.037] N=1,665	0.025 [0.039] N=1,544	0.019 [0.043] N=1,385	0.035 [0.047] N=1,183	0.016 [0.051] N=975
Grains consumed daily or several times weekly	0.819 P=1,364	0.033 [0.039] N=1,665	0.040 [0.041] N=1,544	0.014 [0.042] N=1,385	0.020 [0.046] N=1,183	-0.004 [0.051] N=975

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.040 [0.048] N=1,416	0.039 [0.051] N=1,295	0.055 [0.058] N=1,136	0.030 [0.070] N=934	0.031 [0.094] N=726
Vegetables consumed daily or several times weekly	0.050 [0.058] N=1,416	0.056 [0.064] N=1,295	0.051 [0.066] N=1,136	-0.001 [0.083] N=934	-0.094 [0.096] N=726
Meat fish or poultry consumed daily or several times weekly	0.040 [0.068] N=1,416	0.034 [0.073] N=1,295	-0.004 [0.078] N=1,136	-0.012 [0.098] N=934	-0.098 [0.113] N=726
Legumes consumed daily or several times weekly	0.021 [0.070] N=1,416	0.024 [0.077] N=1,295	0.047 [0.081] N=1,136	0.149 [0.099] N=934	0.109 [0.123] N=726
Animal products consumed daily or several times weekly	**0.115** [0.054] N=1,416**	**0.112* [0.058] N=1,295**	0.070 [0.065] N=1,136	0.073 [0.077] N=934	0.025 [0.096] N=726
Sweets consumed daily or several times weekly	-0.082 [0.062] N=1,416	-0.094 [0.069] N=1,295	-0.115 [0.073] N=1,136	-0.065 [0.084] N=934	-0.062 [0.116] N=726
Snack foods consumed daily or several times weekly	-0.014 [0.060] N=1,416	-0.033 [0.065] N=1,295	-0.044 [0.074] N=1,136	0.007 [0.092] N=934	-0.078 [0.109] N=726
Packaged soft drinks consumed daily or several times weekly	0.009 [0.050] N=1,416	0.022 [0.053] N=1,295	0.013 [0.062] N=1,136	0.052 [0.077] N=934	0.004 [0.098] N=726
Grains consumed daily or several times weekly	0.094 [0.062] N=1,416	**0.121* [0.068] N=1,295**	0.076 [0.077] N=1,136	0.113 [0.095] N=934	0.096 [0.131] N=726

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.844 P=1,404	0.014 [0.034] N=1,665	0.010 [0.035] N=1,544	0.020 [0.037] N=1,385	0.007 [0.038] N=1,183	-0.001 [0.040] N=975
Vegetables consumed daily or several times weekly	0.762 P=1,269	0.010 [0.042] N=1,665	0.007 [0.044] N=1,544	-0.001 [0.046] N=1,385	-0.028 [0.049] N=1,183	-0.069 [0.052] N=975
Meat fish or poultry consumed daily or several times weekly	0.569 P=949	0.056 [0.052] N=1,665	0.057 [0.055] N=1,544	0.044 [0.059] N=1,385	0.059 [0.065] N=1,183	0.042 [0.070] N=975
Legumes consumed daily or several times weekly	0.557 P=923	0.027 [0.050] N=1,665	0.029 [0.053] N=1,544	0.046 [0.053] N=1,385	0.094 [0.058] N=1,183	0.079 [0.065] N=975
Animal products consumed daily or several times weekly	0.857 P=1,426	**0.084** [0.034] N=1,665**	**0.079** [0.035] N=1,544**	0.056 [0.037] N=1,385	0.056 [0.039] N=1,183	0.034 [0.042] N=975
Sweets consumed daily or several times weekly	0.505 P=848	-0.040 [0.046] N=1,665	-0.048 [0.049] N=1,544	-0.049 [0.050] N=1,385	-0.017 [0.052] N=1,183	0.001 [0.058] N=975
Snack foods consumed daily or several times weekly	0.376 P=625	0.027 [0.044] N=1,665	0.018 [0.046] N=1,544	0.020 [0.050] N=1,385	0.049 [0.054] N=1,183	0.043 [0.059] N=975
Packaged soft drinks consumed daily or several times weekly	0.226 P=371	0.016 [0.038] N=1,665	0.021 [0.040] N=1,544	0.015 [0.044] N=1,385	0.030 [0.048] N=1,183	0.005 [0.053] N=975
Grains consumed daily or several times weekly	0.819 P=1,364	0.032 [0.039] N=1,665	0.039 [0.040] N=1,544	0.013 [0.042] N=1,385	0.018 [0.046] N=1,183	-0.007 [0.051] N=975

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.035 [0.048] N=1,416	0.035 [0.051] N=1,295	0.055 [0.058] N=1,136	0.032 [0.069] N=934	0.033 [0.093] N=726
Vegetables consumed daily or several times weekly	0.046 [0.057] N=1,416	0.052 [0.063] N=1,295	0.051 [0.066] N=1,136	-0.001 [0.082] N=934	-0.090 [0.096] N=726
Meat fish or poultry consumed daily or several times weekly	0.033 [0.067] N=1,416	0.027 [0.073] N=1,295	-0.008 [0.077] N=1,136	-0.011 [0.097] N=934	-0.089 [0.111] N=726
Legumes consumed daily or several times weekly	0.015 [0.070] N=1,416	0.017 [0.077] N=1,295	0.043 [0.081] N=1,136	0.147 [0.098] N=934	0.108 [0.122] N=726
Animal products consumed daily or several times weekly	**0.113** [0.054] N=1,416**	**0.109* [0.058] N=1,295**	0.066 [0.065] N=1,136	0.070 [0.077] N=934	0.026 [0.094] N=726
Sweets consumed daily or several times weekly	-0.090 [0.062] N=1,416	-0.106 [0.069] N=1,295	**-0.121* [0.073] N=1,136**	-0.063 [0.083] N=934	-0.051 [0.114] N=726
Snack foods consumed daily or several times weekly	-0.018 [0.060] N=1,416	-0.039 [0.065] N=1,295	-0.047 [0.073] N=1,136	0.007 [0.092] N=934	-0.081 [0.108] N=726
Packaged soft drinks consumed daily or several times weekly	0.008 [0.050] N=1,416	0.020 [0.053] N=1,295	0.012 [0.063] N=1,136	0.050 [0.077] N=934	-0.003 [0.097] N=726
Grains consumed daily or several times weekly	0.090 [0.062] N=1,416	**0.117* [0.068] N=1,295**	0.078 [0.077] N=1,136	0.114 [0.095] N=934	0.095 [0.132] N=726

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.852 P=1,360	0.017 [0.043] N=1,594	0.019 [0.045] N=1,449	0.021 [0.049] N=1,264	0.007 [0.052] N=1,065	0.018 [0.061] N=852
Vegetables consumed daily or several times weekly	0.767 P=1,227	-0.009 [0.054] N=1,594	0.002 [0.056] N=1,449	0.032 [0.060] N=1,264	0.027 [0.066] N=1,065	0.044 [0.078] N=852
Meat fish or poultry consumed daily or several times weekly	0.566 P=910	0.063 [0.053] N=1,594	0.069 [0.057] N=1,449	0.084 [0.061] N=1,264	**0.114* [0.068] N=1,065**	0.124 [0.077] N=852
Legumes consumed daily or several times weekly	0.566 P=902	0.005 [0.062] N=1,594	0.019 [0.065] N=1,449	0.010 [0.068] N=1,264	-0.004 [0.076] N=1,065	0.030 [0.088] N=852
Animal products consumed daily or several times weekly	0.854 P=1,359	0.051 [0.037] N=1,594	0.056 [0.039] N=1,449	0.059 [0.040] N=1,264	0.058 [0.041] N=1,065	**0.083* [0.045] N=852**
Sweets consumed daily or several times weekly	0.519 P=833	-0.055 [0.055] N=1,594	-0.063 [0.057] N=1,449	-0.040 [0.063] N=1,264	-0.051 [0.068] N=1,065	-0.109 [0.076] N=852
Snack foods consumed daily or several times weekly	0.389 P=615	-0.007 [0.051] N=1,594	-0.020 [0.054] N=1,449	-0.015 [0.057] N=1,264	0.004 [0.062] N=1,065	-0.061 [0.068] N=852
Packaged soft drinks consumed daily or several times weekly	0.216 P=341	0.023 [0.037] N=1,594	0.014 [0.038] N=1,449	0.038 [0.041] N=1,264	0.042 [0.046] N=1,065	-0.015 [0.048] N=852
Grains consumed daily or several times weekly	0.819 P=1,310	**0.096** [0.046] N=1,594**	**0.102** [0.048] N=1,449**	**0.103** [0.051] N=1,264**	**0.096* [0.057] N=1,065**	0.081 [0.065] N=852

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.026 [0.065] N=1,384	-0.033 [0.071] N=1,239	-0.042 [0.082] N=1,054	-0.067 [0.091] N=855	-0.058 [0.129] N=642
Vegetables consumed daily or several times weekly	-0.086 [0.075] N=1,384	-0.080 [0.082] N=1,239	-0.048 [0.094] N=1,054	-0.070 [0.104] N=855	-0.052 [0.150] N=642
Meat fish or poultry consumed daily or several times weekly	-0.027 [0.062] N=1,384	-0.032 [0.068] N=1,239	-0.037 [0.074] N=1,054	-0.017 [0.090] N=855	-0.035 [0.110] N=642
Legumes consumed daily or several times weekly	0.040 [0.076] N=1,384	0.062 [0.081] N=1,239	0.058 [0.088] N=1,054	0.061 [0.105] N=855	0.204 [0.132] N=642
Animal products consumed daily or several times weekly	0.009 [0.055] N=1,384	0.010 [0.060] N=1,239	0.001 [0.062] N=1,054	-0.008 [0.069] N=855	0.049 [0.083] N=642
Sweets consumed daily or several times weekly	0.015 [0.071] N=1,384	0.004 [0.075] N=1,239	0.071 [0.084] N=1,054	0.067 [0.097] N=855	-0.024 [0.118] N=642
Snack foods consumed daily or several times weekly	0.057 [0.069] N=1,384	0.035 [0.075] N=1,239	0.058 [0.084] N=1,054	0.125 [0.097] N=855	0.025 [0.120] N=642
Packaged soft drinks consumed daily or several times weekly	0.004 [0.057] N=1,384	-0.014 [0.062] N=1,239	0.034 [0.071] N=1,054	0.046 [0.087] N=855	-0.098 [0.104] N=642
Grains consumed daily or several times weekly	0.063 [0.054] N=1,384	0.062 [0.059] N=1,239	0.051 [0.061] N=1,054	0.011 [0.072] N=855	-0.082 [0.091] N=642

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.852 P=1,360	0.017 [0.042] N=1,594	0.019 [0.045] N=1,449	0.021 [0.049] N=1,264	0.007 [0.052] N=1,065	0.018 [0.061] N=852
Vegetables consumed daily or several times weekly	0.767 P=1,227	-0.009 [0.053] N=1,594	0.002 [0.056] N=1,449	0.032 [0.060] N=1,264	0.026 [0.065] N=1,065	0.042 [0.077] N=852
Meat fish or poultry consumed daily or several times weekly	0.566 P=910	0.064 [0.053] N=1,594	0.069 [0.056] N=1,449	0.085 [0.060] N=1,264	**0.113* [0.068] N=1,065**	0.122 [0.077] N=852
Legumes consumed daily or several times weekly	0.566 P=902	0.005 [0.062] N=1,594	0.019 [0.065] N=1,449	0.010 [0.068] N=1,264	-0.004 [0.076] N=1,065	0.030 [0.088] N=852
Animal products consumed daily or several times weekly	0.854 P=1,359	0.052 [0.037] N=1,594	0.057 [0.039] N=1,449	0.060 [0.040] N=1,264	0.058 [0.041] N=1,065	**0.082* [0.045] N=852**
Sweets consumed daily or several times weekly	0.519 P=833	-0.055 [0.055] N=1,594	-0.063 [0.057] N=1,449	-0.039 [0.063] N=1,264	-0.052 [0.068] N=1,065	-0.110 [0.076] N=852
Snack foods consumed daily or several times weekly	0.389 P=615	-0.006 [0.051] N=1,594	-0.019 [0.054] N=1,449	-0.015 [0.057] N=1,264	0.004 [0.062] N=1,065	-0.062 [0.068] N=852
Packaged soft drinks consumed daily or several times weekly	0.216 P=341	0.023 [0.037] N=1,594	0.014 [0.038] N=1,449	0.038 [0.041] N=1,264	0.042 [0.046] N=1,065	-0.016 [0.048] N=852
Grains consumed daily or several times weekly	0.819 P=1,310	**0.096** [0.046] N=1,594**	**0.102** [0.048] N=1,449**	**0.103** [0.051] N=1,264**	**0.097* [0.058] N=1,065**	0.083 [0.066] N=852

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.025 [0.065] N=1,384	-0.032 [0.071] N=1,239	-0.041 [0.083] N=1,054	-0.067 [0.092] N=855	-0.056 [0.129] N=642
Vegetables consumed daily or several times weekly	-0.084 [0.074] N=1,384	-0.078 [0.082] N=1,239	-0.045 [0.093] N=1,054	-0.065 [0.103] N=855	-0.046 [0.149] N=642
Meat fish or poultry consumed daily or several times weekly	-0.026 [0.062] N=1,384	-0.030 [0.068] N=1,239	-0.034 [0.074] N=1,054	-0.014 [0.089] N=855	-0.033 [0.110] N=642
Legumes consumed daily or several times weekly	0.041 [0.076] N=1,384	0.062 [0.081] N=1,239	0.059 [0.088] N=1,054	0.063 [0.105] N=855	0.202 [0.132] N=642
Animal products consumed daily or several times weekly	0.012 [0.053] N=1,384	0.014 [0.059] N=1,239	0.005 [0.061] N=1,054	-0.005 [0.068] N=855	0.054 [0.081] N=642
Sweets consumed daily or several times weekly	0.017 [0.071] N=1,384	0.006 [0.076] N=1,239	0.073 [0.085] N=1,054	0.068 [0.097] N=855	-0.021 [0.119] N=642
Snack foods consumed daily or several times weekly	0.060 [0.069] N=1,384	0.037 [0.075] N=1,239	0.060 [0.084] N=1,054	0.125 [0.096] N=855	0.028 [0.119] N=642
Packaged soft drinks consumed daily or several times weekly	0.004 [0.057] N=1,384	-0.015 [0.062] N=1,239	0.032 [0.071] N=1,054	0.046 [0.087] N=855	-0.097 [0.104] N=642
Grains consumed daily or several times weekly	0.063 [0.054] N=1,384	0.060 [0.059] N=1,239	0.047 [0.061] N=1,054	0.003 [0.073] N=855	-0.089 [0.092] N=642

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.852 P=1,360	0.016 [0.040] N=1,594	0.019 [0.043] N=1,449	0.030 [0.047] N=1,264	0.013 [0.050] N=1,065	0.022 [0.058] N=852
Vegetables consumed daily or several times weekly	0.767 P=1,227	-0.009 [0.052] N=1,594	0.003 [0.055] N=1,449	0.038 [0.058] N=1,264	0.030 [0.063] N=1,065	0.045 [0.075] N=852
Meat fish or poultry consumed daily or several times weekly	0.566 P=910	0.061 [0.052] N=1,594	0.070 [0.055] N=1,449	**0.096* [0.058] N=1,264**	**0.122* [0.064] N=1,065**	**0.129* [0.072] N=852**
Legumes consumed daily or several times weekly	0.566 P=902	0.004 [0.062] N=1,594	0.019 [0.065] N=1,449	0.015 [0.069] N=1,264	-0.000 [0.076] N=1,065	0.033 [0.087] N=852
Animal products consumed daily or several times weekly	0.854 P=1,359	0.050 [0.037] N=1,594	0.057 [0.039] N=1,449	0.064 [0.040] N=1,264	0.061 [0.042] N=1,065	**0.085* [0.045] N=852**
Sweets consumed daily or several times weekly	0.519 P=833	-0.055 [0.054] N=1,594	-0.063 [0.057] N=1,449	-0.036 [0.062] N=1,264	-0.050 [0.067] N=1,065	-0.110 [0.075] N=852
Snack foods consumed daily or several times weekly	0.389 P=615	-0.005 [0.051] N=1,594	-0.019 [0.054] N=1,449	-0.016 [0.057] N=1,264	0.002 [0.062] N=1,065	-0.064 [0.069] N=852
Packaged soft drinks consumed daily or several times weekly	0.216 P=341	0.023 [0.036] N=1,594	0.012 [0.038] N=1,449	0.034 [0.041] N=1,264	0.038 [0.045] N=1,065	-0.019 [0.047] N=852
Grains consumed daily or several times weekly	0.819 P=1,310	**0.095** [0.046] N=1,594**	**0.101** [0.048] N=1,449**	**0.105** [0.052] N=1,264**	**0.097* [0.058] N=1,065**	0.083 [0.066] N=852

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.023 [0.063] N=1,384	-0.027 [0.069] N=1,239	-0.020 [0.081] N=1,054	-0.049 [0.092] N=855	-0.041 [0.127] N=642
Vegetables consumed daily or several times weekly	-0.080 [0.074] N=1,384	-0.071 [0.082] N=1,239	-0.026 [0.093] N=1,054	-0.045 [0.104] N=855	-0.027 [0.151] N=642
Meat fish or poultry consumed daily or several times weekly	-0.022 [0.062] N=1,384	-0.020 [0.067] N=1,239	-0.003 [0.072] N=1,054	0.015 [0.089] N=855	-0.009 [0.105] N=642
Legumes consumed daily or several times weekly	0.039 [0.078] N=1,384	0.060 [0.083] N=1,239	0.067 [0.091] N=1,054	0.070 [0.106] N=855	0.206 [0.133] N=642
Animal products consumed daily or several times weekly	0.011 [0.053] N=1,384	0.014 [0.058] N=1,239	0.012 [0.061] N=1,054	0.001 [0.070] N=855	0.056 [0.081] N=642
Sweets consumed daily or several times weekly	0.016 [0.071] N=1,384	0.005 [0.075] N=1,239	0.078 [0.085] N=1,054	0.072 [0.098] N=855	-0.020 [0.117] N=642
Snack foods consumed daily or several times weekly	0.062 [0.069] N=1,384	0.036 [0.075] N=1,239	0.055 [0.083] N=1,054	0.120 [0.094] N=855	0.025 [0.118] N=642
Packaged soft drinks consumed daily or several times weekly	-0.000 [0.057] N=1,384	-0.021 [0.061] N=1,239	0.022 [0.070] N=1,054	0.034 [0.085] N=855	-0.102 [0.102] N=642
Grains consumed daily or several times weekly	0.061 [0.054] N=1,384	0.059 [0.059] N=1,239	0.051 [0.062] N=1,054	-0.001 [0.074] N=855	-0.099 [0.094] N=642

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.852 P=1,360	0.017 [0.042] N=1,594	0.021 [0.045] N=1,449	0.029 [0.049] N=1,264	0.007 [0.052] N=1,065	0.015 [0.060] N=852
Vegetables consumed daily or several times weekly	0.767 P=1,227	-0.014 [0.053] N=1,594	-0.001 [0.056] N=1,449	0.033 [0.059] N=1,264	0.022 [0.064] N=1,065	0.038 [0.075] N=852
Meat fish or poultry consumed daily or several times weekly	0.566 P=910	0.060 [0.051] N=1,594	0.072 [0.053] N=1,449	**0.095* [0.056] N=1,264**	**0.117* [0.062] N=1,065**	**0.122* [0.069] N=852**
Legumes consumed daily or several times weekly	0.566 P=902	0.001 [0.063] N=1,594	0.017 [0.066] N=1,449	0.010 [0.069] N=1,264	-0.005 [0.076] N=1,065	0.032 [0.087] N=852
Animal products consumed daily or several times weekly	0.854 P=1,359	0.056 [0.038] N=1,594	0.062 [0.039] N=1,449	**0.067* [0.040] N=1,264**	0.062 [0.043] N=1,065	**0.086* [0.047] N=852**
Sweets consumed daily or several times weekly	0.519 P=833	-0.047 [0.056] N=1,594	-0.056 [0.058] N=1,449	-0.032 [0.063] N=1,264	-0.047 [0.068] N=1,065	-0.104 [0.076] N=852
Snack foods consumed daily or several times weekly	0.389 P=615	0.004 [0.051] N=1,594	-0.011 [0.054] N=1,449	-0.009 [0.057] N=1,264	0.013 [0.061] N=1,065	-0.051 [0.068] N=852
Packaged soft drinks consumed daily or several times weekly	0.216 P=341	0.032 [0.036] N=1,594	0.020 [0.038] N=1,449	0.040 [0.041] N=1,264	0.047 [0.045] N=1,065	-0.007 [0.048] N=852
Grains consumed daily or several times weekly	0.819 P=1,310	**0.094** [0.046] N=1,594**	**0.100** [0.048] N=1,449**	**0.099* [0.052] N=1,264**	0.092 [0.059] N=1,065	0.078 [0.067] N=852

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.019 [0.066] N=1,384	-0.023 [0.072] N=1,239	-0.020 [0.085] N=1,054	-0.062 [0.099] N=855	-0.068 [0.133] N=642
Vegetables consumed daily or several times weekly	-0.086 [0.074] N=1,384	-0.076 [0.082] N=1,239	-0.034 [0.095] N=1,054	-0.067 [0.106] N=855	-0.058 [0.150] N=642
Meat fish or poultry consumed daily or several times weekly	-0.021 [0.060] N=1,384	-0.016 [0.066] N=1,239	-0.001 [0.071] N=1,054	0.005 [0.091] N=855	-0.038 [0.104] N=642
Legumes consumed daily or several times weekly	0.039 [0.078] N=1,384	0.060 [0.083] N=1,239	0.063 [0.090] N=1,054	0.063 [0.107] N=855	0.196 [0.131] N=642
Animal products consumed daily or several times weekly	0.017 [0.052] N=1,384	0.018 [0.057] N=1,239	0.011 [0.060] N=1,054	-0.005 [0.069] N=855	0.045 [0.081] N=642
Sweets consumed daily or several times weekly	0.025 [0.071] N=1,384	0.012 [0.076] N=1,239	0.081 [0.084] N=1,054	0.068 [0.096] N=855	-0.031 [0.114] N=642
Snack foods consumed daily or several times weekly	0.069 [0.068] N=1,384	0.043 [0.075] N=1,239	0.060 [0.082] N=1,054	0.125 [0.093] N=855	0.028 [0.116] N=642
Packaged soft drinks consumed daily or several times weekly	0.010 [0.056] N=1,384	-0.015 [0.061] N=1,239	0.023 [0.070] N=1,054	0.034 [0.084] N=855	-0.106 [0.101] N=642
Grains consumed daily or several times weekly	0.060 [0.054] N=1,384	0.055 [0.059] N=1,239	0.039 [0.062] N=1,054	-0.016 [0.075] N=855	-0.117 [0.098] N=642

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,261	0.011 [0.043] N=1,479	0.014 [0.046] N=1,342	0.030 [0.051] N=1,175	0.009 [0.054] N=989	0.014 [0.062] N=794
Vegetables consumed daily or several times weekly	0.768 P=1,141	-0.012 [0.055] N=1,479	0.002 [0.058] N=1,342	0.034 [0.062] N=1,175	0.016 [0.068] N=989	0.017 [0.081] N=794
Meat fish or poultry consumed daily or several times weekly	0.568 P=846	0.063 [0.056] N=1,479	0.068 [0.060] N=1,342	0.091 [0.063] N=1,175	0.100 [0.073] N=989	0.105 [0.083] N=794
Legumes consumed daily or several times weekly	0.565 P=836	-0.004 [0.064] N=1,479	0.013 [0.067] N=1,342	0.002 [0.071] N=1,175	-0.022 [0.079] N=989	-0.004 [0.093] N=794
Animal products consumed daily or several times weekly	0.856 P=1,266	0.053 [0.039] N=1,479	0.061 [0.041] N=1,342	0.069 [0.042] N=1,175	0.061 [0.045] N=989	**0.090* [0.049] N=794**
Sweets consumed daily or several times weekly	0.526 P=782	-0.067 [0.056] N=1,479	-0.081 [0.059] N=1,342	-0.059 [0.065] N=1,175	-0.080 [0.071] N=989	**-0.142* [0.080] N=794**
Snack foods consumed daily or several times weekly	0.396 P=581	-0.019 [0.054] N=1,479	-0.041 [0.056] N=1,342	-0.042 [0.060] N=1,175	-0.025 [0.064] N=989	-0.093 [0.070] N=794
Packaged soft drinks consumed daily or several times weekly	0.223 P=328	0.010 [0.039] N=1,479	-0.004 [0.041] N=1,342	0.017 [0.045] N=1,175	0.020 [0.051] N=989	-0.043 [0.054] N=794
Grains consumed daily or several times weekly	0.820 P=1,217	**0.107** [0.046] N=1,479**	**0.111** [0.048] N=1,342**	**0.111** [0.052] N=1,175**	**0.103* [0.059] N=989**	0.089 [0.068] N=794

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.030 [0.065] N=1,281	-0.033 [0.071] N=1,144	-0.014 [0.082] N=977	-0.061 [0.092] N=791	-0.076 [0.128] N=596
Vegetables consumed daily or several times weekly	-0.083 [0.073] N=1,281	-0.071 [0.081] N=1,144	-0.032 [0.092] N=977	-0.085 [0.103] N=791	-0.123 [0.147] N=596
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.070] N=1,281	-0.018 [0.077] N=1,144	0.000 [0.083] N=977	-0.023 [0.103] N=791	-0.069 [0.131] N=596
Legumes consumed daily or several times weekly	0.043 [0.081] N=1,281	0.071 [0.086] N=1,144	0.077 [0.094] N=977	0.074 [0.115] N=791	0.169 [0.146] N=596
Animal products consumed daily or several times weekly	0.011 [0.053] N=1,281	0.018 [0.058] N=1,144	0.023 [0.060] N=977	-0.003 [0.070] N=791	0.052 [0.085] N=596
Sweets consumed daily or several times weekly	0.012 [0.073] N=1,281	-0.008 [0.077] N=1,144	0.052 [0.086] N=977	0.027 [0.101] N=791	-0.079 [0.128] N=596
Snack foods consumed daily or several times weekly	0.047 [0.074] N=1,281	0.011 [0.082] N=1,144	0.019 [0.092] N=977	0.076 [0.106] N=791	-0.029 [0.130] N=596
Packaged soft drinks consumed daily or several times weekly	-0.016 [0.061] N=1,281	-0.041 [0.066] N=1,144	-0.004 [0.076] N=977	-0.000 [0.094] N=791	-0.177 [0.109] N=596
Grains consumed daily or several times weekly	0.078 [0.054] N=1,281	0.072 [0.059] N=1,144	0.061 [0.062] N=977	0.004 [0.077] N=791	-0.105 [0.102] N=596

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.851 P=1,261	0.013 [0.043] N=1,479	0.016 [0.046] N=1,342	0.032 [0.050] N=1,175	0.007 [0.054] N=989	0.011 [0.062] N=794
Vegetables consumed daily or several times weekly	0.768 P=1,141	-0.010 [0.055] N=1,479	0.002 [0.058] N=1,342	0.035 [0.062] N=1,175	0.016 [0.068] N=989	0.017 [0.082] N=794
Meat fish or poultry consumed daily or several times weekly	0.568 P=846	0.065 [0.055] N=1,479	0.071 [0.059] N=1,342	0.093 [0.062] N=1,175	0.099 [0.071] N=989	0.102 [0.081] N=794
Legumes consumed daily or several times weekly	0.565 P=836	-0.004 [0.064] N=1,479	0.014 [0.067] N=1,342	0.002 [0.071] N=1,175	-0.028 [0.079] N=989	-0.012 [0.093] N=794
Animal products consumed daily or several times weekly	0.856 P=1,266	0.054 [0.039] N=1,479	0.062 [0.041] N=1,342	**0.069* [0.042] N=1,175**	0.061 [0.045] N=989	**0.089* [0.049] N=794**
Sweets consumed daily or several times weekly	0.526 P=782	-0.069 [0.057] N=1,479	-0.082 [0.060] N=1,342	-0.061 [0.067] N=1,175	-0.083 [0.074] N=989	**-0.144* [0.084] N=794**
Snack foods consumed daily or several times weekly	0.396 P=581	-0.019 [0.053] N=1,479	-0.041 [0.056] N=1,342	-0.042 [0.060] N=1,175	-0.026 [0.064] N=989	-0.095 [0.071] N=794
Packaged soft drinks consumed daily or several times weekly	0.223 P=328	0.010 [0.039] N=1,479	-0.005 [0.041] N=1,342	0.017 [0.044] N=1,175	0.017 [0.050] N=989	-0.046 [0.054] N=794
Grains consumed daily or several times weekly	0.820 P=1,217	**0.106** [0.046] N=1,479**	**0.110** [0.048] N=1,342**	**0.110** [0.052] N=1,175**	**0.103* [0.059] N=989**	0.089 [0.067] N=794

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.029 [0.065] N=1,281	-0.034 [0.071] N=1,144	-0.016 [0.082] N=977	-0.067 [0.092] N=791	-0.079 [0.127] N=596
Vegetables consumed daily or several times weekly	-0.081 [0.073] N=1,281	-0.073 [0.081] N=1,144	-0.033 [0.092] N=977	-0.087 [0.102] N=791	-0.119 [0.146] N=596
Meat fish or poultry consumed daily or several times weekly	-0.014 [0.069] N=1,281	-0.014 [0.076] N=1,144	0.003 [0.082] N=977	-0.026 [0.100] N=791	-0.071 [0.126] N=596
Legumes consumed daily or several times weekly	0.045 [0.081] N=1,281	0.077 [0.086] N=1,144	0.082 [0.094] N=977	0.065 [0.114] N=791	0.172 [0.145] N=596
Animal products consumed daily or several times weekly	0.013 [0.053] N=1,281	0.020 [0.059] N=1,144	0.026 [0.060] N=977	0.001 [0.070] N=791	0.059 [0.084] N=596
Sweets consumed daily or several times weekly	0.014 [0.073] N=1,281	-0.007 [0.077] N=1,144	0.055 [0.086] N=977	0.032 [0.101] N=791	-0.070 [0.125] N=596
Snack foods consumed daily or several times weekly	0.046 [0.074] N=1,281	0.006 [0.082] N=1,144	0.016 [0.092] N=977	0.077 [0.105] N=791	-0.033 [0.128] N=596
Packaged soft drinks consumed daily or several times weekly	-0.017 [0.061] N=1,281	-0.044 [0.067] N=1,144	-0.005 [0.076] N=977	-0.002 [0.094] N=791	-0.177 [0.112] N=596
Grains consumed daily or several times weekly	0.078 [0.054] N=1,281	0.073 [0.058] N=1,144	0.063 [0.062] N=977	0.007 [0.076] N=791	-0.103 [0.099] N=596

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.