Table 9 Reduced Form Effects on Weekly Nutrition for Ages 0-3: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-3 indicate at least weekly consumption. Ever breastfed uses recorded codes 1 and 2. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,682	-0.003 [0.021] N=1,791	0.011 [0.021] N=1,655	-0.000 [0.022] N=1,487	-0.008 [0.025] N=1,267	-0.016 [0.030] N=1,042
Vegetables consumed at least weekly	0.899 P=1,607	0.021 [0.026] N=1,791	0.024 [0.027] N=1,655	0.001 [0.028] N=1,487	-0.004 [0.029] N=1,267	-0.042 [0.033] N=1,042
Meat fish or poultry consumed at least weekly	0.785 P=1,416	**0.093** [0.046] N=1,791**	**0.111** [0.048] N=1,655**	**0.093* [0.053] N=1,487**	0.080 [0.059] N=1,267	0.058 [0.066] N=1,042
Legumes consumed at least weekly	0.784 P=1,409	-0.020 [0.040] N=1,791	-0.026 [0.041] N=1,655	-0.032 [0.041] N=1,487	-0.030 [0.047] N=1,267	-0.088 [0.054] N=1,042
Animal products consumed at least weekly	0.913 P=1,637	0.028 [0.027] N=1,791	0.027 [0.027] N=1,655	0.010 [0.030] N=1,487	0.013 [0.033] N=1,267	-0.001 [0.037] N=1,042
Sweets consumed at least weekly	0.663 P=1,188	-0.014 [0.037] N=1,791	0.006 [0.039] N=1,655	0.015 [0.041] N=1,487	0.019 [0.044] N=1,267	0.035 [0.050] N=1,042
Snack foods consumed at least weekly	0.544 P=969	-0.024 [0.039] N=1,791	-0.012 [0.042] N=1,655	-0.009 [0.045] N=1,487	-0.010 [0.050] N=1,267	-0.034 [0.056] N=1,042
Packaged soft drinks consumed at least weekly	0.339 P=598	0.004 [0.045] N=1,791	0.013 [0.048] N=1,655	0.007 [0.052] N=1,487	0.040 [0.058] N=1,267	0.030 [0.068] N=1,042
Grains consumed at least weekly	0.897 P=1,612	0.012 [0.028] N=1,791	0.018 [0.030] N=1,655	0.002 [0.031] N=1,487	0.010 [0.033] N=1,267	-0.003 [0.038] N=1,042
Child was ever breastfed	0.967 P=1,912	-0.003 [0.014] N=1,981	0.000 [0.015] N=1,832	0.000 [0.016] N=1,646	-0.001 [0.018] N=1,401	-0.008 [0.020] N=1,157

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.006 [0.032] N=1,525	0.033 [0.032] N=1,389	0.014 [0.034] N=1,221	-0.004 [0.041] N=1,001	-0.021 [0.060] N=776
Vegetables consumed at least weekly	0.056 [0.039] N=1,525	0.069 [0.043] N=1,389	0.033 [0.046] N=1,221	0.024 [0.055] N=1,001	-0.076 [0.069] N=776
Meat fish or poultry consumed at least weekly	0.084 [0.055] N=1,525	**0.109* [0.057] N=1,389**	0.076 [0.065] N=1,221	0.028 [0.073] N=1,001	-0.055 [0.083] N=776
Legumes consumed at least weekly	0.032 [0.058] N=1,525	0.026 [0.063] N=1,389	0.031 [0.064] N=1,221	0.049 [0.079] N=1,001	-0.074 [0.102] N=776
Animal products consumed at least weekly	0.034 [0.036] N=1,525	0.033 [0.038] N=1,389	0.000 [0.044] N=1,221	0.004 [0.055] N=1,001	-0.048 [0.074] N=776
Sweets consumed at least weekly	-0.045 [0.049] N=1,525	-0.014 [0.052] N=1,389	-0.000 [0.058] N=1,221	-0.004 [0.066] N=1,001	0.035 [0.090] N=776
Snack foods consumed at least weekly	-0.041 [0.050] N=1,525	-0.023 [0.055] N=1,389	-0.019 [0.065] N=1,221	-0.024 [0.081] N=1,001	-0.121 [0.094] N=776
Packaged soft drinks consumed at least weekly	-0.036 [0.054] N=1,525	-0.025 [0.059] N=1,389	-0.040 [0.065] N=1,221	0.005 [0.078] N=1,001	-0.040 [0.099] N=776
Grains consumed at least weekly	0.053 [0.045] N=1,525	0.072 [0.051] N=1,389	0.051 [0.055] N=1,221	0.089 [0.066] N=1,001	0.085 [0.097] N=776
Child was ever breastfed	0.008 [0.022] N=1,680	0.014 [0.026] N=1,531	0.017 [0.030] N=1,345	0.018 [0.039] N=1,100	0.018 [0.049] N=856

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,682	-0.003 [0.021] N=1,791	0.011 [0.021] N=1,655	-0.000 [0.022] N=1,487	-0.008 [0.025] N=1,267	-0.016 [0.030] N=1,042
Vegetables consumed at least weekly	0.899 P=1,607	0.021 [0.026] N=1,791	0.023 [0.027] N=1,655	0.001 [0.028] N=1,487	-0.004 [0.028] N=1,267	-0.042 [0.033] N=1,042
Meat fish or poultry consumed at least weekly	0.785 P=1,416	**0.093** [0.046] N=1,791**	**0.111** [0.048] N=1,655**	**0.092* [0.053] N=1,487**	0.080 [0.059] N=1,267	0.058 [0.067] N=1,042
Legumes consumed at least weekly	0.784 P=1,409	-0.020 [0.040] N=1,791	-0.026 [0.041] N=1,655	-0.032 [0.042] N=1,487	-0.030 [0.047] N=1,267	-0.089 [0.054] N=1,042
Animal products consumed at least weekly	0.913 P=1,637	0.028 [0.026] N=1,791	0.027 [0.027] N=1,655	0.010 [0.030] N=1,487	0.013 [0.033] N=1,267	-0.001 [0.037] N=1,042
Sweets consumed at least weekly	0.663 P=1,188	-0.014 [0.037] N=1,791	0.006 [0.039] N=1,655	0.015 [0.041] N=1,487	0.019 [0.044] N=1,267	0.035 [0.050] N=1,042
Snack foods consumed at least weekly	0.544 P=969	-0.025 [0.040] N=1,791	-0.013 [0.042] N=1,655	-0.010 [0.046] N=1,487	-0.010 [0.051] N=1,267	-0.034 [0.056] N=1,042
Packaged soft drinks consumed at least weekly	0.339 P=598	0.004 [0.045] N=1,791	0.013 [0.048] N=1,655	0.007 [0.052] N=1,487	0.040 [0.058] N=1,267	0.030 [0.068] N=1,042
Grains consumed at least weekly	0.897 P=1,612	0.012 [0.028] N=1,791	0.018 [0.031] N=1,655	0.002 [0.031] N=1,487	0.010 [0.033] N=1,267	-0.003 [0.038] N=1,042
Child was ever breastfed	0.967 P=1,912	-0.003 [0.014] N=1,981	-0.000 [0.015] N=1,832	-0.000 [0.016] N=1,646	-0.001 [0.018] N=1,401	-0.009 [0.020] N=1,157

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.006 [0.032] N=1,525	0.033 [0.032] N=1,389	0.014 [0.034] N=1,221	-0.004 [0.041] N=1,001	-0.020 [0.060] N=776
Vegetables consumed at least weekly	0.056 [0.039] N=1,525	0.069 [0.043] N=1,389	0.033 [0.046] N=1,221	0.025 [0.054] N=1,001	-0.073 [0.069] N=776
Meat fish or poultry consumed at least weekly	0.084 [0.056] N=1,525	**0.109* [0.057] N=1,389**	0.077 [0.065] N=1,221	0.029 [0.073] N=1,001	-0.050 [0.082] N=776
Legumes consumed at least weekly	0.033 [0.058] N=1,525	0.027 [0.063] N=1,389	0.033 [0.064] N=1,221	0.051 [0.079] N=1,001	-0.071 [0.102] N=776
Animal products consumed at least weekly	0.035 [0.036] N=1,525	0.035 [0.038] N=1,389	0.003 [0.044] N=1,221	0.007 [0.054] N=1,001	-0.044 [0.073] N=776
Sweets consumed at least weekly	-0.045 [0.049] N=1,525	-0.014 [0.052] N=1,389	-0.000 [0.058] N=1,221	-0.004 [0.066] N=1,001	0.035 [0.090] N=776
Snack foods consumed at least weekly	-0.040 [0.051] N=1,525	-0.021 [0.055] N=1,389	-0.016 [0.065] N=1,221	-0.021 [0.081] N=1,001	-0.116 [0.093] N=776
Packaged soft drinks consumed at least weekly	-0.036 [0.054] N=1,525	-0.025 [0.059] N=1,389	-0.041 [0.065] N=1,221	0.004 [0.078] N=1,001	-0.043 [0.099] N=776
Grains consumed at least weekly	0.053 [0.044] N=1,525	0.072 [0.051] N=1,389	0.051 [0.054] N=1,221	0.088 [0.066] N=1,001	0.085 [0.097] N=776
Child was ever breastfed	0.008 [0.022] N=1,680	0.015 [0.026] N=1,531	0.017 [0.030] N=1,345	0.018 [0.039] N=1,100	0.019 [0.049] N=856

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,682	-0.011 [0.021] N=1,791	0.002 [0.021] N=1,655	-0.009 [0.023] N=1,487	-0.015 [0.026] N=1,267	-0.025 [0.030] N=1,042
Vegetables consumed at least weekly	0.899 P=1,607	0.015 [0.026] N=1,791	0.015 [0.027] N=1,655	-0.007 [0.028] N=1,487	-0.011 [0.029] N=1,267	-0.053 [0.033] N=1,042
Meat fish or poultry consumed at least weekly	0.785 P=1,416	0.068 [0.046] N=1,791	**0.082* [0.048] N=1,655**	0.068 [0.053] N=1,487	0.058 [0.058] N=1,267	0.030 [0.066] N=1,042
Legumes consumed at least weekly	0.784 P=1,409	-0.027 [0.040] N=1,791	-0.035 [0.041] N=1,655	-0.039 [0.041] N=1,487	-0.034 [0.047] N=1,267	**-0.092* [0.054] N=1,042**
Animal products consumed at least weekly	0.913 P=1,637	0.021 [0.027] N=1,791	0.019 [0.028] N=1,655	0.003 [0.031] N=1,487	0.007 [0.034] N=1,267	-0.011 [0.038] N=1,042
Sweets consumed at least weekly	0.663 P=1,188	-0.020 [0.037] N=1,791	-0.000 [0.039] N=1,655	0.008 [0.042] N=1,487	0.014 [0.044] N=1,267	0.027 [0.049] N=1,042
Snack foods consumed at least weekly	0.544 P=969	-0.022 [0.040] N=1,791	-0.009 [0.042] N=1,655	-0.009 [0.045] N=1,487	-0.008 [0.050] N=1,267	-0.030 [0.055] N=1,042
Packaged soft drinks consumed at least weekly	0.339 P=598	0.017 [0.044] N=1,791	0.030 [0.047] N=1,655	0.021 [0.051] N=1,487	0.053 [0.057] N=1,267	0.048 [0.065] N=1,042
Grains consumed at least weekly	0.897 P=1,612	0.005 [0.029] N=1,791	0.012 [0.031] N=1,655	-0.003 [0.031] N=1,487	0.005 [0.034] N=1,267	-0.008 [0.039] N=1,042
Child was ever breastfed	0.967 P=1,912	-0.006 [0.015] N=1,981	-0.005 [0.016] N=1,832	-0.004 [0.017] N=1,646	-0.005 [0.019] N=1,401	-0.012 [0.021] N=1,157

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.000 [0.031] N=1,525	0.025 [0.031] N=1,389	0.010 [0.033] N=1,221	0.003 [0.040] N=1,001	-0.012 [0.058] N=776
Vegetables consumed at least weekly	0.053 [0.038] N=1,525	0.063 [0.042] N=1,389	0.031 [0.046] N=1,221	0.031 [0.054] N=1,001	-0.067 [0.068] N=776
Meat fish or poultry consumed at least weekly	0.066 [0.054] N=1,525	0.083 [0.056] N=1,389	0.059 [0.065] N=1,221	0.025 [0.073] N=1,001	-0.055 [0.084] N=776
Legumes consumed at least weekly	0.027 [0.058] N=1,525	0.019 [0.063] N=1,389	0.028 [0.063] N=1,221	0.057 [0.079] N=1,001	-0.063 [0.103] N=776
Animal products consumed at least weekly	0.032 [0.035] N=1,525	0.030 [0.038] N=1,389	-0.000 [0.044] N=1,221	0.013 [0.055] N=1,001	-0.036 [0.073] N=776
Sweets consumed at least weekly	-0.049 [0.049] N=1,525	-0.018 [0.053] N=1,389	-0.004 [0.059] N=1,221	-0.000 [0.066] N=1,001	0.041 [0.091] N=776
Snack foods consumed at least weekly	-0.039 [0.050] N=1,525	-0.020 [0.054] N=1,389	-0.016 [0.062] N=1,221	-0.017 [0.077] N=1,001	-0.111 [0.089] N=776
Packaged soft drinks consumed at least weekly	-0.025 [0.052] N=1,525	-0.008 [0.057] N=1,389	-0.028 [0.063] N=1,221	0.013 [0.077] N=1,001	-0.032 [0.095] N=776
Grains consumed at least weekly	0.047 [0.044] N=1,525	0.068 [0.051] N=1,389	0.048 [0.055] N=1,221	0.091 [0.066] N=1,001	0.083 [0.096] N=776
Child was ever breastfed	0.006 [0.022] N=1,680	0.011 [0.026] N=1,531	0.015 [0.030] N=1,345	0.020 [0.039] N=1,100	0.017 [0.049] N=856

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,682	-0.014 [0.021] N=1,791	0.000 [0.022] N=1,655	-0.012 [0.023] N=1,487	-0.020 [0.026] N=1,267	-0.028 [0.031] N=1,042
Vegetables consumed at least weekly	0.899 P=1,607	0.014 [0.026] N=1,791	0.016 [0.027] N=1,655	-0.007 [0.028] N=1,487	-0.013 [0.029] N=1,267	-0.053 [0.034] N=1,042
Meat fish or poultry consumed at least weekly	0.785 P=1,416	0.063 [0.046] N=1,791	0.077 [0.048] N=1,655	0.059 [0.053] N=1,487	0.048 [0.058] N=1,267	0.017 [0.066] N=1,042
Legumes consumed at least weekly	0.784 P=1,409	-0.029 [0.040] N=1,791	-0.038 [0.042] N=1,655	-0.047 [0.042] N=1,487	-0.038 [0.049] N=1,267	**-0.097* [0.056] N=1,042**
Animal products consumed at least weekly	0.913 P=1,637	0.020 [0.027] N=1,791	0.019 [0.028] N=1,655	0.002 [0.030] N=1,487	0.004 [0.034] N=1,267	-0.013 [0.037] N=1,042
Sweets consumed at least weekly	0.663 P=1,188	-0.019 [0.037] N=1,791	-0.002 [0.038] N=1,655	0.002 [0.040] N=1,487	0.010 [0.044] N=1,267	0.021 [0.050] N=1,042
Snack foods consumed at least weekly	0.544 P=969	-0.024 [0.039] N=1,791	-0.012 [0.042] N=1,655	-0.014 [0.045] N=1,487	-0.011 [0.050] N=1,267	-0.035 [0.055] N=1,042
Packaged soft drinks consumed at least weekly	0.339 P=598	0.022 [0.044] N=1,791	0.031 [0.047] N=1,655	0.023 [0.052] N=1,487	0.059 [0.057] N=1,267	0.058 [0.065] N=1,042
Grains consumed at least weekly	0.897 P=1,612	0.005 [0.028] N=1,791	0.011 [0.030] N=1,655	-0.005 [0.031] N=1,487	0.002 [0.034] N=1,267	-0.009 [0.040] N=1,042
Child was ever breastfed	0.967 P=1,912	-0.008 [0.015] N=1,981	-0.005 [0.016] N=1,832	-0.006 [0.017] N=1,646	-0.006 [0.019] N=1,401	-0.013 [0.021] N=1,157

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.031] N=1,525	0.024 [0.032] N=1,389	0.008 [0.034] N=1,221	-0.006 [0.041] N=1,001	-0.026 [0.060] N=776
Vegetables consumed at least weekly	0.051 [0.039] N=1,525	0.063 [0.043] N=1,389	0.029 [0.046] N=1,221	0.023 [0.055] N=1,001	-0.085 [0.069] N=776
Meat fish or poultry consumed at least weekly	0.062 [0.055] N=1,525	0.083 [0.057] N=1,389	0.058 [0.065] N=1,221	0.023 [0.073] N=1,001	-0.071 [0.088] N=776
Legumes consumed at least weekly	0.031 [0.058] N=1,525	0.022 [0.063] N=1,389	0.031 [0.062] N=1,221	0.068 [0.078] N=1,001	-0.058 [0.107] N=776
Animal products consumed at least weekly	0.029 [0.036] N=1,525	0.030 [0.038] N=1,389	-0.002 [0.044] N=1,221	0.002 [0.055] N=1,001	-0.050 [0.076] N=776
Sweets consumed at least weekly	-0.044 [0.049] N=1,525	-0.015 [0.051] N=1,389	-0.001 [0.057] N=1,221	0.012 [0.066] N=1,001	0.048 [0.090] N=776
Snack foods consumed at least weekly	-0.033 [0.050] N=1,525	-0.017 [0.053] N=1,389	-0.013 [0.061] N=1,221	-0.003 [0.076] N=1,001	-0.095 [0.086] N=776
Packaged soft drinks consumed at least weekly	-0.020 [0.052] N=1,525	-0.010 [0.057] N=1,389	-0.029 [0.064] N=1,221	0.020 [0.076] N=1,001	-0.018 [0.093] N=776
Grains consumed at least weekly	0.046 [0.044] N=1,525	0.066 [0.050] N=1,389	0.046 [0.053] N=1,221	0.086 [0.064] N=1,001	0.073 [0.092] N=776
Child was ever breastfed	0.006 [0.023] N=1,680	0.012 [0.026] N=1,531	0.015 [0.030] N=1,345	0.018 [0.040] N=1,100	0.017 [0.050] N=856

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,565	-0.010 [0.023] N=1,665	0.001 [0.023] N=1,544	-0.010 [0.024] N=1,385	-0.016 [0.026] N=1,183	-0.030 [0.030] N=975
Vegetables consumed at least weekly	0.901 P=1,497	0.012 [0.027] N=1,665	0.012 [0.028] N=1,544	-0.014 [0.029] N=1,385	-0.014 [0.029] N=1,183	**-0.055* [0.033] N=975**
Meat fish or poultry consumed at least weekly	0.784 P=1,314	**0.079* [0.045] N=1,665**	**0.088* [0.046] N=1,544**	0.064 [0.051] N=1,385	0.048 [0.057] N=1,183	0.017 [0.063] N=975
Legumes consumed at least weekly	0.781 P=1,305	-0.034 [0.040] N=1,665	-0.045 [0.042] N=1,544	-0.054 [0.041] N=1,385	-0.048 [0.048] N=1,183	**-0.108** [0.054] N=975**
Animal products consumed at least weekly	0.915 P=1,525	0.027 [0.027] N=1,665	0.026 [0.028] N=1,544	0.008 [0.031] N=1,385	0.007 [0.035] N=1,183	-0.009 [0.038] N=975
Sweets consumed at least weekly	0.667 P=1,109	0.002 [0.037] N=1,665	0.018 [0.039] N=1,544	0.021 [0.041] N=1,385	0.030 [0.044] N=1,183	0.044 [0.050] N=975
Snack foods consumed at least weekly	0.547 P=905	-0.024 [0.042] N=1,665	-0.012 [0.045] N=1,544	-0.013 [0.048] N=1,385	-0.010 [0.055] N=1,183	-0.019 [0.061] N=975
Packaged soft drinks consumed at least weekly	0.346 P=568	0.031 [0.045] N=1,665	0.040 [0.047] N=1,544	0.025 [0.052] N=1,385	0.059 [0.057] N=1,183	0.065 [0.066] N=975
Grains consumed at least weekly	0.899 P=1,502	0.004 [0.030] N=1,665	0.008 [0.032] N=1,544	-0.016 [0.032] N=1,385	-0.006 [0.035] N=1,183	-0.017 [0.039] N=975
Child was ever breastfed	0.967 P=1,769	-0.007 [0.015] N=1,833	-0.002 [0.016] N=1,700	-0.002 [0.018] N=1,523	-0.001 [0.020] N=1,303	-0.011 [0.022] N=1,078

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.000 [0.034] N=1,416	0.020 [0.035] N=1,295	0.001 [0.037] N=1,136	-0.014 [0.045] N=934	-0.042 [0.062] N=726
Vegetables consumed at least weekly	0.047 [0.040] N=1,416	0.052 [0.045] N=1,295	0.010 [0.048] N=1,136	0.009 [0.055] N=934	-0.092 [0.066] N=726
Meat fish or poultry consumed at least weekly	0.089 [0.057] N=1,416	**0.098* [0.058] N=1,295**	0.063 [0.065] N=1,136	0.012 [0.074] N=934	-0.070 [0.082] N=726
Legumes consumed at least weekly	0.023 [0.059] N=1,416	0.005 [0.064] N=1,295	0.001 [0.063] N=1,136	0.018 [0.080] N=934	-0.114 [0.100] N=726
Animal products consumed at least weekly	0.036 [0.038] N=1,416	0.035 [0.041] N=1,295	0.003 [0.047] N=1,136	-0.000 [0.058] N=934	-0.053 [0.075] N=726
Sweets consumed at least weekly	-0.032 [0.050] N=1,416	-0.010 [0.054] N=1,295	-0.010 [0.061] N=1,136	-0.004 [0.069] N=934	0.014 [0.097] N=726
Snack foods consumed at least weekly	-0.051 [0.052] N=1,416	-0.034 [0.057] N=1,295	-0.042 [0.065] N=1,136	-0.050 [0.081] N=934	-0.137 [0.092] N=726
Packaged soft drinks consumed at least weekly	-0.013 [0.054] N=1,416	-0.005 [0.057] N=1,295	-0.040 [0.064] N=1,136	-0.000 [0.077] N=934	-0.017 [0.102] N=726
Grains consumed at least weekly	0.049 [0.046] N=1,416	0.064 [0.053] N=1,295	0.024 [0.056] N=1,136	0.066 [0.067] N=934	0.067 [0.096] N=726
Child was ever breastfed	0.001 [0.024] N=1,552	0.009 [0.027] N=1,419	0.011 [0.031] N=1,242	0.016 [0.041] N=1,022	0.009 [0.051] N=797

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,565	-0.012 [0.022] N=1,665	-0.000 [0.022] N=1,544	-0.010 [0.023] N=1,385	-0.017 [0.026] N=1,183	-0.030 [0.029] N=975
Vegetables consumed at least weekly	0.901 P=1,497	0.011 [0.027] N=1,665	0.011 [0.028] N=1,544	-0.015 [0.029] N=1,385	-0.015 [0.029] N=1,183	-0.054 [0.033] N=975
Meat fish or poultry consumed at least weekly	0.784 P=1,314	**0.081* [0.046] N=1,665**	**0.090* [0.047] N=1,544**	0.069 [0.052] N=1,385	0.056 [0.058] N=1,183	0.033 [0.065] N=975
Legumes consumed at least weekly	0.781 P=1,305	-0.036 [0.040] N=1,665	-0.047 [0.042] N=1,544	-0.056 [0.041] N=1,385	-0.053 [0.048] N=1,183	**-0.116** [0.054] N=975**
Animal products consumed at least weekly	0.915 P=1,525	0.027 [0.027] N=1,665	0.026 [0.028] N=1,544	0.008 [0.031] N=1,385	0.008 [0.035] N=1,183	-0.006 [0.038] N=975
Sweets consumed at least weekly	0.667 P=1,109	0.003 [0.037] N=1,665	0.018 [0.039] N=1,544	0.022 [0.041] N=1,385	0.033 [0.044] N=1,183	0.048 [0.049] N=975
Snack foods consumed at least weekly	0.547 P=905	-0.025 [0.042] N=1,665	-0.013 [0.045] N=1,544	-0.014 [0.048] N=1,385	-0.012 [0.054] N=1,183	-0.026 [0.060] N=975
Packaged soft drinks consumed at least weekly	0.346 P=568	0.028 [0.045] N=1,665	0.037 [0.048] N=1,544	0.023 [0.052] N=1,385	0.056 [0.057] N=1,183	0.055 [0.067] N=975
Grains consumed at least weekly	0.899 P=1,502	0.003 [0.029] N=1,665	0.007 [0.032] N=1,544	-0.017 [0.032] N=1,385	-0.007 [0.035] N=1,183	-0.019 [0.039] N=975
Child was ever breastfed	0.967 P=1,769	-0.006 [0.015] N=1,833	-0.002 [0.016] N=1,700	-0.002 [0.018] N=1,523	-0.001 [0.020] N=1,303	-0.011 [0.022] N=1,078

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.033] N=1,416	0.019 [0.034] N=1,295	0.002 [0.036] N=1,136	-0.013 [0.043] N=934	-0.039 [0.059] N=726
Vegetables consumed at least weekly	0.045 [0.040] N=1,416	0.052 [0.044] N=1,295	0.010 [0.048] N=1,136	0.009 [0.055] N=934	-0.089 [0.064] N=726
Meat fish or poultry consumed at least weekly	0.085 [0.057] N=1,416	0.093 [0.057] N=1,295	0.060 [0.065] N=1,136	0.014 [0.074] N=934	-0.056 [0.082] N=726
Legumes consumed at least weekly	0.020 [0.059] N=1,416	0.003 [0.064] N=1,295	0.003 [0.064] N=1,136	0.020 [0.080] N=934	-0.115 [0.101] N=726
Animal products consumed at least weekly	0.034 [0.037] N=1,416	0.032 [0.040] N=1,295	0.001 [0.046] N=1,136	-0.002 [0.057] N=934	-0.052 [0.074] N=726
Sweets consumed at least weekly	-0.038 [0.049] N=1,416	-0.020 [0.054] N=1,295	-0.017 [0.061] N=1,136	-0.007 [0.069] N=934	0.018 [0.095] N=726
Snack foods consumed at least weekly	-0.056 [0.052] N=1,416	-0.042 [0.056] N=1,295	-0.047 [0.065] N=1,136	-0.052 [0.081] N=934	-0.138 [0.094] N=726
Packaged soft drinks consumed at least weekly	-0.016 [0.054] N=1,416	-0.009 [0.058] N=1,295	-0.041 [0.065] N=1,136	-0.001 [0.078] N=934	-0.022 [0.100] N=726
Grains consumed at least weekly	0.047 [0.046] N=1,416	0.063 [0.053] N=1,295	0.027 [0.057] N=1,136	0.068 [0.069] N=934	0.067 [0.098] N=726
Child was ever breastfed	0.004 [0.024] N=1,552	0.013 [0.027] N=1,419	0.015 [0.032] N=1,242	0.021 [0.041] N=1,022	0.014 [0.053] N=797

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,501	0.006 [0.026] N=1,594	0.007 [0.028] N=1,449	-0.005 [0.031] N=1,264	-0.010 [0.032] N=1,065	0.002 [0.037] N=852
Vegetables consumed at least weekly	0.901 P=1,435	0.018 [0.034] N=1,594	0.028 [0.035] N=1,449	0.036 [0.038] N=1,264	0.031 [0.041] N=1,065	0.044 [0.047] N=852
Meat fish or poultry consumed at least weekly	0.774 P=1,248	**0.081** [0.040] N=1,594**	**0.095** [0.042] N=1,449**	**0.092* [0.046] N=1,264**	**0.132*** [0.046] N=1,065**	**0.138** [0.055] N=852**
Legumes consumed at least weekly	0.782 P=1,256	-0.039 [0.044] N=1,594	-0.019 [0.047] N=1,449	-0.021 [0.051] N=1,264	-0.024 [0.055] N=1,065	0.015 [0.065] N=852
Animal products consumed at least weekly	0.913 P=1,457	0.015 [0.032] N=1,594	0.024 [0.034] N=1,449	0.024 [0.036] N=1,264	0.016 [0.037] N=1,065	0.049 [0.041] N=852
Sweets consumed at least weekly	0.669 P=1,074	-0.001 [0.048] N=1,594	0.004 [0.051] N=1,449	-0.010 [0.055] N=1,264	-0.007 [0.058] N=1,065	-0.047 [0.067] N=852
Snack foods consumed at least weekly	0.543 P=866	-0.018 [0.050] N=1,594	-0.011 [0.053] N=1,449	-0.005 [0.056] N=1,264	0.013 [0.061] N=1,065	-0.021 [0.070] N=852
Packaged soft drinks consumed at least weekly	0.324 P=514	-0.008 [0.043] N=1,594	-0.001 [0.045] N=1,449	0.035 [0.047] N=1,264	0.049 [0.051] N=1,065	0.042 [0.058] N=852
Grains consumed at least weekly	0.899 P=1,438	0.042 [0.037] N=1,594	0.055 [0.040] N=1,449	0.060 [0.042] N=1,264	0.071 [0.046] N=1,065	0.079 [0.052] N=852
Child was ever breastfed	0.965 P=1,699	-0.015 [0.020] N=1,760	-0.015 [0.020] N=1,604	-0.006 [0.020] N=1,397	-0.004 [0.020] N=1,180	-0.016 [0.023] N=943

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.034 [0.036] N=1,384	-0.039 [0.040] N=1,239	-0.069 [0.046] N=1,054	-0.073 [0.050] N=855	-0.062 [0.072] N=642
Vegetables consumed at least weekly	-0.047 [0.043] N=1,384	-0.041 [0.048] N=1,239	-0.041 [0.053] N=1,054	-0.046 [0.060] N=855	-0.034 [0.082] N=642
Meat fish or poultry consumed at least weekly	-0.007 [0.055] N=1,384	0.002 [0.059] N=1,239	-0.036 [0.066] N=1,054	0.026 [0.067] N=855	-0.001 [0.087] N=642
Legumes consumed at least weekly	**-0.098* [0.050] N=1,384**	-0.071 [0.056] N=1,239	-0.084 [0.064] N=1,054	-0.084 [0.070] N=855	0.008 [0.083] N=642
Animal products consumed at least weekly	-0.050 [0.042] N=1,384	-0.039 [0.046] N=1,239	-0.054 [0.051] N=1,054	-0.085 [0.054] N=855	-0.036 [0.067] N=642
Sweets consumed at least weekly	0.006 [0.061] N=1,384	0.013 [0.066] N=1,239	-0.013 [0.075] N=1,054	-0.011 [0.086] N=855	-0.121 [0.105] N=642
Snack foods consumed at least weekly	-0.007 [0.072] N=1,384	-0.001 [0.079] N=1,239	0.010 [0.087] N=1,054	0.061 [0.102] N=855	-0.001 [0.134] N=642
Packaged soft drinks consumed at least weekly	-0.042 [0.071] N=1,384	-0.032 [0.076] N=1,239	0.027 [0.087] N=1,054	0.053 [0.101] N=855	0.045 [0.128] N=642
Grains consumed at least weekly	-0.022 [0.039] N=1,384	-0.015 [0.045] N=1,239	-0.021 [0.047] N=1,054	-0.029 [0.055] N=855	-0.070 [0.074] N=642
Child was ever breastfed	0.007 [0.038] N=1,527	0.007 [0.039] N=1,371	0.027 [0.044] N=1,164	0.039 [0.048] N=947	0.030 [0.063] N=710

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,501	0.006 [0.026] N=1,594	0.007 [0.028] N=1,449	-0.005 [0.031] N=1,264	-0.010 [0.032] N=1,065	0.002 [0.037] N=852
Vegetables consumed at least weekly	0.901 P=1,435	0.019 [0.033] N=1,594	0.028 [0.035] N=1,449	0.036 [0.038] N=1,264	0.031 [0.041] N=1,065	0.043 [0.047] N=852
Meat fish or poultry consumed at least weekly	0.774 P=1,248	**0.081** [0.040] N=1,594**	**0.096** [0.042] N=1,449**	**0.092** [0.046] N=1,264**	**0.131*** [0.046] N=1,065**	**0.137** [0.055] N=852**
Legumes consumed at least weekly	0.782 P=1,256	-0.039 [0.044] N=1,594	-0.019 [0.047] N=1,449	-0.021 [0.051] N=1,264	-0.024 [0.055] N=1,065	0.017 [0.065] N=852
Animal products consumed at least weekly	0.913 P=1,457	0.016 [0.032] N=1,594	0.025 [0.034] N=1,449	0.025 [0.036] N=1,264	0.016 [0.037] N=1,065	0.047 [0.041] N=852
Sweets consumed at least weekly	0.669 P=1,074	0.000 [0.049] N=1,594	0.005 [0.051] N=1,449	-0.010 [0.055] N=1,264	-0.007 [0.058] N=1,065	-0.048 [0.067] N=852
Snack foods consumed at least weekly	0.543 P=866	-0.017 [0.050] N=1,594	-0.011 [0.054] N=1,449	-0.005 [0.056] N=1,264	0.012 [0.061] N=1,065	-0.022 [0.071] N=852
Packaged soft drinks consumed at least weekly	0.324 P=514	-0.008 [0.043] N=1,594	-0.001 [0.045] N=1,449	0.035 [0.047] N=1,264	0.049 [0.051] N=1,065	0.040 [0.058] N=852
Grains consumed at least weekly	0.899 P=1,438	0.042 [0.037] N=1,594	0.055 [0.040] N=1,449	0.060 [0.042] N=1,264	0.072 [0.046] N=1,065	0.080 [0.053] N=852
Child was ever breastfed	0.965 P=1,699	-0.014 [0.020] N=1,760	-0.014 [0.020] N=1,604	-0.006 [0.020] N=1,397	-0.004 [0.020] N=1,180	-0.016 [0.023] N=943

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.033 [0.036] N=1,384	-0.038 [0.040] N=1,239	-0.069 [0.047] N=1,054	-0.073 [0.051] N=855	-0.063 [0.073] N=642
Vegetables consumed at least weekly	-0.046 [0.043] N=1,384	-0.040 [0.047] N=1,239	-0.040 [0.053] N=1,054	-0.044 [0.059] N=855	-0.034 [0.082] N=642
Meat fish or poultry consumed at least weekly	-0.005 [0.055] N=1,384	0.005 [0.059] N=1,239	-0.033 [0.066] N=1,054	0.029 [0.067] N=855	0.004 [0.087] N=642
Legumes consumed at least weekly	**-0.098* [0.050] N=1,384**	-0.073 [0.055] N=1,239	-0.087 [0.064] N=1,054	-0.087 [0.070] N=855	0.001 [0.082] N=642
Animal products consumed at least weekly	-0.046 [0.040] N=1,384	-0.034 [0.044] N=1,239	-0.049 [0.050] N=1,054	-0.080 [0.053] N=855	-0.029 [0.064] N=642
Sweets consumed at least weekly	0.009 [0.061] N=1,384	0.016 [0.066] N=1,239	-0.012 [0.075] N=1,054	-0.011 [0.086] N=855	-0.119 [0.104] N=642
Snack foods consumed at least weekly	-0.002 [0.073] N=1,384	0.003 [0.079] N=1,239	0.014 [0.088] N=1,054	0.064 [0.103] N=855	0.006 [0.136] N=642
Packaged soft drinks consumed at least weekly	-0.041 [0.070] N=1,384	-0.032 [0.076] N=1,239	0.027 [0.086] N=1,054	0.054 [0.101] N=855	0.051 [0.127] N=642
Grains consumed at least weekly	-0.022 [0.039] N=1,384	-0.015 [0.045] N=1,239	-0.023 [0.048] N=1,054	-0.033 [0.054] N=855	-0.075 [0.074] N=642
Child was ever breastfed	0.008 [0.038] N=1,527	0.009 [0.040] N=1,371	0.028 [0.044] N=1,164	0.041 [0.049] N=947	0.033 [0.064] N=710

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,501	0.006 [0.026] N=1,594	0.007 [0.028] N=1,449	-0.003 [0.031] N=1,264	-0.008 [0.032] N=1,065	0.004 [0.038] N=852
Vegetables consumed at least weekly	0.901 P=1,435	0.019 [0.033] N=1,594	0.029 [0.035] N=1,449	0.038 [0.037] N=1,264	0.033 [0.041] N=1,065	0.044 [0.047] N=852
Meat fish or poultry consumed at least weekly	0.774 P=1,248	**0.079** [0.040] N=1,594**	**0.096** [0.042] N=1,449**	**0.100** [0.045] N=1,264**	**0.138*** [0.045] N=1,065**	**0.143*** [0.053] N=852**
Legumes consumed at least weekly	0.782 P=1,256	-0.040 [0.044] N=1,594	-0.019 [0.047] N=1,449	-0.019 [0.052] N=1,264	-0.022 [0.056] N=1,065	0.019 [0.066] N=852
Animal products consumed at least weekly	0.913 P=1,457	0.016 [0.032] N=1,594	0.025 [0.034] N=1,449	0.026 [0.036] N=1,264	0.017 [0.037] N=1,065	0.049 [0.041] N=852
Sweets consumed at least weekly	0.669 P=1,074	-0.000 [0.048] N=1,594	0.004 [0.051] N=1,449	-0.008 [0.054] N=1,264	-0.007 [0.058] N=1,065	-0.047 [0.066] N=852
Snack foods consumed at least weekly	0.543 P=866	-0.016 [0.051] N=1,594	-0.011 [0.054] N=1,449	-0.006 [0.057] N=1,264	0.011 [0.061] N=1,065	-0.023 [0.071] N=852
Packaged soft drinks consumed at least weekly	0.324 P=514	-0.008 [0.044] N=1,594	-0.003 [0.046] N=1,449	0.030 [0.048] N=1,264	0.045 [0.052] N=1,065	0.037 [0.060] N=852
Grains consumed at least weekly	0.899 P=1,438	0.041 [0.037] N=1,594	0.055 [0.040] N=1,449	0.061 [0.043] N=1,264	0.072 [0.047] N=1,065	0.081 [0.053] N=852
Child was ever breastfed	0.965 P=1,699	-0.014 [0.020] N=1,760	-0.014 [0.020] N=1,604	-0.004 [0.021] N=1,397	-0.002 [0.021] N=1,180	-0.014 [0.023] N=943

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.032 [0.036] N=1,384	-0.036 [0.039] N=1,239	-0.063 [0.046] N=1,054	-0.067 [0.051] N=855	-0.057 [0.073] N=642
Vegetables consumed at least weekly	-0.045 [0.043] N=1,384	-0.037 [0.047] N=1,239	-0.035 [0.052] N=1,054	-0.039 [0.059] N=855	-0.028 [0.084] N=642
Meat fish or poultry consumed at least weekly	-0.002 [0.053] N=1,384	0.012 [0.056] N=1,239	-0.012 [0.063] N=1,054	0.049 [0.067] N=855	0.019 [0.084] N=642
Legumes consumed at least weekly	**-0.095* [0.049] N=1,384**	-0.070 [0.055] N=1,239	-0.084 [0.064] N=1,054	-0.080 [0.069] N=855	0.004 [0.082] N=642
Animal products consumed at least weekly	-0.047 [0.040] N=1,384	-0.035 [0.044] N=1,239	-0.047 [0.049] N=1,054	-0.080 [0.054] N=855	-0.030 [0.065] N=642
Sweets consumed at least weekly	0.006 [0.061] N=1,384	0.013 [0.066] N=1,239	-0.011 [0.074] N=1,054	-0.014 [0.085] N=855	-0.125 [0.103] N=642
Snack foods consumed at least weekly	-0.000 [0.073] N=1,384	0.002 [0.080] N=1,239	0.008 [0.087] N=1,054	0.056 [0.102] N=855	0.000 [0.138] N=642
Packaged soft drinks consumed at least weekly	-0.049 [0.072] N=1,384	-0.044 [0.078] N=1,239	0.009 [0.088] N=1,054	0.031 [0.102] N=855	0.033 [0.131] N=642
Grains consumed at least weekly	-0.023 [0.039] N=1,384	-0.016 [0.044] N=1,239	-0.021 [0.047] N=1,054	-0.034 [0.054] N=855	-0.079 [0.074] N=642
Child was ever breastfed	0.008 [0.038] N=1,527	0.009 [0.039] N=1,371	0.033 [0.044] N=1,164	0.046 [0.048] N=947	0.035 [0.063] N=710

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,501	0.005 [0.026] N=1,594	0.007 [0.028] N=1,449	-0.003 [0.031] N=1,264	-0.013 [0.032] N=1,065	-0.003 [0.037] N=852
Vegetables consumed at least weekly	0.901 P=1,435	0.017 [0.034] N=1,594	0.028 [0.036] N=1,449	0.037 [0.038] N=1,264	0.030 [0.041] N=1,065	0.043 [0.046] N=852
Meat fish or poultry consumed at least weekly	0.774 P=1,248	**0.077* [0.041] N=1,594**	**0.094** [0.043] N=1,449**	**0.095** [0.047] N=1,264**	**0.126*** [0.047] N=1,065**	**0.126** [0.054] N=852**
Legumes consumed at least weekly	0.782 P=1,256	-0.037 [0.045] N=1,594	-0.015 [0.047] N=1,449	-0.014 [0.051] N=1,264	-0.018 [0.055] N=1,065	0.023 [0.064] N=852
Animal products consumed at least weekly	0.913 P=1,457	0.020 [0.032] N=1,594	0.030 [0.033] N=1,449	0.033 [0.036] N=1,264	0.021 [0.037] N=1,065	0.050 [0.041] N=852
Sweets consumed at least weekly	0.669 P=1,074	0.008 [0.050] N=1,594	0.011 [0.052] N=1,449	-0.004 [0.056] N=1,264	-0.004 [0.060] N=1,065	-0.046 [0.069] N=852
Snack foods consumed at least weekly	0.543 P=866	-0.006 [0.050] N=1,594	-0.001 [0.054] N=1,449	0.003 [0.056] N=1,264	0.019 [0.061] N=1,065	-0.012 [0.071] N=852
Packaged soft drinks consumed at least weekly	0.324 P=514	0.004 [0.043] N=1,594	0.007 [0.046] N=1,449	0.037 [0.048] N=1,264	0.052 [0.052] N=1,065	0.047 [0.060] N=852
Grains consumed at least weekly	0.899 P=1,438	0.040 [0.037] N=1,594	0.053 [0.039] N=1,449	0.058 [0.042] N=1,264	0.068 [0.046] N=1,065	0.076 [0.052] N=852
Child was ever breastfed	0.965 P=1,699	-0.013 [0.020] N=1,760	-0.014 [0.020] N=1,604	-0.005 [0.020] N=1,397	-0.003 [0.021] N=1,180	-0.017 [0.024] N=943

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.033 [0.035] N=1,384	-0.037 [0.038] N=1,239	-0.063 [0.046] N=1,054	-0.074 [0.051] N=855	-0.072 [0.072] N=642
Vegetables consumed at least weekly	-0.047 [0.043] N=1,384	-0.038 [0.048] N=1,239	-0.035 [0.053] N=1,054	-0.043 [0.059] N=855	-0.030 [0.080] N=642
Meat fish or poultry consumed at least weekly	-0.004 [0.054] N=1,384	0.009 [0.058] N=1,239	-0.019 [0.065] N=1,054	0.031 [0.071] N=855	-0.020 [0.087] N=642
Legumes consumed at least weekly	**-0.093* [0.050] N=1,384**	-0.065 [0.056] N=1,239	-0.072 [0.065] N=1,054	-0.070 [0.070] N=855	0.022 [0.081] N=642
Animal products consumed at least weekly	-0.041 [0.038] N=1,384	-0.027 [0.043] N=1,239	-0.039 [0.048] N=1,054	-0.077 [0.052] N=855	-0.034 [0.061] N=642
Sweets consumed at least weekly	0.016 [0.062] N=1,384	0.022 [0.067] N=1,239	-0.007 [0.075] N=1,054	-0.012 [0.086] N=855	-0.127 [0.103] N=642
Snack foods consumed at least weekly	0.008 [0.071] N=1,384	0.009 [0.078] N=1,239	0.014 [0.086] N=1,054	0.058 [0.100] N=855	0.005 [0.131] N=642
Packaged soft drinks consumed at least weekly	-0.033 [0.070] N=1,384	-0.031 [0.076] N=1,239	0.016 [0.087] N=1,054	0.040 [0.100] N=855	0.052 [0.129] N=642
Grains consumed at least weekly	-0.023 [0.038] N=1,384	-0.017 [0.044] N=1,239	-0.025 [0.046] N=1,054	-0.038 [0.054] N=855	-0.085 [0.074] N=642
Child was ever breastfed	0.008 [0.037] N=1,527	0.010 [0.039] N=1,371	0.032 [0.044] N=1,164	0.044 [0.049] N=947	0.032 [0.064] N=710

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=1,395	0.000 [0.028] N=1,479	-0.001 [0.030] N=1,342	-0.000 [0.033] N=1,175	-0.013 [0.034] N=989	-0.001 [0.039] N=794
Vegetables consumed at least weekly	0.905 P=1,337	0.018 [0.034] N=1,479	0.026 [0.036] N=1,342	0.045 [0.038] N=1,175	0.036 [0.042] N=989	0.037 [0.048] N=794
Meat fish or poultry consumed at least weekly	0.774 P=1,158	**0.081* [0.043] N=1,479**	**0.092** [0.045] N=1,342**	**0.098** [0.048] N=1,175**	**0.114** [0.049] N=989**	**0.118** [0.056] N=794**
Legumes consumed at least weekly	0.780 P=1,165	-0.039 [0.047] N=1,479	-0.019 [0.050] N=1,342	-0.014 [0.054] N=1,175	-0.024 [0.060] N=989	0.009 [0.071] N=794
Animal products consumed at least weekly	0.915 P=1,356	0.011 [0.034] N=1,479	0.024 [0.036] N=1,342	0.031 [0.038] N=1,175	0.023 [0.040] N=989	0.056 [0.043] N=794
Sweets consumed at least weekly	0.680 P=1,011	-0.003 [0.049] N=1,479	0.002 [0.052] N=1,342	-0.019 [0.056] N=1,175	-0.023 [0.061] N=989	-0.060 [0.072] N=794
Snack foods consumed at least weekly	0.552 P=816	-0.006 [0.052] N=1,479	-0.005 [0.055] N=1,342	-0.009 [0.058] N=1,175	0.005 [0.062] N=989	-0.021 [0.073] N=794
Packaged soft drinks consumed at least weekly	0.335 P=495	-0.014 [0.045] N=1,479	-0.011 [0.047] N=1,342	0.023 [0.049] N=1,175	0.037 [0.054] N=989	0.028 [0.063] N=794
Grains consumed at least weekly	0.902 P=1,339	0.055 [0.038] N=1,479	**0.068* [0.041] N=1,342**	**0.076* [0.044] N=1,175**	**0.085* [0.048] N=989**	**0.091* [0.054] N=794**
Child was ever breastfed	0.967 P=1,575	-0.018 [0.019] N=1,628	-0.020 [0.020] N=1,483	-0.012 [0.020] N=1,296	-0.013 [0.019] N=1,095	-0.027 [0.023] N=878

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.046 [0.037] N=1,281	-0.055 [0.041] N=1,144	-0.061 [0.049] N=977	-0.085 [0.052] N=791	-0.082 [0.071] N=596
Vegetables consumed at least weekly	-0.056 [0.040] N=1,281	-0.054 [0.045] N=1,144	-0.034 [0.050] N=977	-0.054 [0.057] N=791	-0.086 [0.074] N=596
Meat fish or poultry consumed at least weekly	0.010 [0.062] N=1,281	0.020 [0.067] N=1,144	0.006 [0.073] N=977	0.015 [0.076] N=791	-0.017 [0.098] N=596
Legumes consumed at least weekly	**-0.087* [0.052] N=1,281**	-0.060 [0.058] N=1,144	-0.053 [0.066] N=977	-0.060 [0.075] N=791	0.018 [0.086] N=596
Animal products consumed at least weekly	**-0.064* [0.039] N=1,281**	-0.049 [0.043] N=1,144	-0.047 [0.048] N=977	-0.082 [0.051] N=791	-0.035 [0.061] N=596
Sweets consumed at least weekly	0.002 [0.063] N=1,281	0.007 [0.068] N=1,144	-0.039 [0.075] N=977	-0.055 [0.085] N=791	-0.163 [0.109] N=596
Snack foods consumed at least weekly	0.016 [0.076] N=1,281	0.014 [0.084] N=1,144	0.004 [0.094] N=977	0.043 [0.107] N=791	0.016 [0.146] N=596
Packaged soft drinks consumed at least weekly	-0.054 [0.072] N=1,281	-0.052 [0.078] N=1,144	-0.000 [0.088] N=977	0.020 [0.103] N=791	-0.007 [0.133] N=596
Grains consumed at least weekly	-0.007 [0.042] N=1,281	-0.000 [0.048] N=1,144	0.000 [0.052] N=977	-0.023 [0.060] N=791	-0.085 [0.081] N=596
Child was ever breastfed	0.007 [0.036] N=1,409	0.005 [0.038] N=1,264	0.024 [0.042] N=1,077	0.032 [0.045] N=876	0.014 [0.061] N=659

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.945 P=1,395	0.001 [0.028] N=1,479	0.001 [0.030] N=1,342	0.000 [0.033] N=1,175	-0.013 [0.034] N=989	-0.002 [0.039] N=794
Vegetables consumed at least weekly	0.905 P=1,337	0.018 [0.034] N=1,479	0.025 [0.036] N=1,342	0.045 [0.038] N=1,175	0.035 [0.042] N=989	0.036 [0.049] N=794
Meat fish or poultry consumed at least weekly	0.774 P=1,158	**0.083* [0.042] N=1,479**	**0.095** [0.044] N=1,342**	**0.100** [0.047] N=1,175**	**0.116** [0.048] N=989**	**0.118** [0.055] N=794**
Legumes consumed at least weekly	0.780 P=1,165	-0.039 [0.047] N=1,479	-0.018 [0.050] N=1,342	-0.013 [0.054] N=1,175	-0.027 [0.060] N=989	0.005 [0.071] N=794
Animal products consumed at least weekly	0.915 P=1,356	0.011 [0.034] N=1,479	0.023 [0.036] N=1,342	0.031 [0.038] N=1,175	0.022 [0.040] N=989	0.055 [0.043] N=794
Sweets consumed at least weekly	0.680 P=1,011	-0.003 [0.050] N=1,479	0.001 [0.052] N=1,342	-0.020 [0.057] N=1,175	-0.024 [0.062] N=989	-0.059 [0.073] N=794
Snack foods consumed at least weekly	0.552 P=816	-0.006 [0.051] N=1,479	-0.005 [0.055] N=1,342	-0.008 [0.058] N=1,175	0.005 [0.063] N=989	-0.020 [0.074] N=794
Packaged soft drinks consumed at least weekly	0.335 P=495	-0.014 [0.045] N=1,479	-0.012 [0.047] N=1,342	0.023 [0.049] N=1,175	0.036 [0.055] N=989	0.027 [0.064] N=794
Grains consumed at least weekly	0.902 P=1,339	0.054 [0.038] N=1,479	0.067 [0.041] N=1,342	**0.075* [0.044] N=1,175**	**0.084* [0.048] N=989**	0.090 [0.055] N=794
Child was ever breastfed	0.967 P=1,575	-0.018 [0.019] N=1,628	-0.020 [0.020] N=1,483	-0.011 [0.020] N=1,296	-0.010 [0.020] N=1,095	-0.024 [0.023] N=878

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.045 [0.037] N=1,281	-0.052 [0.041] N=1,144	-0.060 [0.049] N=977	-0.087 [0.053] N=791	-0.087 [0.073] N=596
Vegetables consumed at least weekly	-0.057 [0.040] N=1,281	-0.056 [0.045] N=1,144	-0.036 [0.050] N=977	-0.058 [0.058] N=791	-0.089 [0.074] N=596
Meat fish or poultry consumed at least weekly	0.012 [0.062] N=1,281	0.022 [0.066] N=1,144	0.005 [0.073] N=977	0.015 [0.076] N=791	-0.019 [0.096] N=596
Legumes consumed at least weekly	-0.086 [0.053] N=1,281	-0.059 [0.058] N=1,144	-0.054 [0.066] N=977	-0.068 [0.075] N=791	0.011 [0.085] N=596
Animal products consumed at least weekly	-0.064 [0.039] N=1,281	-0.049 [0.043] N=1,144	-0.047 [0.048] N=977	-0.085 [0.051] N=791	-0.040 [0.062] N=596
Sweets consumed at least weekly	0.004 [0.064] N=1,281	0.008 [0.068] N=1,144	-0.035 [0.076] N=977	-0.048 [0.086] N=791	-0.157 [0.108] N=596
Snack foods consumed at least weekly	0.015 [0.076] N=1,281	0.011 [0.083] N=1,144	0.002 [0.093] N=977	0.047 [0.107] N=791	0.014 [0.143] N=596
Packaged soft drinks consumed at least weekly	-0.055 [0.072] N=1,281	-0.054 [0.079] N=1,144	0.002 [0.088] N=977	0.023 [0.103] N=791	-0.001 [0.133] N=596
Grains consumed at least weekly	-0.008 [0.042] N=1,281	-0.001 [0.047] N=1,144	-0.001 [0.052] N=977	-0.026 [0.059] N=791	-0.091 [0.080] N=596
Child was ever breastfed	0.006 [0.036] N=1,409	0.001 [0.038] N=1,264	0.022 [0.043] N=1,077	0.035 [0.047] N=876	0.016 [0.063] N=659

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.