# Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Oldest Child

Age reference: 10 October 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

## Father RDD primary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.809 P=1,419 | 0.025 [0.037] N=1,738 | 0.038 [0.039] N=1,613 | 0.021 [0.041] N=1,448 | 0.006 [0.042] N=1,236 | -0.014 [0.047] N=1,025 |
| Not underweight WAZ at least -2 | 0.948 P=1,859 | -0.016 [0.017] N=1,966 | -0.004 [0.018] N=1,818 | -0.002 [0.019] N=1,633 | 0.002 [0.020] N=1,390 | -0.004 [0.026] N=1,147 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=1,180 | 0.021 [0.044] N=1,715 | 0.028 [0.045] N=1,596 | 0.041 [0.049] N=1,434 | 0.022 [0.057] N=1,224 | 0.036 [0.063] N=1,011 |
| Neither low nor high BMIZ -2 to +2 | 0.656 P=1,112 | 0.008 [0.041] N=1,685 | 0.019 [0.042] N=1,570 | 0.020 [0.045] N=1,407 | -0.007 [0.051] N=1,199 | -0.021 [0.050] N=992 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,262 | 0.048 [0.044] N=1,738 | 0.054 [0.047] N=1,613 | 0.034 [0.050] N=1,448 | 0.022 [0.052] N=1,236 | 0.041 [0.058] N=1,025 |
| Strict normal WAZ -2 to +1 | 0.638 P=1,257 | -0.010 [0.047] N=1,966 | -0.013 [0.050] N=1,818 | -0.044 [0.052] N=1,633 | -0.050 [0.057] N=1,390 | -0.033 [0.061] N=1,147 |
| Strict normal WHZ -2 to +1 | 0.523 P=901 | -0.002 [0.043] N=1,715 | 0.001 [0.046] N=1,596 | 0.003 [0.048] N=1,434 | -0.018 [0.054] N=1,224 | -0.026 [0.059] N=1,011 |
| Strict normal BMIZ -2 to +1 | 0.511 P=871 | -0.032 [0.044] N=1,685 | -0.035 [0.045] N=1,570 | -0.038 [0.048] N=1,407 | -0.074 [0.052] N=1,199 | -0.087 [0.053] N=992 |
| Above-normal height HAZ above +3 | 0.092 P=157 | -0.024 [0.027] N=1,738 | -0.016 [0.030] N=1,613 | -0.012 [0.033] N=1,448 | -0.016 [0.033] N=1,236 | -0.055 [0.034] N=1,025 |
| Above-normal weight WAZ above +1 | 0.310 P=602 | -0.006 [0.046] N=1,966 | 0.009 [0.049] N=1,818 | 0.042 [0.051] N=1,633 | 0.052 [0.056] N=1,390 | 0.029 [0.061] N=1,147 |
| Above-normal WHZ above +1 | 0.359 P=606 | 0.038 [0.041] N=1,715 | 0.029 [0.044] N=1,596 | 0.031 [0.047] N=1,434 | 0.041 [0.052] N=1,224 | 0.068 [0.055] N=1,011 |
| Above-normal BMIZ above +1 | 0.362 P=596 | 0.048 [0.041] N=1,685 | 0.047 [0.042] N=1,570 | 0.043 [0.047] N=1,407 | 0.040 [0.051] N=1,199 | 0.065 [0.054] N=992 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.002 [0.053] N=1,462 | 0.020 [0.058] N=1,337 | -0.008 [0.063] N=1,172 | -0.041 [0.072] N=960 | -0.122 [0.102] N=749 |
| Not underweight WAZ at least -2 | -0.035 [0.023] N=1,667 | -0.019 [0.025] N=1,519 | -0.017 [0.028] N=1,334 | -0.015 [0.032] N=1,091 | -0.056 [0.048] N=848 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.032 [0.055] N=1,442 | 0.046 [0.056] N=1,323 | 0.084 [0.063] N=1,161 | 0.068 [0.083] N=951 | **0.153* [0.086] N=738** |
| Neither low nor high BMIZ -2 to +2 | 0.036 [0.060] N=1,419 | 0.060 [0.062] N=1,304 | 0.074 [0.071] N=1,141 | 0.056 [0.093] N=933 | 0.066 [0.089] N=726 |
| Strict normal HAZ -2 to +3 | -0.000 [0.064] N=1,462 | -0.001 [0.068] N=1,337 | -0.048 [0.078] N=1,172 | -0.104 [0.091] N=960 | -0.093 [0.121] N=749 |
| Strict normal WAZ -2 to +1 | 0.067 [0.063] N=1,667 | 0.072 [0.071] N=1,519 | 0.030 [0.076] N=1,334 | 0.031 [0.095] N=1,091 | 0.119 [0.115] N=848 |
| Strict normal WHZ -2 to +1 | 0.051 [0.060] N=1,442 | 0.066 [0.065] N=1,323 | 0.100 [0.071] N=1,161 | 0.097 [0.090] N=951 | 0.138 [0.098] N=738 |
| Strict normal BMIZ -2 to +1 | 0.038 [0.063] N=1,419 | 0.043 [0.067] N=1,304 | 0.064 [0.074] N=1,141 | 0.040 [0.095] N=933 | 0.079 [0.101] N=726 |
| Above-normal height HAZ above +3 | 0.002 [0.039] N=1,462 | 0.022 [0.044] N=1,337 | 0.040 [0.056] N=1,172 | 0.063 [0.058] N=960 | -0.028 [0.070] N=749 |
| Above-normal weight WAZ above +1 | **-0.102* [0.060] N=1,667** | -0.091 [0.067] N=1,519 | -0.047 [0.071] N=1,334 | -0.046 [0.092] N=1,091 | -0.175 [0.109] N=848 |
| Above-normal WHZ above +1 | -0.013 [0.057] N=1,442 | -0.037 [0.064] N=1,323 | -0.066 [0.072] N=1,161 | -0.080 [0.090] N=951 | -0.064 [0.101] N=738 |
| Above-normal BMIZ above +1 | 0.005 [0.060] N=1,419 | -0.001 [0.066] N=1,304 | -0.037 [0.076] N=1,141 | -0.080 [0.091] N=933 | -0.093 [0.100] N=726 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.809 P=1,419 | 0.025 [0.037] N=1,738 | 0.038 [0.039] N=1,613 | 0.021 [0.041] N=1,448 | 0.007 [0.042] N=1,236 | -0.013 [0.048] N=1,025 |
| Not underweight WAZ at least -2 | 0.948 P=1,859 | -0.016 [0.017] N=1,966 | -0.005 [0.018] N=1,818 | -0.002 [0.019] N=1,633 | 0.002 [0.020] N=1,390 | -0.004 [0.026] N=1,147 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=1,180 | 0.019 [0.044] N=1,715 | 0.025 [0.045] N=1,596 | 0.037 [0.049] N=1,434 | 0.018 [0.057] N=1,224 | 0.030 [0.063] N=1,011 |
| Neither low nor high BMIZ -2 to +2 | 0.656 P=1,112 | 0.006 [0.041] N=1,685 | 0.017 [0.042] N=1,570 | 0.016 [0.045] N=1,407 | -0.012 [0.051] N=1,199 | -0.026 [0.050] N=992 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,262 | 0.048 [0.044] N=1,738 | 0.053 [0.046] N=1,613 | 0.032 [0.049] N=1,448 | 0.021 [0.052] N=1,236 | 0.040 [0.058] N=1,025 |
| Strict normal WAZ -2 to +1 | 0.638 P=1,257 | -0.009 [0.047] N=1,966 | -0.013 [0.050] N=1,818 | -0.044 [0.052] N=1,633 | -0.049 [0.057] N=1,390 | -0.032 [0.061] N=1,147 |
| Strict normal WHZ -2 to +1 | 0.523 P=901 | -0.003 [0.044] N=1,715 | -0.001 [0.046] N=1,596 | 0.000 [0.048] N=1,434 | -0.021 [0.055] N=1,224 | -0.028 [0.059] N=1,011 |
| Strict normal BMIZ -2 to +1 | 0.511 P=871 | -0.033 [0.044] N=1,685 | -0.036 [0.045] N=1,570 | -0.040 [0.049] N=1,407 | -0.076 [0.053] N=1,199 | -0.088 [0.054] N=992 |
| Above-normal height HAZ above +3 | 0.092 P=157 | -0.023 [0.027] N=1,738 | -0.016 [0.029] N=1,613 | -0.012 [0.033] N=1,448 | -0.015 [0.033] N=1,236 | -0.053 [0.034] N=1,025 |
| Above-normal weight WAZ above +1 | 0.310 P=602 | -0.007 [0.046] N=1,966 | 0.008 [0.049] N=1,818 | 0.042 [0.051] N=1,633 | 0.052 [0.056] N=1,390 | 0.028 [0.061] N=1,147 |
| Above-normal WHZ above +1 | 0.359 P=606 | 0.038 [0.041] N=1,715 | 0.028 [0.044] N=1,596 | 0.030 [0.047] N=1,434 | 0.039 [0.053] N=1,224 | 0.065 [0.056] N=1,011 |
| Above-normal BMIZ above +1 | 0.362 P=596 | 0.047 [0.041] N=1,685 | 0.046 [0.043] N=1,570 | 0.042 [0.048] N=1,407 | 0.038 [0.052] N=1,199 | 0.060 [0.054] N=992 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.001 [0.053] N=1,462 | 0.020 [0.058] N=1,337 | -0.009 [0.063] N=1,172 | -0.042 [0.071] N=960 | -0.124 [0.102] N=749 |
| Not underweight WAZ at least -2 | -0.035 [0.023] N=1,667 | -0.019 [0.025] N=1,519 | -0.017 [0.028] N=1,334 | -0.016 [0.032] N=1,091 | -0.056 [0.048] N=848 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.032 [0.055] N=1,442 | 0.046 [0.057] N=1,323 | 0.084 [0.064] N=1,161 | 0.066 [0.084] N=951 | **0.151* [0.086] N=738** |
| Neither low nor high BMIZ -2 to +2 | 0.037 [0.060] N=1,419 | 0.060 [0.063] N=1,304 | 0.074 [0.071] N=1,141 | 0.055 [0.094] N=933 | 0.065 [0.089] N=726 |
| Strict normal HAZ -2 to +3 | -0.000 [0.063] N=1,462 | -0.001 [0.068] N=1,337 | -0.047 [0.077] N=1,172 | -0.104 [0.091] N=960 | -0.094 [0.121] N=749 |
| Strict normal WAZ -2 to +1 | 0.067 [0.063] N=1,667 | 0.070 [0.071] N=1,519 | 0.030 [0.076] N=1,334 | 0.029 [0.095] N=1,091 | 0.117 [0.115] N=848 |
| Strict normal WHZ -2 to +1 | 0.051 [0.060] N=1,442 | 0.066 [0.066] N=1,323 | 0.100 [0.072] N=1,161 | 0.097 [0.091] N=951 | 0.138 [0.098] N=738 |
| Strict normal BMIZ -2 to +1 | 0.038 [0.063] N=1,419 | 0.043 [0.067] N=1,304 | 0.064 [0.075] N=1,141 | 0.039 [0.096] N=933 | 0.080 [0.101] N=726 |
| Above-normal height HAZ above +3 | 0.001 [0.038] N=1,462 | 0.020 [0.044] N=1,337 | 0.039 [0.055] N=1,172 | 0.061 [0.057] N=960 | -0.030 [0.068] N=749 |
| Above-normal weight WAZ above +1 | **-0.102* [0.060] N=1,667** | -0.090 [0.066] N=1,519 | -0.047 [0.071] N=1,334 | -0.045 [0.092] N=1,091 | -0.173 [0.109] N=848 |
| Above-normal WHZ above +1 | -0.013 [0.057] N=1,442 | -0.037 [0.064] N=1,323 | -0.066 [0.071] N=1,161 | -0.081 [0.089] N=951 | -0.066 [0.100] N=738 |
| Above-normal BMIZ above +1 | 0.006 [0.060] N=1,419 | -0.000 [0.065] N=1,304 | -0.037 [0.075] N=1,141 | -0.081 [0.091] N=933 | -0.096 [0.099] N=726 |

*Specification 3 Monthly fixed effects female and household income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.809 P=1,419 | 0.019 [0.037] N=1,738 | 0.028 [0.039] N=1,613 | 0.013 [0.041] N=1,448 | 0.002 [0.043] N=1,236 | -0.022 [0.048] N=1,025 |
| Not underweight WAZ at least -2 | 0.948 P=1,859 | -0.020 [0.017] N=1,966 | -0.010 [0.017] N=1,818 | -0.007 [0.018] N=1,633 | -0.001 [0.020] N=1,390 | -0.010 [0.025] N=1,147 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=1,180 | 0.011 [0.044] N=1,715 | 0.014 [0.045] N=1,596 | 0.028 [0.049] N=1,434 | 0.010 [0.057] N=1,224 | 0.024 [0.062] N=1,011 |
| Neither low nor high BMIZ -2 to +2 | 0.656 P=1,112 | 0.000 [0.041] N=1,685 | 0.008 [0.042] N=1,570 | 0.009 [0.045] N=1,407 | -0.017 [0.051] N=1,199 | -0.030 [0.049] N=992 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,262 | 0.040 [0.044] N=1,738 | 0.041 [0.046] N=1,613 | 0.022 [0.049] N=1,448 | 0.015 [0.052] N=1,236 | 0.030 [0.058] N=1,025 |
| Strict normal WAZ -2 to +1 | 0.638 P=1,257 | -0.004 [0.046] N=1,966 | -0.012 [0.049] N=1,818 | -0.043 [0.051] N=1,633 | -0.050 [0.057] N=1,390 | -0.032 [0.061] N=1,147 |
| Strict normal WHZ -2 to +1 | 0.523 P=901 | -0.011 [0.044] N=1,715 | -0.012 [0.046] N=1,596 | -0.010 [0.048] N=1,434 | -0.031 [0.054] N=1,224 | -0.037 [0.058] N=1,011 |
| Strict normal BMIZ -2 to +1 | 0.511 P=871 | -0.038 [0.044] N=1,685 | -0.045 [0.046] N=1,570 | -0.048 [0.049] N=1,407 | -0.083 [0.053] N=1,199 | **-0.092* [0.054] N=992** |
| Above-normal height HAZ above +3 | 0.092 P=157 | -0.021 [0.026] N=1,738 | -0.013 [0.029] N=1,613 | -0.010 [0.033] N=1,448 | -0.013 [0.032] N=1,236 | -0.051 [0.034] N=1,025 |
| Above-normal weight WAZ above +1 | 0.310 P=602 | -0.016 [0.045] N=1,966 | 0.002 [0.048] N=1,818 | 0.036 [0.050] N=1,633 | 0.048 [0.056] N=1,390 | 0.022 [0.060] N=1,147 |
| Above-normal WHZ above +1 | 0.359 P=606 | 0.039 [0.042] N=1,715 | 0.033 [0.045] N=1,596 | 0.035 [0.048] N=1,434 | 0.044 [0.053] N=1,224 | 0.068 [0.056] N=1,011 |
| Above-normal BMIZ above +1 | 0.362 P=596 | 0.049 [0.041] N=1,685 | 0.050 [0.043] N=1,570 | 0.046 [0.048] N=1,407 | 0.042 [0.052] N=1,199 | 0.063 [0.054] N=992 |

*Specification 3 Monthly fixed effects female and household income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.002 [0.053] N=1,462 | 0.009 [0.058] N=1,337 | -0.015 [0.062] N=1,172 | -0.037 [0.070] N=960 | -0.117 [0.101] N=749 |
| Not underweight WAZ at least -2 | -0.037 [0.023] N=1,667 | -0.024 [0.025] N=1,519 | -0.020 [0.027] N=1,334 | -0.014 [0.031] N=1,091 | -0.055 [0.049] N=848 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.024 [0.057] N=1,442 | 0.035 [0.059] N=1,323 | 0.078 [0.066] N=1,161 | 0.062 [0.086] N=951 | 0.137 [0.087] N=738 |
| Neither low nor high BMIZ -2 to +2 | 0.031 [0.061] N=1,419 | 0.050 [0.064] N=1,304 | 0.069 [0.072] N=1,141 | 0.050 [0.095] N=933 | 0.053 [0.091] N=726 |
| Strict normal HAZ -2 to +3 | -0.005 [0.063] N=1,462 | -0.013 [0.067] N=1,337 | -0.053 [0.076] N=1,172 | -0.096 [0.089] N=960 | -0.085 [0.120] N=749 |
| Strict normal WAZ -2 to +1 | 0.072 [0.063] N=1,667 | 0.069 [0.071] N=1,519 | 0.030 [0.076] N=1,334 | 0.031 [0.095] N=1,091 | 0.119 [0.114] N=848 |
| Strict normal WHZ -2 to +1 | 0.041 [0.062] N=1,442 | 0.050 [0.068] N=1,323 | 0.088 [0.074] N=1,161 | 0.086 [0.095] N=951 | 0.124 [0.104] N=738 |
| Strict normal BMIZ -2 to +1 | 0.029 [0.064] N=1,419 | 0.027 [0.069] N=1,304 | 0.051 [0.077] N=1,141 | 0.027 [0.100] N=933 | 0.066 [0.108] N=726 |
| Above-normal height HAZ above +3 | 0.002 [0.038] N=1,462 | 0.022 [0.044] N=1,337 | 0.038 [0.055] N=1,172 | 0.059 [0.058] N=960 | -0.032 [0.070] N=749 |
| Above-normal weight WAZ above +1 | **-0.109* [0.059] N=1,667** | -0.093 [0.066] N=1,519 | -0.050 [0.071] N=1,334 | -0.045 [0.092] N=1,091 | -0.174 [0.108] N=848 |
| Above-normal WHZ above +1 | -0.010 [0.059] N=1,442 | -0.028 [0.066] N=1,323 | -0.057 [0.074] N=1,161 | -0.075 [0.092] N=951 | -0.061 [0.104] N=738 |
| Above-normal BMIZ above +1 | 0.010 [0.061] N=1,419 | 0.009 [0.067] N=1,304 | -0.028 [0.077] N=1,141 | -0.075 [0.094] N=933 | -0.090 [0.103] N=726 |

*Specification 4 Monthly fixed effects female and per-person income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.809 P=1,419 | 0.008 [0.037] N=1,738 | 0.016 [0.039] N=1,613 | -0.001 [0.041] N=1,448 | -0.014 [0.043] N=1,236 | -0.040 [0.048] N=1,025 |
| Not underweight WAZ at least -2 | 0.948 P=1,859 | -0.023 [0.017] N=1,966 | -0.013 [0.018] N=1,818 | -0.011 [0.018] N=1,633 | -0.006 [0.020] N=1,390 | -0.016 [0.025] N=1,147 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=1,180 | 0.008 [0.044] N=1,715 | 0.012 [0.046] N=1,596 | 0.026 [0.050] N=1,434 | 0.008 [0.058] N=1,224 | 0.027 [0.063] N=1,011 |
| Neither low nor high BMIZ -2 to +2 | 0.656 P=1,112 | -0.005 [0.042] N=1,685 | 0.003 [0.043] N=1,570 | 0.004 [0.046] N=1,407 | -0.023 [0.051] N=1,199 | -0.028 [0.050] N=992 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,262 | 0.030 [0.043] N=1,738 | 0.029 [0.046] N=1,613 | 0.008 [0.048] N=1,448 | -0.001 [0.050] N=1,236 | 0.011 [0.057] N=1,025 |
| Strict normal WAZ -2 to +1 | 0.638 P=1,257 | -0.006 [0.047] N=1,966 | -0.015 [0.050] N=1,818 | -0.047 [0.051] N=1,633 | -0.049 [0.057] N=1,390 | -0.030 [0.062] N=1,147 |
| Strict normal WHZ -2 to +1 | 0.523 P=901 | -0.015 [0.044] N=1,715 | -0.017 [0.047] N=1,596 | -0.014 [0.049] N=1,434 | -0.035 [0.055] N=1,224 | -0.037 [0.059] N=1,011 |
| Strict normal BMIZ -2 to +1 | 0.511 P=871 | -0.043 [0.045] N=1,685 | -0.051 [0.047] N=1,570 | -0.053 [0.050] N=1,407 | -0.088 [0.053] N=1,199 | **-0.092* [0.054] N=992** |
| Above-normal height HAZ above +3 | 0.092 P=157 | -0.022 [0.027] N=1,738 | -0.013 [0.030] N=1,613 | -0.009 [0.033] N=1,448 | -0.013 [0.033] N=1,236 | -0.051 [0.034] N=1,025 |
| Above-normal weight WAZ above +1 | 0.310 P=602 | -0.016 [0.045] N=1,966 | 0.002 [0.048] N=1,818 | 0.036 [0.050] N=1,633 | 0.044 [0.056] N=1,390 | 0.015 [0.061] N=1,147 |
| Above-normal WHZ above +1 | 0.359 P=606 | 0.045 [0.042] N=1,715 | 0.039 [0.045] N=1,596 | 0.040 [0.049] N=1,434 | 0.048 [0.054] N=1,224 | 0.070 [0.057] N=1,011 |
| Above-normal BMIZ above +1 | 0.362 P=596 | 0.055 [0.042] N=1,685 | 0.057 [0.044] N=1,570 | 0.051 [0.049] N=1,407 | 0.047 [0.053] N=1,199 | 0.065 [0.056] N=992 |

*Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.003 [0.053] N=1,462 | 0.009 [0.058] N=1,337 | -0.012 [0.064] N=1,172 | -0.028 [0.072] N=960 | -0.112 [0.102] N=749 |
| Not underweight WAZ at least -2 | **-0.039* [0.023] N=1,667** | -0.024 [0.025] N=1,519 | -0.021 [0.027] N=1,334 | -0.014 [0.032] N=1,091 | -0.056 [0.049] N=848 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.021 [0.057] N=1,442 | 0.035 [0.059] N=1,323 | 0.075 [0.065] N=1,161 | 0.055 [0.085] N=951 | 0.122 [0.086] N=738 |
| Neither low nor high BMIZ -2 to +2 | 0.026 [0.062] N=1,419 | 0.049 [0.065] N=1,304 | 0.066 [0.073] N=1,141 | 0.044 [0.094] N=933 | 0.035 [0.088] N=726 |
| Strict normal HAZ -2 to +3 | -0.006 [0.063] N=1,462 | -0.012 [0.068] N=1,337 | -0.051 [0.077] N=1,172 | -0.086 [0.091] N=960 | -0.076 [0.124] N=749 |
| Strict normal WAZ -2 to +1 | 0.073 [0.063] N=1,667 | 0.071 [0.071] N=1,519 | 0.032 [0.075] N=1,334 | 0.037 [0.093] N=1,091 | 0.114 [0.112] N=848 |
| Strict normal WHZ -2 to +1 | 0.040 [0.062] N=1,442 | 0.054 [0.068] N=1,323 | 0.089 [0.073] N=1,161 | 0.078 [0.093] N=951 | 0.105 [0.104] N=738 |
| Strict normal BMIZ -2 to +1 | 0.028 [0.065] N=1,419 | 0.033 [0.070] N=1,304 | 0.056 [0.077] N=1,141 | 0.023 [0.098] N=933 | 0.052 [0.107] N=726 |
| Above-normal height HAZ above +3 | 0.002 [0.038] N=1,462 | 0.022 [0.044] N=1,337 | 0.039 [0.055] N=1,172 | 0.058 [0.057] N=960 | -0.036 [0.071] N=749 |
| Above-normal weight WAZ above +1 | **-0.112* [0.059] N=1,667** | -0.096 [0.066] N=1,519 | -0.053 [0.070] N=1,334 | -0.051 [0.091] N=1,091 | -0.170 [0.106] N=848 |
| Above-normal WHZ above +1 | -0.011 [0.058] N=1,442 | -0.030 [0.065] N=1,323 | -0.059 [0.073] N=1,161 | -0.070 [0.092] N=951 | -0.043 [0.104] N=738 |
| Above-normal BMIZ above +1 | 0.009 [0.061] N=1,419 | 0.005 [0.067] N=1,304 | -0.032 [0.076] N=1,141 | -0.070 [0.093] N=933 | -0.074 [0.104] N=726 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.807 P=1,314 | 0.015 [0.040] N=1,611 | 0.025 [0.042] N=1,500 | 0.007 [0.043] N=1,342 | -0.012 [0.045] N=1,153 | -0.044 [0.051] N=955 |
| Not underweight WAZ at least -2 | 0.948 P=1,720 | -0.010 [0.018] N=1,819 | 0.001 [0.019] N=1,687 | 0.003 [0.020] N=1,511 | 0.006 [0.022] N=1,293 | -0.001 [0.029] N=1,069 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.686 P=1,094 | 0.023 [0.043] N=1,591 | 0.030 [0.044] N=1,487 | 0.040 [0.049] N=1,333 | 0.020 [0.056] N=1,146 | 0.026 [0.061] N=946 |
| Neither low nor high BMIZ -2 to +2 | 0.658 P=1,034 | 0.001 [0.044] N=1,561 | 0.015 [0.045] N=1,460 | 0.014 [0.050] N=1,306 | -0.010 [0.058] N=1,121 | -0.021 [0.059] N=927 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,172 | 0.052 [0.049] N=1,611 | 0.055 [0.051] N=1,500 | 0.035 [0.054] N=1,342 | 0.020 [0.057] N=1,153 | 0.030 [0.064] N=955 |
| Strict normal WAZ -2 to +1 | 0.636 P=1,160 | -0.014 [0.050] N=1,819 | -0.011 [0.053] N=1,687 | -0.041 [0.056] N=1,511 | -0.045 [0.061] N=1,293 | -0.040 [0.067] N=1,069 |
| Strict normal WHZ -2 to +1 | 0.522 P=835 | -0.014 [0.045] N=1,591 | -0.009 [0.048] N=1,487 | -0.009 [0.051] N=1,333 | -0.032 [0.057] N=1,146 | -0.053 [0.061] N=946 |
| Strict normal BMIZ -2 to +1 | 0.512 P=810 | -0.045 [0.046] N=1,561 | -0.043 [0.048] N=1,460 | -0.044 [0.052] N=1,306 | -0.076 [0.058] N=1,121 | -0.093 [0.060] N=927 |
| Above-normal height HAZ above +3 | 0.090 P=142 | -0.037 [0.028] N=1,611 | -0.030 [0.030] N=1,500 | -0.028 [0.034] N=1,342 | -0.032 [0.034] N=1,153 | **-0.073** [0.035] N=955** |
| Above-normal weight WAZ above +1 | 0.312 P=560 | 0.004 [0.048] N=1,819 | 0.012 [0.051] N=1,687 | 0.044 [0.055] N=1,511 | 0.051 [0.060] N=1,293 | 0.039 [0.066] N=1,069 |
| Above-normal WHZ above +1 | 0.361 P=564 | 0.066 [0.043] N=1,591 | 0.055 [0.046] N=1,487 | 0.056 [0.050] N=1,333 | 0.066 [0.055] N=1,146 | **0.108* [0.060] N=946** |
| Above-normal BMIZ above +1 | 0.363 P=553 | **0.076* [0.043] N=1,561** | 0.069 [0.044] N=1,460 | 0.065 [0.049] N=1,306 | 0.064 [0.054] N=1,121 | **0.101* [0.057] N=927** |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.006 [0.056] N=1,354 | 0.026 [0.061] N=1,243 | -0.001 [0.066] N=1,085 | -0.033 [0.075] N=896 | -0.116 [0.113] N=698 |
| Not underweight WAZ at least -2 | -0.033 [0.024] N=1,540 | -0.019 [0.026] N=1,408 | -0.018 [0.029] N=1,232 | -0.024 [0.032] N=1,014 | -0.070 [0.049] N=790 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.041 [0.058] N=1,336 | 0.061 [0.058] N=1,232 | 0.094 [0.067] N=1,078 | 0.092 [0.087] N=891 | **0.179* [0.092] N=691** |
| Neither low nor high BMIZ -2 to +2 | 0.020 [0.062] N=1,313 | 0.048 [0.064] N=1,212 | 0.055 [0.075] N=1,058 | 0.042 [0.097] N=873 | 0.064 [0.091] N=679 |
| Strict normal HAZ -2 to +3 | 0.011 [0.068] N=1,354 | 0.012 [0.072] N=1,243 | -0.034 [0.082] N=1,085 | -0.087 [0.098] N=896 | -0.074 [0.132] N=698 |
| Strict normal WAZ -2 to +1 | 0.070 [0.064] N=1,540 | 0.089 [0.071] N=1,408 | 0.053 [0.077] N=1,232 | 0.052 [0.095] N=1,014 | 0.116 [0.118] N=790 |
| Strict normal WHZ -2 to +1 | 0.064 [0.063] N=1,336 | 0.089 [0.067] N=1,232 | 0.123 [0.075] N=1,078 | 0.127 [0.096] N=891 | 0.165 [0.106] N=691 |
| Strict normal BMIZ -2 to +1 | 0.022 [0.065] N=1,313 | 0.039 [0.069] N=1,212 | 0.060 [0.079] N=1,058 | 0.046 [0.100] N=873 | 0.094 [0.106] N=679 |
| Above-normal height HAZ above +3 | -0.006 [0.040] N=1,354 | 0.014 [0.045] N=1,243 | 0.033 [0.056] N=1,085 | 0.054 [0.058] N=896 | -0.042 [0.072] N=698 |
| Above-normal weight WAZ above +1 | **-0.104* [0.062] N=1,540** | -0.108 [0.067] N=1,408 | -0.071 [0.074] N=1,232 | -0.076 [0.093] N=1,014 | -0.186 [0.113] N=790 |
| Above-normal WHZ above +1 | -0.011 [0.060] N=1,336 | -0.044 [0.066] N=1,232 | -0.076 [0.074] N=1,078 | -0.088 [0.096] N=891 | -0.050 [0.108] N=691 |
| Above-normal BMIZ above +1 | 0.016 [0.063] N=1,313 | -0.007 [0.066] N=1,212 | -0.045 [0.076] N=1,058 | -0.091 [0.095] N=873 | -0.101 [0.106] N=679 |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.807 P=1,314 | 0.016 [0.040] N=1,611 | 0.025 [0.041] N=1,500 | 0.006 [0.043] N=1,342 | -0.013 [0.045] N=1,153 | -0.042 [0.051] N=955 |
| Not underweight WAZ at least -2 | 0.948 P=1,720 | -0.010 [0.018] N=1,819 | 0.000 [0.019] N=1,687 | 0.003 [0.020] N=1,511 | 0.005 [0.022] N=1,293 | -0.001 [0.029] N=1,069 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.686 P=1,094 | 0.020 [0.044] N=1,591 | 0.027 [0.044] N=1,487 | 0.039 [0.049] N=1,333 | 0.021 [0.056] N=1,146 | 0.031 [0.060] N=946 |
| Neither low nor high BMIZ -2 to +2 | 0.658 P=1,034 | -0.001 [0.044] N=1,561 | 0.014 [0.045] N=1,460 | 0.015 [0.050] N=1,306 | -0.006 [0.057] N=1,121 | -0.013 [0.057] N=927 |
| Strict normal HAZ -2 to +3 | 0.717 P=1,172 | 0.054 [0.048] N=1,611 | 0.056 [0.050] N=1,500 | 0.035 [0.053] N=1,342 | 0.020 [0.057] N=1,153 | 0.034 [0.064] N=955 |
| Strict normal WAZ -2 to +1 | 0.636 P=1,160 | -0.014 [0.050] N=1,819 | -0.012 [0.053] N=1,687 | -0.042 [0.056] N=1,511 | -0.046 [0.061] N=1,293 | -0.039 [0.067] N=1,069 |
| Strict normal WHZ -2 to +1 | 0.522 P=835 | -0.015 [0.045] N=1,591 | -0.010 [0.047] N=1,487 | -0.007 [0.051] N=1,333 | -0.027 [0.056] N=1,146 | -0.038 [0.059] N=946 |
| Strict normal BMIZ -2 to +1 | 0.512 P=810 | -0.050 [0.046] N=1,561 | -0.046 [0.048] N=1,460 | -0.044 [0.052] N=1,306 | -0.074 [0.058] N=1,121 | -0.082 [0.059] N=927 |
| Above-normal height HAZ above +3 | 0.090 P=142 | -0.038 [0.027] N=1,611 | -0.031 [0.030] N=1,500 | -0.029 [0.034] N=1,342 | -0.033 [0.033] N=1,153 | **-0.076** [0.035] N=955** |
| Above-normal weight WAZ above +1 | 0.312 P=560 | 0.004 [0.048] N=1,819 | 0.012 [0.051] N=1,687 | 0.045 [0.055] N=1,511 | 0.051 [0.060] N=1,293 | 0.037 [0.066] N=1,069 |
| Above-normal WHZ above +1 | 0.361 P=564 | 0.064 [0.043] N=1,591 | 0.053 [0.045] N=1,487 | 0.052 [0.049] N=1,333 | 0.060 [0.055] N=1,146 | 0.094 [0.059] N=946 |
| Above-normal BMIZ above +1 | 0.363 P=553 | **0.077* [0.043] N=1,561** | 0.070 [0.044] N=1,460 | 0.063 [0.049] N=1,306 | 0.061 [0.054] N=1,121 | 0.090 [0.056] N=927 |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.012 [0.056] N=1,354 | 0.031 [0.061] N=1,243 | 0.003 [0.065] N=1,085 | -0.029 [0.074] N=896 | -0.108 [0.110] N=698 |
| Not underweight WAZ at least -2 | -0.032 [0.024] N=1,540 | -0.017 [0.026] N=1,408 | -0.017 [0.029] N=1,232 | -0.023 [0.032] N=1,014 | -0.067 [0.051] N=790 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.042 [0.057] N=1,336 | 0.061 [0.057] N=1,232 | 0.094 [0.067] N=1,078 | 0.087 [0.087] N=891 | **0.179* [0.092] N=691** |
| Neither low nor high BMIZ -2 to +2 | 0.016 [0.061] N=1,313 | 0.044 [0.063] N=1,212 | 0.051 [0.075] N=1,058 | 0.037 [0.097] N=873 | 0.060 [0.089] N=679 |
| Strict normal HAZ -2 to +3 | 0.018 [0.067] N=1,354 | 0.017 [0.072] N=1,243 | -0.028 [0.081] N=1,085 | -0.078 [0.096] N=896 | -0.056 [0.129] N=698 |
| Strict normal WAZ -2 to +1 | 0.067 [0.064] N=1,540 | 0.084 [0.071] N=1,408 | 0.049 [0.078] N=1,232 | 0.053 [0.095] N=1,014 | 0.129 [0.117] N=790 |
| Strict normal WHZ -2 to +1 | 0.055 [0.062] N=1,336 | 0.078 [0.066] N=1,232 | 0.116 [0.075] N=1,078 | 0.127 [0.095] N=891 | **0.181* [0.105] N=691** |
| Strict normal BMIZ -2 to +1 | 0.011 [0.065] N=1,313 | 0.027 [0.068] N=1,212 | 0.052 [0.079] N=1,058 | 0.037 [0.102] N=873 | 0.089 [0.105] N=679 |
| Above-normal height HAZ above +3 | -0.006 [0.039] N=1,354 | 0.013 [0.045] N=1,243 | 0.031 [0.056] N=1,085 | 0.049 [0.058] N=896 | -0.052 [0.072] N=698 |
| Above-normal weight WAZ above +1 | -0.099 [0.061] N=1,540 | -0.101 [0.067] N=1,408 | -0.066 [0.074] N=1,232 | -0.076 [0.094] N=1,014 | **-0.196* [0.114] N=790** |
| Above-normal WHZ above +1 | -0.002 [0.060] N=1,336 | -0.033 [0.066] N=1,232 | -0.069 [0.074] N=1,078 | -0.089 [0.096] N=891 | -0.065 [0.111] N=691 |
| Above-normal BMIZ above +1 | 0.025 [0.063] N=1,313 | 0.005 [0.067] N=1,212 | -0.038 [0.076] N=1,058 | -0.084 [0.096] N=873 | -0.096 [0.108] N=679 |

## Mother RDD secondary analysis

*Specification 1 Monthly child-age fixed effects  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,268 | -0.016 [0.042] N=1,549 | -0.020 [0.043] N=1,401 | 0.002 [0.045] N=1,220 | -0.014 [0.051] N=1,038 | -0.008 [0.058] N=834 |
| Not underweight WAZ at least -2 | 0.952 P=1,658 | -0.015 [0.021] N=1,747 | -0.006 [0.021] N=1,593 | -0.012 [0.022] N=1,386 | -0.008 [0.022] N=1,173 | 0.011 [0.023] N=938 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.689 P=1,051 | **-0.101* [0.052] N=1,534** | **-0.092* [0.054] N=1,391** | -0.091 [0.056] N=1,214 | -0.050 [0.060] N=1,029 | -0.054 [0.065] N=827 |
| Neither low nor high BMIZ -2 to +2 | 0.664 P=994 | **-0.141** [0.057] N=1,502** | **-0.122** [0.060] N=1,363** | **-0.115* [0.065] N=1,189** | -0.083 [0.067] N=1,009 | -0.101 [0.073] N=815 |
| Strict normal HAZ -2 to +3 | 0.725 P=1,127 | -0.016 [0.044] N=1,549 | -0.023 [0.047] N=1,401 | -0.014 [0.048] N=1,220 | -0.012 [0.052] N=1,038 | -0.015 [0.058] N=834 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,117 | 0.005 [0.045] N=1,747 | -0.005 [0.048] N=1,593 | 0.007 [0.050] N=1,386 | 0.003 [0.054] N=1,173 | 0.035 [0.059] N=938 |
| Strict normal WHZ -2 to +1 | 0.522 P=790 | **-0.136** [0.053] N=1,534** | **-0.145*** [0.054] N=1,391** | **-0.139** [0.057] N=1,214** | -0.083 [0.064] N=1,029 | -0.118 [0.072] N=827 |
| Strict normal BMIZ -2 to +1 | 0.514 P=769 | **-0.121** [0.056] N=1,502** | **-0.121** [0.057] N=1,363** | -0.096 [0.062] N=1,189 | -0.051 [0.067] N=1,009 | -0.098 [0.074] N=815 |
| Above-normal height HAZ above +3 | 0.093 P=141 | 0.000 [0.031] N=1,549 | 0.003 [0.033] N=1,401 | 0.016 [0.036] N=1,220 | -0.001 [0.037] N=1,038 | 0.007 [0.042] N=834 |
| Above-normal weight WAZ above +1 | 0.311 P=541 | -0.020 [0.041] N=1,747 | -0.002 [0.044] N=1,593 | -0.018 [0.045] N=1,386 | -0.011 [0.048] N=1,173 | -0.025 [0.053] N=938 |
| Above-normal WHZ above +1 | 0.363 P=564 | **0.101* [0.052] N=1,534** | **0.109** [0.054] N=1,391** | 0.089 [0.057] N=1,214 | 0.079 [0.064] N=1,029 | 0.104 [0.073] N=827 |
| Above-normal BMIZ above +1 | 0.359 P=542 | 0.071 [0.055] N=1,502 | 0.071 [0.057] N=1,363 | 0.040 [0.060] N=1,189 | 0.027 [0.071] N=1,009 | 0.063 [0.081] N=815 |

*Specification 1 Monthly child-age fixed effects  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.044 [0.066] N=1,339 | -0.052 [0.071] N=1,191 | -0.025 [0.077] N=1,010 | -0.077 [0.097] N=828 | -0.054 [0.118] N=624 |
| Not underweight WAZ at least -2 | -0.023 [0.034] N=1,515 | -0.009 [0.035] N=1,361 | -0.020 [0.040] N=1,154 | -0.008 [0.043] N=941 | 0.037 [0.045] N=706 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.199*** [0.062] N=1,326** | **-0.188*** [0.066] N=1,183** | **-0.208*** [0.072] N=1,006** | -0.139 [0.085] N=821 | -0.155 [0.097] N=619 |
| Neither low nor high BMIZ -2 to +2 | **-0.213*** [0.065] N=1,303** | **-0.185*** [0.071] N=1,164** | **-0.196** [0.077] N=990** | -0.145 [0.089] N=810 | **-0.195* [0.103] N=616** |
| Strict normal HAZ -2 to +3 | -0.035 [0.065] N=1,339 | -0.044 [0.072] N=1,191 | -0.043 [0.077] N=1,010 | -0.053 [0.094] N=828 | -0.047 [0.117] N=624 |
| Strict normal WAZ -2 to +1 | 0.028 [0.064] N=1,515 | 0.015 [0.069] N=1,361 | 0.043 [0.075] N=1,154 | 0.056 [0.085] N=941 | 0.140 [0.104] N=706 |
| Strict normal WHZ -2 to +1 | **-0.184** [0.073] N=1,326** | **-0.206*** [0.077] N=1,183** | **-0.212** [0.085] N=1,006** | -0.091 [0.102] N=821 | -0.177 [0.133] N=619 |
| Strict normal BMIZ -2 to +1 | **-0.171** [0.078] N=1,303** | **-0.174** [0.082] N=1,164** | -0.154 [0.093] N=990 | -0.057 [0.110] N=810 | -0.184 [0.135] N=616 |
| Above-normal height HAZ above +3 | -0.009 [0.042] N=1,339 | -0.008 [0.046] N=1,191 | 0.018 [0.054] N=1,010 | -0.024 [0.055] N=828 | -0.007 [0.071] N=624 |
| Above-normal weight WAZ above +1 | -0.051 [0.058] N=1,515 | -0.024 [0.063] N=1,361 | -0.063 [0.068] N=1,154 | -0.064 [0.075] N=941 | -0.102 [0.091] N=706 |
| Above-normal WHZ above +1 | 0.095 [0.075] N=1,326 | 0.109 [0.080] N=1,183 | 0.077 [0.090] N=1,006 | 0.052 [0.098] N=821 | 0.085 [0.126] N=619 |
| Above-normal BMIZ above +1 | 0.058 [0.077] N=1,303 | 0.059 [0.082] N=1,164 | 0.010 [0.093] N=990 | -0.023 [0.110] N=810 | 0.053 [0.141] N=616 |

*Specification 2 Monthly fixed effects and female  No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,268 | -0.017 [0.042] N=1,549 | -0.021 [0.043] N=1,401 | 0.001 [0.045] N=1,220 | -0.015 [0.051] N=1,038 | -0.009 [0.058] N=834 |
| Not underweight WAZ at least -2 | 0.952 P=1,658 | -0.015 [0.021] N=1,747 | -0.006 [0.021] N=1,593 | -0.011 [0.022] N=1,386 | -0.008 [0.022] N=1,173 | 0.011 [0.023] N=938 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.689 P=1,051 | **-0.098* [0.052] N=1,534** | -0.089 [0.054] N=1,391 | -0.087 [0.057] N=1,214 | -0.050 [0.061] N=1,029 | -0.055 [0.066] N=827 |
| Neither low nor high BMIZ -2 to +2 | 0.664 P=994 | **-0.137** [0.057] N=1,502** | **-0.118** [0.060] N=1,363** | **-0.112* [0.064] N=1,189** | -0.083 [0.067] N=1,009 | -0.102 [0.073] N=815 |
| Strict normal HAZ -2 to +3 | 0.725 P=1,127 | -0.017 [0.044] N=1,549 | -0.024 [0.047] N=1,401 | -0.015 [0.048] N=1,220 | -0.014 [0.052] N=1,038 | -0.016 [0.058] N=834 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,117 | 0.005 [0.045] N=1,747 | -0.004 [0.047] N=1,593 | 0.007 [0.050] N=1,386 | 0.003 [0.053] N=1,173 | 0.035 [0.059] N=938 |
| Strict normal WHZ -2 to +1 | 0.522 P=790 | **-0.134** [0.053] N=1,534** | **-0.143*** [0.054] N=1,391** | **-0.137** [0.058] N=1,214** | -0.082 [0.064] N=1,029 | -0.118 [0.073] N=827 |
| Strict normal BMIZ -2 to +1 | 0.514 P=769 | **-0.120** [0.056] N=1,502** | **-0.118** [0.057] N=1,363** | -0.094 [0.062] N=1,189 | -0.051 [0.067] N=1,009 | -0.098 [0.074] N=815 |
| Above-normal height HAZ above +3 | 0.093 P=141 | -0.001 [0.031] N=1,549 | 0.002 [0.033] N=1,401 | 0.017 [0.036] N=1,220 | -0.001 [0.037] N=1,038 | 0.007 [0.042] N=834 |
| Above-normal weight WAZ above +1 | 0.311 P=541 | -0.020 [0.041] N=1,747 | -0.002 [0.044] N=1,593 | -0.018 [0.045] N=1,386 | -0.011 [0.048] N=1,173 | -0.025 [0.053] N=938 |
| Above-normal WHZ above +1 | 0.363 P=564 | **0.102* [0.052] N=1,534** | **0.109** [0.054] N=1,391** | 0.089 [0.057] N=1,214 | 0.079 [0.063] N=1,029 | 0.103 [0.073] N=827 |
| Above-normal BMIZ above +1 | 0.359 P=542 | 0.073 [0.055] N=1,502 | 0.072 [0.057] N=1,363 | 0.040 [0.060] N=1,189 | 0.027 [0.071] N=1,009 | 0.062 [0.081] N=815 |

*Specification 2 Monthly fixed effects and female  12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.045 [0.066] N=1,339 | -0.054 [0.071] N=1,191 | -0.025 [0.077] N=1,010 | -0.081 [0.098] N=828 | -0.060 [0.120] N=624 |
| Not underweight WAZ at least -2 | -0.023 [0.034] N=1,515 | -0.009 [0.035] N=1,361 | -0.019 [0.040] N=1,154 | -0.008 [0.044] N=941 | 0.039 [0.046] N=706 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.190*** [0.062] N=1,326** | **-0.176*** [0.065] N=1,183** | **-0.193*** [0.071] N=1,006** | -0.124 [0.085] N=821 | -0.134 [0.096] N=619 |
| Neither low nor high BMIZ -2 to +2 | **-0.203*** [0.065] N=1,303** | **-0.171** [0.070] N=1,164** | **-0.178** [0.076] N=990** | -0.130 [0.088] N=810 | **-0.180* [0.103] N=616** |
| Strict normal HAZ -2 to +3 | -0.033 [0.066] N=1,339 | -0.042 [0.072] N=1,191 | -0.041 [0.078] N=1,010 | -0.056 [0.095] N=828 | -0.050 [0.118] N=624 |
| Strict normal WAZ -2 to +1 | 0.027 [0.064] N=1,515 | 0.014 [0.069] N=1,361 | 0.041 [0.075] N=1,154 | 0.054 [0.085] N=941 | 0.136 [0.104] N=706 |
| Strict normal WHZ -2 to +1 | **-0.180** [0.072] N=1,326** | **-0.198** [0.076] N=1,183** | **-0.201** [0.084] N=1,006** | -0.087 [0.102] N=821 | -0.169 [0.130] N=619 |
| Strict normal BMIZ -2 to +1 | **-0.166** [0.077] N=1,303** | **-0.164** [0.081] N=1,164** | -0.142 [0.092] N=990 | -0.051 [0.110] N=810 | -0.179 [0.135] N=616 |
| Above-normal height HAZ above +3 | -0.013 [0.042] N=1,339 | -0.012 [0.046] N=1,191 | 0.017 [0.054] N=1,010 | -0.025 [0.055] N=828 | -0.010 [0.072] N=624 |
| Above-normal weight WAZ above +1 | -0.050 [0.057] N=1,515 | -0.023 [0.063] N=1,361 | -0.061 [0.067] N=1,154 | -0.061 [0.075] N=941 | -0.098 [0.091] N=706 |
| Above-normal WHZ above +1 | 0.097 [0.075] N=1,326 | 0.110 [0.080] N=1,183 | 0.075 [0.090] N=1,006 | 0.057 [0.098] N=821 | 0.094 [0.126] N=619 |
| Above-normal BMIZ above +1 | 0.063 [0.078] N=1,303 | 0.060 [0.082] N=1,164 | 0.010 [0.093] N=990 | -0.018 [0.110] N=810 | 0.063 [0.141] N=616 |

*Specification 3 Monthly fixed effects female and household income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,268 | -0.018 [0.041] N=1,549 | -0.021 [0.043] N=1,401 | 0.003 [0.044] N=1,220 | -0.012 [0.050] N=1,038 | -0.007 [0.056] N=834 |
| Not underweight WAZ at least -2 | 0.952 P=1,658 | -0.014 [0.021] N=1,747 | -0.006 [0.021] N=1,593 | -0.010 [0.022] N=1,386 | -0.007 [0.022] N=1,173 | 0.011 [0.023] N=938 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.689 P=1,051 | **-0.098* [0.053] N=1,534** | -0.087 [0.054] N=1,391 | -0.086 [0.058] N=1,214 | -0.047 [0.062] N=1,029 | -0.056 [0.067] N=827 |
| Neither low nor high BMIZ -2 to +2 | 0.664 P=994 | **-0.137** [0.057] N=1,502** | **-0.117* [0.060] N=1,363** | **-0.111* [0.065] N=1,189** | -0.082 [0.068] N=1,009 | -0.105 [0.074] N=815 |
| Strict normal HAZ -2 to +3 | 0.725 P=1,127 | -0.017 [0.045] N=1,549 | -0.023 [0.047] N=1,401 | -0.011 [0.048] N=1,220 | -0.009 [0.052] N=1,038 | -0.011 [0.058] N=834 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,117 | 0.004 [0.045] N=1,747 | -0.006 [0.048] N=1,593 | 0.003 [0.050] N=1,386 | 0.003 [0.053] N=1,173 | 0.037 [0.059] N=938 |
| Strict normal WHZ -2 to +1 | 0.522 P=790 | **-0.133** [0.053] N=1,534** | **-0.141** [0.054] N=1,391** | **-0.137** [0.058] N=1,214** | -0.082 [0.065] N=1,029 | -0.120 [0.073] N=827 |
| Strict normal BMIZ -2 to +1 | 0.514 P=769 | **-0.120** [0.056] N=1,502** | **-0.117** [0.057] N=1,363** | -0.095 [0.062] N=1,189 | -0.052 [0.067] N=1,009 | -0.102 [0.073] N=815 |
| Above-normal height HAZ above +3 | 0.093 P=141 | -0.001 [0.031] N=1,549 | 0.002 [0.033] N=1,401 | 0.015 [0.036] N=1,220 | -0.003 [0.037] N=1,038 | 0.005 [0.042] N=834 |
| Above-normal weight WAZ above +1 | 0.311 P=541 | -0.019 [0.042] N=1,747 | 0.000 [0.044] N=1,593 | -0.013 [0.046] N=1,386 | -0.010 [0.049] N=1,173 | -0.025 [0.054] N=938 |
| Above-normal WHZ above +1 | 0.363 P=564 | **0.102* [0.052] N=1,534** | **0.109** [0.053] N=1,391** | 0.091 [0.057] N=1,214 | 0.080 [0.063] N=1,029 | 0.105 [0.072] N=827 |
| Above-normal BMIZ above +1 | 0.359 P=542 | 0.073 [0.055] N=1,502 | 0.071 [0.056] N=1,363 | 0.042 [0.060] N=1,189 | 0.028 [0.070] N=1,009 | 0.064 [0.079] N=815 |

*Specification 3 Monthly fixed effects female and household income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.041 [0.065] N=1,339 | -0.049 [0.070] N=1,191 | -0.019 [0.076] N=1,010 | -0.070 [0.096] N=828 | -0.052 [0.118] N=624 |
| Not underweight WAZ at least -2 | -0.021 [0.034] N=1,515 | -0.007 [0.035] N=1,361 | -0.014 [0.040] N=1,154 | -0.003 [0.044] N=941 | 0.043 [0.046] N=706 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.191*** [0.063] N=1,326** | **-0.175*** [0.067] N=1,183** | **-0.190** [0.073] N=1,006** | -0.119 [0.087] N=821 | -0.134 [0.101] N=619 |
| Neither low nor high BMIZ -2 to +2 | **-0.202*** [0.066] N=1,303** | **-0.171** [0.071] N=1,164** | **-0.175** [0.078] N=990** | -0.128 [0.091] N=810 | **-0.180* [0.107] N=616** |
| Strict normal HAZ -2 to +3 | -0.030 [0.066] N=1,339 | -0.037 [0.073] N=1,191 | -0.035 [0.079] N=1,010 | -0.045 [0.097] N=828 | -0.047 [0.122] N=624 |
| Strict normal WAZ -2 to +1 | 0.033 [0.065] N=1,515 | 0.019 [0.070] N=1,361 | 0.040 [0.075] N=1,154 | 0.059 [0.086] N=941 | 0.137 [0.106] N=706 |
| Strict normal WHZ -2 to +1 | **-0.175** [0.074] N=1,326** | **-0.193** [0.077] N=1,183** | **-0.197** [0.086] N=1,006** | -0.082 [0.104] N=821 | -0.168 [0.135] N=619 |
| Strict normal BMIZ -2 to +1 | **-0.159** [0.079] N=1,303** | **-0.157* [0.082] N=1,164** | -0.139 [0.093] N=990 | -0.048 [0.112] N=810 | -0.179 [0.138] N=616 |
| Above-normal height HAZ above +3 | -0.011 [0.042] N=1,339 | -0.013 [0.046] N=1,191 | 0.016 [0.055] N=1,010 | -0.025 [0.055] N=828 | -0.005 [0.071] N=624 |
| Above-normal weight WAZ above +1 | -0.054 [0.058] N=1,515 | -0.026 [0.064] N=1,361 | -0.054 [0.068] N=1,154 | -0.062 [0.075] N=941 | -0.094 [0.091] N=706 |
| Above-normal WHZ above +1 | 0.092 [0.076] N=1,326 | 0.105 [0.080] N=1,183 | 0.073 [0.090] N=1,006 | 0.052 [0.098] N=821 | 0.092 [0.126] N=619 |
| Above-normal BMIZ above +1 | 0.056 [0.078] N=1,303 | 0.054 [0.083] N=1,164 | 0.008 [0.093] N=990 | -0.021 [0.111] N=810 | 0.063 [0.143] N=616 |

*Specification 4 Monthly fixed effects female and per-person income groups No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,268 | -0.011 [0.042] N=1,549 | -0.012 [0.043] N=1,401 | 0.014 [0.045] N=1,220 | -0.005 [0.051] N=1,038 | -0.004 [0.057] N=834 |
| Not underweight WAZ at least -2 | 0.952 P=1,658 | -0.012 [0.021] N=1,747 | -0.003 [0.021] N=1,593 | -0.006 [0.023] N=1,386 | -0.004 [0.023] N=1,173 | 0.016 [0.024] N=938 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.689 P=1,051 | **-0.095* [0.052] N=1,534** | -0.085 [0.053] N=1,391 | -0.088 [0.056] N=1,214 | -0.051 [0.060] N=1,029 | -0.058 [0.065] N=827 |
| Neither low nor high BMIZ -2 to +2 | 0.664 P=994 | **-0.134** [0.057] N=1,502** | **-0.114* [0.059] N=1,363** | **-0.111* [0.064] N=1,189** | -0.084 [0.067] N=1,009 | -0.104 [0.073] N=815 |
| Strict normal HAZ -2 to +3 | 0.725 P=1,127 | -0.011 [0.045] N=1,549 | -0.014 [0.047] N=1,401 | -0.003 [0.049] N=1,220 | -0.004 [0.053] N=1,038 | -0.009 [0.058] N=834 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,117 | 0.007 [0.045] N=1,747 | -0.002 [0.048] N=1,593 | 0.010 [0.049] N=1,386 | 0.009 [0.053] N=1,173 | 0.046 [0.058] N=938 |
| Strict normal WHZ -2 to +1 | 0.522 P=790 | **-0.129** [0.053] N=1,534** | **-0.138** [0.054] N=1,391** | **-0.137** [0.057] N=1,214** | -0.083 [0.064] N=1,029 | **-0.122* [0.072] N=827** |
| Strict normal BMIZ -2 to +1 | 0.514 P=769 | **-0.111** [0.055] N=1,502** | **-0.109* [0.057] N=1,363** | -0.089 [0.061] N=1,189 | -0.048 [0.066] N=1,009 | -0.097 [0.073] N=815 |
| Above-normal height HAZ above +3 | 0.093 P=141 | 0.000 [0.031] N=1,549 | 0.002 [0.033] N=1,401 | 0.016 [0.036] N=1,220 | -0.001 [0.037] N=1,038 | 0.005 [0.042] N=834 |
| Above-normal weight WAZ above +1 | 0.311 P=541 | -0.019 [0.041] N=1,747 | -0.001 [0.044] N=1,593 | -0.016 [0.045] N=1,386 | -0.012 [0.048] N=1,173 | -0.029 [0.052] N=938 |
| Above-normal WHZ above +1 | 0.363 P=564 | **0.095* [0.052] N=1,534** | **0.103* [0.053] N=1,391** | 0.085 [0.057] N=1,214 | 0.077 [0.064] N=1,029 | 0.107 [0.073] N=827 |
| Above-normal BMIZ above +1 | 0.359 P=542 | 0.063 [0.054] N=1,502 | 0.062 [0.056] N=1,363 | 0.035 [0.060] N=1,189 | 0.024 [0.070] N=1,009 | 0.064 [0.081] N=815 |

*Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.038 [0.064] N=1,339 | -0.040 [0.069] N=1,191 | -0.002 [0.077] N=1,010 | -0.057 [0.098] N=828 | -0.052 [0.120] N=624 |
| Not underweight WAZ at least -2 | -0.019 [0.034] N=1,515 | -0.004 [0.035] N=1,361 | -0.009 [0.040] N=1,154 | 0.001 [0.043] N=941 | 0.049 [0.045] N=706 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.187*** [0.062] N=1,326** | **-0.173*** [0.065] N=1,183** | **-0.195*** [0.072] N=1,006** | -0.122 [0.086] N=821 | -0.142 [0.096] N=619 |
| Neither low nor high BMIZ -2 to +2 | **-0.201*** [0.065] N=1,303** | **-0.170** [0.070] N=1,164** | **-0.180** [0.077] N=990** | -0.134 [0.089] N=810 | **-0.193* [0.104] N=616** |
| Strict normal HAZ -2 to +3 | -0.028 [0.065] N=1,339 | -0.029 [0.072] N=1,191 | -0.019 [0.078] N=1,010 | -0.033 [0.097] N=828 | -0.042 [0.120] N=624 |
| Strict normal WAZ -2 to +1 | 0.026 [0.065] N=1,515 | 0.014 [0.070] N=1,361 | 0.044 [0.075] N=1,154 | 0.064 [0.085] N=941 | 0.154 [0.101] N=706 |
| Strict normal WHZ -2 to +1 | **-0.176** [0.072] N=1,326** | **-0.196** [0.076] N=1,183** | **-0.204** [0.084] N=1,006** | -0.089 [0.103] N=821 | -0.190 [0.131] N=619 |
| Strict normal BMIZ -2 to +1 | **-0.159** [0.077] N=1,303** | **-0.159* [0.081] N=1,164** | -0.145 [0.092] N=990 | -0.055 [0.111] N=810 | -0.195 [0.137] N=616 |
| Above-normal height HAZ above +3 | -0.010 [0.043] N=1,339 | -0.011 [0.046] N=1,191 | 0.017 [0.054] N=1,010 | -0.024 [0.056] N=828 | -0.010 [0.072] N=624 |
| Above-normal weight WAZ above +1 | -0.046 [0.058] N=1,515 | -0.018 [0.064] N=1,361 | -0.053 [0.067] N=1,154 | -0.063 [0.074] N=941 | -0.105 [0.086] N=706 |
| Above-normal WHZ above +1 | 0.090 [0.074] N=1,326 | 0.103 [0.079] N=1,183 | 0.071 [0.089] N=1,006 | 0.054 [0.099] N=821 | 0.113 [0.130] N=619 |
| Above-normal BMIZ above +1 | 0.054 [0.077] N=1,303 | 0.051 [0.081] N=1,164 | 0.007 [0.091] N=990 | -0.019 [0.110] N=810 | 0.081 [0.145] N=616 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,173 | -0.025 [0.043] N=1,434 | -0.035 [0.045] N=1,297 | -0.011 [0.045] N=1,133 | -0.025 [0.050] N=961 | -0.031 [0.055] N=774 |
| Not underweight WAZ at least -2 | 0.952 P=1,533 | -0.018 [0.022] N=1,616 | -0.009 [0.023] N=1,473 | -0.011 [0.025] N=1,286 | -0.011 [0.025] N=1,089 | 0.001 [0.026] N=874 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=972 | **-0.103* [0.054] N=1,422** | **-0.092* [0.055] N=1,290** | -0.089 [0.057] N=1,128 | -0.050 [0.062] N=955 | -0.058 [0.066] N=771 |
| Neither low nor high BMIZ -2 to +2 | 0.668 P=926 | **-0.123** [0.058] N=1,391** | -0.099 [0.060] N=1,263 | -0.087 [0.065] N=1,105 | -0.056 [0.070] N=937 | -0.077 [0.076] N=760 |
| Strict normal HAZ -2 to +3 | 0.728 P=1,049 | -0.015 [0.048] N=1,434 | -0.028 [0.050] N=1,297 | -0.019 [0.050] N=1,133 | -0.013 [0.054] N=961 | -0.023 [0.061] N=774 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,033 | -0.004 [0.046] N=1,616 | -0.014 [0.049] N=1,473 | 0.012 [0.053] N=1,286 | 0.005 [0.058] N=1,089 | 0.038 [0.063] N=874 |
| Strict normal WHZ -2 to +1 | 0.523 P=734 | **-0.147*** [0.055] N=1,422** | **-0.161*** [0.056] N=1,290** | **-0.152** [0.059] N=1,128** | -0.092 [0.066] N=955 | **-0.123* [0.073] N=771** |
| Strict normal BMIZ -2 to +1 | 0.516 P=715 | **-0.116** [0.057] N=1,391** | **-0.117** [0.058] N=1,263** | -0.082 [0.063] N=1,105 | -0.041 [0.068] N=937 | -0.083 [0.075] N=760 |
| Above-normal height HAZ above +3 | 0.090 P=124 | -0.010 [0.032] N=1,434 | -0.007 [0.034] N=1,297 | 0.008 [0.036] N=1,133 | -0.012 [0.037] N=961 | -0.008 [0.043] N=774 |
| Above-normal weight WAZ above +1 | 0.312 P=500 | -0.014 [0.043] N=1,616 | 0.005 [0.046] N=1,473 | -0.023 [0.049] N=1,286 | -0.017 [0.052] N=1,089 | -0.037 [0.056] N=874 |
| Above-normal WHZ above +1 | 0.362 P=521 | **0.112** [0.054] N=1,422** | **0.128** [0.056] N=1,290** | **0.102* [0.061] N=1,128** | 0.083 [0.065] N=955 | 0.102 [0.073] N=771 |
| Above-normal BMIZ above +1 | 0.359 P=502 | 0.075 [0.058] N=1,391 | 0.081 [0.060] N=1,263 | 0.037 [0.064] N=1,105 | 0.017 [0.072] N=937 | 0.043 [0.083] N=760 |

*Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.029 [0.071] N=1,237 | -0.047 [0.077] N=1,100 | -0.015 [0.083] N=936 | -0.054 [0.103] N=764 | -0.047 [0.131] N=577 |
| Not underweight WAZ at least -2 | -0.022 [0.037] N=1,398 | -0.005 [0.038] N=1,255 | -0.009 [0.044] N=1,068 | -0.003 [0.051] N=871 | 0.042 [0.055] N=656 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.190*** [0.068] N=1,225** | **-0.170** [0.072] N=1,093** | **-0.180** [0.076] N=931** | -0.091 [0.094] N=758 | -0.097 [0.107] N=574 |
| Neither low nor high BMIZ -2 to +2 | **-0.201*** [0.067] N=1,202** | **-0.162** [0.072] N=1,074** | **-0.157** [0.076] N=916** | -0.094 [0.092] N=748 | -0.156 [0.106] N=571 |
| Strict normal HAZ -2 to +3 | -0.019 [0.070] N=1,237 | -0.037 [0.078] N=1,100 | -0.034 [0.081] N=936 | -0.024 [0.101] N=764 | -0.029 [0.133] N=577 |
| Strict normal WAZ -2 to +1 | 0.010 [0.067] N=1,398 | 0.001 [0.072] N=1,255 | 0.054 [0.080] N=1,068 | 0.051 [0.092] N=871 | 0.124 [0.112] N=656 |
| Strict normal WHZ -2 to +1 | **-0.202** [0.078] N=1,225** | **-0.227*** [0.083] N=1,093** | **-0.220** [0.092] N=931** | -0.087 [0.110] N=758 | -0.143 [0.147] N=574 |
| Strict normal BMIZ -2 to +1 | **-0.178** [0.082] N=1,202** | **-0.181** [0.087] N=1,074** | -0.137 [0.097] N=916 | -0.041 [0.113] N=748 | -0.159 [0.147] N=571 |
| Above-normal height HAZ above +3 | -0.010 [0.041] N=1,237 | -0.011 [0.044] N=1,100 | 0.019 [0.053] N=936 | -0.030 [0.056] N=764 | -0.018 [0.073] N=577 |
| Above-normal weight WAZ above +1 | -0.032 [0.061] N=1,398 | -0.006 [0.067] N=1,255 | -0.063 [0.073] N=1,068 | -0.054 [0.080] N=871 | -0.082 [0.097] N=656 |
| Above-normal WHZ above +1 | 0.117 [0.083] N=1,225 | 0.143 [0.089] N=1,093 | 0.098 [0.102] N=931 | 0.063 [0.109] N=758 | 0.078 [0.144] N=574 |
| Above-normal BMIZ above +1 | 0.077 [0.087] N=1,202 | 0.085 [0.093] N=1,074 | 0.012 [0.105] N=916 | -0.022 [0.121] N=748 | 0.033 [0.159] N=571 |

*Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole*

| Outcome | Mean | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | 0.818 P=1,173 | -0.025 [0.043] N=1,434 | -0.033 [0.045] N=1,297 | -0.009 [0.045] N=1,133 | -0.024 [0.049] N=961 | -0.030 [0.055] N=774 |
| Not underweight WAZ at least -2 | 0.952 P=1,533 | -0.017 [0.022] N=1,616 | -0.008 [0.022] N=1,473 | -0.010 [0.024] N=1,286 | -0.010 [0.025] N=1,089 | 0.003 [0.025] N=874 |
| Neither wasted nor overweight WHZ -2 to +2 | 0.687 P=972 | **-0.098* [0.054] N=1,422** | -0.087 [0.055] N=1,290 | -0.083 [0.057] N=1,128 | -0.043 [0.061] N=955 | -0.051 [0.066] N=771 |
| Neither low nor high BMIZ -2 to +2 | 0.668 P=926 | **-0.120** [0.058] N=1,391** | -0.095 [0.059] N=1,263 | -0.083 [0.064] N=1,105 | -0.050 [0.068] N=937 | -0.070 [0.073] N=760 |
| Strict normal HAZ -2 to +3 | 0.728 P=1,049 | -0.014 [0.047] N=1,434 | -0.025 [0.050] N=1,297 | -0.016 [0.050] N=1,133 | -0.008 [0.054] N=961 | -0.019 [0.060] N=774 |
| Strict normal WAZ -2 to +1 | 0.641 P=1,033 | -0.002 [0.046] N=1,616 | -0.011 [0.049] N=1,473 | 0.014 [0.053] N=1,286 | 0.009 [0.057] N=1,089 | 0.044 [0.062] N=874 |
| Strict normal WHZ -2 to +1 | 0.523 P=734 | **-0.142*** [0.055] N=1,422** | **-0.154*** [0.056] N=1,290** | **-0.144** [0.059] N=1,128** | -0.084 [0.065] N=955 | -0.114 [0.073] N=771 |
| Strict normal BMIZ -2 to +1 | 0.516 P=715 | **-0.113** [0.056] N=1,391** | **-0.113* [0.057] N=1,263** | -0.079 [0.062] N=1,105 | -0.037 [0.066] N=937 | -0.078 [0.073] N=760 |
| Above-normal height HAZ above +3 | 0.090 P=124 | -0.011 [0.032] N=1,434 | -0.008 [0.034] N=1,297 | 0.007 [0.037] N=1,133 | -0.016 [0.038] N=961 | -0.011 [0.043] N=774 |
| Above-normal weight WAZ above +1 | 0.312 P=500 | -0.015 [0.043] N=1,616 | 0.003 [0.046] N=1,473 | -0.024 [0.049] N=1,286 | -0.019 [0.052] N=1,089 | -0.040 [0.056] N=874 |
| Above-normal WHZ above +1 | 0.362 P=521 | **0.111** [0.054] N=1,422** | **0.125** [0.056] N=1,290** | 0.098 [0.061] N=1,128 | 0.081 [0.065] N=955 | 0.097 [0.075] N=771 |
| Above-normal BMIZ above +1 | 0.359 P=502 | 0.075 [0.058] N=1,391 | 0.080 [0.060] N=1,263 | 0.036 [0.064] N=1,105 | 0.018 [0.072] N=937 | 0.042 [0.084] N=760 |

*Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole*

| Outcome | 8 years | 7 years | 6 years | 5 years | 4 years |
|---|---|---|---|---|---|
| Not stunted HAZ at least -2 | -0.030 [0.071] N=1,237 | -0.044 [0.077] N=1,100 | -0.011 [0.082] N=936 | -0.057 [0.102] N=764 | -0.056 [0.128] N=577 |
| Not underweight WAZ at least -2 | -0.022 [0.036] N=1,398 | -0.007 [0.038] N=1,255 | -0.010 [0.044] N=1,068 | -0.006 [0.050] N=871 | 0.033 [0.053] N=656 |
| Neither wasted nor overweight WHZ -2 to +2 | **-0.190*** [0.067] N=1,225** | **-0.171** [0.071] N=1,093** | **-0.179** [0.076] N=931** | -0.093 [0.093] N=758 | -0.109 [0.107] N=574 |
| Neither low nor high BMIZ -2 to +2 | **-0.203*** [0.067] N=1,202** | **-0.164** [0.072] N=1,074** | **-0.158** [0.076] N=916** | -0.095 [0.091] N=748 | -0.153 [0.105] N=571 |
| Strict normal HAZ -2 to +3 | -0.019 [0.069] N=1,237 | -0.035 [0.078] N=1,100 | -0.032 [0.080] N=936 | -0.026 [0.100] N=764 | -0.039 [0.129] N=577 |
| Strict normal WAZ -2 to +1 | 0.010 [0.066] N=1,398 | 0.000 [0.072] N=1,255 | 0.052 [0.080] N=1,068 | 0.048 [0.091] N=871 | 0.119 [0.111] N=656 |
| Strict normal WHZ -2 to +1 | **-0.201** [0.078] N=1,225** | **-0.225*** [0.083] N=1,093** | **-0.218** [0.091] N=931** | -0.085 [0.109] N=758 | -0.144 [0.145] N=574 |
| Strict normal BMIZ -2 to +1 | **-0.181** [0.082] N=1,202** | **-0.185** [0.086] N=1,074** | -0.142 [0.096] N=916 | -0.049 [0.114] N=748 | -0.167 [0.146] N=571 |
| Above-normal height HAZ above +3 | -0.011 [0.042] N=1,237 | -0.009 [0.045] N=1,100 | 0.020 [0.054] N=936 | -0.031 [0.055] N=764 | -0.017 [0.073] N=577 |
| Above-normal weight WAZ above +1 | -0.032 [0.060] N=1,398 | -0.007 [0.067] N=1,255 | -0.062 [0.072] N=1,068 | -0.054 [0.079] N=871 | -0.085 [0.096] N=656 |
| Above-normal WHZ above +1 | 0.116 [0.083] N=1,225 | 0.138 [0.088] N=1,093 | 0.093 [0.100] N=931 | 0.061 [0.107] N=758 | 0.072 [0.141] N=574 |
| Above-normal BMIZ above +1 | 0.078 [0.086] N=1,202 | 0.084 [0.092] N=1,074 | 0.013 [0.104] N=916 | -0.014 [0.121] N=748 | 0.042 [0.157] N=571 |

*Notes:* Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.