Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,432	0.030 [0.033] N=1,707	0.030 [0.034] N=1,574	0.038 [0.037] N=1,417	0.016 [0.038] N=1,208	0.009 [0.042] N=989
Vegetables consumed daily or several times weekly	0.760 P=1,299	0.031 [0.043] N=1,707	0.032 [0.045] N=1,574	0.022 [0.047] N=1,417	-0.001 [0.051] N=1,208	-0.042 [0.055] N=989
Meat fish or poultry consumed daily or several times weekly	0.566 P=969	0.051 [0.055] N=1,707	0.062 [0.057] N=1,574	0.031 [0.062] N=1,417	0.051 [0.070] N=1,208	0.040 [0.079] N=989
Legumes consumed daily or several times weekly	0.554 P=942	0.035 [0.051] N=1,707	0.049 [0.054] N=1,574	0.058 [0.055] N=1,417	0.098 [0.061] N=1,208	0.086 [0.069] N=989
Animal products consumed daily or several times weekly	0.849 P=1,446	**0.076** [0.034] N=1,707**	**0.072** [0.035] N=1,574**	0.056 [0.037] N=1,417	0.062 [0.039] N=1,208	0.046 [0.042] N=989
Sweets consumed daily or several times weekly	0.492 P=845	-0.045 [0.043] N=1,707	-0.051 [0.044] N=1,574	-0.056 [0.045] N=1,417	-0.042 [0.046] N=1,208	-0.024 [0.054] N=989
Snack foods consumed daily or several times weekly	0.363 P=617	0.025 [0.043] N=1,707	0.007 [0.045] N=1,574	0.012 [0.048] N=1,417	0.044 [0.051] N=1,208	0.033 [0.056] N=989
Packaged soft drinks consumed daily or several times weekly	0.210 P=352	0.003 [0.042] N=1,707	0.008 [0.045] N=1,574	0.004 [0.048] N=1,417	0.016 [0.053] N=1,208	-0.014 [0.059] N=989
Grains consumed daily or several times weekly	0.808 P=1,380	0.048 [0.039] N=1,707	0.060 [0.040] N=1,574	0.033 [0.042] N=1,417	0.042 [0.044] N=1,208	0.013 [0.048] N=989

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.048] N=1,457	0.062 [0.051] N=1,324	0.078 [0.058] N=1,167	0.040 [0.070] N=958	0.040 [0.094] N=739
Vegetables consumed daily or several times weekly	0.054 [0.059] N=1,457	0.061 [0.064] N=1,324	0.049 [0.069] N=1,167	0.002 [0.084] N=958	-0.106 [0.100] N=739
Meat fish or poultry consumed daily or several times weekly	0.021 [0.067] N=1,457	0.032 [0.072] N=1,324	-0.036 [0.079] N=1,167	-0.031 [0.098] N=958	-0.091 [0.120] N=739
Legumes consumed daily or several times weekly	0.014 [0.071] N=1,457	0.036 [0.077] N=1,324	0.045 [0.081] N=1,167	0.139 [0.099] N=958	0.142 [0.133] N=739
Animal products consumed daily or several times weekly	**0.090* [0.053] N=1,457**	0.085 [0.058] N=1,324	0.051 [0.065] N=1,167	0.073 [0.076] N=958	0.031 [0.091] N=739
Sweets consumed daily or several times weekly	-0.065 [0.059] N=1,457	-0.075 [0.064] N=1,324	-0.087 [0.069] N=1,167	-0.057 [0.078] N=958	-0.009 [0.111] N=739
Snack foods consumed daily or several times weekly	-0.006 [0.058] N=1,457	-0.040 [0.063] N=1,324	-0.038 [0.069] N=1,167	0.022 [0.085] N=958	-0.042 [0.103] N=739
Packaged soft drinks consumed daily or several times weekly	-0.005 [0.051] N=1,457	0.005 [0.056] N=1,324	0.003 [0.062] N=1,167	0.031 [0.076] N=958	-0.032 [0.091] N=739
Grains consumed daily or several times weekly	0.101 [0.063] N=1,457	**0.137** [0.069] N=1,324**	0.097 [0.078] N=1,167	0.140 [0.095] N=958	0.109 [0.133] N=739

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,432	0.030 [0.033] N=1,707	0.030 [0.034] N=1,574	0.039 [0.037] N=1,417	0.016 [0.038] N=1,208	0.009 [0.042] N=989
Vegetables consumed daily or several times weekly	0.760 P=1,299	0.031 [0.043] N=1,707	0.032 [0.045] N=1,574	0.022 [0.047] N=1,417	-0.001 [0.051] N=1,208	-0.042 [0.056] N=989
Meat fish or poultry consumed daily or several times weekly	0.566 P=969	0.051 [0.055] N=1,707	0.062 [0.058] N=1,574	0.032 [0.062] N=1,417	0.051 [0.070] N=1,208	0.040 [0.079] N=989
Legumes consumed daily or several times weekly	0.554 P=942	0.035 [0.052] N=1,707	0.049 [0.054] N=1,574	0.059 [0.055] N=1,417	0.099 [0.062] N=1,208	0.086 [0.069] N=989
Animal products consumed daily or several times weekly	0.849 P=1,446	**0.077** [0.034] N=1,707**	**0.072** [0.035] N=1,574**	0.057 [0.037] N=1,417	0.063 [0.040] N=1,208	0.047 [0.043] N=989
Sweets consumed daily or several times weekly	0.492 P=845	-0.045 [0.043] N=1,707	-0.051 [0.044] N=1,574	-0.055 [0.045] N=1,417	-0.041 [0.046] N=1,208	-0.024 [0.054] N=989
Snack foods consumed daily or several times weekly	0.363 P=617	0.025 [0.043] N=1,707	0.007 [0.045] N=1,574	0.013 [0.048] N=1,417	0.044 [0.051] N=1,208	0.033 [0.056] N=989
Packaged soft drinks consumed daily or several times weekly	0.210 P=352	0.003 [0.042] N=1,707	0.007 [0.045] N=1,574	0.004 [0.048] N=1,417	0.015 [0.053] N=1,208	-0.014 [0.059] N=989
Grains consumed daily or several times weekly	0.808 P=1,380	0.048 [0.039] N=1,707	0.060 [0.040] N=1,574	0.033 [0.042] N=1,417	0.042 [0.044] N=1,208	0.013 [0.048] N=989

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.048] N=1,457	0.063 [0.051] N=1,324	0.079 [0.059] N=1,167	0.040 [0.070] N=958	0.042 [0.095] N=739
Vegetables consumed daily or several times weekly	0.054 [0.059] N=1,457	0.061 [0.064] N=1,324	0.048 [0.069] N=1,167	0.001 [0.085] N=958	-0.109 [0.101] N=739
Meat fish or poultry consumed daily or several times weekly	0.022 [0.067] N=1,457	0.031 [0.072] N=1,324	-0.036 [0.079] N=1,167	-0.032 [0.098] N=958	-0.093 [0.119] N=739
Legumes consumed daily or several times weekly	0.015 [0.071] N=1,457	0.038 [0.077] N=1,324	0.047 [0.081] N=1,167	0.141 [0.099] N=958	0.143 [0.133] N=739
Animal products consumed daily or several times weekly	**0.091* [0.053] N=1,457**	0.087 [0.058] N=1,324	0.054 [0.065] N=1,167	0.076 [0.076] N=958	0.034 [0.091] N=739
Sweets consumed daily or several times weekly	-0.064 [0.059] N=1,457	-0.074 [0.064] N=1,324	-0.085 [0.069] N=1,167	-0.056 [0.077] N=958	-0.010 [0.110] N=739
Snack foods consumed daily or several times weekly	-0.005 [0.058] N=1,457	-0.038 [0.063] N=1,324	-0.036 [0.069] N=1,167	0.025 [0.086] N=958	-0.040 [0.103] N=739
Packaged soft drinks consumed daily or several times weekly	-0.005 [0.051] N=1,457	0.005 [0.056] N=1,324	0.002 [0.062] N=1,167	0.029 [0.076] N=958	-0.034 [0.091] N=739
Grains consumed daily or several times weekly	0.101 [0.063] N=1,457	**0.137** [0.069] N=1,324**	0.097 [0.078] N=1,167	0.139 [0.095] N=958	0.107 [0.134] N=739

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,432	0.006 [0.034] N=1,707	0.004 [0.035] N=1,574	0.016 [0.037] N=1,417	-0.002 [0.038] N=1,208	-0.013 [0.042] N=989
Vegetables consumed daily or several times weekly	0.760 P=1,299	0.013 [0.043] N=1,707	0.011 [0.045] N=1,574	0.004 [0.047] N=1,417	-0.015 [0.051] N=1,208	-0.061 [0.055] N=989
Meat fish or poultry consumed daily or several times weekly	0.566 P=969	0.013 [0.054] N=1,707	0.019 [0.056] N=1,574	-0.004 [0.061] N=1,417	0.022 [0.069] N=1,208	0.008 [0.078] N=989
Legumes consumed daily or several times weekly	0.554 P=942	0.016 [0.052] N=1,707	0.029 [0.054] N=1,574	0.041 [0.055] N=1,417	0.086 [0.061] N=1,208	0.073 [0.069] N=989
Animal products consumed daily or several times weekly	0.849 P=1,446	**0.062* [0.034] N=1,707**	0.056 [0.036] N=1,574	0.042 [0.038] N=1,417	0.052 [0.040] N=1,208	0.033 [0.043] N=989
Sweets consumed daily or several times weekly	0.492 P=845	-0.053 [0.044] N=1,707	-0.061 [0.045] N=1,574	-0.065 [0.045] N=1,417	-0.047 [0.046] N=1,208	-0.031 [0.054] N=989
Snack foods consumed daily or several times weekly	0.363 P=617	0.027 [0.043] N=1,707	0.009 [0.045] N=1,574	0.011 [0.048] N=1,417	0.045 [0.051] N=1,208	0.037 [0.056] N=989
Packaged soft drinks consumed daily or several times weekly	0.210 P=352	0.012 [0.041] N=1,707	0.019 [0.043] N=1,574	0.011 [0.047] N=1,417	0.022 [0.051] N=1,208	-0.004 [0.057] N=989
Grains consumed daily or several times weekly	0.808 P=1,380	0.041 [0.040] N=1,707	0.055 [0.041] N=1,574	0.028 [0.043] N=1,417	0.038 [0.045] N=1,208	0.010 [0.049] N=989

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.036 [0.050] N=1,457	0.038 [0.054] N=1,324	0.063 [0.062] N=1,167	0.041 [0.078] N=958	0.040 [0.107] N=739
Vegetables consumed daily or several times weekly	0.038 [0.059] N=1,457	0.040 [0.064] N=1,324	0.034 [0.068] N=1,167	0.002 [0.086] N=958	-0.105 [0.102] N=739
Meat fish or poultry consumed daily or several times weekly	-0.011 [0.064] N=1,457	-0.010 [0.070] N=1,324	-0.063 [0.077] N=1,167	-0.036 [0.098] N=958	-0.097 [0.125] N=739
Legumes consumed daily or several times weekly	-0.001 [0.071] N=1,457	0.019 [0.077] N=1,324	0.034 [0.081] N=1,167	0.140 [0.099] N=958	0.143 [0.133] N=739
Animal products consumed daily or several times weekly	0.079 [0.051] N=1,457	0.071 [0.056] N=1,324	0.043 [0.064] N=1,167	0.083 [0.076] N=958	0.049 [0.091] N=739
Sweets consumed daily or several times weekly	-0.071 [0.060] N=1,457	-0.082 [0.065] N=1,324	-0.090 [0.070] N=1,167	-0.052 [0.077] N=958	-0.008 [0.111] N=739
Snack foods consumed daily or several times weekly	-0.004 [0.057] N=1,457	-0.036 [0.062] N=1,324	-0.037 [0.068] N=1,167	0.026 [0.085] N=958	-0.041 [0.103] N=739
Packaged soft drinks consumed daily or several times weekly	0.003 [0.050] N=1,457	0.014 [0.054] N=1,324	0.006 [0.061] N=1,167	0.034 [0.074] N=958	-0.031 [0.090] N=739
Grains consumed daily or several times weekly	0.095 [0.064] N=1,457	**0.133* [0.069] N=1,324**	0.094 [0.078] N=1,167	0.136 [0.096] N=958	0.104 [0.136] N=739

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.839 P=1,432	0.001 [0.033] N=1,707	-0.001 [0.035] N=1,574	0.007 [0.037] N=1,417	-0.012 [0.039] N=1,208	-0.024 [0.043] N=989
Vegetables consumed daily or several times weekly	0.760 P=1,299	0.011 [0.042] N=1,707	0.012 [0.045] N=1,574	0.003 [0.047] N=1,417	-0.018 [0.051] N=1,208	-0.063 [0.054] N=989
Meat fish or poultry consumed daily or several times weekly	0.566 P=969	0.006 [0.053] N=1,707	0.013 [0.055] N=1,574	-0.013 [0.060] N=1,417	0.010 [0.068] N=1,208	-0.008 [0.077] N=989
Legumes consumed daily or several times weekly	0.554 P=942	0.016 [0.052] N=1,707	0.030 [0.054] N=1,574	0.042 [0.055] N=1,417	0.085 [0.061] N=1,208	0.071 [0.069] N=989
Animal products consumed daily or several times weekly	0.849 P=1,446	**0.061* [0.035] N=1,707**	0.056 [0.036] N=1,574	0.040 [0.038] N=1,417	0.046 [0.041] N=1,208	0.028 [0.044] N=989
Sweets consumed daily or several times weekly	0.492 P=845	-0.054 [0.044] N=1,707	-0.063 [0.044] N=1,574	-0.069 [0.045] N=1,417	-0.049 [0.046] N=1,208	-0.035 [0.054] N=989
Snack foods consumed daily or several times weekly	0.363 P=617	0.028 [0.043] N=1,707	0.010 [0.045] N=1,574	0.010 [0.048] N=1,417	0.046 [0.051] N=1,208	0.036 [0.055] N=989
Packaged soft drinks consumed daily or several times weekly	0.210 P=352	0.014 [0.040] N=1,707	0.019 [0.043] N=1,574	0.011 [0.047] N=1,417	0.024 [0.050] N=1,208	-0.001 [0.055] N=989
Grains consumed daily or several times weekly	0.808 P=1,380	0.045 [0.039] N=1,707	0.058 [0.040] N=1,574	0.032 [0.042] N=1,417	0.041 [0.044] N=1,208	0.015 [0.049] N=989

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.033 [0.048] N=1,457	0.037 [0.053] N=1,324	0.060 [0.059] N=1,167	0.033 [0.074] N=958	0.023 [0.104] N=739
Vegetables consumed daily or several times weekly	0.034 [0.059] N=1,457	0.040 [0.065] N=1,324	0.032 [0.069] N=1,167	-0.014 [0.087] N=958	-0.138 [0.105] N=739
Meat fish or poultry consumed daily or several times weekly	-0.018 [0.064] N=1,457	-0.013 [0.069] N=1,324	-0.068 [0.076] N=1,167	-0.059 [0.097] N=958	-0.139 [0.124] N=739
Legumes consumed daily or several times weekly	-0.003 [0.072] N=1,457	0.019 [0.078] N=1,324	0.033 [0.082] N=1,167	0.133 [0.101] N=958	0.123 [0.137] N=739
Animal products consumed daily or several times weekly	0.080 [0.053] N=1,457	0.076 [0.058] N=1,324	0.045 [0.065] N=1,167	0.073 [0.078] N=958	0.035 [0.096] N=739
Sweets consumed daily or several times weekly	-0.065 [0.060] N=1,457	-0.080 [0.063] N=1,324	-0.089 [0.068] N=1,167	-0.048 [0.077] N=958	-0.008 [0.112] N=739
Snack foods consumed daily or several times weekly	0.001 [0.057] N=1,457	-0.035 [0.062] N=1,324	-0.035 [0.069] N=1,167	0.033 [0.085] N=958	-0.027 [0.103] N=739
Packaged soft drinks consumed daily or several times weekly	0.009 [0.050] N=1,457	0.019 [0.054] N=1,324	0.010 [0.061] N=1,167	0.038 [0.074] N=958	-0.018 [0.089] N=739
Grains consumed daily or several times weekly	0.096 [0.063] N=1,457	**0.133* [0.068] N=1,324**	0.095 [0.077] N=1,167	0.135 [0.096] N=958	0.094 [0.135] N=739

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.838 P=1,327	0.019 [0.035] N=1,585	0.013 [0.037] N=1,467	0.024 [0.039] N=1,319	0.008 [0.040] N=1,128	-0.010 [0.043] N=925
Vegetables consumed daily or several times weekly	0.760 P=1,206	0.020 [0.046] N=1,585	0.018 [0.048] N=1,467	0.012 [0.051] N=1,319	-0.008 [0.055] N=1,128	-0.054 [0.059] N=925
Meat fish or poultry consumed daily or several times weekly	0.568 P=902	0.057 [0.053] N=1,585	0.065 [0.055] N=1,467	0.035 [0.059] N=1,319	0.039 [0.066] N=1,128	0.013 [0.073] N=925
Legumes consumed daily or several times weekly	0.551 P=870	0.038 [0.051] N=1,585	0.045 [0.054] N=1,467	0.061 [0.055] N=1,319	**0.103* [0.060] N=1,128**	0.079 [0.068] N=925
Animal products consumed daily or several times weekly	0.853 P=1,349	**0.078** [0.035] N=1,585**	**0.072* [0.037] N=1,467**	0.056 [0.038] N=1,319	0.050 [0.041] N=1,128	0.026 [0.043] N=925
Sweets consumed daily or several times weekly	0.495 P=789	-0.038 [0.046] N=1,585	-0.044 [0.048] N=1,467	-0.049 [0.048] N=1,319	-0.033 [0.050] N=1,128	-0.021 [0.058] N=925
Snack foods consumed daily or several times weekly	0.366 P=578	0.024 [0.045] N=1,585	0.016 [0.048] N=1,467	0.026 [0.051] N=1,319	0.054 [0.055] N=1,128	0.052 [0.060] N=925
Packaged soft drinks consumed daily or several times weekly	0.215 P=334	0.024 [0.041] N=1,585	0.030 [0.044] N=1,467	0.026 [0.047] N=1,319	0.036 [0.051] N=1,128	0.020 [0.058] N=925
Grains consumed daily or several times weekly	0.808 P=1,282	0.043 [0.041] N=1,585	0.052 [0.042] N=1,467	0.020 [0.044] N=1,319	0.030 [0.047] N=1,128	-0.005 [0.050] N=925

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.050] N=1,350	0.053 [0.055] N=1,232	0.071 [0.062] N=1,084	0.045 [0.074] N=893	0.023 [0.098] N=690
Vegetables consumed daily or several times weekly	0.053 [0.063] N=1,350	0.057 [0.069] N=1,232	0.049 [0.073] N=1,084	0.013 [0.090] N=893	-0.099 [0.107] N=690
Meat fish or poultry consumed daily or several times weekly	0.054 [0.069] N=1,350	0.062 [0.075] N=1,232	0.005 [0.081] N=1,084	-0.015 [0.101] N=893	-0.098 [0.122] N=690
Legumes consumed daily or several times weekly	0.029 [0.074] N=1,350	0.041 [0.081] N=1,232	0.065 [0.086] N=1,084	0.167 [0.101] N=893	0.155 [0.137] N=690
Animal products consumed daily or several times weekly	**0.107* [0.056] N=1,350**	**0.102* [0.061] N=1,232**	0.070 [0.067] N=1,084	0.079 [0.079] N=893	0.038 [0.097] N=690
Sweets consumed daily or several times weekly	-0.058 [0.063] N=1,350	-0.067 [0.069] N=1,232	-0.088 [0.072] N=1,084	-0.060 [0.083] N=893	-0.046 [0.118] N=690
Snack foods consumed daily or several times weekly	-0.011 [0.061] N=1,350	-0.028 [0.068] N=1,232	-0.017 [0.074] N=1,084	0.034 [0.090] N=893	-0.021 [0.113] N=690
Packaged soft drinks consumed daily or several times weekly	0.016 [0.050] N=1,350	0.029 [0.053] N=1,232	0.026 [0.060] N=1,084	0.050 [0.072] N=893	0.023 [0.090] N=690
Grains consumed daily or several times weekly	0.107 [0.065] N=1,350	**0.139* [0.071] N=1,232**	0.086 [0.079] N=1,084	0.133 [0.098] N=893	0.085 [0.136] N=690

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.838 P=1,327	0.015 [0.035] N=1,585	0.010 [0.036] N=1,467	0.023 [0.038] N=1,319	0.004 [0.039] N=1,128	-0.014 [0.041] N=925
Vegetables consumed daily or several times weekly	0.760 P=1,206	0.016 [0.045] N=1,585	0.015 [0.048] N=1,467	0.009 [0.050] N=1,319	-0.011 [0.054] N=1,128	-0.057 [0.058] N=925
Meat fish or poultry consumed daily or several times weekly	0.568 P=902	0.056 [0.053] N=1,585	0.065 [0.056] N=1,467	0.039 [0.059] N=1,319	0.043 [0.067] N=1,128	0.022 [0.073] N=925
Legumes consumed daily or several times weekly	0.551 P=870	0.034 [0.052] N=1,585	0.041 [0.054] N=1,467	0.059 [0.055] N=1,319	0.099 [0.060] N=1,128	0.077 [0.067] N=925
Animal products consumed daily or several times weekly	0.853 P=1,349	**0.077** [0.035] N=1,585**	**0.071* [0.036] N=1,467**	0.055 [0.038] N=1,319	0.052 [0.041] N=1,128	0.031 [0.043] N=925
Sweets consumed daily or several times weekly	0.495 P=789	-0.038 [0.045] N=1,585	-0.045 [0.047] N=1,467	-0.048 [0.048] N=1,319	-0.033 [0.049] N=1,128	-0.022 [0.057] N=925
Snack foods consumed daily or several times weekly	0.366 P=578	0.021 [0.045] N=1,585	0.012 [0.048] N=1,467	0.023 [0.051] N=1,319	0.048 [0.055] N=1,128	0.040 [0.060] N=925
Packaged soft drinks consumed daily or several times weekly	0.215 P=334	0.021 [0.042] N=1,585	0.026 [0.045] N=1,467	0.023 [0.048] N=1,319	0.031 [0.052] N=1,128	0.009 [0.059] N=925
Grains consumed daily or several times weekly	0.808 P=1,282	0.043 [0.041] N=1,585	0.052 [0.042] N=1,467	0.019 [0.044] N=1,319	0.029 [0.046] N=1,128	-0.008 [0.050] N=925

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.049 [0.050] N=1,350	0.048 [0.054] N=1,232	0.072 [0.061] N=1,084	0.046 [0.073] N=893	0.026 [0.097] N=690
Vegetables consumed daily or several times weekly	0.048 [0.062] N=1,350	0.053 [0.068] N=1,232	0.048 [0.072] N=1,084	0.013 [0.088] N=893	-0.093 [0.104] N=690
Meat fish or poultry consumed daily or several times weekly	0.045 [0.068] N=1,350	0.054 [0.073] N=1,232	0.001 [0.079] N=1,084	-0.015 [0.099] N=893	-0.086 [0.119] N=690
Legumes consumed daily or several times weekly	0.024 [0.074] N=1,350	0.036 [0.080] N=1,232	0.063 [0.086] N=1,084	0.167 [0.100] N=893	0.158 [0.136] N=690
Animal products consumed daily or several times weekly	**0.103* [0.055] N=1,350**	0.098 [0.060] N=1,232	0.068 [0.067] N=1,084	0.076 [0.079] N=893	0.043 [0.096] N=690
Sweets consumed daily or several times weekly	-0.068 [0.062] N=1,350	-0.081 [0.069] N=1,232	-0.094 [0.072] N=1,084	-0.060 [0.082] N=893	-0.034 [0.118] N=690
Snack foods consumed daily or several times weekly	-0.017 [0.061] N=1,350	-0.035 [0.067] N=1,232	-0.019 [0.074] N=1,084	0.035 [0.090] N=893	-0.022 [0.112] N=690
Packaged soft drinks consumed daily or several times weekly	0.013 [0.050] N=1,350	0.026 [0.054] N=1,232	0.026 [0.060] N=1,084	0.049 [0.072] N=893	0.015 [0.087] N=690
Grains consumed daily or several times weekly	0.104 [0.065] N=1,350	**0.136* [0.071] N=1,232**	0.087 [0.080] N=1,084	0.133 [0.098] N=893	0.084 [0.137] N=690

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,275	0.033 [0.044] N=1,503	0.039 [0.046] N=1,364	0.046 [0.051] N=1,191	0.036 [0.055] N=1,003	0.053 [0.065] N=808
Vegetables consumed daily or several times weekly	0.767 P=1,155	0.002 [0.055] N=1,503	0.017 [0.057] N=1,364	0.046 [0.062] N=1,191	0.046 [0.068] N=1,003	0.065 [0.079] N=808
Meat fish or poultry consumed daily or several times weekly	0.562 P=853	**0.096* [0.054] N=1,503**	0.093 [0.058] N=1,364	0.097 [0.062] N=1,191	**0.125* [0.069] N=1,003**	**0.131* [0.079] N=808**
Legumes consumed daily or several times weekly	0.561 P=843	0.025 [0.063] N=1,503	0.035 [0.065] N=1,364	0.030 [0.069] N=1,191	-0.003 [0.076] N=1,003	0.030 [0.089] N=808
Animal products consumed daily or several times weekly	0.850 P=1,276	0.056 [0.041] N=1,503	0.062 [0.042] N=1,364	**0.074* [0.045] N=1,191**	0.064 [0.047] N=1,003	**0.096* [0.052] N=808**
Sweets consumed daily or several times weekly	0.505 P=764	-0.067 [0.055] N=1,503	-0.077 [0.057] N=1,364	-0.054 [0.063] N=1,191	-0.073 [0.067] N=1,003	**-0.132* [0.074] N=808**
Snack foods consumed daily or several times weekly	0.376 P=560	-0.028 [0.046] N=1,503	-0.042 [0.049] N=1,364	-0.046 [0.052] N=1,191	-0.038 [0.056] N=1,003	-0.103 [0.062] N=808
Packaged soft drinks consumed daily or several times weekly	0.204 P=302	0.010 [0.038] N=1,503	0.001 [0.039] N=1,364	0.034 [0.040] N=1,191	0.031 [0.047] N=1,003	-0.038 [0.051] N=808
Grains consumed daily or several times weekly	0.809 P=1,219	**0.095** [0.048] N=1,503**	**0.097* [0.050] N=1,364**	**0.105* [0.054] N=1,191**	0.096 [0.061] N=1,003	0.080 [0.068] N=808

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.009 [0.065] N=1,300	-0.006 [0.069] N=1,161	0.001 [0.083] N=988	-0.011 [0.092] N=800	0.015 [0.128] N=605
Vegetables consumed daily or several times weekly	-0.064 [0.073] N=1,300	-0.052 [0.080] N=1,161	-0.016 [0.094] N=988	-0.020 [0.104] N=800	0.002 [0.150] N=605
Meat fish or poultry consumed daily or several times weekly	0.045 [0.065] N=1,300	0.031 [0.069] N=1,161	0.012 [0.076] N=988	0.032 [0.087] N=800	0.003 [0.106] N=605
Legumes consumed daily or several times weekly	0.097 [0.077] N=1,300	0.111 [0.081] N=1,161	0.120 [0.087] N=988	0.092 [0.099] N=800	**0.233* [0.122] N=605**
Animal products consumed daily or several times weekly	0.000 [0.056] N=1,300	0.007 [0.061] N=1,161	0.020 [0.066] N=988	-0.009 [0.075] N=800	0.053 [0.091] N=605
Sweets consumed daily or several times weekly	-0.001 [0.070] N=1,300	-0.011 [0.074] N=1,161	0.048 [0.083] N=988	0.040 [0.098] N=800	-0.061 [0.129] N=605
Snack foods consumed daily or several times weekly	0.021 [0.063] N=1,300	0.003 [0.069] N=1,161	0.003 [0.077] N=988	0.048 [0.090] N=800	-0.078 [0.117] N=605
Packaged soft drinks consumed daily or several times weekly	-0.026 [0.059] N=1,300	-0.045 [0.063] N=1,161	0.005 [0.070] N=988	-0.006 [0.090] N=800	**-0.218* [0.110] N=605**
Grains consumed daily or several times weekly	0.041 [0.055] N=1,300	0.034 [0.057] N=1,161	0.033 [0.061] N=988	-0.018 [0.075] N=800	-0.133 [0.096] N=605

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,275	0.033 [0.044] N=1,503	0.040 [0.046] N=1,364	0.046 [0.051] N=1,191	0.036 [0.055] N=1,003	0.053 [0.064] N=808
Vegetables consumed daily or several times weekly	0.767 P=1,155	0.002 [0.054] N=1,503	0.017 [0.057] N=1,364	0.047 [0.061] N=1,191	0.046 [0.068] N=1,003	0.064 [0.079] N=808
Meat fish or poultry consumed daily or several times weekly	0.562 P=853	**0.097* [0.054] N=1,503**	0.094 [0.057] N=1,364	0.098 [0.062] N=1,191	**0.125* [0.069] N=1,003**	0.130 [0.078] N=808
Legumes consumed daily or several times weekly	0.561 P=843	0.026 [0.063] N=1,503	0.035 [0.065] N=1,364	0.030 [0.069] N=1,191	-0.003 [0.076] N=1,003	0.031 [0.089] N=808
Animal products consumed daily or several times weekly	0.850 P=1,276	0.057 [0.040] N=1,503	0.063 [0.042] N=1,364	**0.075* [0.044] N=1,191**	0.063 [0.047] N=1,003	**0.095* [0.052] N=808**
Sweets consumed daily or several times weekly	0.505 P=764	-0.067 [0.055] N=1,503	-0.076 [0.057] N=1,364	-0.053 [0.063] N=1,191	-0.074 [0.067] N=1,003	**-0.132* [0.074] N=808**
Snack foods consumed daily or several times weekly	0.376 P=560	-0.027 [0.046] N=1,503	-0.041 [0.049] N=1,364	-0.045 [0.052] N=1,191	-0.039 [0.056] N=1,003	**-0.104* [0.062] N=808**
Packaged soft drinks consumed daily or several times weekly	0.204 P=302	0.010 [0.038] N=1,503	0.001 [0.039] N=1,364	0.034 [0.040] N=1,191	0.030 [0.046] N=1,003	-0.039 [0.050] N=808
Grains consumed daily or several times weekly	0.809 P=1,219	**0.095** [0.048] N=1,503**	**0.097* [0.050] N=1,364**	**0.105* [0.054] N=1,191**	0.097 [0.061] N=1,003	0.081 [0.068] N=808

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.008 [0.065] N=1,300	-0.005 [0.069] N=1,161	0.002 [0.083] N=988	-0.012 [0.093] N=800	0.017 [0.128] N=605
Vegetables consumed daily or several times weekly	-0.063 [0.073] N=1,300	-0.051 [0.080] N=1,161	-0.014 [0.093] N=988	-0.017 [0.104] N=800	0.009 [0.149] N=605
Meat fish or poultry consumed daily or several times weekly	0.047 [0.065] N=1,300	0.034 [0.069] N=1,161	0.015 [0.076] N=988	0.034 [0.086] N=800	0.004 [0.105] N=605
Legumes consumed daily or several times weekly	0.098 [0.077] N=1,300	0.112 [0.081] N=1,161	0.121 [0.087] N=988	0.094 [0.099] N=800	**0.233* [0.121] N=605**
Animal products consumed daily or several times weekly	0.003 [0.054] N=1,300	0.011 [0.060] N=1,161	0.024 [0.064] N=988	-0.005 [0.074] N=800	0.059 [0.088] N=605
Sweets consumed daily or several times weekly	0.001 [0.071] N=1,300	-0.008 [0.074] N=1,161	0.051 [0.083] N=988	0.041 [0.099] N=800	-0.059 [0.129] N=605
Snack foods consumed daily or several times weekly	0.024 [0.063] N=1,300	0.005 [0.069] N=1,161	0.006 [0.077] N=988	0.050 [0.090] N=800	-0.076 [0.116] N=605
Packaged soft drinks consumed daily or several times weekly	-0.026 [0.059] N=1,300	-0.046 [0.063] N=1,161	0.004 [0.070] N=988	-0.007 [0.090] N=800	**-0.217* [0.110] N=605**
Grains consumed daily or several times weekly	0.041 [0.055] N=1,300	0.033 [0.058] N=1,161	0.030 [0.061] N=988	-0.024 [0.075] N=800	-0.140 [0.097] N=605

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,275	0.031 [0.042] N=1,503	0.039 [0.043] N=1,364	0.055 [0.048] N=1,191	0.045 [0.052] N=1,003	0.059 [0.060] N=808
Vegetables consumed daily or several times weekly	0.767 P=1,155	0.000 [0.053] N=1,503	0.017 [0.055] N=1,364	0.054 [0.060] N=1,191	0.052 [0.066] N=1,003	0.066 [0.076] N=808
Meat fish or poultry consumed daily or several times weekly	0.562 P=853	**0.091* [0.052] N=1,503**	**0.092* [0.055] N=1,364**	**0.108* [0.059] N=1,191**	**0.136** [0.065] N=1,003**	**0.137* [0.073] N=808**
Legumes consumed daily or several times weekly	0.561 P=843	0.022 [0.063] N=1,503	0.033 [0.065] N=1,364	0.034 [0.069] N=1,191	0.002 [0.075] N=1,003	0.034 [0.088] N=808
Animal products consumed daily or several times weekly	0.850 P=1,276	0.054 [0.040] N=1,503	0.062 [0.042] N=1,364	**0.079* [0.044] N=1,191**	0.068 [0.046] N=1,003	**0.099* [0.051] N=808**
Sweets consumed daily or several times weekly	0.505 P=764	-0.066 [0.054] N=1,503	-0.076 [0.056] N=1,364	-0.050 [0.062] N=1,191	-0.071 [0.066] N=1,003	**-0.132* [0.073] N=808**
Snack foods consumed daily or several times weekly	0.376 P=560	-0.024 [0.046] N=1,503	-0.039 [0.049] N=1,364	-0.045 [0.052] N=1,191	-0.039 [0.057] N=1,003	**-0.106* [0.062] N=808**
Packaged soft drinks consumed daily or several times weekly	0.204 P=302	0.012 [0.038] N=1,503	0.002 [0.039] N=1,364	0.031 [0.041] N=1,191	0.027 [0.046] N=1,003	-0.043 [0.050] N=808
Grains consumed daily or several times weekly	0.809 P=1,219	**0.095** [0.048] N=1,503**	**0.097* [0.050] N=1,364**	**0.108* [0.055] N=1,191**	0.098 [0.061] N=1,003	0.082 [0.068] N=808

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.011 [0.063] N=1,300	-0.004 [0.067] N=1,161	0.020 [0.080] N=988	0.000 [0.094] N=800	0.025 [0.130] N=605
Vegetables consumed daily or several times weekly	-0.064 [0.072] N=1,300	-0.048 [0.079] N=1,161	0.003 [0.093] N=988	-0.000 [0.104] N=800	0.023 [0.150] N=605
Meat fish or poultry consumed daily or several times weekly	0.040 [0.064] N=1,300	0.033 [0.069] N=1,161	0.036 [0.073] N=988	0.051 [0.086] N=800	0.014 [0.097] N=605
Legumes consumed daily or several times weekly	0.092 [0.079] N=1,300	0.105 [0.082] N=1,161	0.124 [0.089] N=988	0.097 [0.100] N=800	**0.234* [0.122] N=605**
Animal products consumed daily or several times weekly	-0.001 [0.053] N=1,300	0.007 [0.058] N=1,161	0.029 [0.064] N=988	-0.003 [0.075] N=800	0.057 [0.088] N=605
Sweets consumed daily or several times weekly	-0.000 [0.070] N=1,300	-0.010 [0.074] N=1,161	0.054 [0.083] N=988	0.042 [0.099] N=800	-0.058 [0.128] N=605
Snack foods consumed daily or several times weekly	0.031 [0.063] N=1,300	0.008 [0.069] N=1,161	0.005 [0.077] N=988	0.049 [0.089] N=800	-0.072 [0.116] N=605
Packaged soft drinks consumed daily or several times weekly	-0.024 [0.059] N=1,300	-0.046 [0.063] N=1,161	-0.003 [0.070] N=988	-0.012 [0.088] N=800	**-0.217** [0.108] N=605**
Grains consumed daily or several times weekly	0.039 [0.054] N=1,300	0.030 [0.057] N=1,161	0.034 [0.062] N=988	-0.029 [0.076] N=800	-0.146 [0.099] N=605

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,275	0.032 [0.044] N=1,503	0.041 [0.045] N=1,364	0.052 [0.050] N=1,191	0.036 [0.055] N=1,003	0.046 [0.062] N=808
Vegetables consumed daily or several times weekly	0.767 P=1,155	-0.006 [0.054] N=1,503	0.013 [0.056] N=1,364	0.047 [0.061] N=1,191	0.042 [0.067] N=1,003	0.056 [0.076] N=808
Meat fish or poultry consumed daily or several times weekly	0.562 P=853	**0.090* [0.051] N=1,503**	**0.093* [0.054] N=1,364**	**0.104* [0.057] N=1,191**	**0.125* [0.064] N=1,003**	**0.120* [0.071] N=808**
Legumes consumed daily or several times weekly	0.561 P=843	0.021 [0.064] N=1,503	0.032 [0.066] N=1,364	0.029 [0.070] N=1,191	-0.004 [0.076] N=1,003	0.030 [0.088] N=808
Animal products consumed daily or several times weekly	0.850 P=1,276	0.061 [0.040] N=1,503	0.069 [0.042] N=1,364	**0.085* [0.045] N=1,191**	0.070 [0.048] N=1,003	**0.099* [0.053] N=808**
Sweets consumed daily or several times weekly	0.505 P=764	-0.057 [0.056] N=1,503	-0.068 [0.058] N=1,364	-0.044 [0.064] N=1,191	-0.067 [0.068] N=1,003	-0.123 [0.075] N=808
Snack foods consumed daily or several times weekly	0.376 P=560	-0.015 [0.047] N=1,503	-0.031 [0.050] N=1,364	-0.037 [0.053] N=1,191	-0.030 [0.056] N=1,003	-0.092 [0.062] N=808
Packaged soft drinks consumed daily or several times weekly	0.204 P=302	0.022 [0.038] N=1,503	0.012 [0.039] N=1,364	0.042 [0.040] N=1,191	0.041 [0.046] N=1,003	-0.025 [0.050] N=808
Grains consumed daily or several times weekly	0.809 P=1,219	**0.095* [0.048] N=1,503**	**0.097* [0.050] N=1,364**	**0.105* [0.055] N=1,191**	0.096 [0.062] N=1,003	0.082 [0.070] N=808

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.006 [0.066] N=1,300	-0.001 [0.070] N=1,161	0.020 [0.085] N=988	-0.015 [0.102] N=800	-0.016 [0.135] N=605
Vegetables consumed daily or several times weekly	-0.072 [0.073] N=1,300	-0.055 [0.080] N=1,161	-0.007 [0.094] N=988	-0.027 [0.106] N=800	-0.018 [0.149] N=605
Meat fish or poultry consumed daily or several times weekly	0.042 [0.062] N=1,300	0.038 [0.067] N=1,161	0.035 [0.072] N=988	0.033 [0.087] N=800	-0.033 [0.096] N=605
Legumes consumed daily or several times weekly	0.092 [0.079] N=1,300	0.105 [0.083] N=1,161	0.119 [0.089] N=988	0.082 [0.101] N=800	**0.208* [0.119] N=605**
Animal products consumed daily or several times weekly	0.006 [0.052] N=1,300	0.014 [0.058] N=1,161	0.032 [0.062] N=988	-0.006 [0.075] N=800	0.046 [0.088] N=605
Sweets consumed daily or several times weekly	0.012 [0.071] N=1,300	0.001 [0.075] N=1,161	0.064 [0.083] N=988	0.044 [0.098] N=800	-0.060 [0.124] N=605
Snack foods consumed daily or several times weekly	0.040 [0.064] N=1,300	0.018 [0.069] N=1,161	0.017 [0.077] N=988	0.060 [0.089] N=800	-0.061 [0.115] N=605
Packaged soft drinks consumed daily or several times weekly	-0.012 [0.059] N=1,300	-0.036 [0.063] N=1,161	0.009 [0.070] N=988	0.003 [0.088] N=800	**-0.198* [0.110] N=605**
Grains consumed daily or several times weekly	0.040 [0.054] N=1,300	0.029 [0.057] N=1,161	0.027 [0.062] N=988	-0.040 [0.078] N=800	-0.161 [0.102] N=605

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,181	0.030 [0.044] N=1,393	0.040 [0.046] N=1,262	0.060 [0.050] N=1,107	0.038 [0.055] N=932	0.046 [0.064] N=754
Vegetables consumed daily or several times weekly	0.768 P=1,073	-0.004 [0.055] N=1,393	0.014 [0.058] N=1,262	0.047 [0.062] N=1,107	0.029 [0.069] N=932	0.030 [0.082] N=754
Meat fish or poultry consumed daily or several times weekly	0.565 P=793	0.093 [0.057] N=1,393	0.087 [0.061] N=1,262	0.100 [0.066] N=1,107	0.104 [0.075] N=932	0.105 [0.085] N=754
Legumes consumed daily or several times weekly	0.560 P=781	0.021 [0.064] N=1,393	0.034 [0.066] N=1,262	0.029 [0.071] N=1,107	-0.022 [0.078] N=932	-0.004 [0.092] N=754
Animal products consumed daily or several times weekly	0.853 P=1,188	0.060 [0.041] N=1,393	0.069 [0.043] N=1,262	**0.084* [0.045] N=1,107**	0.058 [0.047] N=932	**0.091* [0.053] N=754**
Sweets consumed daily or several times weekly	0.512 P=717	-0.076 [0.058] N=1,393	-0.091 [0.060] N=1,262	-0.069 [0.067] N=1,107	-0.100 [0.073] N=932	**-0.162** [0.081] N=754**
Snack foods consumed daily or several times weekly	0.384 P=529	-0.042 [0.048] N=1,393	-0.061 [0.051] N=1,262	-0.070 [0.054] N=1,107	-0.065 [0.058] N=932	**-0.126** [0.064] N=754**
Packaged soft drinks consumed daily or several times weekly	0.212 P=291	-0.004 [0.040] N=1,393	-0.017 [0.042] N=1,262	0.014 [0.043] N=1,107	0.012 [0.050] N=932	-0.060 [0.055] N=754
Grains consumed daily or several times weekly	0.809 P=1,131	**0.107** [0.049] N=1,393**	**0.106** [0.051] N=1,262**	**0.110** [0.055] N=1,107**	0.099 [0.063] N=932	0.080 [0.071] N=754

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.007 [0.066] N=1,201	0.007 [0.070] N=1,070	0.039 [0.081] N=915	0.001 [0.090] N=740	-0.006 [0.122] N=562
Vegetables consumed daily or several times weekly	-0.062 [0.072] N=1,201	-0.042 [0.078] N=1,070	0.000 [0.090] N=915	-0.039 [0.101] N=740	-0.078 [0.146] N=562
Meat fish or poultry consumed daily or several times weekly	0.052 [0.072] N=1,201	0.040 [0.077] N=1,070	0.039 [0.082] N=915	0.012 [0.096] N=740	-0.053 [0.123] N=562
Legumes consumed daily or several times weekly	0.110 [0.079] N=1,201	0.135 [0.083] N=1,070	**0.153* [0.089] N=915**	0.107 [0.103] N=740	0.208 [0.130] N=562
Animal products consumed daily or several times weekly	0.008 [0.055] N=1,201	0.019 [0.061] N=1,070	0.041 [0.062] N=915	-0.017 [0.073] N=740	0.036 [0.086] N=562
Sweets consumed daily or several times weekly	-0.000 [0.073] N=1,201	-0.016 [0.078] N=1,070	0.038 [0.087] N=915	0.005 [0.105] N=740	-0.113 [0.141] N=562
Snack foods consumed daily or several times weekly	0.005 [0.067] N=1,201	-0.022 [0.074] N=1,070	-0.039 [0.083] N=915	-0.005 [0.099] N=740	-0.133 [0.124] N=562
Packaged soft drinks consumed daily or several times weekly	-0.050 [0.063] N=1,201	-0.077 [0.067] N=1,070	-0.035 [0.075] N=915	-0.052 [0.096] N=740	**-0.299** [0.114] N=562**
Grains consumed daily or several times weekly	0.062 [0.057] N=1,201	0.052 [0.061] N=1,070	0.043 [0.066] N=915	-0.020 [0.082] N=740	-0.157 [0.111] N=562

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.847 P=1,181	0.031 [0.044] N=1,393	0.042 [0.046] N=1,262	0.060 [0.050] N=1,107	0.037 [0.054] N=932	0.044 [0.064] N=754
Vegetables consumed daily or several times weekly	0.768 P=1,073	-0.002 [0.054] N=1,393	0.014 [0.057] N=1,262	0.048 [0.061] N=1,107	0.030 [0.068] N=932	0.029 [0.082] N=754
Meat fish or poultry consumed daily or several times weekly	0.565 P=793	**0.095* [0.057] N=1,393**	0.091 [0.061] N=1,262	0.103 [0.065] N=1,107	0.105 [0.074] N=932	0.105 [0.083] N=754
Legumes consumed daily or several times weekly	0.560 P=781	0.020 [0.064] N=1,393	0.033 [0.066] N=1,262	0.027 [0.071] N=1,107	-0.029 [0.078] N=932	-0.011 [0.093] N=754
Animal products consumed daily or several times weekly	0.853 P=1,188	0.061 [0.041] N=1,393	0.069 [0.043] N=1,262	**0.085* [0.044] N=1,107**	0.059 [0.047] N=932	**0.092* [0.052] N=754**
Sweets consumed daily or several times weekly	0.512 P=717	-0.078 [0.058] N=1,393	-0.092 [0.061] N=1,262	-0.071 [0.068] N=1,107	-0.103 [0.075] N=932	**-0.164* [0.083] N=754**
Snack foods consumed daily or several times weekly	0.384 P=529	-0.041 [0.047] N=1,393	-0.061 [0.050] N=1,262	-0.070 [0.054] N=1,107	-0.066 [0.058] N=932	**-0.129** [0.064] N=754**
Packaged soft drinks consumed daily or several times weekly	0.212 P=291	-0.005 [0.040] N=1,393	-0.018 [0.041] N=1,262	0.013 [0.042] N=1,107	0.008 [0.049] N=932	-0.065 [0.054] N=754
Grains consumed daily or several times weekly	0.809 P=1,131	**0.106** [0.048] N=1,393**	**0.105** [0.051] N=1,262**	**0.109** [0.055] N=1,107**	0.099 [0.063] N=932	0.080 [0.070] N=754

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.006 [0.066] N=1,201	0.006 [0.070] N=1,070	0.036 [0.081] N=915	-0.004 [0.090] N=740	-0.010 [0.123] N=562
Vegetables consumed daily or several times weekly	-0.059 [0.071] N=1,201	-0.043 [0.077] N=1,070	0.002 [0.089] N=915	-0.039 [0.099] N=740	-0.072 [0.144] N=562
Meat fish or poultry consumed daily or several times weekly	0.056 [0.071] N=1,201	0.047 [0.076] N=1,070	0.045 [0.082] N=915	0.016 [0.094] N=740	-0.045 [0.122] N=562
Legumes consumed daily or several times weekly	0.111 [0.081] N=1,201	**0.140* [0.084] N=1,070**	**0.157* [0.090] N=915**	0.096 [0.105] N=740	0.213 [0.133] N=562
Animal products consumed daily or several times weekly	0.009 [0.055] N=1,201	0.022 [0.061] N=1,070	0.045 [0.062] N=915	-0.011 [0.072] N=740	0.044 [0.085] N=562
Sweets consumed daily or several times weekly	0.002 [0.074] N=1,201	-0.015 [0.078] N=1,070	0.040 [0.086] N=915	0.009 [0.105] N=740	-0.107 [0.139] N=562
Snack foods consumed daily or several times weekly	0.005 [0.067] N=1,201	-0.026 [0.074] N=1,070	-0.041 [0.083] N=915	-0.003 [0.098] N=740	-0.142 [0.124] N=562
Packaged soft drinks consumed daily or several times weekly	-0.051 [0.064] N=1,201	-0.079 [0.068] N=1,070	-0.036 [0.075] N=915	-0.054 [0.096] N=740	**-0.301** [0.117] N=562**
Grains consumed daily or several times weekly	0.062 [0.057] N=1,201	0.052 [0.061] N=1,070	0.044 [0.065] N=915	-0.018 [0.082] N=740	-0.152 [0.109] N=562

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.