Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Oldest Child

Age reference: 16 December 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.726 P=1,225	0.009 [0.039] N=1,666	0.017 [0.042] N=1,544	0.005 [0.044] N=1,389	0.010 [0.046] N=1,186	-0.029 [0.050] N=977
Not underweight WAZ at least -2	0.907 P=1,716	**-0.043* [0.022] N=1,887**	-0.038 [0.024] N=1,742	-0.027 [0.025] N=1,567	-0.027 [0.027] N=1,335	**-0.053* [0.031] N=1,097**
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,133	0.014 [0.047] N=1,642	0.017 [0.048] N=1,526	0.035 [0.052] N=1,373	0.023 [0.059] N=1,171	0.044 [0.065] N=962
Neither low nor high BMIZ -2 to +2	0.649 P=1,048	-0.007 [0.045] N=1,609	-0.004 [0.047] N=1,496	0.009 [0.051] N=1,344	-0.003 [0.057] N=1,148	-0.011 [0.063] N=946
Strict normal HAZ -2 to +3	0.664 P=1,123	0.022 [0.043] N=1,666	0.037 [0.046] N=1,544	0.018 [0.049] N=1,389	0.002 [0.052] N=1,186	-0.013 [0.058] N=977
Strict normal WAZ -2 to +1	0.704 P=1,341	-0.044 [0.045] N=1,887	-0.055 [0.048] N=1,742	-0.053 [0.049] N=1,567	-0.055 [0.052] N=1,335	-0.081 [0.057] N=1,097
Strict normal WHZ -2 to +1	0.525 P=863	-0.014 [0.047] N=1,642	-0.008 [0.049] N=1,526	-0.004 [0.052] N=1,373	-0.022 [0.057] N=1,171	-0.027 [0.064] N=962
Strict normal BMIZ -2 to +1	0.506 P=819	-0.032 [0.049] N=1,609	-0.028 [0.051] N=1,496	-0.017 [0.056] N=1,344	-0.040 [0.062] N=1,148	-0.067 [0.070] N=946
Above-normal height HAZ above +3	0.063 P=102	-0.013 [0.025] N=1,666	-0.019 [0.027] N=1,544	-0.014 [0.031] N=1,389	0.007 [0.033] N=1,186	-0.016 [0.036] N=977
Above-normal weight WAZ above +1	0.203 P=375	0.001 [0.041] N=1,887	0.017 [0.043] N=1,742	0.026 [0.045] N=1,567	0.029 [0.049] N=1,335	0.028 [0.053] N=1,097
Above-normal WHZ above +1	0.358 P=580	0.052 [0.043] N=1,642	0.043 [0.046] N=1,526	0.040 [0.049] N=1,373	0.047 [0.054] N=1,171	0.076 [0.059] N=962
Above-normal BMIZ above +1	0.363 P=575	0.065 [0.045] N=1,609	0.059 [0.048] N=1,496	0.045 [0.054] N=1,344	0.040 [0.060] N=1,148	0.078 [0.069] N=946

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.063 [0.056] N=1,407	0.085 [0.062] N=1,285	0.084 [0.070] N=1,130	0.133 [0.080] N=927	0.124 [0.108] N=718
Not underweight WAZ at least -2	-0.043 [0.033] N=1,604	-0.033 [0.037] N=1,459	-0.012 [0.043] N=1,284	-0.013 [0.053] N=1,052	-0.097 [0.070] N=814
Neither wasted nor overweight WHZ -2 to +2	0.031 [0.058] N=1,385	0.042 [0.060] N=1,269	0.091 [0.067] N=1,116	0.077 [0.086] N=914	**0.193** [0.089] N=705**
Neither low nor high BMIZ -2 to +2	0.012 [0.062] N=1,358	0.022 [0.064] N=1,245	0.065 [0.072] N=1,093	0.053 [0.091] N=897	0.085 [0.094] N=695
Strict normal HAZ -2 to +3	0.078 [0.059] N=1,407	**0.111* [0.065] N=1,285**	0.102 [0.072] N=1,130	0.094 [0.089] N=927	0.145 [0.119] N=718
Strict normal WAZ -2 to +1	0.011 [0.062] N=1,604	0.005 [0.068] N=1,459	0.019 [0.074] N=1,284	0.028 [0.084] N=1,052	-0.006 [0.096] N=814
Strict normal WHZ -2 to +1	0.046 [0.062] N=1,385	0.069 [0.068] N=1,269	0.107 [0.075] N=1,116	0.108 [0.087] N=914	**0.182* [0.100] N=705**
Strict normal BMIZ -2 to +1	0.013 [0.063] N=1,358	0.029 [0.066] N=1,245	0.073 [0.077] N=1,093	0.052 [0.089] N=897	0.057 [0.104] N=695
Above-normal height HAZ above +3	-0.015 [0.031] N=1,407	-0.026 [0.036] N=1,285	-0.018 [0.046] N=1,130	0.039 [0.053] N=927	-0.021 [0.065] N=718
Above-normal weight WAZ above +1	-0.054 [0.056] N=1,604	-0.038 [0.062] N=1,459	-0.031 [0.067] N=1,284	-0.041 [0.078] N=1,052	-0.090 [0.085] N=814
Above-normal WHZ above +1	-0.007 [0.060] N=1,385	-0.035 [0.068] N=1,269	-0.069 [0.078] N=1,116	-0.088 [0.093] N=914	-0.103 [0.111] N=705
Above-normal BMIZ above +1	0.038 [0.061] N=1,358	0.023 [0.069] N=1,245	-0.026 [0.083] N=1,093	-0.064 [0.096] N=897	-0.036 [0.114] N=695

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.726 P=1,225	0.008 [0.039] N=1,666	0.017 [0.042] N=1,544	0.004 [0.044] N=1,389	0.009 [0.046] N=1,186	-0.029 [0.050] N=977
Not underweight WAZ at least -2	0.907 P=1,716	**-0.044* [0.022] N=1,887**	-0.038 [0.024] N=1,742	-0.028 [0.025] N=1,567	-0.027 [0.027] N=1,335	**-0.054* [0.031] N=1,097**
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,133	0.012 [0.047] N=1,642	0.015 [0.048] N=1,526	0.032 [0.053] N=1,373	0.019 [0.060] N=1,171	0.038 [0.066] N=962
Neither low nor high BMIZ -2 to +2	0.649 P=1,048	-0.008 [0.046] N=1,609	-0.006 [0.048] N=1,496	0.007 [0.051] N=1,344	-0.005 [0.058] N=1,148	-0.014 [0.063] N=946
Strict normal HAZ -2 to +3	0.664 P=1,123	0.022 [0.043] N=1,666	0.036 [0.046] N=1,544	0.017 [0.049] N=1,389	0.001 [0.052] N=1,186	-0.014 [0.058] N=977
Strict normal WAZ -2 to +1	0.704 P=1,341	-0.045 [0.045] N=1,887	-0.055 [0.048] N=1,742	-0.054 [0.050] N=1,567	-0.055 [0.053] N=1,335	-0.082 [0.058] N=1,097
Strict normal WHZ -2 to +1	0.525 P=863	-0.015 [0.047] N=1,642	-0.010 [0.050] N=1,526	-0.007 [0.053] N=1,373	-0.024 [0.058] N=1,171	-0.030 [0.064] N=962
Strict normal BMIZ -2 to +1	0.506 P=819	-0.033 [0.049] N=1,609	-0.029 [0.052] N=1,496	-0.019 [0.057] N=1,344	-0.042 [0.063] N=1,148	-0.069 [0.071] N=946
Above-normal height HAZ above +3	0.063 P=102	-0.013 [0.025] N=1,666	-0.019 [0.027] N=1,544	-0.013 [0.031] N=1,389	0.008 [0.033] N=1,186	-0.015 [0.036] N=977
Above-normal weight WAZ above +1	0.203 P=375	0.001 [0.041] N=1,887	0.017 [0.044] N=1,742	0.026 [0.045] N=1,567	0.029 [0.049] N=1,335	0.028 [0.053] N=1,097
Above-normal WHZ above +1	0.358 P=580	0.052 [0.043] N=1,642	0.042 [0.046] N=1,526	0.040 [0.049] N=1,373	0.047 [0.054] N=1,171	0.074 [0.059] N=962
Above-normal BMIZ above +1	0.363 P=575	0.066 [0.045] N=1,609	0.059 [0.048] N=1,496	0.045 [0.054] N=1,344	0.040 [0.061] N=1,148	0.076 [0.069] N=946

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.064 [0.055] N=1,407	0.085 [0.062] N=1,285	0.084 [0.070] N=1,130	0.132 [0.080] N=927	0.122 [0.107] N=718
Not underweight WAZ at least -2	-0.041 [0.033] N=1,604	-0.031 [0.037] N=1,459	-0.010 [0.042] N=1,284	-0.012 [0.053] N=1,052	-0.095 [0.070] N=814
Neither wasted nor overweight WHZ -2 to +2	0.031 [0.059] N=1,385	0.041 [0.061] N=1,269	0.091 [0.068] N=1,116	0.077 [0.088] N=914	**0.191** [0.091] N=705**
Neither low nor high BMIZ -2 to +2	0.012 [0.062] N=1,358	0.023 [0.065] N=1,245	0.066 [0.073] N=1,093	0.053 [0.092] N=897	0.084 [0.096] N=695
Strict normal HAZ -2 to +3	0.079 [0.059] N=1,407	**0.112* [0.065] N=1,285**	0.103 [0.071] N=1,130	0.095 [0.088] N=927	0.145 [0.119] N=718
Strict normal WAZ -2 to +1	0.013 [0.062] N=1,604	0.007 [0.068] N=1,459	0.021 [0.074] N=1,284	0.029 [0.084] N=1,052	-0.005 [0.096] N=814
Strict normal WHZ -2 to +1	0.046 [0.063] N=1,385	0.069 [0.068] N=1,269	0.107 [0.076] N=1,116	0.108 [0.088] N=914	**0.181* [0.100] N=705**
Strict normal BMIZ -2 to +1	0.013 [0.063] N=1,358	0.029 [0.067] N=1,245	0.074 [0.078] N=1,093	0.052 [0.090] N=897	0.058 [0.103] N=695
Above-normal height HAZ above +3	-0.015 [0.031] N=1,407	-0.027 [0.035] N=1,285	-0.019 [0.046] N=1,130	0.037 [0.052] N=927	-0.022 [0.064] N=718
Above-normal weight WAZ above +1	-0.055 [0.056] N=1,604	-0.038 [0.062] N=1,459	-0.032 [0.066] N=1,284	-0.041 [0.078] N=1,052	-0.090 [0.085] N=814
Above-normal WHZ above +1	-0.007 [0.060] N=1,385	-0.036 [0.067] N=1,269	-0.069 [0.077] N=1,116	-0.088 [0.092] N=914	-0.105 [0.109] N=705
Above-normal BMIZ above +1	0.038 [0.060] N=1,358	0.023 [0.069] N=1,245	-0.026 [0.083] N=1,093	-0.064 [0.095] N=897	-0.038 [0.111] N=695

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.726 P=1,225	0.000 [0.039] N=1,666	0.004 [0.041] N=1,544	-0.006 [0.044] N=1,389	0.004 [0.046] N=1,186	-0.038 [0.049] N=977
Not underweight WAZ at least -2	0.907 P=1,716	**-0.051** [0.022] N=1,887**	**-0.047** [0.023] N=1,742**	-0.035 [0.025] N=1,567	-0.033 [0.027] N=1,335	**-0.062** [0.030] N=1,097**
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,133	0.005 [0.047] N=1,642	0.004 [0.048] N=1,526	0.023 [0.052] N=1,373	0.012 [0.060] N=1,171	0.033 [0.066] N=962
Neither low nor high BMIZ -2 to +2	0.649 P=1,048	-0.015 [0.045] N=1,609	-0.017 [0.047] N=1,496	-0.002 [0.051] N=1,344	-0.012 [0.057] N=1,148	-0.019 [0.062] N=946
Strict normal HAZ -2 to +3	0.664 P=1,123	0.012 [0.043] N=1,666	0.020 [0.046] N=1,544	0.006 [0.049] N=1,389	-0.006 [0.051] N=1,186	-0.027 [0.057] N=977
Strict normal WAZ -2 to +1	0.704 P=1,341	-0.046 [0.045] N=1,887	-0.060 [0.048] N=1,742	-0.058 [0.050] N=1,567	-0.060 [0.053] N=1,335	-0.087 [0.058] N=1,097
Strict normal WHZ -2 to +1	0.525 P=863	-0.021 [0.048] N=1,642	-0.020 [0.050] N=1,526	-0.017 [0.053] N=1,373	-0.033 [0.058] N=1,171	-0.038 [0.064] N=962
Strict normal BMIZ -2 to +1	0.506 P=819	-0.039 [0.049] N=1,609	-0.039 [0.052] N=1,496	-0.028 [0.057] N=1,344	-0.049 [0.062] N=1,148	-0.075 [0.070] N=946
Above-normal height HAZ above +3	0.063 P=102	-0.012 [0.025] N=1,666	-0.017 [0.027] N=1,544	-0.012 [0.031] N=1,389	0.010 [0.033] N=1,186	-0.012 [0.036] N=977
Above-normal weight WAZ above +1	0.203 P=375	-0.005 [0.040] N=1,887	0.013 [0.043] N=1,742	0.023 [0.045] N=1,567	0.027 [0.048] N=1,335	0.024 [0.053] N=1,097
Above-normal WHZ above +1	0.358 P=580	0.052 [0.044] N=1,642	0.045 [0.047] N=1,526	0.044 [0.050] N=1,373	0.052 [0.055] N=1,171	0.077 [0.060] N=962
Above-normal BMIZ above +1	0.363 P=575	0.066 [0.045] N=1,609	0.062 [0.049] N=1,496	0.048 [0.055] N=1,344	0.044 [0.061] N=1,148	0.079 [0.069] N=946

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.056 [0.056] N=1,407	0.068 [0.062] N=1,285	0.072 [0.070] N=1,130	**0.131* [0.079] N=927**	0.122 [0.106] N=718
Not underweight WAZ at least -2	-0.047 [0.032] N=1,604	-0.040 [0.036] N=1,459	-0.016 [0.041] N=1,284	-0.009 [0.053] N=1,052	-0.093 [0.071] N=814
Neither wasted nor overweight WHZ -2 to +2	0.025 [0.060] N=1,385	0.029 [0.064] N=1,269	0.085 [0.071] N=1,116	0.074 [0.091] N=914	**0.183* [0.095] N=705**
Neither low nor high BMIZ -2 to +2	0.007 [0.063] N=1,358	0.010 [0.067] N=1,245	0.059 [0.075] N=1,093	0.048 [0.095] N=897	0.077 [0.098] N=695
Strict normal HAZ -2 to +3	0.071 [0.058] N=1,407	0.093 [0.064] N=1,285	0.091 [0.071] N=1,130	0.096 [0.087] N=927	0.144 [0.117] N=718
Strict normal WAZ -2 to +1	0.013 [0.062] N=1,604	0.001 [0.068] N=1,459	0.017 [0.074] N=1,284	0.029 [0.084] N=1,052	-0.005 [0.097] N=814
Strict normal WHZ -2 to +1	0.040 [0.065] N=1,385	0.055 [0.071] N=1,269	0.097 [0.079] N=1,116	0.102 [0.093] N=914	0.173 [0.107] N=705
Strict normal BMIZ -2 to +1	0.006 [0.064] N=1,358	0.014 [0.069] N=1,245	0.063 [0.081] N=1,093	0.046 [0.095] N=897	0.049 [0.111] N=695
Above-normal height HAZ above +3	-0.014 [0.031] N=1,407	-0.025 [0.035] N=1,285	-0.019 [0.045] N=1,130	0.035 [0.052] N=927	-0.021 [0.065] N=718
Above-normal weight WAZ above +1	-0.059 [0.056] N=1,604	-0.040 [0.062] N=1,459	-0.033 [0.066] N=1,284	-0.039 [0.078] N=1,052	-0.089 [0.086] N=814
Above-normal WHZ above +1	-0.005 [0.061] N=1,385	-0.028 [0.070] N=1,269	-0.061 [0.080] N=1,116	-0.085 [0.094] N=914	-0.102 [0.112] N=705
Above-normal BMIZ above +1	0.041 [0.062] N=1,358	0.030 [0.071] N=1,245	-0.018 [0.085] N=1,093	-0.060 [0.097] N=897	-0.032 [0.117] N=695

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.726 P=1,225	-0.006 [0.039] N=1,666	-0.001 [0.041] N=1,544	-0.012 [0.044] N=1,389	-0.006 [0.046] N=1,186	-0.046 [0.049] N=977
Not underweight WAZ at least -2	0.907 P=1,716	**-0.054** [0.022] N=1,887**	**-0.050** [0.023] N=1,742**	-0.039 [0.025] N=1,567	-0.039 [0.027] N=1,335	**-0.068** [0.030] N=1,097**
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,133	0.004 [0.047] N=1,642	0.003 [0.049] N=1,526	0.022 [0.053] N=1,373	0.012 [0.060] N=1,171	0.037 [0.066] N=962
Neither low nor high BMIZ -2 to +2	0.649 P=1,048	-0.017 [0.046] N=1,609	-0.017 [0.048] N=1,496	-0.005 [0.052] N=1,344	-0.018 [0.058] N=1,148	-0.017 [0.063] N=946
Strict normal HAZ -2 to +3	0.664 P=1,123	0.003 [0.044] N=1,666	0.013 [0.046] N=1,544	-0.004 [0.049] N=1,389	-0.019 [0.051] N=1,186	-0.035 [0.058] N=977
Strict normal WAZ -2 to +1	0.704 P=1,341	-0.048 [0.046] N=1,887	-0.060 [0.049] N=1,742	-0.059 [0.051] N=1,567	-0.061 [0.054] N=1,335	-0.085 [0.060] N=1,097
Strict normal WHZ -2 to +1	0.525 P=863	-0.023 [0.048] N=1,642	-0.022 [0.050] N=1,526	-0.021 [0.054] N=1,373	-0.035 [0.058] N=1,171	-0.035 [0.065] N=962
Strict normal BMIZ -2 to +1	0.506 P=819	-0.041 [0.050] N=1,609	-0.041 [0.052] N=1,496	-0.033 [0.057] N=1,344	-0.056 [0.063] N=1,148	-0.077 [0.070] N=946
Above-normal height HAZ above +3	0.063 P=102	-0.010 [0.025] N=1,666	-0.014 [0.027] N=1,544	-0.008 [0.032] N=1,389	0.013 [0.033] N=1,186	-0.010 [0.036] N=977
Above-normal weight WAZ above +1	0.203 P=375	-0.007 [0.040] N=1,887	0.010 [0.043] N=1,742	0.020 [0.045] N=1,567	0.023 [0.048] N=1,335	0.017 [0.054] N=1,097
Above-normal WHZ above +1	0.358 P=580	0.055 [0.044] N=1,642	0.048 [0.047] N=1,526	0.048 [0.050] N=1,373	0.054 [0.055] N=1,171	0.077 [0.061] N=962
Above-normal BMIZ above +1	0.363 P=575	0.069 [0.045] N=1,609	0.064 [0.049] N=1,496	0.052 [0.055] N=1,344	0.048 [0.061] N=1,148	0.081 [0.069] N=946

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.053 [0.056] N=1,407	0.070 [0.062] N=1,285	0.076 [0.071] N=1,130	**0.136* [0.081] N=927**	0.123 [0.108] N=718
Not underweight WAZ at least -2	-0.050 [0.033] N=1,604	-0.040 [0.036] N=1,459	-0.018 [0.042] N=1,284	-0.012 [0.053] N=1,052	-0.097 [0.071] N=814
Neither wasted nor overweight WHZ -2 to +2	0.021 [0.060] N=1,385	0.031 [0.063] N=1,269	0.084 [0.070] N=1,116	0.069 [0.089] N=914	**0.171* [0.092] N=705**
Neither low nor high BMIZ -2 to +2	0.004 [0.064] N=1,358	0.015 [0.067] N=1,245	0.061 [0.075] N=1,093	0.047 [0.094] N=897	0.063 [0.097] N=695
Strict normal HAZ -2 to +3	0.068 [0.059] N=1,407	0.095 [0.065] N=1,285	0.094 [0.072] N=1,130	0.102 [0.089] N=927	0.151 [0.121] N=718
Strict normal WAZ -2 to +1	0.011 [0.062] N=1,604	0.002 [0.068] N=1,459	0.017 [0.074] N=1,284	0.028 [0.084] N=1,052	-0.015 [0.096] N=814
Strict normal WHZ -2 to +1	0.040 [0.064] N=1,385	0.062 [0.070] N=1,269	0.100 [0.078] N=1,116	0.097 [0.091] N=914	0.163 [0.108] N=705
Strict normal BMIZ -2 to +1	0.010 [0.065] N=1,358	0.026 [0.070] N=1,245	0.072 [0.081] N=1,093	0.049 [0.094] N=897	0.049 [0.111] N=695
Above-normal height HAZ above +3	-0.015 [0.031] N=1,407	-0.025 [0.035] N=1,285	-0.018 [0.045] N=1,130	0.034 [0.052] N=927	-0.028 [0.065] N=718
Above-normal weight WAZ above +1	-0.061 [0.056] N=1,604	-0.042 [0.062] N=1,459	-0.035 [0.066] N=1,284	-0.041 [0.077] N=1,052	-0.082 [0.084] N=814
Above-normal WHZ above +1	-0.007 [0.060] N=1,385	-0.033 [0.068] N=1,269	-0.065 [0.078] N=1,116	-0.080 [0.094] N=914	-0.092 [0.113] N=705
Above-normal BMIZ above +1	0.038 [0.061] N=1,358	0.024 [0.070] N=1,245	-0.023 [0.084] N=1,093	-0.059 [0.098] N=897	-0.028 [0.117] N=695

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.725 P=1,138	-0.002 [0.042] N=1,547	0.009 [0.044] N=1,439	-0.001 [0.046] N=1,291	0.002 [0.049] N=1,111	-0.039 [0.053] N=915
Not underweight WAZ at least -2	0.906 P=1,585	-0.037 [0.024] N=1,744	-0.033 [0.025] N=1,615	-0.023 [0.027] N=1,449	-0.022 [0.029] N=1,242	-0.048 [0.034] N=1,023
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,053	0.016 [0.047] N=1,522	0.018 [0.048] N=1,421	0.034 [0.053] N=1,276	0.025 [0.060] N=1,097	0.034 [0.066] N=901
Neither low nor high BMIZ -2 to +2	0.650 P=976	-0.012 [0.046] N=1,490	-0.005 [0.048] N=1,391	0.010 [0.053] N=1,248	0.006 [0.060] N=1,075	-0.006 [0.065] N=886
Strict normal HAZ -2 to +3	0.664 P=1,047	0.017 [0.047] N=1,547	0.034 [0.050] N=1,439	0.016 [0.053] N=1,291	0.001 [0.057] N=1,111	-0.018 [0.063] N=915
Strict normal WAZ -2 to +1	0.700 P=1,233	-0.043 [0.047] N=1,744	-0.053 [0.049] N=1,615	-0.048 [0.051] N=1,449	-0.052 [0.055] N=1,242	-0.084 [0.061] N=1,023
Strict normal WHZ -2 to +1	0.525 P=801	-0.023 [0.048] N=1,522	-0.017 [0.051] N=1,421	-0.016 [0.055] N=1,276	-0.033 [0.060] N=1,097	-0.054 [0.065] N=901
Strict normal BMIZ -2 to +1	0.508 P=765	-0.044 [0.050] N=1,490	-0.037 [0.053] N=1,391	-0.026 [0.059] N=1,248	-0.048 [0.064] N=1,075	-0.085 [0.070] N=886
Above-normal height HAZ above +3	0.061 P=91	-0.020 [0.026] N=1,547	-0.025 [0.028] N=1,439	-0.017 [0.032] N=1,291	0.001 [0.033] N=1,111	-0.021 [0.035] N=915
Above-normal weight WAZ above +1	0.207 P=352	0.006 [0.042] N=1,744	0.019 [0.044] N=1,615	0.025 [0.046] N=1,449	0.029 [0.049] N=1,242	0.036 [0.054] N=1,023
Above-normal WHZ above +1	0.358 P=538	**0.078* [0.044] N=1,522**	0.064 [0.047] N=1,421	0.062 [0.051] N=1,276	0.069 [0.056] N=1,097	**0.112* [0.062] N=901**
Above-normal BMIZ above +1	0.362 P=530	**0.091** [0.045] N=1,490**	0.078 [0.048] N=1,391	0.064 [0.055] N=1,248	0.062 [0.061] N=1,075	**0.113* [0.068] N=886**

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.061 [0.060] N=1,303	0.091 [0.064] N=1,195	0.098 [0.072] N=1,047	**0.148* [0.085] N=867**	0.133 [0.113] N=671
Not underweight WAZ at least -2	-0.036 [0.034] N=1,479	-0.030 [0.038] N=1,350	-0.010 [0.044] N=1,184	-0.018 [0.053] N=977	-0.103 [0.075] N=758
Neither wasted nor overweight WHZ -2 to +2	0.043 [0.060] N=1,280	0.059 [0.062] N=1,179	0.108 [0.071] N=1,034	0.117 [0.088] N=855	**0.224** [0.093] N=659**
Neither low nor high BMIZ -2 to +2	0.009 [0.063] N=1,254	0.030 [0.065] N=1,155	0.073 [0.076] N=1,012	0.085 [0.094] N=839	0.126 [0.091] N=650
Strict normal HAZ -2 to +3	0.083 [0.062] N=1,303	**0.123* [0.066] N=1,195**	0.117 [0.071] N=1,047	0.115 [0.090] N=867	0.161 [0.118] N=671
Strict normal WAZ -2 to +1	0.027 [0.062] N=1,479	0.026 [0.067] N=1,350	0.050 [0.074] N=1,184	0.048 [0.087] N=977	0.009 [0.099] N=758
Strict normal WHZ -2 to +1	0.068 [0.063] N=1,280	0.101 [0.069] N=1,179	**0.140* [0.079] N=1,034**	**0.157* [0.093] N=855**	**0.218** [0.103] N=659**
Strict normal BMIZ -2 to +1	0.020 [0.064] N=1,254	0.045 [0.068] N=1,155	0.093 [0.081] N=1,012	0.085 [0.096] N=839	0.090 [0.104] N=650
Above-normal height HAZ above +3	-0.022 [0.032] N=1,303	-0.032 [0.036] N=1,195	-0.019 [0.046] N=1,047	0.033 [0.053] N=867	-0.028 [0.064] N=671
Above-normal weight WAZ above +1	-0.063 [0.057] N=1,479	-0.056 [0.061] N=1,350	-0.060 [0.067] N=1,184	-0.066 [0.080] N=977	-0.112 [0.087] N=758
Above-normal WHZ above +1	-0.007 [0.060] N=1,280	-0.047 [0.067] N=1,179	-0.088 [0.078] N=1,034	-0.111 [0.097] N=855	-0.101 [0.113] N=659
Above-normal BMIZ above +1	0.041 [0.062] N=1,254	0.011 [0.070] N=1,155	-0.043 [0.084] N=1,012	-0.083 [0.099] N=839	-0.043 [0.114] N=650

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.725 P=1,138	-0.004 [0.042] N=1,547	0.007 [0.044] N=1,439	-0.004 [0.046] N=1,291	-0.001 [0.049] N=1,111	-0.042 [0.053] N=915
Not underweight WAZ at least -2	0.906 P=1,585	-0.038 [0.023] N=1,744	-0.034 [0.025] N=1,615	-0.025 [0.026] N=1,449	-0.025 [0.028] N=1,242	-0.051 [0.033] N=1,023
Neither wasted nor overweight WHZ -2 to +2	0.690 P=1,053	0.013 [0.047] N=1,522	0.016 [0.048] N=1,421	0.033 [0.053] N=1,276	0.024 [0.060] N=1,097	0.037 [0.065] N=901
Neither low nor high BMIZ -2 to +2	0.650 P=976	-0.014 [0.046] N=1,490	-0.006 [0.048] N=1,391	0.009 [0.053] N=1,248	0.006 [0.060] N=1,075	-0.003 [0.064] N=886
Strict normal HAZ -2 to +3	0.664 P=1,047	0.017 [0.047] N=1,547	0.032 [0.050] N=1,439	0.015 [0.052] N=1,291	0.001 [0.057] N=1,111	-0.013 [0.063] N=915
Strict normal WAZ -2 to +1	0.700 P=1,233	-0.044 [0.047] N=1,744	-0.054 [0.049] N=1,615	-0.050 [0.051] N=1,449	-0.055 [0.054] N=1,242	-0.086 [0.060] N=1,023
Strict normal WHZ -2 to +1	0.525 P=801	-0.027 [0.048] N=1,522	-0.019 [0.051] N=1,421	-0.015 [0.055] N=1,276	-0.029 [0.060] N=1,097	-0.041 [0.064] N=901
Strict normal BMIZ -2 to +1	0.508 P=765	-0.051 [0.050] N=1,490	-0.042 [0.053] N=1,391	-0.028 [0.059] N=1,248	-0.048 [0.065] N=1,075	-0.077 [0.069] N=886
Above-normal height HAZ above +3	0.061 P=91	-0.021 [0.026] N=1,547	-0.026 [0.028] N=1,439	-0.019 [0.032] N=1,291	-0.003 [0.034] N=1,111	-0.029 [0.037] N=915
Above-normal weight WAZ above +1	0.207 P=352	0.006 [0.042] N=1,744	0.020 [0.044] N=1,615	0.025 [0.046] N=1,449	0.030 [0.050] N=1,242	0.034 [0.054] N=1,023
Above-normal WHZ above +1	0.358 P=538	**0.078* [0.043] N=1,522**	0.064 [0.046] N=1,421	0.059 [0.050] N=1,276	0.064 [0.056] N=1,097	0.101 [0.061] N=901
Above-normal BMIZ above +1	0.362 P=530	**0.093** [0.045] N=1,490**	**0.080* [0.048] N=1,391**	0.063 [0.054] N=1,248	0.060 [0.060] N=1,075	0.106 [0.066] N=886

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.060 [0.060] N=1,303	0.088 [0.065] N=1,195	0.097 [0.072] N=1,047	**0.145* [0.085] N=867**	0.140 [0.114] N=671
Not underweight WAZ at least -2	-0.033 [0.035] N=1,479	-0.026 [0.039] N=1,350	-0.007 [0.044] N=1,184	-0.014 [0.054] N=977	-0.098 [0.075] N=758
Neither wasted nor overweight WHZ -2 to +2	0.042 [0.059] N=1,280	0.056 [0.061] N=1,179	0.107 [0.071] N=1,034	0.112 [0.088] N=855	**0.226** [0.093] N=659**
Neither low nor high BMIZ -2 to +2	0.003 [0.063] N=1,254	0.026 [0.064] N=1,155	0.072 [0.076] N=1,012	0.082 [0.094] N=839	0.129 [0.091] N=650
Strict normal HAZ -2 to +3	0.079 [0.063] N=1,303	**0.116* [0.067] N=1,195**	0.114 [0.072] N=1,047	0.114 [0.091] N=867	0.179 [0.118] N=671
Strict normal WAZ -2 to +1	0.028 [0.063] N=1,479	0.027 [0.068] N=1,350	0.051 [0.075] N=1,184	0.052 [0.087] N=977	0.022 [0.099] N=758
Strict normal WHZ -2 to +1	0.055 [0.063] N=1,280	0.088 [0.068] N=1,179	**0.133* [0.078] N=1,034**	**0.154* [0.092] N=855**	**0.234** [0.102] N=659**
Strict normal BMIZ -2 to +1	0.005 [0.065] N=1,254	0.033 [0.068] N=1,155	0.086 [0.081] N=1,012	0.077 [0.097] N=839	0.094 [0.105] N=650
Above-normal height HAZ above +3	-0.019 [0.032] N=1,303	-0.028 [0.037] N=1,195	-0.017 [0.046] N=1,047	0.032 [0.054] N=867	-0.039 [0.067] N=671
Above-normal weight WAZ above +1	-0.061 [0.057] N=1,479	-0.053 [0.061] N=1,350	-0.058 [0.068] N=1,184	-0.066 [0.080] N=977	-0.120 [0.089] N=758
Above-normal WHZ above +1	0.004 [0.060] N=1,280	-0.035 [0.067] N=1,179	-0.079 [0.077] N=1,034	-0.108 [0.097] N=855	-0.114 [0.116] N=659
Above-normal BMIZ above +1	0.052 [0.062] N=1,254	0.021 [0.070] N=1,155	-0.037 [0.083] N=1,012	-0.077 [0.100] N=839	-0.043 [0.117] N=650

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,084	-0.060 [0.055] N=1,474	-0.059 [0.055] N=1,331	-0.041 [0.058] N=1,160	-0.067 [0.063] N=986	-0.091 [0.071] N=799
Not underweight WAZ at least -2	0.904 P=1,508	0.009 [0.030] N=1,664	0.015 [0.032] N=1,515	-0.000 [0.034] N=1,319	0.009 [0.037] N=1,117	0.027 [0.038] N=898
Neither wasted nor overweight WHZ -2 to +2	0.686 P=998	**-0.109** [0.052] N=1,460**	**-0.103* [0.054] N=1,321**	**-0.108* [0.058] N=1,153**	-0.077 [0.062] N=979	-0.071 [0.069] N=793
Neither low nor high BMIZ -2 to +2	0.651 P=926	**-0.142*** [0.053] N=1,428**	**-0.137** [0.056] N=1,293**	**-0.127** [0.063] N=1,128**	-0.095 [0.065] N=957	-0.091 [0.071] N=780
Strict normal HAZ -2 to +3	0.671 P=994	-0.082 [0.056] N=1,474	-0.080 [0.057] N=1,331	-0.069 [0.060] N=1,160	-0.091 [0.065] N=986	**-0.140* [0.072] N=799**
Strict normal WAZ -2 to +1	0.703 P=1,178	0.037 [0.044] N=1,664	0.031 [0.046] N=1,515	0.020 [0.051] N=1,319	0.017 [0.055] N=1,117	0.026 [0.058] N=898
Strict normal WHZ -2 to +1	0.518 P=746	**-0.149*** [0.051] N=1,460**	**-0.160*** [0.053] N=1,321**	**-0.161*** [0.058] N=1,153**	**-0.115* [0.063] N=979**	**-0.139* [0.071] N=793**
Strict normal BMIZ -2 to +1	0.508 P=719	**-0.117** [0.054] N=1,428**	**-0.121** [0.056] N=1,293**	-0.087 [0.062] N=1,128	-0.043 [0.067] N=957	-0.062 [0.071] N=780
Above-normal height HAZ above +3	0.062 P=90	0.022 [0.024] N=1,474	0.021 [0.025] N=1,331	0.027 [0.027] N=1,160	0.023 [0.029] N=986	0.048 [0.035] N=799
Above-normal weight WAZ above +1	0.201 P=330	-0.027 [0.037] N=1,664	-0.016 [0.038] N=1,515	-0.020 [0.040] N=1,319	-0.008 [0.042] N=1,117	0.001 [0.045] N=898
Above-normal WHZ above +1	0.364 P=537	**0.108** [0.051] N=1,460**	**0.110** [0.053] N=1,321**	0.086 [0.058] N=1,153	0.084 [0.063] N=979	0.104 [0.071] N=793
Above-normal BMIZ above +1	0.358 P=516	0.078 [0.052] N=1,428	0.075 [0.053] N=1,293	0.035 [0.058] N=1,128	0.024 [0.065] N=957	0.036 [0.071] N=780

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.061 [0.084] N=1,271	-0.055 [0.088] N=1,128	-0.021 [0.099] N=957	-0.087 [0.118] N=783	-0.173 [0.150] N=596
Not underweight WAZ at least -2	0.006 [0.046] N=1,438	0.014 [0.049] N=1,289	-0.012 [0.057] N=1,093	0.007 [0.064] N=891	0.059 [0.066] N=672
Neither wasted nor overweight WHZ -2 to +2	**-0.206*** [0.062] N=1,255**	**-0.201*** [0.068] N=1,116**	**-0.232*** [0.073] N=948**	**-0.197** [0.085] N=774**	**-0.210** [0.104] N=588**
Neither low nor high BMIZ -2 to +2	**-0.205*** [0.065] N=1,234**	**-0.197*** [0.072] N=1,099**	**-0.184** [0.083] N=934**	-0.129 [0.090] N=763	-0.127 [0.108] N=586
Strict normal HAZ -2 to +3	-0.072 [0.086] N=1,271	-0.064 [0.090] N=1,128	-0.040 [0.101] N=957	-0.094 [0.122] N=783	-0.249 [0.153] N=596
Strict normal WAZ -2 to +1	0.084 [0.061] N=1,438	0.085 [0.064] N=1,289	0.076 [0.074] N=1,093	0.087 [0.084] N=891	0.116 [0.094] N=672
Strict normal WHZ -2 to +1	**-0.199*** [0.072] N=1,255**	**-0.218*** [0.077] N=1,116**	**-0.229** [0.090] N=948**	-0.128 [0.105] N=774	-0.195 [0.132] N=588
Strict normal BMIZ -2 to +1	**-0.162* [0.086] N=1,234**	**-0.171* [0.091] N=1,099**	-0.122 [0.108] N=934	-0.017 [0.124] N=763	-0.084 [0.149] N=586
Above-normal height HAZ above +3	0.011 [0.032] N=1,271	0.009 [0.035] N=1,128	0.018 [0.040] N=957	0.007 [0.045] N=783	0.076 [0.063] N=596
Above-normal weight WAZ above +1	-0.078 [0.051] N=1,438	-0.070 [0.055] N=1,289	-0.089 [0.059] N=1,093	-0.081 [0.063] N=891	-0.057 [0.075] N=672
Above-normal WHZ above +1	0.119 [0.078] N=1,255	0.120 [0.082] N=1,116	0.079 [0.095] N=948	0.069 [0.105] N=774	0.113 [0.131] N=588
Above-normal BMIZ above +1	0.080 [0.082] N=1,234	0.076 [0.085] N=1,099	0.012 [0.099] N=934	-0.018 [0.116] N=763	0.032 [0.133] N=586

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,084	-0.060 [0.055] N=1,474	-0.057 [0.055] N=1,331	-0.040 [0.058] N=1,160	-0.067 [0.063] N=986	-0.091 [0.071] N=799
Not underweight WAZ at least -2	0.904 P=1,508	0.010 [0.030] N=1,664	0.016 [0.032] N=1,515	0.001 [0.034] N=1,319	0.010 [0.036] N=1,117	0.028 [0.038] N=898
Neither wasted nor overweight WHZ -2 to +2	0.686 P=998	**-0.105** [0.052] N=1,460**	**-0.100* [0.055] N=1,321**	**-0.104* [0.059] N=1,153**	-0.076 [0.063] N=979	-0.069 [0.070] N=793
Neither low nor high BMIZ -2 to +2	0.651 P=926	**-0.140*** [0.053] N=1,428**	**-0.134** [0.056] N=1,293**	**-0.124** [0.063] N=1,128**	-0.095 [0.065] N=957	-0.091 [0.071] N=780
Strict normal HAZ -2 to +3	0.671 P=994	-0.081 [0.057] N=1,474	-0.078 [0.058] N=1,331	-0.067 [0.060] N=1,160	-0.090 [0.065] N=986	**-0.139* [0.072] N=799**
Strict normal WAZ -2 to +1	0.703 P=1,178	0.039 [0.044] N=1,664	0.033 [0.046] N=1,515	0.022 [0.051] N=1,319	0.018 [0.055] N=1,117	0.027 [0.058] N=898
Strict normal WHZ -2 to +1	0.518 P=746	**-0.146*** [0.052] N=1,460**	**-0.157*** [0.053] N=1,321**	**-0.157*** [0.059] N=1,153**	**-0.114* [0.064] N=979**	**-0.139* [0.072] N=793**
Strict normal BMIZ -2 to +1	0.508 P=719	**-0.115** [0.054] N=1,428**	**-0.118** [0.056] N=1,293**	-0.085 [0.062] N=1,128	-0.043 [0.067] N=957	-0.062 [0.071] N=780
Above-normal height HAZ above +3	0.062 P=90	0.021 [0.024] N=1,474	0.021 [0.025] N=1,331	0.027 [0.027] N=1,160	0.023 [0.029] N=986	0.048 [0.034] N=799
Above-normal weight WAZ above +1	0.201 P=330	-0.028 [0.037] N=1,664	-0.017 [0.038] N=1,515	-0.022 [0.040] N=1,319	-0.008 [0.041] N=1,117	0.001 [0.045] N=898
Above-normal WHZ above +1	0.364 P=537	**0.108** [0.051] N=1,460**	**0.110** [0.053] N=1,321**	0.085 [0.058] N=1,153	0.084 [0.063] N=979	0.105 [0.071] N=793
Above-normal BMIZ above +1	0.358 P=516	0.078 [0.052] N=1,428	0.075 [0.053] N=1,293	0.034 [0.058] N=1,128	0.023 [0.065] N=957	0.036 [0.071] N=780

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.059 [0.084] N=1,271	-0.052 [0.088] N=1,128	-0.017 [0.099] N=957	-0.087 [0.118] N=783	-0.174 [0.150] N=596
Not underweight WAZ at least -2	0.008 [0.045] N=1,438	0.016 [0.049] N=1,289	-0.009 [0.056] N=1,093	0.009 [0.063] N=891	0.065 [0.065] N=672
Neither wasted nor overweight WHZ -2 to +2	**-0.197*** [0.062] N=1,255**	**-0.189*** [0.067] N=1,116**	**-0.215*** [0.072] N=948**	**-0.180** [0.084] N=774**	**-0.184* [0.104] N=588**
Neither low nor high BMIZ -2 to +2	**-0.199*** [0.064] N=1,234**	**-0.188** [0.072] N=1,099**	**-0.170** [0.081] N=934**	-0.121 [0.089] N=763	-0.120 [0.108] N=586
Strict normal HAZ -2 to +3	-0.068 [0.086] N=1,271	-0.059 [0.090] N=1,128	-0.034 [0.101] N=957	-0.093 [0.121] N=783	-0.246 [0.151] N=596
Strict normal WAZ -2 to +1	0.087 [0.061] N=1,438	0.088 [0.064] N=1,289	0.081 [0.074] N=1,093	0.090 [0.084] N=891	0.118 [0.093] N=672
Strict normal WHZ -2 to +1	**-0.192*** [0.071] N=1,255**	**-0.208*** [0.076] N=1,116**	**-0.214** [0.087] N=948**	-0.119 [0.103] N=774	-0.182 [0.130] N=588
Strict normal BMIZ -2 to +1	**-0.157* [0.085] N=1,234**	**-0.164* [0.090] N=1,099**	-0.112 [0.106] N=934	-0.013 [0.124] N=763	-0.085 [0.148] N=586
Above-normal height HAZ above +3	0.009 [0.032] N=1,271	0.007 [0.035] N=1,128	0.017 [0.040] N=957	0.007 [0.044] N=783	0.072 [0.061] N=596
Above-normal weight WAZ above +1	-0.079 [0.051] N=1,438	-0.072 [0.055] N=1,289	-0.091 [0.058] N=1,093	-0.081 [0.062] N=891	-0.053 [0.073] N=672
Above-normal WHZ above +1	0.119 [0.078] N=1,255	0.120 [0.082] N=1,116	0.076 [0.094] N=948	0.071 [0.106] N=774	0.123 [0.132] N=588
Above-normal BMIZ above +1	0.082 [0.082] N=1,234	0.077 [0.085] N=1,099	0.009 [0.099] N=934	-0.014 [0.116] N=763	0.045 [0.134] N=586

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,084	-0.061 [0.054] N=1,474	-0.056 [0.055] N=1,331	-0.036 [0.057] N=1,160	-0.062 [0.062] N=986	-0.090 [0.069] N=799
Not underweight WAZ at least -2	0.904 P=1,508	0.011 [0.030] N=1,664	0.017 [0.031] N=1,515	0.004 [0.034] N=1,319	0.012 [0.035] N=1,117	0.028 [0.037] N=898
Neither wasted nor overweight WHZ -2 to +2	0.686 P=998	**-0.106** [0.052] N=1,460**	**-0.098* [0.055] N=1,321**	**-0.102* [0.059] N=1,153**	-0.073 [0.064] N=979	-0.072 [0.071] N=793
Neither low nor high BMIZ -2 to +2	0.651 P=926	**-0.140*** [0.053] N=1,428**	**-0.133** [0.057] N=1,293**	**-0.123* [0.063] N=1,128**	-0.093 [0.066] N=957	-0.095 [0.072] N=780
Strict normal HAZ -2 to +3	0.671 P=994	-0.082 [0.056] N=1,474	-0.077 [0.057] N=1,331	-0.063 [0.059] N=1,160	-0.085 [0.064] N=986	**-0.140* [0.071] N=799**
Strict normal WAZ -2 to +1	0.703 P=1,178	0.038 [0.045] N=1,664	0.032 [0.046] N=1,515	0.021 [0.051] N=1,319	0.019 [0.054] N=1,117	0.026 [0.057] N=898
Strict normal WHZ -2 to +1	0.518 P=746	**-0.146*** [0.051] N=1,460**	**-0.155*** [0.053] N=1,321**	**-0.158*** [0.059] N=1,153**	**-0.115* [0.064] N=979**	**-0.143** [0.071] N=793**
Strict normal BMIZ -2 to +1	0.508 P=719	**-0.115** [0.054] N=1,428**	**-0.118** [0.055] N=1,293**	-0.086 [0.062] N=1,128	-0.044 [0.066] N=957	-0.067 [0.070] N=780
Above-normal height HAZ above +3	0.062 P=90	0.021 [0.024] N=1,474	0.021 [0.026] N=1,331	0.026 [0.027] N=1,160	0.023 [0.029] N=986	0.049 [0.035] N=799
Above-normal weight WAZ above +1	0.201 P=330	-0.028 [0.038] N=1,664	-0.016 [0.039] N=1,515	-0.018 [0.041] N=1,319	-0.007 [0.042] N=1,117	0.002 [0.045] N=898
Above-normal WHZ above +1	0.364 P=537	**0.108** [0.051] N=1,460**	**0.110** [0.053] N=1,321**	0.089 [0.057] N=1,153	0.087 [0.062] N=979	0.109 [0.069] N=793
Above-normal BMIZ above +1	0.358 P=516	0.079 [0.052] N=1,428	0.076 [0.053] N=1,293	0.038 [0.057] N=1,128	0.026 [0.065] N=957	0.041 [0.069] N=780

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.058 [0.083] N=1,271	-0.049 [0.086] N=1,128	-0.011 [0.095] N=957	-0.078 [0.114] N=783	-0.168 [0.143] N=596
Not underweight WAZ at least -2	0.008 [0.045] N=1,438	0.016 [0.049] N=1,289	-0.003 [0.056] N=1,093	0.015 [0.063] N=891	0.068 [0.062] N=672
Neither wasted nor overweight WHZ -2 to +2	**-0.197*** [0.063] N=1,255**	**-0.188*** [0.069] N=1,116**	**-0.212*** [0.073] N=948**	**-0.176** [0.086] N=774**	**-0.185* [0.106] N=588**
Neither low nor high BMIZ -2 to +2	**-0.197*** [0.065] N=1,234**	**-0.186** [0.073] N=1,099**	**-0.164* [0.083] N=934**	-0.112 [0.092] N=763	-0.116 [0.111] N=586
Strict normal HAZ -2 to +3	-0.067 [0.084] N=1,271	-0.055 [0.088] N=1,128	-0.027 [0.098] N=957	-0.082 [0.118] N=783	-0.238 [0.144] N=596
Strict normal WAZ -2 to +1	0.093 [0.061] N=1,438	0.094 [0.063] N=1,289	0.086 [0.074] N=1,093	0.100 [0.083] N=891	0.125 [0.091] N=672
Strict normal WHZ -2 to +1	**-0.186** [0.072] N=1,255**	**-0.201*** [0.076] N=1,116**	**-0.212** [0.088] N=948**	-0.115 [0.105] N=774	-0.182 [0.133] N=588
Strict normal BMIZ -2 to +1	**-0.149* [0.085] N=1,234**	**-0.155* [0.090] N=1,099**	-0.105 [0.107] N=934	-0.001 [0.124] N=763	-0.078 [0.148] N=586
Above-normal height HAZ above +3	0.009 [0.032] N=1,271	0.006 [0.035] N=1,128	0.016 [0.040] N=957	0.004 [0.045] N=783	0.070 [0.061] N=596
Above-normal weight WAZ above +1	-0.084 [0.052] N=1,438	-0.077 [0.056] N=1,289	-0.089 [0.060] N=1,093	-0.085 [0.063] N=891	-0.056 [0.073] N=672
Above-normal WHZ above +1	0.112 [0.078] N=1,255	0.112 [0.082] N=1,116	0.075 [0.095] N=948	0.066 [0.106] N=774	0.119 [0.131] N=588
Above-normal BMIZ above +1	0.074 [0.082] N=1,234	0.069 [0.085] N=1,099	0.008 [0.098] N=934	-0.022 [0.115] N=763	0.039 [0.133] N=586

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,084	-0.057 [0.053] N=1,474	-0.052 [0.054] N=1,331	-0.033 [0.057] N=1,160	-0.062 [0.062] N=986	-0.092 [0.070] N=799
Not underweight WAZ at least -2	0.904 P=1,508	0.012 [0.030] N=1,664	0.018 [0.031] N=1,515	0.005 [0.034] N=1,319	0.013 [0.036] N=1,117	0.030 [0.038] N=898
Neither wasted nor overweight WHZ -2 to +2	0.686 P=998	**-0.105** [0.052] N=1,460**	**-0.098* [0.054] N=1,321**	**-0.105* [0.058] N=1,153**	-0.077 [0.063] N=979	-0.072 [0.069] N=793
Neither low nor high BMIZ -2 to +2	0.651 P=926	**-0.139*** [0.052] N=1,428**	**-0.132** [0.056] N=1,293**	**-0.124** [0.062] N=1,128**	-0.095 [0.065] N=957	-0.093 [0.070] N=780
Strict normal HAZ -2 to +3	0.671 P=994	-0.079 [0.055] N=1,474	-0.072 [0.057] N=1,331	-0.059 [0.059] N=1,160	-0.082 [0.064] N=986	**-0.136* [0.071] N=799**
Strict normal WAZ -2 to +1	0.703 P=1,178	0.039 [0.044] N=1,664	0.033 [0.046] N=1,515	0.022 [0.051] N=1,319	0.020 [0.054] N=1,117	0.030 [0.058] N=898
Strict normal WHZ -2 to +1	0.518 P=746	**-0.144*** [0.051] N=1,460**	**-0.154*** [0.053] N=1,321**	**-0.158*** [0.059] N=1,153**	**-0.114* [0.063] N=979**	**-0.142** [0.070] N=793**
Strict normal BMIZ -2 to +1	0.508 P=719	**-0.108** [0.054] N=1,428**	**-0.110** [0.055] N=1,293**	-0.080 [0.062] N=1,128	-0.037 [0.065] N=957	-0.057 [0.069] N=780
Above-normal height HAZ above +3	0.062 P=90	0.022 [0.024] N=1,474	0.020 [0.026] N=1,331	0.026 [0.027] N=1,160	0.020 [0.029] N=986	0.044 [0.034] N=799
Above-normal weight WAZ above +1	0.201 P=330	-0.027 [0.037] N=1,664	-0.016 [0.039] N=1,515	-0.017 [0.040] N=1,319	-0.007 [0.042] N=1,117	0.000 [0.045] N=898
Above-normal WHZ above +1	0.364 P=537	**0.105** [0.051] N=1,460**	**0.106** [0.053] N=1,321**	0.084 [0.058] N=1,153	0.083 [0.063] N=979	0.108 [0.071] N=793
Above-normal BMIZ above +1	0.358 P=516	0.072 [0.052] N=1,428	0.069 [0.053] N=1,293	0.031 [0.057] N=1,128	0.020 [0.065] N=957	0.035 [0.071] N=780

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.057 [0.081] N=1,271	-0.044 [0.084] N=1,128	-0.004 [0.095] N=957	-0.077 [0.113] N=783	-0.190 [0.142] N=596
Not underweight WAZ at least -2	0.011 [0.044] N=1,438	0.019 [0.048] N=1,289	0.000 [0.056] N=1,093	0.017 [0.061] N=891	0.065 [0.060] N=672
Neither wasted nor overweight WHZ -2 to +2	**-0.197*** [0.063] N=1,255**	**-0.189*** [0.068] N=1,116**	**-0.217*** [0.073] N=948**	**-0.179** [0.086] N=774**	**-0.194* [0.105] N=588**
Neither low nor high BMIZ -2 to +2	**-0.200*** [0.065] N=1,234**	**-0.187** [0.073] N=1,099**	**-0.171** [0.082] N=934**	-0.125 [0.092] N=763	-0.137 [0.109] N=586
Strict normal HAZ -2 to +3	-0.067 [0.082] N=1,271	-0.050 [0.086] N=1,128	-0.019 [0.097] N=957	-0.081 [0.118] N=783	**-0.261* [0.143] N=596**
Strict normal WAZ -2 to +1	0.088 [0.060] N=1,438	0.090 [0.063] N=1,289	0.084 [0.074] N=1,093	0.099 [0.083] N=891	0.123 [0.092] N=672
Strict normal WHZ -2 to +1	**-0.191*** [0.071] N=1,255**	**-0.208*** [0.076] N=1,116**	**-0.218** [0.088] N=948**	-0.119 [0.104] N=774	-0.201 [0.131] N=588
Strict normal BMIZ -2 to +1	**-0.152* [0.085] N=1,234**	**-0.158* [0.090] N=1,099**	-0.113 [0.107] N=934	-0.012 [0.124] N=763	-0.098 [0.149] N=586
Above-normal height HAZ above +3	0.010 [0.033] N=1,271	0.006 [0.035] N=1,128	0.015 [0.040] N=957	0.004 [0.044] N=783	0.070 [0.059] N=596
Above-normal weight WAZ above +1	-0.077 [0.052] N=1,438	-0.071 [0.056] N=1,289	-0.084 [0.059] N=1,093	-0.083 [0.063] N=891	-0.058 [0.072] N=672
Above-normal WHZ above +1	0.116 [0.077] N=1,255	0.114 [0.082] N=1,116	0.074 [0.094] N=948	0.065 [0.106] N=774	0.136 [0.135] N=588
Above-normal BMIZ above +1	0.076 [0.081] N=1,234	0.070 [0.084] N=1,099	0.009 [0.098] N=934	-0.018 [0.115] N=763	0.053 [0.136] N=586

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,007	-0.056 [0.057] N=1,367	-0.056 [0.059] N=1,235	-0.029 [0.061] N=1,081	-0.051 [0.064] N=917	-0.078 [0.072] N=745
Not underweight WAZ at least -2	0.902 P=1,390	0.016 [0.031] N=1,537	0.022 [0.034] N=1,399	0.007 [0.036] N=1,223	0.010 [0.039] N=1,037	0.022 [0.041] N=837
Neither wasted nor overweight WHZ -2 to +2	0.686 P=925	**-0.104** [0.052] N=1,352**	**-0.095* [0.054] N=1,224**	**-0.095* [0.057] N=1,071**	-0.062 [0.061] N=909	-0.055 [0.066] N=739
Neither low nor high BMIZ -2 to +2	0.654 P=863	**-0.141** [0.055] N=1,322**	**-0.134** [0.057] N=1,198**	**-0.110* [0.063] N=1,049**	-0.077 [0.066] N=890	-0.072 [0.071] N=728
Strict normal HAZ -2 to +3	0.673 P=927	-0.078 [0.060] N=1,367	-0.079 [0.062] N=1,235	-0.060 [0.063] N=1,081	-0.075 [0.068] N=917	**-0.131* [0.077] N=745**
Strict normal WAZ -2 to +1	0.701 P=1,085	0.039 [0.047] N=1,537	0.035 [0.049] N=1,399	0.038 [0.053] N=1,223	0.031 [0.058] N=1,037	0.039 [0.059] N=837
Strict normal WHZ -2 to +1	0.521 P=694	**-0.160*** [0.053] N=1,352**	**-0.173*** [0.054] N=1,224**	**-0.166*** [0.058] N=1,071**	**-0.117* [0.063] N=909**	**-0.137** [0.069] N=739**
Strict normal BMIZ -2 to +1	0.514 P=674	**-0.132** [0.057] N=1,322**	**-0.138** [0.058] N=1,198**	-0.091 [0.064] N=1,049	-0.052 [0.067] N=890	-0.060 [0.072] N=728
Above-normal height HAZ above +3	0.061 P=80	0.022 [0.025] N=1,367	0.023 [0.027] N=1,235	0.031 [0.028] N=1,081	0.023 [0.031] N=917	0.053 [0.036] N=745
Above-normal weight WAZ above +1	0.201 P=305	-0.024 [0.038] N=1,537	-0.013 [0.040] N=1,399	-0.031 [0.041] N=1,223	-0.022 [0.042] N=1,037	-0.018 [0.043] N=837
Above-normal WHZ above +1	0.361 P=494	**0.120** [0.054] N=1,352**	**0.127** [0.056] N=1,224**	0.092 [0.060] N=1,071	0.080 [0.064] N=909	0.088 [0.071] N=739
Above-normal BMIZ above +1	0.354 P=472	0.086 [0.055] N=1,322	0.088 [0.056] N=1,198	0.031 [0.060] N=1,049	0.013 [0.067] N=890	0.007 [0.071] N=728

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.053 [0.091] N=1,174	-0.047 [0.095] N=1,042	0.004 [0.105] N=888	-0.047 [0.121] N=724	-0.130 [0.149] N=552
Not underweight WAZ at least -2	0.021 [0.048] N=1,324	0.033 [0.052] N=1,186	0.009 [0.058] N=1,010	0.020 [0.067] N=824	0.079 [0.070] N=624
Neither wasted nor overweight WHZ -2 to +2	**-0.194*** [0.067] N=1,158**	**-0.181** [0.073] N=1,030**	**-0.200** [0.077] N=877**	-0.150 [0.090] N=715	-0.143 [0.112] N=545
Neither low nor high BMIZ -2 to +2	**-0.220*** [0.067] N=1,137**	**-0.209*** [0.074] N=1,013**	**-0.169** [0.082] N=864**	-0.116 [0.092] N=705	-0.124 [0.106] N=543
Strict normal HAZ -2 to +3	-0.070 [0.095] N=1,174	-0.067 [0.100] N=1,042	-0.029 [0.109] N=888	-0.058 [0.131] N=724	-0.220 [0.166] N=552
Strict normal WAZ -2 to +1	0.085 [0.066] N=1,324	0.092 [0.069] N=1,186	0.106 [0.079] N=1,010	0.106 [0.092] N=824	0.138 [0.101] N=624
Strict normal WHZ -2 to +1	**-0.216*** [0.077] N=1,158**	**-0.241*** [0.082] N=1,030**	**-0.234** [0.095] N=877**	-0.130 [0.111] N=715	-0.181 [0.142] N=545
Strict normal BMIZ -2 to +1	**-0.193** [0.090] N=1,137**	**-0.211** [0.096] N=1,013**	-0.139 [0.111] N=864	-0.055 [0.126] N=705	-0.111 [0.153] N=543
Above-normal height HAZ above +3	0.017 [0.034] N=1,174	0.020 [0.037] N=1,042	0.033 [0.042] N=888	0.011 [0.050] N=724	0.090 [0.068] N=552
Above-normal weight WAZ above +1	-0.064 [0.055] N=1,324	-0.058 [0.059] N=1,186	-0.096 [0.063] N=1,010	-0.086 [0.069] N=824	-0.059 [0.080] N=624
Above-normal WHZ above +1	**0.147* [0.086] N=1,158**	**0.162* [0.092] N=1,030**	0.102 [0.107] N=877	0.086 [0.116] N=715	0.118 [0.147] N=545
Above-normal BMIZ above +1	0.106 [0.090] N=1,137	0.116 [0.095] N=1,013	0.027 [0.110] N=864	0.004 [0.125] N=705	0.024 [0.143] N=543

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.734 P=1,007	-0.055 [0.057] N=1,367	-0.053 [0.058] N=1,235	-0.025 [0.061] N=1,081	-0.048 [0.064] N=917	-0.073 [0.072] N=745
Not underweight WAZ at least -2	0.902 P=1,390	0.017 [0.031] N=1,537	0.024 [0.033] N=1,399	0.009 [0.035] N=1,223	0.012 [0.038] N=1,037	0.024 [0.040] N=837
Neither wasted nor overweight WHZ -2 to +2	0.686 P=925	**-0.100* [0.052] N=1,352**	**-0.089* [0.054] N=1,224**	-0.087 [0.057] N=1,071	-0.053 [0.061] N=909	-0.048 [0.067] N=739
Neither low nor high BMIZ -2 to +2	0.654 P=863	**-0.138** [0.054] N=1,322**	**-0.129** [0.057] N=1,198**	**-0.104* [0.062] N=1,049**	-0.069 [0.065] N=890	-0.064 [0.069] N=728
Strict normal HAZ -2 to +3	0.673 P=927	-0.075 [0.059] N=1,367	-0.074 [0.061] N=1,235	-0.054 [0.063] N=1,081	-0.068 [0.067] N=917	-0.121 [0.076] N=745
Strict normal WAZ -2 to +1	0.701 P=1,085	0.041 [0.046] N=1,537	0.038 [0.049] N=1,399	0.040 [0.052] N=1,223	0.035 [0.057] N=1,037	0.043 [0.059] N=837
Strict normal WHZ -2 to +1	0.521 P=694	**-0.157*** [0.052] N=1,352**	**-0.167*** [0.053] N=1,224**	**-0.157*** [0.058] N=1,071**	**-0.107* [0.063] N=909**	**-0.124* [0.069] N=739**
Strict normal BMIZ -2 to +1	0.514 P=674	**-0.131** [0.056] N=1,322**	**-0.135** [0.058] N=1,198**	-0.087 [0.063] N=1,049	-0.048 [0.066] N=890	-0.054 [0.071] N=728
Above-normal height HAZ above +3	0.061 P=80	0.020 [0.025] N=1,367	0.021 [0.027] N=1,235	0.028 [0.028] N=1,081	0.020 [0.031] N=917	0.048 [0.036] N=745
Above-normal weight WAZ above +1	0.201 P=305	-0.024 [0.038] N=1,537	-0.014 [0.040] N=1,399	-0.031 [0.041] N=1,223	-0.022 [0.042] N=1,037	-0.019 [0.044] N=837
Above-normal WHZ above +1	0.361 P=494	**0.122** [0.054] N=1,352**	**0.126** [0.056] N=1,224**	0.089 [0.060] N=1,071	0.078 [0.064] N=909	0.084 [0.072] N=739
Above-normal BMIZ above +1	0.354 P=472	0.089 [0.056] N=1,322	0.090 [0.057] N=1,198	0.032 [0.060] N=1,049	0.016 [0.067] N=890	0.010 [0.072] N=728

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.055 [0.090] N=1,174	-0.045 [0.094] N=1,042	0.008 [0.104] N=888	-0.052 [0.120] N=724	-0.139 [0.147] N=552
Not underweight WAZ at least -2	0.021 [0.047] N=1,324	0.033 [0.052] N=1,186	0.010 [0.058] N=1,010	0.020 [0.066] N=824	0.070 [0.070] N=624
Neither wasted nor overweight WHZ -2 to +2	**-0.194*** [0.066] N=1,158**	**-0.180** [0.071] N=1,030**	**-0.195** [0.076] N=877**	-0.146 [0.090] N=715	-0.149 [0.111] N=545
Neither low nor high BMIZ -2 to +2	**-0.221*** [0.067] N=1,137**	**-0.209*** [0.074] N=1,013**	**-0.167** [0.082] N=864**	-0.114 [0.092] N=705	-0.119 [0.107] N=543
Strict normal HAZ -2 to +3	-0.070 [0.094] N=1,174	-0.064 [0.098] N=1,042	-0.023 [0.108] N=888	-0.058 [0.129] N=724	-0.221 [0.162] N=552
Strict normal WAZ -2 to +1	0.085 [0.066] N=1,324	0.092 [0.069] N=1,186	0.107 [0.078] N=1,010	0.107 [0.092] N=824	0.133 [0.102] N=624
Strict normal WHZ -2 to +1	**-0.217*** [0.077] N=1,158**	**-0.239*** [0.082] N=1,030**	**-0.228** [0.094] N=877**	-0.123 [0.109] N=715	-0.171 [0.140] N=545
Strict normal BMIZ -2 to +1	**-0.198** [0.091] N=1,137**	**-0.214** [0.096] N=1,013**	-0.141 [0.111] N=864	-0.060 [0.128] N=705	-0.118 [0.153] N=543
Above-normal height HAZ above +3	0.015 [0.034] N=1,174	0.018 [0.037] N=1,042	0.031 [0.043] N=888	0.006 [0.049] N=724	0.083 [0.066] N=552
Above-normal weight WAZ above +1	-0.064 [0.055] N=1,324	-0.059 [0.059] N=1,186	-0.096 [0.063] N=1,010	-0.087 [0.068] N=824	-0.063 [0.081] N=624
Above-normal WHZ above +1	**0.148* [0.086] N=1,158**	**0.158* [0.092] N=1,030**	0.096 [0.105] N=877	0.080 [0.114] N=715	0.108 [0.143] N=545
Above-normal BMIZ above +1	0.111 [0.091] N=1,137	0.118 [0.095] N=1,013	0.029 [0.110] N=864	0.010 [0.126] N=705	0.037 [0.143] N=543

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.