Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,476	0.028 [0.032] N=1,755	0.025 [0.034] N=1,621	0.034 [0.036] N=1,458	0.013 [0.037] N=1,247	0.007 [0.041] N=1,024
Vegetables consumed daily or several times weekly	0.761 P=1,336	0.029 [0.042] N=1,755	0.024 [0.044] N=1,621	0.015 [0.046] N=1,458	-0.015 [0.051] N=1,247	-0.059 [0.054] N=1,024
Meat fish or poultry consumed daily or several times weekly	0.566 P=996	0.060 [0.054] N=1,755	0.066 [0.056] N=1,621	0.039 [0.061] N=1,458	0.061 [0.067] N=1,247	0.043 [0.075] N=1,024
Legumes consumed daily or several times weekly	0.557 P=971	0.041 [0.050] N=1,755	0.049 [0.053] N=1,621	0.056 [0.054] N=1,458	**0.100* [0.060] N=1,247**	0.083 [0.070] N=1,024
Animal products consumed daily or several times weekly	0.851 P=1,492	**0.083** [0.034] N=1,755**	**0.081** [0.035] N=1,621**	0.058 [0.036] N=1,458	0.063 [0.038] N=1,247	0.042 [0.042] N=1,024
Sweets consumed daily or several times weekly	0.495 P=876	-0.053 [0.044] N=1,755	-0.061 [0.046] N=1,621	-0.064 [0.046] N=1,458	-0.041 [0.047] N=1,247	-0.026 [0.055] N=1,024
Snack foods consumed daily or several times weekly	0.366 P=642	0.026 [0.043] N=1,755	0.008 [0.046] N=1,621	0.008 [0.049] N=1,458	0.042 [0.053] N=1,247	0.028 [0.060] N=1,024
Packaged soft drinks consumed daily or several times weekly	0.214 P=370	0.000 [0.040] N=1,755	0.002 [0.043] N=1,621	0.000 [0.046] N=1,458	0.021 [0.051] N=1,247	-0.008 [0.057] N=1,024
Grains consumed daily or several times weekly	0.812 P=1,426	0.037 [0.038] N=1,755	0.047 [0.039] N=1,621	0.023 [0.041] N=1,458	0.027 [0.044] N=1,247	0.001 [0.049] N=1,024

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.046] N=1,495	0.060 [0.049] N=1,361	0.081 [0.056] N=1,198	0.049 [0.067] N=987	0.062 [0.091] N=764
Vegetables consumed daily or several times weekly	0.062 [0.058] N=1,495	0.064 [0.064] N=1,361	0.058 [0.067] N=1,198	0.003 [0.086] N=987	-0.105 [0.104] N=764
Meat fish or poultry consumed daily or several times weekly	0.030 [0.066] N=1,495	0.032 [0.070] N=1,361	-0.028 [0.076] N=1,198	-0.015 [0.094] N=987	-0.092 [0.113] N=764
Legumes consumed daily or several times weekly	0.033 [0.069] N=1,495	0.047 [0.075] N=1,361	0.053 [0.079] N=1,198	0.148 [0.098] N=987	0.115 [0.127] N=764
Animal products consumed daily or several times weekly	**0.103* [0.052] N=1,495**	**0.102* [0.057] N=1,361**	0.062 [0.063] N=1,198	0.078 [0.074] N=987	0.035 [0.091] N=764
Sweets consumed daily or several times weekly	-0.089 [0.059] N=1,495	-0.105 [0.064] N=1,361	**-0.114* [0.068] N=1,198**	-0.078 [0.075] N=987	-0.042 [0.105] N=764
Snack foods consumed daily or several times weekly	-0.015 [0.057] N=1,495	-0.053 [0.061] N=1,361	-0.059 [0.068] N=1,198	-0.002 [0.085] N=987	-0.098 [0.101] N=764
Packaged soft drinks consumed daily or several times weekly	-0.016 [0.050] N=1,495	-0.011 [0.056] N=1,361	-0.014 [0.063] N=1,198	0.028 [0.078] N=987	-0.051 [0.097] N=764
Grains consumed daily or several times weekly	0.095 [0.061] N=1,495	**0.124* [0.066] N=1,361**	0.089 [0.075] N=1,198	0.122 [0.091] N=987	0.092 [0.125] N=764

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,476	0.028 [0.032] N=1,755	0.025 [0.034] N=1,621	0.034 [0.036] N=1,458	0.013 [0.037] N=1,247	0.007 [0.041] N=1,024
Vegetables consumed daily or several times weekly	0.761 P=1,336	0.029 [0.042] N=1,755	0.024 [0.044] N=1,621	0.015 [0.046] N=1,458	-0.015 [0.051] N=1,247	-0.059 [0.054] N=1,024
Meat fish or poultry consumed daily or several times weekly	0.566 P=996	0.060 [0.054] N=1,755	0.066 [0.056] N=1,621	0.040 [0.061] N=1,458	0.062 [0.068] N=1,247	0.043 [0.075] N=1,024
Legumes consumed daily or several times weekly	0.557 P=971	0.041 [0.051] N=1,755	0.049 [0.054] N=1,621	0.056 [0.055] N=1,458	**0.100* [0.060] N=1,247**	0.083 [0.070] N=1,024
Animal products consumed daily or several times weekly	0.851 P=1,492	**0.083** [0.034] N=1,755**	**0.081** [0.035] N=1,621**	0.058 [0.036] N=1,458	0.063 [0.038] N=1,247	0.042 [0.042] N=1,024
Sweets consumed daily or several times weekly	0.495 P=876	-0.053 [0.044] N=1,755	-0.061 [0.046] N=1,621	-0.064 [0.046] N=1,458	-0.041 [0.048] N=1,247	-0.026 [0.055] N=1,024
Snack foods consumed daily or several times weekly	0.366 P=642	0.026 [0.043] N=1,755	0.008 [0.046] N=1,621	0.008 [0.049] N=1,458	0.042 [0.053] N=1,247	0.028 [0.060] N=1,024
Packaged soft drinks consumed daily or several times weekly	0.214 P=370	0.000 [0.040] N=1,755	0.002 [0.043] N=1,621	0.000 [0.046] N=1,458	0.020 [0.051] N=1,247	-0.008 [0.056] N=1,024
Grains consumed daily or several times weekly	0.812 P=1,426	0.037 [0.038] N=1,755	0.047 [0.039] N=1,621	0.023 [0.041] N=1,458	0.027 [0.044] N=1,247	0.001 [0.049] N=1,024

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.056 [0.047] N=1,495	0.061 [0.050] N=1,361	0.082 [0.057] N=1,198	0.050 [0.068] N=987	0.064 [0.091] N=764
Vegetables consumed daily or several times weekly	0.062 [0.058] N=1,495	0.063 [0.064] N=1,361	0.058 [0.067] N=1,198	0.003 [0.086] N=987	-0.107 [0.104] N=764
Meat fish or poultry consumed daily or several times weekly	0.030 [0.066] N=1,495	0.032 [0.070] N=1,361	-0.028 [0.076] N=1,198	-0.016 [0.094] N=987	-0.093 [0.113] N=764
Legumes consumed daily or several times weekly	0.034 [0.069] N=1,495	0.049 [0.076] N=1,361	0.056 [0.079] N=1,198	0.151 [0.098] N=987	0.117 [0.127] N=764
Animal products consumed daily or several times weekly	**0.105** [0.052] N=1,495**	**0.105* [0.057] N=1,361**	0.065 [0.063] N=1,198	0.080 [0.074] N=987	0.038 [0.091] N=764
Sweets consumed daily or several times weekly	-0.089 [0.059] N=1,495	-0.103 [0.064] N=1,361	-0.113 [0.068] N=1,198	-0.077 [0.075] N=987	-0.043 [0.104] N=764
Snack foods consumed daily or several times weekly	-0.015 [0.058] N=1,495	-0.052 [0.062] N=1,361	-0.057 [0.069] N=1,198	0.001 [0.086] N=987	-0.096 [0.101] N=764
Packaged soft drinks consumed daily or several times weekly	-0.015 [0.050] N=1,495	-0.011 [0.056] N=1,361	-0.016 [0.063] N=1,198	0.027 [0.078] N=987	-0.053 [0.097] N=764
Grains consumed daily or several times weekly	0.095 [0.061] N=1,495	**0.124* [0.066] N=1,361**	0.089 [0.075] N=1,198	0.122 [0.091] N=987	0.090 [0.126] N=764

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,476	0.003 [0.033] N=1,755	-0.002 [0.034] N=1,621	0.010 [0.037] N=1,458	-0.007 [0.038] N=1,247	-0.016 [0.041] N=1,024
Vegetables consumed daily or several times weekly	0.761 P=1,336	0.011 [0.042] N=1,755	0.002 [0.044] N=1,621	-0.004 [0.046] N=1,458	-0.029 [0.051] N=1,247	-0.078 [0.054] N=1,024
Meat fish or poultry consumed daily or several times weekly	0.566 P=996	0.021 [0.053] N=1,755	0.021 [0.055] N=1,621	0.002 [0.060] N=1,458	0.031 [0.067] N=1,247	0.008 [0.075] N=1,024
Legumes consumed daily or several times weekly	0.557 P=971	0.020 [0.051] N=1,755	0.027 [0.054] N=1,621	0.037 [0.054] N=1,458	0.086 [0.060] N=1,247	0.069 [0.070] N=1,024
Animal products consumed daily or several times weekly	0.851 P=1,492	**0.068** [0.034] N=1,755**	**0.064* [0.035] N=1,621**	0.043 [0.037] N=1,458	0.052 [0.039] N=1,247	0.028 [0.042] N=1,024
Sweets consumed daily or several times weekly	0.495 P=876	-0.063 [0.045] N=1,755	-0.072 [0.046] N=1,621	-0.076 [0.047] N=1,458	-0.048 [0.048] N=1,247	-0.035 [0.056] N=1,024
Snack foods consumed daily or several times weekly	0.366 P=642	0.027 [0.043] N=1,755	0.010 [0.046] N=1,621	0.007 [0.049] N=1,458	0.043 [0.053] N=1,247	0.032 [0.060] N=1,024
Packaged soft drinks consumed daily or several times weekly	0.214 P=370	0.009 [0.039] N=1,755	0.014 [0.042] N=1,621	0.007 [0.045] N=1,458	0.026 [0.050] N=1,247	0.001 [0.056] N=1,024
Grains consumed daily or several times weekly	0.812 P=1,426	0.030 [0.039] N=1,755	0.041 [0.040] N=1,621	0.018 [0.042] N=1,458	0.023 [0.045] N=1,247	-0.001 [0.050] N=1,024

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.034 [0.049] N=1,495	0.033 [0.053] N=1,361	0.061 [0.060] N=1,198	0.046 [0.075] N=987	0.054 [0.104] N=764
Vegetables consumed daily or several times weekly	0.046 [0.058] N=1,495	0.042 [0.063] N=1,361	0.044 [0.066] N=1,198	0.001 [0.087] N=987	-0.108 [0.106] N=764
Meat fish or poultry consumed daily or several times weekly	-0.003 [0.064] N=1,495	-0.011 [0.068] N=1,361	-0.058 [0.076] N=1,198	-0.024 [0.096] N=987	-0.106 [0.120] N=764
Legumes consumed daily or several times weekly	0.016 [0.069] N=1,495	0.028 [0.076] N=1,361	0.041 [0.079] N=1,198	0.147 [0.098] N=987	0.114 [0.128] N=764
Animal products consumed daily or several times weekly	**0.091* [0.051] N=1,495**	0.088 [0.055] N=1,361	0.053 [0.061] N=1,198	0.084 [0.074] N=987	0.047 [0.090] N=764
Sweets consumed daily or several times weekly	-0.098 [0.060] N=1,495	**-0.113* [0.065] N=1,361**	**-0.121* [0.069] N=1,198**	-0.077 [0.075] N=987	-0.045 [0.103] N=764
Snack foods consumed daily or several times weekly	-0.015 [0.057] N=1,495	-0.049 [0.061] N=1,361	-0.059 [0.068] N=1,198	-0.000 [0.084] N=987	-0.098 [0.100] N=764
Packaged soft drinks consumed daily or several times weekly	-0.008 [0.050] N=1,495	-0.001 [0.055] N=1,361	-0.012 [0.062] N=1,198	0.030 [0.077] N=987	-0.050 [0.097] N=764
Grains consumed daily or several times weekly	0.087 [0.061] N=1,495	**0.119* [0.067] N=1,361**	0.085 [0.076] N=1,198	0.118 [0.092] N=987	0.085 [0.127] N=764

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,476	-0.002 [0.033] N=1,755	-0.006 [0.034] N=1,621	0.002 [0.037] N=1,458	-0.016 [0.039] N=1,247	-0.027 [0.042] N=1,024
Vegetables consumed daily or several times weekly	0.761 P=1,336	0.010 [0.042] N=1,755	0.005 [0.044] N=1,621	-0.003 [0.046] N=1,458	-0.031 [0.051] N=1,247	-0.079 [0.054] N=1,024
Meat fish or poultry consumed daily or several times weekly	0.566 P=996	0.017 [0.052] N=1,755	0.018 [0.053] N=1,621	-0.004 [0.058] N=1,458	0.020 [0.065] N=1,247	-0.006 [0.074] N=1,024
Legumes consumed daily or several times weekly	0.557 P=971	0.023 [0.051] N=1,755	0.031 [0.053] N=1,621	0.038 [0.054] N=1,458	0.086 [0.060] N=1,247	0.067 [0.070] N=1,024
Animal products consumed daily or several times weekly	0.851 P=1,492	**0.066* [0.034] N=1,755**	**0.063* [0.035] N=1,621**	0.042 [0.037] N=1,458	0.047 [0.039] N=1,247	0.023 [0.042] N=1,024
Sweets consumed daily or several times weekly	0.495 P=876	-0.064 [0.044] N=1,755	**-0.076* [0.046] N=1,621**	**-0.080* [0.046] N=1,458**	-0.051 [0.047] N=1,247	-0.041 [0.055] N=1,024
Snack foods consumed daily or several times weekly	0.366 P=642	0.027 [0.043] N=1,755	0.009 [0.046] N=1,621	0.005 [0.049] N=1,458	0.043 [0.053] N=1,247	0.029 [0.059] N=1,024
Packaged soft drinks consumed daily or several times weekly	0.214 P=370	0.009 [0.039] N=1,755	0.012 [0.042] N=1,621	0.007 [0.045] N=1,458	0.028 [0.049] N=1,247	0.003 [0.054] N=1,024
Grains consumed daily or several times weekly	0.812 P=1,426	0.034 [0.038] N=1,755	0.045 [0.039] N=1,621	0.022 [0.041] N=1,458	0.026 [0.044] N=1,247	0.003 [0.050] N=1,024

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.031 [0.047] N=1,495	0.034 [0.051] N=1,361	0.061 [0.057] N=1,198	0.037 [0.071] N=987	0.037 [0.098] N=764
Vegetables consumed daily or several times weekly	0.043 [0.058] N=1,495	0.044 [0.064] N=1,361	0.043 [0.067] N=1,198	-0.013 [0.088] N=987	-0.138 [0.108] N=764
Meat fish or poultry consumed daily or several times weekly	-0.007 [0.064] N=1,495	-0.010 [0.068] N=1,361	-0.059 [0.075] N=1,198	-0.044 [0.095] N=987	-0.142 [0.122] N=764
Legumes consumed daily or several times weekly	0.017 [0.070] N=1,495	0.031 [0.077] N=1,361	0.042 [0.079] N=1,198	0.143 [0.100] N=987	0.099 [0.131] N=764
Animal products consumed daily or several times weekly	**0.093* [0.052] N=1,495**	0.093 [0.057] N=1,361	0.055 [0.064] N=1,198	0.074 [0.076] N=987	0.035 [0.095] N=764
Sweets consumed daily or several times weekly	-0.092 [0.060] N=1,495	**-0.111* [0.064] N=1,361**	**-0.119* [0.067] N=1,198**	-0.073 [0.075] N=987	-0.050 [0.103] N=764
Snack foods consumed daily or several times weekly	-0.010 [0.057] N=1,495	-0.049 [0.061] N=1,361	-0.057 [0.068] N=1,198	0.006 [0.085] N=987	-0.090 [0.100] N=764
Packaged soft drinks consumed daily or several times weekly	-0.005 [0.050] N=1,495	0.000 [0.055] N=1,361	-0.009 [0.062] N=1,198	0.032 [0.077] N=987	-0.042 [0.096] N=764
Grains consumed daily or several times weekly	0.090 [0.061] N=1,495	**0.121* [0.066] N=1,361**	0.086 [0.075] N=1,198	0.116 [0.092] N=987	0.076 [0.127] N=764

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,369	0.017 [0.035] N=1,631	0.009 [0.036] N=1,512	0.021 [0.039] N=1,358	0.007 [0.040] N=1,165	-0.007 [0.042] N=958
Vegetables consumed daily or several times weekly	0.760 P=1,241	0.018 [0.045] N=1,631	0.011 [0.047] N=1,512	0.007 [0.050] N=1,358	-0.019 [0.054] N=1,165	-0.067 [0.057] N=958
Meat fish or poultry consumed daily or several times weekly	0.568 P=927	0.065 [0.051] N=1,631	0.069 [0.053] N=1,512	0.044 [0.057] N=1,358	0.051 [0.064] N=1,165	0.018 [0.070] N=958
Legumes consumed daily or several times weekly	0.554 P=898	0.044 [0.050] N=1,631	0.047 [0.053] N=1,512	0.061 [0.054] N=1,358	**0.103* [0.059] N=1,165**	0.079 [0.067] N=958
Animal products consumed daily or several times weekly	0.855 P=1,393	**0.085** [0.035] N=1,631**	**0.083** [0.036] N=1,512**	0.061 [0.037] N=1,358	0.054 [0.040] N=1,165	0.027 [0.043] N=958
Sweets consumed daily or several times weekly	0.498 P=819	-0.045 [0.047] N=1,631	-0.052 [0.049] N=1,512	-0.057 [0.049] N=1,358	-0.034 [0.051] N=1,165	-0.024 [0.058] N=958
Snack foods consumed daily or several times weekly	0.370 P=602	0.026 [0.046] N=1,631	0.018 [0.049] N=1,512	0.023 [0.052] N=1,358	0.051 [0.056] N=1,165	0.047 [0.063] N=958
Packaged soft drinks consumed daily or several times weekly	0.218 P=351	0.017 [0.039] N=1,631	0.022 [0.042] N=1,512	0.019 [0.045] N=1,358	0.036 [0.050] N=1,165	0.018 [0.055] N=958
Grains consumed daily or several times weekly	0.812 P=1,326	0.034 [0.040] N=1,631	0.041 [0.041] N=1,512	0.012 [0.043] N=1,358	0.016 [0.046] N=1,165	-0.015 [0.051] N=958

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.052 [0.049] N=1,388	0.047 [0.053] N=1,269	0.073 [0.060] N=1,115	0.052 [0.071] N=922	0.045 [0.092] N=715
Vegetables consumed daily or several times weekly	0.058 [0.061] N=1,388	0.059 [0.067] N=1,269	0.061 [0.071] N=1,115	0.014 [0.090] N=922	-0.099 [0.106] N=715
Meat fish or poultry consumed daily or several times weekly	0.058 [0.068] N=1,388	0.059 [0.072] N=1,269	0.014 [0.077] N=1,115	-0.003 [0.096] N=922	-0.101 [0.113] N=715
Legumes consumed daily or several times weekly	0.045 [0.072] N=1,388	0.050 [0.079] N=1,269	0.072 [0.084] N=1,115	0.165 [0.100] N=922	0.119 [0.129] N=715
Animal products consumed daily or several times weekly	**0.117** [0.055] N=1,388**	**0.119** [0.060] N=1,269**	0.084 [0.066] N=1,115	0.081 [0.077] N=922	0.040 [0.096] N=715
Sweets consumed daily or several times weekly	-0.084 [0.062] N=1,388	-0.095 [0.069] N=1,269	-0.114 [0.072] N=1,115	-0.081 [0.080] N=922	-0.079 [0.112] N=715
Snack foods consumed daily or several times weekly	-0.020 [0.061] N=1,388	-0.038 [0.066] N=1,269	-0.038 [0.074] N=1,115	0.007 [0.091] N=922	-0.074 [0.111] N=715
Packaged soft drinks consumed daily or several times weekly	0.002 [0.049] N=1,388	0.012 [0.054] N=1,269	0.008 [0.061] N=1,115	0.044 [0.075] N=922	0.001 [0.094] N=715
Grains consumed daily or several times weekly	0.103 [0.063] N=1,388	**0.129* [0.069] N=1,269**	0.080 [0.077] N=1,115	0.110 [0.093] N=922	0.068 [0.129] N=715

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.840 P=1,369	0.013 [0.034] N=1,631	0.007 [0.035] N=1,512	0.019 [0.038] N=1,358	0.004 [0.039] N=1,165	-0.010 [0.040] N=958
Vegetables consumed daily or several times weekly	0.760 P=1,241	0.015 [0.044] N=1,631	0.008 [0.046] N=1,512	0.003 [0.049] N=1,358	-0.022 [0.053] N=1,165	-0.071 [0.056] N=958
Meat fish or poultry consumed daily or several times weekly	0.568 P=927	0.064 [0.052] N=1,631	0.068 [0.054] N=1,512	0.047 [0.058] N=1,358	0.056 [0.064] N=1,165	0.028 [0.071] N=958
Legumes consumed daily or several times weekly	0.554 P=898	0.040 [0.051] N=1,631	0.043 [0.053] N=1,512	0.058 [0.054] N=1,358	**0.101* [0.059] N=1,165**	0.079 [0.066] N=958
Animal products consumed daily or several times weekly	0.855 P=1,393	**0.084** [0.035] N=1,631**	**0.082** [0.036] N=1,512**	0.060 [0.037] N=1,358	0.055 [0.039] N=1,165	0.031 [0.043] N=958
Sweets consumed daily or several times weekly	0.498 P=819	-0.045 [0.046] N=1,631	-0.053 [0.049] N=1,512	-0.056 [0.049] N=1,358	-0.033 [0.050] N=1,165	-0.024 [0.057] N=958
Snack foods consumed daily or several times weekly	0.370 P=602	0.023 [0.045] N=1,631	0.014 [0.048] N=1,512	0.020 [0.051] N=1,358	0.046 [0.056] N=1,165	0.036 [0.063] N=958
Packaged soft drinks consumed daily or several times weekly	0.218 P=351	0.014 [0.040] N=1,631	0.018 [0.043] N=1,512	0.016 [0.046] N=1,358	0.031 [0.051] N=1,165	0.008 [0.057] N=958
Grains consumed daily or several times weekly	0.812 P=1,326	0.033 [0.040] N=1,631	0.040 [0.041] N=1,512	0.012 [0.043] N=1,358	0.014 [0.046] N=1,165	-0.018 [0.051] N=958

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.046 [0.049] N=1,388	0.043 [0.053] N=1,269	0.072 [0.060] N=1,115	0.053 [0.071] N=922	0.048 [0.091] N=715
Vegetables consumed daily or several times weekly	0.054 [0.061] N=1,388	0.055 [0.067] N=1,269	0.060 [0.070] N=1,115	0.013 [0.089] N=922	-0.095 [0.105] N=715
Meat fish or poultry consumed daily or several times weekly	0.050 [0.067] N=1,388	0.052 [0.071] N=1,269	0.009 [0.076] N=1,115	-0.002 [0.095] N=922	-0.088 [0.112] N=715
Legumes consumed daily or several times weekly	0.039 [0.071] N=1,388	0.043 [0.079] N=1,269	0.069 [0.083] N=1,115	0.164 [0.099] N=922	0.121 [0.128] N=715
Animal products consumed daily or several times weekly	**0.113** [0.055] N=1,388**	**0.115* [0.059] N=1,269**	0.081 [0.065] N=1,115	0.079 [0.077] N=922	0.043 [0.095] N=715
Sweets consumed daily or several times weekly	-0.093 [0.062] N=1,388	-0.108 [0.069] N=1,269	**-0.121* [0.072] N=1,115**	-0.080 [0.080] N=922	-0.066 [0.112] N=715
Snack foods consumed daily or several times weekly	-0.026 [0.061] N=1,388	-0.046 [0.066] N=1,269	-0.041 [0.074] N=1,115	0.007 [0.091] N=922	-0.075 [0.110] N=715
Packaged soft drinks consumed daily or several times weekly	0.000 [0.050] N=1,388	0.009 [0.055] N=1,269	0.007 [0.062] N=1,115	0.043 [0.075] N=922	-0.007 [0.092] N=715
Grains consumed daily or several times weekly	0.099 [0.063] N=1,388	**0.126* [0.068] N=1,269**	0.082 [0.077] N=1,115	0.110 [0.093] N=922	0.068 [0.130] N=715

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,318	0.018 [0.043] N=1,550	0.024 [0.045] N=1,409	0.023 [0.049] N=1,233	0.005 [0.052] N=1,041	0.016 [0.061] N=840
Vegetables consumed daily or several times weekly	0.768 P=1,194	-0.009 [0.054] N=1,550	0.006 [0.057] N=1,409	0.030 [0.061] N=1,233	0.022 [0.068] N=1,041	0.031 [0.078] N=840
Meat fish or poultry consumed daily or several times weekly	0.563 P=880	0.075 [0.053] N=1,550	0.076 [0.057] N=1,409	0.080 [0.062] N=1,233	0.103 [0.069] N=1,041	0.098 [0.078] N=840
Legumes consumed daily or several times weekly	0.562 P=871	0.014 [0.062] N=1,550	0.025 [0.064] N=1,409	0.015 [0.068] N=1,233	-0.009 [0.075] N=1,041	0.013 [0.088] N=840
Animal products consumed daily or several times weekly	0.853 P=1,320	0.049 [0.038] N=1,550	0.058 [0.040] N=1,409	0.061 [0.041] N=1,233	0.053 [0.043] N=1,041	0.078 [0.048] N=840
Sweets consumed daily or several times weekly	0.511 P=798	-0.072 [0.053] N=1,550	-0.077 [0.055] N=1,409	-0.052 [0.061] N=1,233	-0.065 [0.067] N=1,041	-0.119 [0.074] N=840
Snack foods consumed daily or several times weekly	0.380 P=586	-0.019 [0.050] N=1,550	-0.027 [0.052] N=1,409	-0.029 [0.056] N=1,233	-0.011 [0.060] N=1,041	-0.077 [0.065] N=840
Packaged soft drinks consumed daily or several times weekly	0.209 P=322	0.021 [0.037] N=1,550	0.011 [0.038] N=1,409	0.041 [0.041] N=1,233	0.042 [0.046] N=1,041	-0.030 [0.049] N=840
Grains consumed daily or several times weekly	0.812 P=1,263	**0.096** [0.047] N=1,550**	**0.103** [0.049] N=1,409**	**0.105** [0.053] N=1,233**	**0.099* [0.059] N=1,041**	0.075 [0.066] N=840

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.023 [0.065] N=1,342	-0.021 [0.071] N=1,201	-0.033 [0.080] N=1,025	-0.063 [0.089] N=833	-0.052 [0.124] N=632
Vegetables consumed daily or several times weekly	-0.083 [0.073] N=1,342	-0.072 [0.082] N=1,201	-0.047 [0.093] N=1,025	-0.076 [0.103] N=833	-0.083 [0.146] N=632
Meat fish or poultry consumed daily or several times weekly	0.013 [0.064] N=1,342	0.002 [0.069] N=1,201	-0.019 [0.076] N=1,025	-0.010 [0.090] N=833	-0.064 [0.109] N=632
Legumes consumed daily or several times weekly	0.067 [0.075] N=1,342	0.083 [0.081] N=1,201	0.078 [0.087] N=1,025	0.069 [0.099] N=833	0.176 [0.130] N=632
Animal products consumed daily or several times weekly	0.004 [0.056] N=1,342	0.013 [0.062] N=1,201	0.007 [0.063] N=1,025	-0.013 [0.070] N=833	0.045 [0.082] N=632
Sweets consumed daily or several times weekly	-0.009 [0.067] N=1,342	-0.011 [0.072] N=1,201	0.054 [0.081] N=1,025	0.048 [0.095] N=833	-0.037 [0.118] N=632
Snack foods consumed daily or several times weekly	0.040 [0.067] N=1,342	0.028 [0.073] N=1,201	0.033 [0.082] N=1,025	0.096 [0.095] N=833	-0.021 [0.121] N=632
Packaged soft drinks consumed daily or several times weekly	-0.007 [0.059] N=1,342	-0.025 [0.063] N=1,201	0.030 [0.071] N=1,025	0.030 [0.089] N=833	-0.171 [0.107] N=632
Grains consumed daily or several times weekly	0.062 [0.055] N=1,342	0.064 [0.059] N=1,201	0.051 [0.062] N=1,025	0.015 [0.073] N=833	-0.093 [0.090] N=632

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,318	0.018 [0.043] N=1,550	0.024 [0.045] N=1,409	0.023 [0.048] N=1,233	0.005 [0.052] N=1,041	0.015 [0.061] N=840
Vegetables consumed daily or several times weekly	0.768 P=1,194	-0.008 [0.054] N=1,550	0.006 [0.057] N=1,409	0.031 [0.061] N=1,233	0.021 [0.067] N=1,041	0.029 [0.077] N=840
Meat fish or poultry consumed daily or several times weekly	0.563 P=880	0.076 [0.053] N=1,550	0.077 [0.057] N=1,409	0.081 [0.061] N=1,233	0.102 [0.069] N=1,041	0.096 [0.078] N=840
Legumes consumed daily or several times weekly	0.562 P=871	0.014 [0.062] N=1,550	0.025 [0.064] N=1,409	0.015 [0.068] N=1,233	-0.009 [0.075] N=1,041	0.013 [0.088] N=840
Animal products consumed daily or several times weekly	0.853 P=1,320	0.050 [0.037] N=1,550	0.059 [0.040] N=1,409	0.061 [0.041] N=1,233	0.052 [0.043] N=1,041	0.076 [0.048] N=840
Sweets consumed daily or several times weekly	0.511 P=798	-0.072 [0.053] N=1,550	-0.076 [0.055] N=1,409	-0.052 [0.061] N=1,233	-0.065 [0.067] N=1,041	-0.120 [0.074] N=840
Snack foods consumed daily or several times weekly	0.380 P=586	-0.018 [0.050] N=1,550	-0.026 [0.052] N=1,409	-0.029 [0.056] N=1,233	-0.012 [0.060] N=1,041	-0.079 [0.066] N=840
Packaged soft drinks consumed daily or several times weekly	0.209 P=322	0.021 [0.037] N=1,550	0.011 [0.038] N=1,409	0.042 [0.040] N=1,233	0.041 [0.045] N=1,041	-0.032 [0.049] N=840
Grains consumed daily or several times weekly	0.812 P=1,263	**0.097** [0.047] N=1,550**	**0.103** [0.049] N=1,409**	**0.105** [0.053] N=1,233**	**0.100* [0.059] N=1,041**	0.077 [0.067] N=840

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.022 [0.065] N=1,342	-0.020 [0.070] N=1,201	-0.031 [0.080] N=1,025	-0.063 [0.089] N=833	-0.051 [0.124] N=632
Vegetables consumed daily or several times weekly	-0.081 [0.073] N=1,342	-0.070 [0.081] N=1,201	-0.044 [0.093] N=1,025	-0.073 [0.102] N=833	-0.078 [0.145] N=632
Meat fish or poultry consumed daily or several times weekly	0.015 [0.064] N=1,342	0.005 [0.069] N=1,201	-0.015 [0.075] N=1,025	-0.008 [0.089] N=833	-0.062 [0.109] N=632
Legumes consumed daily or several times weekly	0.068 [0.075] N=1,342	0.083 [0.080] N=1,201	0.078 [0.087] N=1,025	0.070 [0.099] N=833	0.175 [0.129] N=632
Animal products consumed daily or several times weekly	0.007 [0.054] N=1,342	0.017 [0.060] N=1,201	0.011 [0.062] N=1,025	-0.010 [0.069] N=833	0.049 [0.080] N=632
Sweets consumed daily or several times weekly	-0.007 [0.067] N=1,342	-0.009 [0.072] N=1,201	0.056 [0.081] N=1,025	0.049 [0.095] N=833	-0.034 [0.119] N=632
Snack foods consumed daily or several times weekly	0.043 [0.067] N=1,342	0.031 [0.072] N=1,201	0.035 [0.082] N=1,025	0.096 [0.095] N=833	-0.019 [0.121] N=632
Packaged soft drinks consumed daily or several times weekly	-0.007 [0.059] N=1,342	-0.026 [0.063] N=1,201	0.029 [0.071] N=1,025	0.029 [0.089] N=833	-0.170 [0.107] N=632
Grains consumed daily or several times weekly	0.062 [0.055] N=1,342	0.063 [0.059] N=1,201	0.048 [0.063] N=1,025	0.009 [0.074] N=833	-0.099 [0.091] N=632

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,318	0.017 [0.040] N=1,550	0.024 [0.042] N=1,409	0.032 [0.046] N=1,233	0.012 [0.050] N=1,041	0.021 [0.057] N=840
Vegetables consumed daily or several times weekly	0.768 P=1,194	-0.008 [0.052] N=1,550	0.007 [0.055] N=1,409	0.038 [0.059] N=1,233	0.027 [0.065] N=1,041	0.032 [0.075] N=840
Meat fish or poultry consumed daily or several times weekly	0.563 P=880	0.072 [0.052] N=1,550	0.076 [0.055] N=1,409	0.090 [0.058] N=1,233	**0.111* [0.065] N=1,041**	0.104 [0.073] N=840
Legumes consumed daily or several times weekly	0.562 P=871	0.012 [0.062] N=1,550	0.024 [0.064] N=1,409	0.019 [0.068] N=1,233	-0.005 [0.075] N=1,041	0.017 [0.087] N=840
Animal products consumed daily or several times weekly	0.853 P=1,320	0.048 [0.038] N=1,550	0.058 [0.040] N=1,409	0.065 [0.041] N=1,233	0.055 [0.044] N=1,041	**0.079* [0.047] N=840**
Sweets consumed daily or several times weekly	0.511 P=798	-0.071 [0.053] N=1,550	-0.077 [0.055] N=1,409	-0.049 [0.061] N=1,233	-0.062 [0.066] N=1,041	-0.120 [0.073] N=840
Snack foods consumed daily or several times weekly	0.380 P=586	-0.014 [0.050] N=1,550	-0.025 [0.052] N=1,409	-0.029 [0.056] N=1,233	-0.012 [0.060] N=1,041	-0.082 [0.066] N=840
Packaged soft drinks consumed daily or several times weekly	0.209 P=322	0.022 [0.036] N=1,550	0.011 [0.038] N=1,409	0.039 [0.040] N=1,233	0.039 [0.045] N=1,041	-0.037 [0.048] N=840
Grains consumed daily or several times weekly	0.812 P=1,263	**0.096** [0.047] N=1,550**	**0.103** [0.049] N=1,409**	**0.107** [0.053] N=1,233**	**0.100* [0.060] N=1,041**	0.077 [0.067] N=840

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.020 [0.063] N=1,342	-0.015 [0.068] N=1,201	-0.009 [0.078] N=1,025	-0.041 [0.089] N=833	-0.030 [0.123] N=632
Vegetables consumed daily or several times weekly	-0.078 [0.072] N=1,342	-0.063 [0.081] N=1,201	-0.024 [0.093] N=1,025	-0.049 [0.103] N=833	-0.058 [0.148] N=632
Meat fish or poultry consumed daily or several times weekly	0.016 [0.063] N=1,342	0.010 [0.069] N=1,201	0.011 [0.074] N=1,025	0.019 [0.090] N=833	-0.034 [0.104] N=632
Legumes consumed daily or several times weekly	0.064 [0.077] N=1,342	0.078 [0.082] N=1,201	0.083 [0.090] N=1,025	0.076 [0.101] N=833	0.183 [0.132] N=632
Animal products consumed daily or several times weekly	0.004 [0.053] N=1,342	0.015 [0.059] N=1,201	0.016 [0.062] N=1,025	-0.005 [0.071] N=833	0.054 [0.080] N=632
Sweets consumed daily or several times weekly	-0.007 [0.067] N=1,342	-0.011 [0.072] N=1,201	0.059 [0.081] N=1,025	0.051 [0.096] N=833	-0.034 [0.118] N=632
Snack foods consumed daily or several times weekly	0.048 [0.067] N=1,342	0.032 [0.073] N=1,201	0.031 [0.081] N=1,025	0.092 [0.093] N=833	-0.024 [0.120] N=632
Packaged soft drinks consumed daily or several times weekly	-0.008 [0.058] N=1,342	-0.029 [0.062] N=1,201	0.019 [0.070] N=1,025	0.021 [0.086] N=833	**-0.177* [0.104] N=632**
Grains consumed daily or several times weekly	0.060 [0.055] N=1,342	0.061 [0.059] N=1,201	0.052 [0.063] N=1,025	0.006 [0.075] N=833	-0.105 [0.095] N=632

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.850 P=1,318	0.018 [0.042] N=1,550	0.026 [0.044] N=1,409	0.031 [0.048] N=1,233	0.006 [0.052] N=1,041	0.012 [0.059] N=840
Vegetables consumed daily or several times weekly	0.768 P=1,194	-0.014 [0.054] N=1,550	0.003 [0.056] N=1,409	0.032 [0.061] N=1,233	0.018 [0.066] N=1,041	0.024 [0.075] N=840
Meat fish or poultry consumed daily or several times weekly	0.563 P=880	0.074 [0.050] N=1,550	0.080 [0.053] N=1,409	0.091 [0.057] N=1,233	**0.107* [0.063] N=1,041**	0.095 [0.071] N=840
Legumes consumed daily or several times weekly	0.562 P=871	0.012 [0.062] N=1,550	0.024 [0.065] N=1,409	0.017 [0.068] N=1,233	-0.008 [0.075] N=1,041	0.016 [0.087] N=840
Animal products consumed daily or several times weekly	0.853 P=1,320	0.055 [0.038] N=1,550	0.065 [0.040] N=1,409	**0.071* [0.041] N=1,233**	0.058 [0.045] N=1,041	0.080 [0.049] N=840
Sweets consumed daily or several times weekly	0.511 P=798	-0.063 [0.054] N=1,550	-0.069 [0.056] N=1,409	-0.044 [0.062] N=1,233	-0.059 [0.067] N=1,041	-0.113 [0.074] N=840
Snack foods consumed daily or several times weekly	0.380 P=586	-0.006 [0.050] N=1,550	-0.017 [0.052] N=1,409	-0.021 [0.055] N=1,233	-0.002 [0.059] N=1,041	-0.067 [0.065] N=840
Packaged soft drinks consumed daily or several times weekly	0.209 P=322	0.032 [0.036] N=1,550	0.020 [0.038] N=1,409	0.047 [0.040] N=1,233	0.049 [0.045] N=1,041	-0.022 [0.049] N=840
Grains consumed daily or several times weekly	0.812 P=1,263	**0.096** [0.047] N=1,550**	**0.102** [0.049] N=1,409**	**0.103* [0.053] N=1,233**	0.097 [0.060] N=1,041	0.075 [0.068] N=840

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.015 [0.066] N=1,342	-0.011 [0.070] N=1,201	-0.009 [0.082] N=1,025	-0.054 [0.097] N=833	-0.063 [0.131] N=632
Vegetables consumed daily or several times weekly	-0.084 [0.073] N=1,342	-0.068 [0.081] N=1,201	-0.032 [0.095] N=1,025	-0.072 [0.106] N=833	-0.089 [0.149] N=632
Meat fish or poultry consumed daily or several times weekly	0.021 [0.061] N=1,342	0.018 [0.067] N=1,201	0.017 [0.073] N=1,025	0.013 [0.091] N=833	-0.064 [0.103] N=632
Legumes consumed daily or several times weekly	0.067 [0.076] N=1,342	0.083 [0.083] N=1,201	0.085 [0.089] N=1,025	0.073 [0.101] N=833	0.171 [0.129] N=632
Animal products consumed daily or several times weekly	0.013 [0.053] N=1,342	0.022 [0.059] N=1,201	0.020 [0.060] N=1,025	-0.006 [0.070] N=833	0.042 [0.081] N=632
Sweets consumed daily or several times weekly	0.004 [0.068] N=1,342	-0.001 [0.073] N=1,201	0.066 [0.080] N=1,025	0.052 [0.095] N=833	-0.038 [0.115] N=632
Snack foods consumed daily or several times weekly	0.056 [0.066] N=1,342	0.040 [0.072] N=1,201	0.040 [0.080] N=1,025	0.101 [0.091] N=833	-0.013 [0.117] N=632
Packaged soft drinks consumed daily or several times weekly	0.003 [0.058] N=1,342	-0.021 [0.062] N=1,201	0.026 [0.069] N=1,025	0.028 [0.084] N=833	-0.169 [0.104] N=632
Grains consumed daily or several times weekly	0.060 [0.055] N=1,342	0.058 [0.059] N=1,201	0.041 [0.063] N=1,025	-0.007 [0.076] N=833	-0.121 [0.097] N=632

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,222	0.013 [0.043] N=1,438	0.021 [0.046] N=1,305	0.036 [0.050] N=1,147	0.009 [0.054] N=968	0.013 [0.062] N=784
Vegetables consumed daily or several times weekly	0.769 P=1,110	-0.015 [0.055] N=1,438	0.002 [0.059] N=1,305	0.028 [0.063] N=1,147	0.005 [0.070] N=968	-0.003 [0.082] N=784
Meat fish or poultry consumed daily or several times weekly	0.565 P=818	0.076 [0.057] N=1,438	0.075 [0.061] N=1,305	0.088 [0.065] N=1,147	0.089 [0.074] N=968	0.078 [0.085] N=784
Legumes consumed daily or several times weekly	0.562 P=808	0.008 [0.063] N=1,438	0.023 [0.066] N=1,305	0.008 [0.070] N=1,147	-0.032 [0.078] N=968	-0.025 [0.092] N=784
Animal products consumed daily or several times weekly	0.856 P=1,230	0.052 [0.039] N=1,438	0.064 [0.041] N=1,305	**0.071* [0.043] N=1,147**	0.053 [0.046] N=968	0.083 [0.051] N=784
Sweets consumed daily or several times weekly	0.519 P=750	-0.085 [0.055] N=1,438	-0.094 [0.057] N=1,305	-0.072 [0.063] N=1,147	-0.096 [0.071] N=968	**-0.153* [0.079] N=784**
Snack foods consumed daily or several times weekly	0.388 P=554	-0.032 [0.052] N=1,438	-0.047 [0.055] N=1,305	-0.054 [0.058] N=1,147	-0.038 [0.062] N=968	-0.107 [0.068] N=784
Packaged soft drinks consumed daily or several times weekly	0.216 P=310	0.006 [0.039] N=1,438	-0.008 [0.041] N=1,305	0.019 [0.043] N=1,147	0.017 [0.050] N=968	-0.061 [0.054] N=784
Grains consumed daily or several times weekly	0.813 P=1,173	**0.108** [0.047] N=1,438**	**0.112** [0.049] N=1,305**	**0.111** [0.053] N=1,147**	**0.105* [0.061] N=968**	0.082 [0.069] N=784

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.028 [0.065] N=1,241	-0.022 [0.070] N=1,108	-0.003 [0.081] N=950	-0.061 [0.092] N=771	-0.078 [0.125] N=587
Vegetables consumed daily or several times weekly	-0.083 [0.071] N=1,241	-0.066 [0.079] N=1,108	-0.042 [0.091] N=950	-0.103 [0.102] N=771	-0.166 [0.144] N=587
Meat fish or poultry consumed daily or several times weekly	0.022 [0.073] N=1,241	0.013 [0.080] N=1,108	0.015 [0.086] N=950	-0.026 [0.103] N=771	-0.110 [0.131] N=587
Legumes consumed daily or several times weekly	0.073 [0.079] N=1,241	0.096 [0.084] N=1,108	0.096 [0.092] N=950	0.073 [0.107] N=771	0.145 [0.144] N=587
Animal products consumed daily or several times weekly	0.006 [0.053] N=1,241	0.020 [0.059] N=1,108	0.026 [0.060] N=950	-0.018 [0.072] N=771	0.043 [0.086] N=587
Sweets consumed daily or several times weekly	-0.014 [0.069] N=1,241	-0.023 [0.074] N=1,108	0.034 [0.081] N=950	0.004 [0.099] N=771	-0.091 [0.129] N=587
Snack foods consumed daily or several times weekly	0.025 [0.072] N=1,241	0.002 [0.079] N=1,108	-0.009 [0.090] N=950	0.047 [0.105] N=771	-0.070 [0.132] N=587
Packaged soft drinks consumed daily or several times weekly	-0.030 [0.062] N=1,241	-0.056 [0.067] N=1,108	-0.011 [0.075] N=950	-0.022 [0.095] N=771	**-0.255** [0.113] N=587**
Grains consumed daily or several times weekly	0.078 [0.056] N=1,241	0.077 [0.060] N=1,108	0.062 [0.064] N=950	0.013 [0.079] N=771	-0.111 [0.100] N=587

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,222	0.014 [0.043] N=1,438	0.022 [0.046] N=1,305	0.035 [0.050] N=1,147	0.007 [0.054] N=968	0.010 [0.062] N=784
Vegetables consumed daily or several times weekly	0.769 P=1,110	-0.013 [0.055] N=1,438	0.002 [0.058] N=1,305	0.029 [0.063] N=1,147	0.006 [0.070] N=968	-0.002 [0.082] N=784
Meat fish or poultry consumed daily or several times weekly	0.565 P=818	0.076 [0.056] N=1,438	0.077 [0.060] N=1,305	0.089 [0.064] N=1,147	0.088 [0.073] N=968	0.075 [0.084] N=784
Legumes consumed daily or several times weekly	0.562 P=808	0.006 [0.063] N=1,438	0.022 [0.066] N=1,305	0.006 [0.070] N=1,147	-0.038 [0.078] N=968	-0.032 [0.093] N=784
Animal products consumed daily or several times weekly	0.856 P=1,230	0.052 [0.039] N=1,438	0.064 [0.041] N=1,305	**0.072* [0.042] N=1,147**	0.053 [0.046] N=968	0.083 [0.051] N=784
Sweets consumed daily or several times weekly	0.519 P=750	-0.086 [0.056] N=1,438	-0.094 [0.058] N=1,305	-0.074 [0.065] N=1,147	-0.098 [0.073] N=968	**-0.153* [0.082] N=784**
Snack foods consumed daily or several times weekly	0.388 P=554	-0.031 [0.051] N=1,438	-0.046 [0.054] N=1,305	-0.054 [0.058] N=1,147	-0.040 [0.063] N=968	-0.109 [0.069] N=784
Packaged soft drinks consumed daily or several times weekly	0.216 P=310	0.005 [0.039] N=1,438	-0.009 [0.041] N=1,305	0.017 [0.043] N=1,147	0.014 [0.049] N=968	-0.064 [0.054] N=784
Grains consumed daily or several times weekly	0.813 P=1,173	**0.108** [0.047] N=1,438**	**0.112** [0.049] N=1,305**	**0.111** [0.053] N=1,147**	**0.105* [0.061] N=968**	0.082 [0.068] N=784

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.028 [0.065] N=1,241	-0.022 [0.071] N=1,108	-0.006 [0.081] N=950	-0.067 [0.091] N=771	-0.082 [0.125] N=587
Vegetables consumed daily or several times weekly	-0.081 [0.070] N=1,241	-0.067 [0.078] N=1,108	-0.039 [0.090] N=950	-0.104 [0.101] N=771	-0.162 [0.142] N=587
Meat fish or poultry consumed daily or several times weekly	0.024 [0.072] N=1,241	0.018 [0.079] N=1,108	0.019 [0.084] N=950	-0.025 [0.100] N=771	-0.107 [0.126] N=587
Legumes consumed daily or several times weekly	0.074 [0.079] N=1,241	0.101 [0.084] N=1,108	0.100 [0.091] N=950	0.066 [0.107] N=771	0.149 [0.143] N=587
Animal products consumed daily or several times weekly	0.008 [0.053] N=1,241	0.022 [0.060] N=1,108	0.030 [0.060] N=950	-0.013 [0.071] N=771	0.049 [0.085] N=587
Sweets consumed daily or several times weekly	-0.012 [0.069] N=1,241	-0.021 [0.074] N=1,108	0.037 [0.082] N=950	0.010 [0.099] N=771	-0.085 [0.126] N=587
Snack foods consumed daily or several times weekly	0.026 [0.072] N=1,241	-0.001 [0.079] N=1,108	-0.011 [0.089] N=950	0.049 [0.104] N=771	-0.078 [0.130] N=587
Packaged soft drinks consumed daily or several times weekly	-0.032 [0.063] N=1,241	-0.059 [0.068] N=1,108	-0.013 [0.075] N=950	-0.024 [0.096] N=771	**-0.256** [0.116] N=587**
Grains consumed daily or several times weekly	0.079 [0.055] N=1,241	0.077 [0.059] N=1,108	0.065 [0.063] N=950	0.015 [0.078] N=771	-0.110 [0.097] N=587

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.