Table 9 Reduced Form Effects on Weekly Nutrition for Ages 0-3: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-3 indicate at least weekly consumption. Ever breastfed uses recorded codes 1 and 2. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.938 P=1,646	-0.003 [0.022] N=1,755	0.009 [0.022] N=1,621	-0.003 [0.023] N=1,458	-0.010 [0.025] N=1,247	-0.019 [0.030] N=1,024
Vegetables consumed at least weekly	0.897 P=1,572	0.025 [0.026] N=1,755	0.023 [0.027] N=1,621	0.001 [0.028] N=1,458	-0.003 [0.029] N=1,247	-0.042 [0.033] N=1,024
Meat fish or poultry consumed at least weekly	0.781 P=1,381	**0.097** [0.046] N=1,755**	**0.111** [0.048] N=1,621**	**0.091* [0.053] N=1,458**	0.076 [0.058] N=1,247	0.057 [0.066] N=1,024
Legumes consumed at least weekly	0.780 P=1,376	-0.013 [0.041] N=1,755	-0.026 [0.043] N=1,621	-0.026 [0.043] N=1,458	-0.026 [0.048] N=1,247	-0.080 [0.056] N=1,024
Animal products consumed at least weekly	0.911 P=1,601	0.030 [0.028] N=1,755	0.032 [0.029] N=1,621	0.016 [0.032] N=1,458	0.012 [0.035] N=1,247	-0.003 [0.040] N=1,024
Sweets consumed at least weekly	0.653 P=1,148	-0.018 [0.037] N=1,755	0.000 [0.039] N=1,621	0.009 [0.042] N=1,458	0.008 [0.045] N=1,247	0.018 [0.052] N=1,024
Snack foods consumed at least weekly	0.535 P=936	-0.028 [0.041] N=1,755	-0.017 [0.044] N=1,621	-0.011 [0.047] N=1,458	-0.011 [0.052] N=1,247	-0.035 [0.059] N=1,024
Packaged soft drinks consumed at least weekly	0.329 P=571	0.018 [0.045] N=1,755	0.023 [0.049] N=1,621	0.020 [0.052] N=1,458	0.054 [0.057] N=1,247	0.048 [0.066] N=1,024
Grains consumed at least weekly	0.894 P=1,575	0.013 [0.029] N=1,755	0.020 [0.031] N=1,621	0.003 [0.031] N=1,458	0.009 [0.033] N=1,247	-0.008 [0.038] N=1,024
Child was ever breastfed	0.969 P=1,884	-0.000 [0.014] N=1,950	0.003 [0.015] N=1,803	0.005 [0.016] N=1,621	0.007 [0.018] N=1,384	0.000 [0.018] N=1,140

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.007 [0.032] N=1,495	0.031 [0.032] N=1,361	0.011 [0.034] N=1,198	-0.004 [0.041] N=987	-0.022 [0.060] N=764
Vegetables consumed at least weekly	0.061 [0.040] N=1,495	0.065 [0.043] N=1,361	0.029 [0.046] N=1,198	0.025 [0.055] N=987	-0.074 [0.073] N=764
Meat fish or poultry consumed at least weekly	**0.091* [0.055] N=1,495**	**0.110* [0.057] N=1,361**	0.076 [0.065] N=1,198	0.022 [0.072] N=987	-0.059 [0.080] N=764
Legumes consumed at least weekly	0.043 [0.060] N=1,495	0.025 [0.064] N=1,361	0.044 [0.065] N=1,198	0.061 [0.080] N=987	-0.046 [0.105] N=764
Animal products consumed at least weekly	0.037 [0.037] N=1,495	0.041 [0.039] N=1,361	0.014 [0.045] N=1,198	0.010 [0.055] N=987	-0.033 [0.075] N=764
Sweets consumed at least weekly	-0.045 [0.049] N=1,495	-0.016 [0.053] N=1,361	-0.000 [0.059] N=1,198	-0.022 [0.066] N=987	0.013 [0.091] N=764
Snack foods consumed at least weekly	-0.046 [0.051] N=1,495	-0.030 [0.056] N=1,361	-0.017 [0.065] N=1,198	-0.029 [0.079] N=987	-0.116 [0.093] N=764
Packaged soft drinks consumed at least weekly	-0.025 [0.055] N=1,495	-0.024 [0.061] N=1,361	-0.037 [0.066] N=1,198	0.008 [0.079] N=987	-0.031 [0.100] N=764
Grains consumed at least weekly	0.059 [0.045] N=1,495	0.079 [0.052] N=1,361	0.054 [0.054] N=1,198	0.090 [0.065] N=987	0.075 [0.095] N=764
Child was ever breastfed	0.006 [0.023] N=1,655	0.013 [0.026] N=1,508	0.017 [0.030] N=1,326	0.025 [0.039] N=1,089	0.024 [0.049] N=845

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.938 P=1,646	-0.003 [0.021] N=1,755	0.009 [0.022] N=1,621	-0.003 [0.023] N=1,458	-0.010 [0.025] N=1,247	-0.019 [0.030] N=1,024
Vegetables consumed at least weekly	0.897 P=1,572	0.025 [0.026] N=1,755	0.023 [0.027] N=1,621	0.001 [0.028] N=1,458	-0.003 [0.028] N=1,247	-0.042 [0.032] N=1,024
Meat fish or poultry consumed at least weekly	0.781 P=1,381	**0.097** [0.046] N=1,755**	**0.111** [0.048] N=1,621**	**0.091* [0.053] N=1,458**	0.076 [0.059] N=1,247	0.057 [0.067] N=1,024
Legumes consumed at least weekly	0.780 P=1,376	-0.013 [0.041] N=1,755	-0.026 [0.043] N=1,621	-0.025 [0.043] N=1,458	-0.025 [0.048] N=1,247	-0.080 [0.056] N=1,024
Animal products consumed at least weekly	0.911 P=1,601	0.030 [0.028] N=1,755	0.032 [0.029] N=1,621	0.017 [0.032] N=1,458	0.012 [0.035] N=1,247	-0.003 [0.040] N=1,024
Sweets consumed at least weekly	0.653 P=1,148	-0.018 [0.037] N=1,755	0.000 [0.039] N=1,621	0.009 [0.042] N=1,458	0.008 [0.045] N=1,247	0.018 [0.052] N=1,024
Snack foods consumed at least weekly	0.535 P=936	-0.028 [0.042] N=1,755	-0.017 [0.044] N=1,621	-0.010 [0.047] N=1,458	-0.011 [0.052] N=1,247	-0.035 [0.059] N=1,024
Packaged soft drinks consumed at least weekly	0.329 P=571	0.018 [0.045] N=1,755	0.023 [0.049] N=1,621	0.020 [0.052] N=1,458	0.054 [0.057] N=1,247	0.048 [0.066] N=1,024
Grains consumed at least weekly	0.894 P=1,575	0.013 [0.029] N=1,755	0.020 [0.031] N=1,621	0.003 [0.031] N=1,458	0.009 [0.033] N=1,247	-0.008 [0.038] N=1,024
Child was ever breastfed	0.969 P=1,884	-0.000 [0.014] N=1,950	0.003 [0.015] N=1,803	0.005 [0.016] N=1,621	0.007 [0.018] N=1,384	0.000 [0.018] N=1,140

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.007 [0.032] N=1,495	0.032 [0.032] N=1,361	0.011 [0.034] N=1,198	-0.004 [0.041] N=987	-0.021 [0.060] N=764
Vegetables consumed at least weekly	0.060 [0.040] N=1,495	0.065 [0.043] N=1,361	0.029 [0.046] N=1,198	0.026 [0.055] N=987	-0.074 [0.073] N=764
Meat fish or poultry consumed at least weekly	**0.091* [0.055] N=1,495**	**0.110* [0.057] N=1,361**	0.077 [0.064] N=1,198	0.024 [0.072] N=987	-0.054 [0.080] N=764
Legumes consumed at least weekly	0.043 [0.060] N=1,495	0.026 [0.064] N=1,361	0.045 [0.065] N=1,198	0.063 [0.080] N=987	-0.044 [0.105] N=764
Animal products consumed at least weekly	0.038 [0.037] N=1,495	0.043 [0.039] N=1,361	0.018 [0.045] N=1,198	0.013 [0.055] N=987	-0.030 [0.074] N=764
Sweets consumed at least weekly	-0.045 [0.049] N=1,495	-0.016 [0.053] N=1,361	-0.001 [0.059] N=1,198	-0.022 [0.065] N=987	0.012 [0.091] N=764
Snack foods consumed at least weekly	-0.044 [0.052] N=1,495	-0.028 [0.056] N=1,361	-0.012 [0.065] N=1,198	-0.025 [0.080] N=987	-0.111 [0.093] N=764
Packaged soft drinks consumed at least weekly	-0.024 [0.055] N=1,495	-0.024 [0.061] N=1,361	-0.038 [0.066] N=1,198	0.008 [0.078] N=987	-0.034 [0.100] N=764
Grains consumed at least weekly	0.059 [0.045] N=1,495	0.079 [0.051] N=1,361	0.055 [0.054] N=1,198	0.090 [0.065] N=987	0.076 [0.094] N=764
Child was ever breastfed	0.007 [0.023] N=1,655	0.014 [0.026] N=1,508	0.018 [0.030] N=1,326	0.025 [0.038] N=1,089	0.025 [0.049] N=845

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.938 P=1,646	-0.012 [0.022] N=1,755	-0.001 [0.022] N=1,621	-0.012 [0.023] N=1,458	-0.017 [0.026] N=1,247	-0.027 [0.031] N=1,024
Vegetables consumed at least weekly	0.897 P=1,572	0.019 [0.026] N=1,755	0.015 [0.027] N=1,621	-0.005 [0.027] N=1,458	-0.008 [0.028] N=1,247	-0.050 [0.032] N=1,024
Meat fish or poultry consumed at least weekly	0.781 P=1,381	0.071 [0.045] N=1,755	**0.079* [0.047] N=1,621**	0.065 [0.052] N=1,458	0.055 [0.057] N=1,247	0.032 [0.065] N=1,024
Legumes consumed at least weekly	0.780 P=1,376	-0.021 [0.041] N=1,755	-0.035 [0.043] N=1,621	-0.033 [0.043] N=1,458	-0.030 [0.048] N=1,247	-0.084 [0.056] N=1,024
Animal products consumed at least weekly	0.911 P=1,601	0.024 [0.028] N=1,755	0.025 [0.030] N=1,621	0.009 [0.033] N=1,458	0.006 [0.036] N=1,247	-0.011 [0.041] N=1,024
Sweets consumed at least weekly	0.653 P=1,148	-0.024 [0.037] N=1,755	-0.006 [0.040] N=1,621	0.001 [0.043] N=1,458	0.003 [0.045] N=1,247	0.010 [0.051] N=1,024
Snack foods consumed at least weekly	0.535 P=936	-0.025 [0.041] N=1,755	-0.013 [0.044] N=1,621	-0.009 [0.046] N=1,458	-0.008 [0.051] N=1,247	-0.031 [0.058] N=1,024
Packaged soft drinks consumed at least weekly	0.329 P=571	0.032 [0.044] N=1,755	0.041 [0.047] N=1,621	0.035 [0.050] N=1,458	0.067 [0.055] N=1,247	0.064 [0.064] N=1,024
Grains consumed at least weekly	0.894 P=1,575	0.007 [0.029] N=1,755	0.014 [0.031] N=1,621	-0.002 [0.031] N=1,458	0.004 [0.034] N=1,247	-0.012 [0.038] N=1,024
Child was ever breastfed	0.969 P=1,884	-0.004 [0.014] N=1,950	-0.002 [0.016] N=1,803	0.000 [0.017] N=1,621	0.004 [0.018] N=1,384	-0.003 [0.019] N=1,140

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.000 [0.031] N=1,495	0.022 [0.031] N=1,361	0.006 [0.033] N=1,198	0.004 [0.040] N=987	-0.012 [0.059] N=764
Vegetables consumed at least weekly	0.057 [0.040] N=1,495	0.059 [0.043] N=1,361	0.025 [0.046] N=1,198	0.031 [0.055] N=987	-0.067 [0.072] N=764
Meat fish or poultry consumed at least weekly	0.070 [0.053] N=1,495	0.081 [0.055] N=1,361	0.057 [0.064] N=1,198	0.022 [0.071] N=987	-0.056 [0.082] N=764
Legumes consumed at least weekly	0.037 [0.059] N=1,495	0.016 [0.064] N=1,361	0.040 [0.064] N=1,198	0.069 [0.079] N=987	-0.034 [0.105] N=764
Animal products consumed at least weekly	0.034 [0.037] N=1,495	0.037 [0.039] N=1,361	0.014 [0.046] N=1,198	0.018 [0.056] N=987	-0.020 [0.074] N=764
Sweets consumed at least weekly	-0.048 [0.050] N=1,495	-0.020 [0.054] N=1,361	-0.004 [0.060] N=1,198	-0.017 [0.066] N=987	0.019 [0.092] N=764
Snack foods consumed at least weekly	-0.042 [0.051] N=1,495	-0.024 [0.055] N=1,361	-0.010 [0.063] N=1,198	-0.019 [0.076] N=987	-0.103 [0.089] N=764
Packaged soft drinks consumed at least weekly	-0.013 [0.054] N=1,495	-0.005 [0.059] N=1,361	-0.024 [0.064] N=1,198	0.017 [0.077] N=987	-0.024 [0.096] N=764
Grains consumed at least weekly	0.052 [0.045] N=1,495	0.074 [0.051] N=1,361	0.051 [0.054] N=1,198	0.091 [0.065] N=987	0.074 [0.094] N=764
Child was ever breastfed	0.004 [0.023] N=1,655	0.009 [0.026] N=1,508	0.015 [0.031] N=1,326	0.027 [0.039] N=1,089	0.023 [0.049] N=845

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.938 P=1,646	-0.014 [0.022] N=1,755	-0.002 [0.022] N=1,621	-0.015 [0.023] N=1,458	-0.022 [0.026] N=1,247	-0.031 [0.031] N=1,024
Vegetables consumed at least weekly	0.897 P=1,572	0.018 [0.026] N=1,755	0.016 [0.027] N=1,621	-0.005 [0.028] N=1,458	-0.009 [0.029] N=1,247	-0.049 [0.033] N=1,024
Meat fish or poultry consumed at least weekly	0.781 P=1,381	0.067 [0.045] N=1,755	0.076 [0.047] N=1,621	0.058 [0.052] N=1,458	0.046 [0.058] N=1,247	0.020 [0.065] N=1,024
Legumes consumed at least weekly	0.780 P=1,376	-0.023 [0.042] N=1,755	-0.040 [0.044] N=1,621	-0.042 [0.044] N=1,458	-0.035 [0.050] N=1,247	-0.089 [0.058] N=1,024
Animal products consumed at least weekly	0.911 P=1,601	0.022 [0.028] N=1,755	0.024 [0.029] N=1,621	0.008 [0.032] N=1,458	0.002 [0.036] N=1,247	-0.015 [0.040] N=1,024
Sweets consumed at least weekly	0.653 P=1,148	-0.023 [0.037] N=1,755	-0.008 [0.039] N=1,621	-0.003 [0.041] N=1,458	-0.001 [0.044] N=1,247	0.005 [0.052] N=1,024
Snack foods consumed at least weekly	0.535 P=936	-0.027 [0.041] N=1,755	-0.017 [0.043] N=1,621	-0.015 [0.046] N=1,458	-0.013 [0.051] N=1,247	-0.037 [0.058] N=1,024
Packaged soft drinks consumed at least weekly	0.329 P=571	0.036 [0.044] N=1,755	0.041 [0.047] N=1,621	0.036 [0.050] N=1,458	0.070 [0.056] N=1,247	0.071 [0.063] N=1,024
Grains consumed at least weekly	0.894 P=1,575	0.007 [0.029] N=1,755	0.013 [0.031] N=1,621	-0.004 [0.031] N=1,458	0.002 [0.034] N=1,247	-0.013 [0.040] N=1,024
Child was ever breastfed	0.969 P=1,884	-0.005 [0.015] N=1,950	-0.002 [0.016] N=1,803	-0.001 [0.017] N=1,621	0.002 [0.018] N=1,384	-0.004 [0.019] N=1,140

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.031] N=1,495	0.022 [0.031] N=1,361	0.004 [0.033] N=1,198	-0.006 [0.040] N=987	-0.026 [0.060] N=764
Vegetables consumed at least weekly	0.055 [0.040] N=1,495	0.058 [0.043] N=1,361	0.024 [0.046] N=1,198	0.024 [0.056] N=987	-0.084 [0.074] N=764
Meat fish or poultry consumed at least weekly	0.067 [0.054] N=1,495	0.081 [0.056] N=1,361	0.056 [0.065] N=1,198	0.017 [0.072] N=987	-0.070 [0.084] N=764
Legumes consumed at least weekly	0.041 [0.059] N=1,495	0.019 [0.063] N=1,361	0.043 [0.063] N=1,198	0.082 [0.078] N=987	-0.026 [0.109] N=764
Animal products consumed at least weekly	0.032 [0.037] N=1,495	0.038 [0.040] N=1,361	0.012 [0.046] N=1,198	0.009 [0.056] N=987	-0.033 [0.078] N=764
Sweets consumed at least weekly	-0.043 [0.049] N=1,495	-0.018 [0.052] N=1,361	-0.002 [0.057] N=1,198	-0.007 [0.065] N=987	0.024 [0.091] N=764
Snack foods consumed at least weekly	-0.036 [0.050] N=1,495	-0.023 [0.054] N=1,361	-0.009 [0.061] N=1,198	-0.007 [0.075] N=987	-0.091 [0.087] N=764
Packaged soft drinks consumed at least weekly	-0.007 [0.053] N=1,495	-0.007 [0.059] N=1,361	-0.025 [0.064] N=1,198	0.023 [0.077] N=987	-0.014 [0.096] N=764
Grains consumed at least weekly	0.053 [0.044] N=1,495	0.072 [0.050] N=1,361	0.050 [0.053] N=1,198	0.088 [0.063] N=987	0.063 [0.090] N=764
Child was ever breastfed	0.004 [0.023] N=1,655	0.010 [0.027] N=1,508	0.014 [0.031] N=1,326	0.024 [0.040] N=1,089	0.023 [0.050] N=845

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,531	-0.011 [0.023] N=1,631	-0.002 [0.023] N=1,512	-0.013 [0.024] N=1,358	-0.019 [0.026] N=1,165	-0.033 [0.030] N=958
Vegetables consumed at least weekly	0.899 P=1,463	0.014 [0.027] N=1,631	0.009 [0.028] N=1,512	-0.016 [0.028] N=1,358	-0.014 [0.029] N=1,165	**-0.055* [0.033] N=958**
Meat fish or poultry consumed at least weekly	0.780 P=1,281	**0.085* [0.044] N=1,631**	**0.090** [0.045] N=1,512**	0.064 [0.050] N=1,358	0.046 [0.055] N=1,165	0.015 [0.062] N=958
Legumes consumed at least weekly	0.778 P=1,275	-0.026 [0.042] N=1,631	-0.044 [0.044] N=1,512	-0.047 [0.043] N=1,358	-0.043 [0.050] N=1,165	**-0.099* [0.058] N=958**
Animal products consumed at least weekly	0.913 P=1,491	0.029 [0.029] N=1,631	0.031 [0.030] N=1,512	0.014 [0.033] N=1,358	0.004 [0.036] N=1,165	-0.013 [0.040] N=958
Sweets consumed at least weekly	0.658 P=1,072	-0.004 [0.038] N=1,631	0.011 [0.041] N=1,512	0.015 [0.042] N=1,358	0.017 [0.046] N=1,165	0.024 [0.054] N=958
Snack foods consumed at least weekly	0.538 P=874	-0.027 [0.044] N=1,631	-0.015 [0.048] N=1,512	-0.012 [0.050] N=1,358	-0.012 [0.056] N=1,165	-0.021 [0.065] N=958
Packaged soft drinks consumed at least weekly	0.336 P=542	0.043 [0.045] N=1,631	0.050 [0.048] N=1,512	0.036 [0.051] N=1,358	0.070 [0.056] N=1,165	0.077 [0.066] N=958
Grains consumed at least weekly	0.897 P=1,467	0.005 [0.030] N=1,631	0.011 [0.032] N=1,512	-0.015 [0.032] N=1,358	-0.007 [0.034] N=1,165	-0.021 [0.039] N=958
Child was ever breastfed	0.969 P=1,743	-0.005 [0.015] N=1,804	0.000 [0.016] N=1,673	0.002 [0.017] N=1,500	0.007 [0.019] N=1,288	-0.002 [0.020] N=1,063

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.001 [0.034] N=1,388	0.017 [0.034] N=1,269	-0.003 [0.037] N=1,115	-0.015 [0.044] N=922	-0.044 [0.063] N=715
Vegetables consumed at least weekly	0.049 [0.042] N=1,388	0.047 [0.046] N=1,269	0.002 [0.048] N=1,115	0.007 [0.057] N=922	-0.093 [0.071] N=715
Meat fish or poultry consumed at least weekly	**0.099* [0.056] N=1,388**	**0.102* [0.057] N=1,269**	0.066 [0.064] N=1,115	0.010 [0.072] N=922	-0.077 [0.079] N=715
Legumes consumed at least weekly	0.034 [0.060] N=1,388	0.005 [0.064] N=1,269	0.015 [0.064] N=1,115	0.033 [0.081] N=922	-0.083 [0.104] N=715
Animal products consumed at least weekly	0.039 [0.039] N=1,388	0.043 [0.042] N=1,269	0.017 [0.048] N=1,115	0.006 [0.058] N=922	-0.039 [0.076] N=715
Sweets consumed at least weekly	-0.032 [0.050] N=1,388	-0.011 [0.055] N=1,269	-0.010 [0.061] N=1,115	-0.021 [0.067] N=922	-0.008 [0.096] N=715
Snack foods consumed at least weekly	-0.052 [0.052] N=1,388	-0.036 [0.057] N=1,269	-0.032 [0.065] N=1,115	-0.049 [0.079] N=922	-0.128 [0.091] N=715
Packaged soft drinks consumed at least weekly	-0.003 [0.056] N=1,388	-0.001 [0.060] N=1,269	-0.034 [0.064] N=1,115	0.006 [0.077] N=922	-0.005 [0.103] N=715
Grains consumed at least weekly	0.056 [0.047] N=1,388	0.073 [0.053] N=1,269	0.028 [0.055] N=1,115	0.067 [0.065] N=922	0.056 [0.094] N=715
Child was ever breastfed	-0.001 [0.024] N=1,529	0.008 [0.028] N=1,398	0.011 [0.032] N=1,225	0.023 [0.040] N=1,013	0.014 [0.050] N=788

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.939 P=1,531	-0.012 [0.022] N=1,631	-0.003 [0.022] N=1,512	-0.014 [0.024] N=1,358	-0.019 [0.026] N=1,165	-0.033 [0.029] N=958
Vegetables consumed at least weekly	0.899 P=1,463	0.013 [0.027] N=1,631	0.009 [0.028] N=1,512	-0.017 [0.028] N=1,358	-0.014 [0.029] N=1,165	**-0.053* [0.032] N=958**
Meat fish or poultry consumed at least weekly	0.780 P=1,281	**0.086* [0.045] N=1,631**	**0.091* [0.046] N=1,512**	0.069 [0.051] N=1,358	0.054 [0.056] N=1,165	0.032 [0.064] N=958
Legumes consumed at least weekly	0.778 P=1,275	-0.029 [0.042] N=1,631	-0.046 [0.044] N=1,512	-0.050 [0.044] N=1,358	-0.047 [0.050] N=1,165	**-0.107* [0.057] N=958**
Animal products consumed at least weekly	0.913 P=1,491	0.028 [0.029] N=1,631	0.030 [0.030] N=1,512	0.014 [0.032] N=1,358	0.006 [0.036] N=1,165	-0.010 [0.040] N=958
Sweets consumed at least weekly	0.658 P=1,072	-0.003 [0.038] N=1,631	0.011 [0.041] N=1,512	0.016 [0.042] N=1,358	0.019 [0.045] N=1,165	0.027 [0.053] N=958
Snack foods consumed at least weekly	0.538 P=874	-0.029 [0.044] N=1,631	-0.017 [0.047] N=1,512	-0.013 [0.050] N=1,358	-0.014 [0.056] N=1,165	-0.028 [0.064] N=958
Packaged soft drinks consumed at least weekly	0.336 P=542	0.041 [0.045] N=1,631	0.048 [0.048] N=1,512	0.035 [0.052] N=1,358	0.068 [0.057] N=1,165	0.069 [0.066] N=958
Grains consumed at least weekly	0.897 P=1,467	0.005 [0.030] N=1,631	0.010 [0.032] N=1,512	-0.016 [0.032] N=1,358	-0.007 [0.034] N=1,165	-0.023 [0.038] N=958
Child was ever breastfed	0.969 P=1,743	-0.004 [0.015] N=1,804	0.001 [0.016] N=1,673	0.002 [0.017] N=1,500	0.007 [0.019] N=1,288	-0.002 [0.020] N=1,063

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.002 [0.033] N=1,388	0.016 [0.033] N=1,269	-0.002 [0.036] N=1,115	-0.014 [0.043] N=922	-0.040 [0.060] N=715
Vegetables consumed at least weekly	0.047 [0.042] N=1,388	0.046 [0.045] N=1,269	0.002 [0.048] N=1,115	0.007 [0.057] N=922	-0.088 [0.069] N=715
Meat fish or poultry consumed at least weekly	**0.094* [0.056] N=1,388**	**0.097* [0.056] N=1,269**	0.063 [0.064] N=1,115	0.012 [0.072] N=922	-0.061 [0.079] N=715
Legumes consumed at least weekly	0.031 [0.060] N=1,388	0.002 [0.065] N=1,269	0.016 [0.065] N=1,115	0.035 [0.082] N=922	-0.084 [0.104] N=715
Animal products consumed at least weekly	0.036 [0.038] N=1,388	0.040 [0.041] N=1,269	0.016 [0.047] N=1,115	0.005 [0.057] N=922	-0.036 [0.076] N=715
Sweets consumed at least weekly	-0.039 [0.050] N=1,388	-0.021 [0.055] N=1,269	-0.017 [0.060] N=1,115	-0.023 [0.067] N=922	-0.002 [0.095] N=715
Snack foods consumed at least weekly	-0.058 [0.052] N=1,388	-0.044 [0.057] N=1,269	-0.037 [0.065] N=1,115	-0.050 [0.080] N=922	-0.128 [0.093] N=715
Packaged soft drinks consumed at least weekly	-0.007 [0.056] N=1,388	-0.006 [0.061] N=1,269	-0.036 [0.066] N=1,115	0.005 [0.078] N=922	-0.011 [0.102] N=715
Grains consumed at least weekly	0.054 [0.047] N=1,388	0.072 [0.053] N=1,269	0.030 [0.056] N=1,115	0.068 [0.066] N=922	0.057 [0.096] N=715
Child was ever breastfed	0.002 [0.024] N=1,529	0.011 [0.028] N=1,398	0.014 [0.032] N=1,225	0.028 [0.041] N=1,013	0.019 [0.053] N=788

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,457	0.006 [0.027] N=1,550	0.008 [0.028] N=1,409	-0.008 [0.032] N=1,233	-0.012 [0.033] N=1,041	-0.001 [0.038] N=840
Vegetables consumed at least weekly	0.900 P=1,394	0.021 [0.034] N=1,550	0.034 [0.036] N=1,409	0.037 [0.038] N=1,233	0.030 [0.042] N=1,041	0.039 [0.047] N=840
Meat fish or poultry consumed at least weekly	0.770 P=1,208	**0.090** [0.040] N=1,550**	**0.098** [0.042] N=1,409**	**0.088* [0.046] N=1,233**	**0.122*** [0.046] N=1,041**	**0.121** [0.054] N=840**
Legumes consumed at least weekly	0.780 P=1,219	-0.040 [0.043] N=1,550	-0.020 [0.046] N=1,409	-0.024 [0.051] N=1,233	-0.040 [0.055] N=1,041	-0.003 [0.065] N=840
Animal products consumed at least weekly	0.911 P=1,415	0.014 [0.033] N=1,550	0.025 [0.035] N=1,409	0.025 [0.036] N=1,233	0.011 [0.038] N=1,041	0.046 [0.043] N=840
Sweets consumed at least weekly	0.660 P=1,031	-0.009 [0.047] N=1,550	-0.006 [0.050] N=1,409	-0.013 [0.054] N=1,233	-0.011 [0.057] N=1,041	-0.060 [0.065] N=840
Snack foods consumed at least weekly	0.535 P=831	-0.028 [0.049] N=1,550	-0.019 [0.053] N=1,409	-0.014 [0.056] N=1,233	0.002 [0.060] N=1,041	-0.040 [0.070] N=840
Packaged soft drinks consumed at least weekly	0.315 P=486	-0.004 [0.044] N=1,550	-0.002 [0.046] N=1,409	0.035 [0.049] N=1,233	0.048 [0.053] N=1,041	0.029 [0.060] N=840
Grains consumed at least weekly	0.895 P=1,393	0.043 [0.037] N=1,550	0.056 [0.040] N=1,409	0.061 [0.043] N=1,233	0.071 [0.047] N=1,041	0.075 [0.054] N=840
Child was ever breastfed	0.966 P=1,664	-0.016 [0.019] N=1,723	-0.016 [0.020] N=1,571	-0.009 [0.020] N=1,372	-0.009 [0.020] N=1,162	-0.023 [0.023] N=934

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.033 [0.037] N=1,342	-0.037 [0.040] N=1,201	-0.074 [0.046] N=1,025	-0.076 [0.051] N=833	-0.071 [0.072] N=632
Vegetables consumed at least weekly	-0.048 [0.044] N=1,342	-0.038 [0.049] N=1,201	-0.047 [0.053] N=1,025	-0.062 [0.060] N=833	-0.066 [0.075] N=632
Meat fish or poultry consumed at least weekly	0.017 [0.055] N=1,342	0.018 [0.060] N=1,201	-0.030 [0.066] N=1,025	0.021 [0.069] N=833	-0.011 [0.089] N=632
Legumes consumed at least weekly	**-0.085* [0.050] N=1,342**	-0.058 [0.055] N=1,201	-0.074 [0.065] N=1,025	-0.096 [0.069] N=833	-0.009 [0.086] N=632
Animal products consumed at least weekly	-0.055 [0.042] N=1,342	-0.039 [0.047] N=1,201	-0.051 [0.051] N=1,025	**-0.090* [0.053] N=833**	-0.033 [0.067] N=632
Sweets consumed at least weekly	-0.006 [0.059] N=1,342	0.003 [0.064] N=1,201	-0.012 [0.072] N=1,025	-0.013 [0.084] N=833	-0.146 [0.105] N=632
Snack foods consumed at least weekly	-0.023 [0.071] N=1,342	-0.010 [0.077] N=1,201	-0.005 [0.087] N=1,025	0.041 [0.102] N=833	-0.053 [0.136] N=632
Packaged soft drinks consumed at least weekly	-0.041 [0.072] N=1,342	-0.041 [0.077] N=1,201	0.020 [0.089] N=1,025	0.043 [0.107] N=833	0.001 [0.136] N=632
Grains consumed at least weekly	-0.021 [0.039] N=1,342	-0.014 [0.044] N=1,201	-0.022 [0.047] N=1,025	-0.031 [0.055] N=833	-0.075 [0.072] N=632
Child was ever breastfed	0.004 [0.037] N=1,491	0.006 [0.038] N=1,339	0.024 [0.042] N=1,140	0.029 [0.046] N=930	0.014 [0.059] N=702

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,457	0.006 [0.027] N=1,550	0.008 [0.028] N=1,409	-0.008 [0.032] N=1,233	-0.012 [0.033] N=1,041	-0.001 [0.038] N=840
Vegetables consumed at least weekly	0.900 P=1,394	0.021 [0.034] N=1,550	0.034 [0.036] N=1,409	0.037 [0.038] N=1,233	0.030 [0.042] N=1,041	0.038 [0.047] N=840
Meat fish or poultry consumed at least weekly	0.770 P=1,208	**0.090** [0.040] N=1,550**	**0.099** [0.042] N=1,409**	**0.089* [0.045] N=1,233**	**0.121*** [0.046] N=1,041**	**0.120** [0.054] N=840**
Legumes consumed at least weekly	0.780 P=1,219	-0.039 [0.043] N=1,550	-0.020 [0.046] N=1,409	-0.024 [0.051] N=1,233	-0.040 [0.055] N=1,041	-0.002 [0.065] N=840
Animal products consumed at least weekly	0.911 P=1,415	0.015 [0.033] N=1,550	0.026 [0.034] N=1,409	0.025 [0.036] N=1,233	0.010 [0.038] N=1,041	0.043 [0.043] N=840
Sweets consumed at least weekly	0.660 P=1,031	-0.008 [0.048] N=1,550	-0.005 [0.050] N=1,409	-0.013 [0.054] N=1,233	-0.012 [0.057] N=1,041	-0.061 [0.066] N=840
Snack foods consumed at least weekly	0.535 P=831	-0.027 [0.050] N=1,550	-0.019 [0.053] N=1,409	-0.014 [0.056] N=1,233	0.001 [0.060] N=1,041	-0.043 [0.070] N=840
Packaged soft drinks consumed at least weekly	0.315 P=486	-0.004 [0.043] N=1,550	-0.002 [0.046] N=1,409	0.035 [0.049] N=1,233	0.048 [0.053] N=1,041	0.027 [0.060] N=840
Grains consumed at least weekly	0.895 P=1,393	0.043 [0.038] N=1,550	0.056 [0.040] N=1,409	0.060 [0.043] N=1,233	0.072 [0.048] N=1,041	0.077 [0.055] N=840
Child was ever breastfed	0.966 P=1,664	-0.016 [0.019] N=1,723	-0.015 [0.020] N=1,571	-0.008 [0.020] N=1,372	-0.009 [0.020] N=1,162	-0.023 [0.023] N=934

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.033 [0.037] N=1,342	-0.036 [0.040] N=1,201	-0.074 [0.046] N=1,025	-0.077 [0.051] N=833	-0.071 [0.072] N=632
Vegetables consumed at least weekly	-0.047 [0.044] N=1,342	-0.037 [0.048] N=1,201	-0.046 [0.053] N=1,025	-0.060 [0.059] N=833	-0.065 [0.075] N=632
Meat fish or poultry consumed at least weekly	0.019 [0.055] N=1,342	0.022 [0.060] N=1,201	-0.026 [0.066] N=1,025	0.024 [0.069] N=833	-0.008 [0.090] N=632
Legumes consumed at least weekly	**-0.085* [0.049] N=1,342**	-0.059 [0.055] N=1,201	-0.076 [0.065] N=1,025	-0.097 [0.069] N=833	-0.014 [0.085] N=632
Animal products consumed at least weekly	-0.051 [0.041] N=1,342	-0.034 [0.045] N=1,201	-0.047 [0.050] N=1,025	-0.086 [0.053] N=833	-0.028 [0.064] N=632
Sweets consumed at least weekly	-0.004 [0.059] N=1,342	0.005 [0.064] N=1,201	-0.011 [0.072] N=1,025	-0.013 [0.084] N=833	-0.144 [0.104] N=632
Snack foods consumed at least weekly	-0.018 [0.072] N=1,342	-0.006 [0.078] N=1,201	-0.001 [0.087] N=1,025	0.044 [0.103] N=833	-0.048 [0.138] N=632
Packaged soft drinks consumed at least weekly	-0.040 [0.071] N=1,342	-0.041 [0.077] N=1,201	0.021 [0.089] N=1,025	0.043 [0.107] N=833	0.005 [0.136] N=632
Grains consumed at least weekly	-0.022 [0.039] N=1,342	-0.015 [0.044] N=1,201	-0.024 [0.047] N=1,025	-0.035 [0.055] N=833	-0.079 [0.073] N=632
Child was ever breastfed	0.005 [0.037] N=1,491	0.008 [0.038] N=1,339	0.026 [0.042] N=1,140	0.031 [0.046] N=930	0.018 [0.059] N=702

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,457	0.006 [0.027] N=1,550	0.008 [0.028] N=1,409	-0.006 [0.032] N=1,233	-0.010 [0.034] N=1,041	0.001 [0.039] N=840
Vegetables consumed at least weekly	0.900 P=1,394	0.022 [0.034] N=1,550	0.034 [0.035] N=1,409	0.039 [0.038] N=1,233	0.031 [0.042] N=1,041	0.039 [0.047] N=840
Meat fish or poultry consumed at least weekly	0.770 P=1,208	**0.088** [0.039] N=1,550**	**0.098** [0.041] N=1,409**	**0.095** [0.044] N=1,233**	**0.128*** [0.044] N=1,041**	**0.127** [0.052] N=840**
Legumes consumed at least weekly	0.780 P=1,219	-0.040 [0.043] N=1,550	-0.020 [0.046] N=1,409	-0.024 [0.051] N=1,233	-0.039 [0.055] N=1,041	0.001 [0.066] N=840
Animal products consumed at least weekly	0.911 P=1,415	0.014 [0.033] N=1,550	0.025 [0.035] N=1,409	0.026 [0.037] N=1,233	0.011 [0.039] N=1,041	0.045 [0.043] N=840
Sweets consumed at least weekly	0.660 P=1,031	-0.008 [0.047] N=1,550	-0.006 [0.050] N=1,409	-0.011 [0.053] N=1,233	-0.011 [0.057] N=1,041	-0.061 [0.065] N=840
Snack foods consumed at least weekly	0.535 P=831	-0.024 [0.050] N=1,550	-0.017 [0.053] N=1,409	-0.014 [0.056] N=1,233	0.000 [0.060] N=1,041	-0.045 [0.071] N=840
Packaged soft drinks consumed at least weekly	0.315 P=486	-0.004 [0.045] N=1,550	-0.004 [0.047] N=1,409	0.031 [0.050] N=1,233	0.043 [0.055] N=1,041	0.023 [0.062] N=840
Grains consumed at least weekly	0.895 P=1,393	0.042 [0.038] N=1,550	0.055 [0.040] N=1,409	0.062 [0.043] N=1,233	0.072 [0.048] N=1,041	0.078 [0.055] N=840
Child was ever breastfed	0.966 P=1,664	-0.015 [0.020] N=1,723	-0.015 [0.020] N=1,571	-0.006 [0.020] N=1,372	-0.007 [0.020] N=1,162	-0.021 [0.023] N=934

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.031 [0.036] N=1,342	-0.034 [0.039] N=1,201	-0.068 [0.045] N=1,025	-0.072 [0.051] N=833	-0.065 [0.073] N=632
Vegetables consumed at least weekly	-0.046 [0.044] N=1,342	-0.035 [0.049] N=1,201	-0.042 [0.053] N=1,025	-0.057 [0.060] N=833	-0.061 [0.077] N=632
Meat fish or poultry consumed at least weekly	0.021 [0.053] N=1,342	0.027 [0.057] N=1,201	-0.008 [0.063] N=1,025	0.046 [0.068] N=833	0.012 [0.085] N=632
Legumes consumed at least weekly	**-0.081* [0.049] N=1,342**	-0.056 [0.055] N=1,201	-0.075 [0.065] N=1,025	-0.093 [0.068] N=833	-0.012 [0.085] N=632
Animal products consumed at least weekly	-0.053 [0.041] N=1,342	-0.037 [0.045] N=1,201	-0.047 [0.049] N=1,025	**-0.089* [0.054] N=833**	-0.028 [0.065] N=632
Sweets consumed at least weekly	-0.005 [0.059] N=1,342	0.002 [0.064] N=1,201	-0.012 [0.072] N=1,025	-0.017 [0.084] N=833	-0.149 [0.104] N=632
Snack foods consumed at least weekly	-0.013 [0.072] N=1,342	-0.004 [0.079] N=1,201	-0.006 [0.087] N=1,025	0.037 [0.103] N=833	-0.054 [0.140] N=632
Packaged soft drinks consumed at least weekly	-0.048 [0.073] N=1,342	-0.051 [0.079] N=1,201	0.001 [0.090] N=1,025	0.018 [0.109] N=833	-0.015 [0.138] N=632
Grains consumed at least weekly	-0.024 [0.039] N=1,342	-0.017 [0.044] N=1,201	-0.023 [0.046] N=1,025	-0.037 [0.054] N=833	-0.082 [0.073] N=632
Child was ever breastfed	0.005 [0.037] N=1,491	0.008 [0.038] N=1,339	0.029 [0.043] N=1,140	0.037 [0.046] N=930	0.019 [0.059] N=702

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.941 P=1,457	0.005 [0.026] N=1,550	0.007 [0.028] N=1,409	-0.005 [0.031] N=1,233	-0.014 [0.033] N=1,041	-0.005 [0.038] N=840
Vegetables consumed at least weekly	0.900 P=1,394	0.019 [0.034] N=1,550	0.033 [0.036] N=1,409	0.038 [0.039] N=1,233	0.028 [0.042] N=1,041	0.037 [0.047] N=840
Meat fish or poultry consumed at least weekly	0.770 P=1,208	**0.087** [0.040] N=1,550**	**0.098** [0.042] N=1,409**	**0.092** [0.046] N=1,233**	**0.118** [0.046] N=1,041**	**0.108** [0.053] N=840**
Legumes consumed at least weekly	0.780 P=1,219	-0.035 [0.044] N=1,550	-0.014 [0.046] N=1,409	-0.016 [0.050] N=1,233	-0.034 [0.054] N=1,041	0.004 [0.064] N=840
Animal products consumed at least weekly	0.911 P=1,415	0.020 [0.032] N=1,550	0.032 [0.034] N=1,409	0.035 [0.036] N=1,233	0.017 [0.039] N=1,041	0.047 [0.043] N=840
Sweets consumed at least weekly	0.660 P=1,031	-0.000 [0.049] N=1,550	0.001 [0.051] N=1,409	-0.007 [0.055] N=1,233	-0.008 [0.059] N=1,041	-0.058 [0.068] N=840
Snack foods consumed at least weekly	0.535 P=831	-0.013 [0.050] N=1,550	-0.008 [0.053] N=1,409	-0.005 [0.056] N=1,233	0.009 [0.060] N=1,041	-0.032 [0.071] N=840
Packaged soft drinks consumed at least weekly	0.315 P=486	0.009 [0.044] N=1,550	0.007 [0.046] N=1,409	0.039 [0.049] N=1,233	0.052 [0.054] N=1,041	0.034 [0.062] N=840
Grains consumed at least weekly	0.895 P=1,393	0.041 [0.037] N=1,550	0.054 [0.040] N=1,409	0.060 [0.043] N=1,233	0.070 [0.047] N=1,041	0.074 [0.054] N=840
Child was ever breastfed	0.966 P=1,664	-0.015 [0.019] N=1,723	-0.015 [0.019] N=1,571	-0.007 [0.020] N=1,372	-0.008 [0.020] N=1,162	-0.024 [0.024] N=934

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.032 [0.036] N=1,342	-0.035 [0.038] N=1,201	-0.067 [0.045] N=1,025	-0.077 [0.051] N=833	-0.081 [0.071] N=632
Vegetables consumed at least weekly	-0.049 [0.044] N=1,342	-0.036 [0.049] N=1,201	-0.041 [0.053] N=1,025	-0.058 [0.060] N=833	-0.064 [0.075] N=632
Meat fish or poultry consumed at least weekly	0.021 [0.054] N=1,342	0.026 [0.058] N=1,201	-0.012 [0.064] N=1,025	0.029 [0.071] N=833	-0.030 [0.088] N=632
Legumes consumed at least weekly	-0.078 [0.049] N=1,342	-0.050 [0.056] N=1,201	-0.058 [0.066] N=1,025	-0.079 [0.069] N=833	0.004 [0.085] N=632
Animal products consumed at least weekly	-0.045 [0.039] N=1,342	-0.027 [0.043] N=1,201	-0.035 [0.047] N=1,025	-0.080 [0.051] N=833	-0.032 [0.061] N=632
Sweets consumed at least weekly	0.005 [0.060] N=1,342	0.012 [0.065] N=1,201	-0.006 [0.073] N=1,025	-0.013 [0.084] N=833	-0.150 [0.103] N=632
Snack foods consumed at least weekly	-0.004 [0.070] N=1,342	0.003 [0.077] N=1,201	0.003 [0.085] N=1,025	0.043 [0.099] N=833	-0.044 [0.133] N=632
Packaged soft drinks consumed at least weekly	-0.029 [0.071] N=1,342	-0.036 [0.077] N=1,201	0.015 [0.088] N=1,025	0.036 [0.106] N=833	0.011 [0.137] N=632
Grains consumed at least weekly	-0.022 [0.038] N=1,342	-0.016 [0.043] N=1,201	-0.024 [0.045] N=1,025	-0.037 [0.054] N=833	-0.088 [0.072] N=632
Child was ever breastfed	0.005 [0.036] N=1,491	0.008 [0.037] N=1,339	0.029 [0.042] N=1,140	0.034 [0.045] N=930	0.016 [0.060] N=702

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,354	0.001 [0.028] N=1,438	0.002 [0.030] N=1,305	-0.001 [0.034] N=1,147	-0.013 [0.035] N=968	-0.003 [0.040] N=784
Vegetables consumed at least weekly	0.903 P=1,298	0.018 [0.034] N=1,438	0.030 [0.036] N=1,305	0.043 [0.039] N=1,147	0.030 [0.043] N=968	0.024 [0.048] N=784
Meat fish or poultry consumed at least weekly	0.770 P=1,120	**0.090** [0.043] N=1,438**	**0.095** [0.045] N=1,305**	**0.095* [0.048] N=1,147**	**0.106** [0.049] N=968**	**0.101* [0.057] N=784**
Legumes consumed at least weekly	0.779 P=1,131	-0.036 [0.046] N=1,438	-0.015 [0.049] N=1,305	-0.014 [0.054] N=1,147	-0.041 [0.059] N=968	-0.010 [0.072] N=784
Animal products consumed at least weekly	0.914 P=1,317	0.011 [0.034] N=1,438	0.026 [0.036] N=1,305	0.034 [0.038] N=1,147	0.018 [0.040] N=968	0.052 [0.044] N=784
Sweets consumed at least weekly	0.671 P=971	-0.011 [0.049] N=1,438	-0.007 [0.051] N=1,305	-0.024 [0.055] N=1,147	-0.028 [0.060] N=968	-0.075 [0.071] N=784
Snack foods consumed at least weekly	0.544 P=783	-0.016 [0.050] N=1,438	-0.011 [0.054] N=1,305	-0.018 [0.057] N=1,147	-0.003 [0.061] N=968	-0.039 [0.073] N=784
Packaged soft drinks consumed at least weekly	0.325 P=468	-0.012 [0.044] N=1,438	-0.015 [0.046] N=1,305	0.019 [0.049] N=1,147	0.033 [0.055] N=968	0.012 [0.064] N=784
Grains consumed at least weekly	0.898 P=1,297	0.056 [0.039] N=1,438	**0.069* [0.041] N=1,305**	**0.077* [0.044] N=1,147**	**0.086* [0.050] N=968**	0.089 [0.056] N=784
Child was ever breastfed	0.968 P=1,542	-0.020 [0.018] N=1,593	-0.023 [0.019] N=1,452	-0.017 [0.019] N=1,273	-0.021 [0.019] N=1,079	-0.033 [0.024] N=870

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.046 [0.037] N=1,241	-0.052 [0.041] N=1,108	-0.065 [0.049] N=950	**-0.093* [0.053] N=771**	-0.098 [0.071] N=587
Vegetables consumed at least weekly	-0.057 [0.040] N=1,241	-0.050 [0.045] N=1,108	-0.040 [0.050] N=950	-0.070 [0.058] N=771	**-0.118* [0.065] N=587**
Meat fish or poultry consumed at least weekly	0.036 [0.063] N=1,241	0.039 [0.068] N=1,108	0.013 [0.075] N=950	0.014 [0.079] N=771	-0.033 [0.100] N=587
Legumes consumed at least weekly	-0.069 [0.051] N=1,241	-0.040 [0.056] N=1,108	-0.037 [0.066] N=950	-0.065 [0.075] N=771	0.009 [0.090] N=587
Animal products consumed at least weekly	**-0.069* [0.039] N=1,241**	-0.048 [0.044] N=1,108	-0.042 [0.046] N=950	**-0.090* [0.051] N=771**	-0.036 [0.059] N=587
Sweets consumed at least weekly	-0.011 [0.061] N=1,241	-0.003 [0.066] N=1,108	-0.043 [0.072] N=950	-0.064 [0.083] N=771	**-0.204* [0.110] N=587**
Snack foods consumed at least weekly	-0.001 [0.074] N=1,241	0.005 [0.082] N=1,108	-0.014 [0.092] N=950	0.028 [0.106] N=771	-0.029 [0.146] N=587
Packaged soft drinks consumed at least weekly	-0.057 [0.072] N=1,241	-0.065 [0.078] N=1,108	-0.014 [0.090] N=950	0.001 [0.111] N=771	-0.061 [0.145] N=587
Grains consumed at least weekly	-0.005 [0.041] N=1,241	0.003 [0.046] N=1,108	0.003 [0.051] N=950	-0.021 [0.061] N=771	-0.086 [0.077] N=587
Child was ever breastfed	0.002 [0.035] N=1,374	-0.001 [0.036] N=1,233	0.016 [0.039] N=1,054	0.017 [0.041] N=860	-0.000 [0.057] N=651

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	0.943 P=1,354	0.002 [0.028] N=1,438	0.002 [0.030] N=1,305	-0.001 [0.034] N=1,147	-0.014 [0.035] N=968	-0.004 [0.040] N=784
Vegetables consumed at least weekly	0.903 P=1,298	0.019 [0.034] N=1,438	0.029 [0.036] N=1,305	0.043 [0.039] N=1,147	0.028 [0.043] N=968	0.024 [0.048] N=784
Meat fish or poultry consumed at least weekly	0.770 P=1,120	**0.092** [0.042] N=1,438**	**0.099** [0.044] N=1,305**	**0.097** [0.047] N=1,147**	**0.107** [0.048] N=968**	**0.101* [0.056] N=784**
Legumes consumed at least weekly	0.779 P=1,131	-0.037 [0.046] N=1,438	-0.015 [0.049] N=1,305	-0.015 [0.053] N=1,147	-0.044 [0.059] N=968	-0.014 [0.072] N=784
Animal products consumed at least weekly	0.914 P=1,317	0.010 [0.034] N=1,438	0.025 [0.036] N=1,305	0.033 [0.038] N=1,147	0.017 [0.040] N=968	0.051 [0.044] N=784
Sweets consumed at least weekly	0.671 P=971	-0.012 [0.049] N=1,438	-0.008 [0.051] N=1,305	-0.024 [0.056] N=1,147	-0.029 [0.060] N=968	-0.074 [0.072] N=784
Snack foods consumed at least weekly	0.544 P=783	-0.015 [0.050] N=1,438	-0.011 [0.053] N=1,305	-0.017 [0.056] N=1,147	-0.003 [0.061] N=968	-0.038 [0.074] N=784
Packaged soft drinks consumed at least weekly	0.325 P=468	-0.012 [0.044] N=1,438	-0.014 [0.047] N=1,305	0.020 [0.049] N=1,147	0.032 [0.056] N=968	0.011 [0.065] N=784
Grains consumed at least weekly	0.898 P=1,297	0.056 [0.039] N=1,438	**0.068* [0.041] N=1,305**	**0.075* [0.044] N=1,147**	**0.085* [0.050] N=968**	0.087 [0.056] N=784
Child was ever breastfed	0.968 P=1,542	-0.020 [0.018] N=1,593	-0.022 [0.019] N=1,452	-0.014 [0.019] N=1,273	-0.018 [0.020] N=1,079	-0.030 [0.024] N=870

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed at least weekly	-0.045 [0.038] N=1,241	-0.050 [0.041] N=1,108	-0.065 [0.049] N=950	**-0.093* [0.054] N=771**	-0.101 [0.073] N=587
Vegetables consumed at least weekly	-0.058 [0.040] N=1,241	-0.051 [0.045] N=1,108	-0.040 [0.050] N=950	-0.074 [0.058] N=771	**-0.122* [0.066] N=587**
Meat fish or poultry consumed at least weekly	0.038 [0.063] N=1,241	0.042 [0.068] N=1,108	0.016 [0.074] N=950	0.016 [0.079] N=771	-0.031 [0.098] N=587
Legumes consumed at least weekly	-0.069 [0.052] N=1,241	-0.039 [0.056] N=1,108	-0.037 [0.066] N=950	-0.073 [0.074] N=771	0.003 [0.088] N=587
Animal products consumed at least weekly	**-0.068* [0.039] N=1,241**	-0.048 [0.044] N=1,108	-0.043 [0.047] N=950	**-0.092* [0.051] N=771**	-0.042 [0.061] N=587
Sweets consumed at least weekly	-0.009 [0.062] N=1,241	-0.001 [0.066] N=1,108	-0.038 [0.073] N=950	-0.055 [0.084] N=771	**-0.195* [0.108] N=587**
Snack foods consumed at least weekly	-0.001 [0.074] N=1,241	0.003 [0.081] N=1,108	-0.014 [0.091] N=950	0.032 [0.105] N=771	-0.038 [0.143] N=587
Packaged soft drinks consumed at least weekly	-0.057 [0.072] N=1,241	-0.065 [0.078] N=1,108	-0.010 [0.090] N=950	0.008 [0.110] N=771	-0.053 [0.144] N=587
Grains consumed at least weekly	-0.006 [0.041] N=1,241	0.001 [0.046] N=1,108	0.000 [0.050] N=950	-0.025 [0.060] N=771	-0.092 [0.075] N=587
Child was ever breastfed	0.002 [0.035] N=1,374	-0.002 [0.036] N=1,233	0.017 [0.040] N=1,054	0.019 [0.043] N=860	0.000 [0.059] N=651

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.