Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Oldest Child

Age reference: 12 November 2022. Any-child household eligibility; one oldest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=1,338	0.001 [0.038] N=1,705	0.015 [0.041] N=1,581	0.006 [0.043] N=1,420	0.015 [0.046] N=1,218	-0.018 [0.050] N=1,005
Not underweight WAZ at least -2	0.924 P=1,791	-0.024 [0.022] N=1,935	-0.012 [0.023] N=1,789	-0.006 [0.024] N=1,608	-0.012 [0.027] N=1,373	-0.032 [0.031] N=1,130
Neither wasted nor overweight WHZ -2 to +2	0.685 P=1,158	0.015 [0.046] N=1,687	0.015 [0.047] N=1,570	0.030 [0.052] N=1,411	0.015 [0.059] N=1,208	0.033 [0.066] N=995
Neither low nor high BMIZ -2 to +2	0.652 P=1,084	0.006 [0.044] N=1,654	0.016 [0.046] N=1,541	0.025 [0.048] N=1,382	0.017 [0.056] N=1,184	0.004 [0.061] N=977
Strict normal HAZ -2 to +3	0.703 P=1,218	0.039 [0.044] N=1,705	0.059 [0.046] N=1,581	0.052 [0.048] N=1,420	0.053 [0.053] N=1,218	0.046 [0.059] N=1,005
Strict normal WAZ -2 to +1	0.678 P=1,321	-0.029 [0.046] N=1,935	-0.034 [0.048] N=1,789	-0.047 [0.051] N=1,608	-0.054 [0.054] N=1,373	-0.050 [0.057] N=1,130
Strict normal WHZ -2 to +1	0.522 P=884	-0.011 [0.046] N=1,687	-0.010 [0.048] N=1,570	-0.007 [0.052] N=1,411	-0.028 [0.057] N=1,208	-0.040 [0.062] N=995
Strict normal BMIZ -2 to +1	0.511 P=853	-0.024 [0.047] N=1,654	-0.017 [0.050] N=1,541	-0.009 [0.054] N=1,382	-0.034 [0.060] N=1,184	-0.044 [0.068] N=977
Above-normal height HAZ above +3	0.070 P=120	-0.038 [0.024] N=1,705	**-0.044* [0.026] N=1,581**	-0.045 [0.030] N=1,420	-0.038 [0.030] N=1,218	**-0.064** [0.032] N=1,005**
Above-normal weight WAZ above +1	0.247 P=470	0.005 [0.045] N=1,935	0.022 [0.047] N=1,789	0.041 [0.049] N=1,608	0.042 [0.054] N=1,373	0.018 [0.059] N=1,130
Above-normal WHZ above +1	0.360 P=598	0.046 [0.042] N=1,687	0.037 [0.045] N=1,570	0.037 [0.050] N=1,411	0.049 [0.054] N=1,208	0.075 [0.059] N=995
Above-normal BMIZ above +1	0.360 P=583	0.055 [0.044] N=1,654	0.048 [0.048] N=1,541	0.036 [0.054] N=1,382	0.035 [0.059] N=1,184	0.054 [0.066] N=977

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.003 [0.056] N=1,437	0.024 [0.062] N=1,313	0.019 [0.069] N=1,152	0.057 [0.079] N=950	-0.003 [0.108] N=737
Not underweight WAZ at least -2	-0.035 [0.031] N=1,642	-0.014 [0.033] N=1,496	-0.004 [0.037] N=1,315	-0.021 [0.045] N=1,080	-0.094 [0.062] N=837
Neither wasted nor overweight WHZ -2 to +2	0.033 [0.056] N=1,420	0.036 [0.058] N=1,303	0.077 [0.065] N=1,144	0.063 [0.084] N=941	**0.160* [0.088] N=728**
Neither low nor high BMIZ -2 to +2	0.011 [0.060] N=1,393	0.029 [0.063] N=1,280	0.063 [0.069] N=1,121	0.064 [0.090] N=923	0.064 [0.091] N=716
Strict normal HAZ -2 to +3	0.019 [0.066] N=1,437	0.054 [0.073] N=1,313	0.048 [0.080] N=1,152	0.059 [0.099] N=950	0.084 [0.128] N=737
Strict normal WAZ -2 to +1	0.023 [0.062] N=1,642	0.026 [0.068] N=1,496	0.010 [0.073] N=1,315	0.004 [0.086] N=1,080	0.046 [0.098] N=837
Strict normal WHZ -2 to +1	0.042 [0.064] N=1,420	0.055 [0.069] N=1,303	0.091 [0.077] N=1,144	0.082 [0.091] N=941	0.113 [0.100] N=728
Strict normal BMIZ -2 to +1	0.008 [0.065] N=1,393	0.027 [0.069] N=1,280	0.064 [0.077] N=1,121	0.034 [0.094] N=923	0.068 [0.102] N=716
Above-normal height HAZ above +3	-0.022 [0.034] N=1,437	-0.029 [0.038] N=1,313	-0.029 [0.048] N=1,152	-0.002 [0.055] N=950	-0.087 [0.064] N=737
Above-normal weight WAZ above +1	-0.058 [0.059] N=1,642	-0.040 [0.066] N=1,496	-0.014 [0.070] N=1,315	-0.025 [0.086] N=1,080	-0.140 [0.096] N=837
Above-normal WHZ above +1	-0.004 [0.060] N=1,420	-0.029 [0.068] N=1,303	-0.059 [0.078] N=1,144	-0.065 [0.092] N=941	-0.057 [0.106] N=728
Above-normal BMIZ above +1	0.038 [0.062] N=1,393	0.023 [0.070] N=1,280	-0.021 [0.083] N=1,121	-0.043 [0.095] N=923	-0.058 [0.105] N=716

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=1,338	0.001 [0.038] N=1,705	0.014 [0.041] N=1,581	0.006 [0.043] N=1,420	0.014 [0.046] N=1,218	-0.019 [0.051] N=1,005
Not underweight WAZ at least -2	0.924 P=1,791	-0.024 [0.022] N=1,935	-0.012 [0.023] N=1,789	-0.006 [0.024] N=1,608	-0.012 [0.027] N=1,373	-0.032 [0.031] N=1,130
Neither wasted nor overweight WHZ -2 to +2	0.685 P=1,158	0.014 [0.046] N=1,687	0.013 [0.047] N=1,570	0.027 [0.052] N=1,411	0.012 [0.059] N=1,208	0.028 [0.067] N=995
Neither low nor high BMIZ -2 to +2	0.652 P=1,084	0.006 [0.044] N=1,654	0.015 [0.046] N=1,541	0.024 [0.048] N=1,382	0.015 [0.056] N=1,184	0.002 [0.061] N=977
Strict normal HAZ -2 to +3	0.703 P=1,218	0.039 [0.044] N=1,705	0.059 [0.046] N=1,581	0.051 [0.048] N=1,420	0.052 [0.053] N=1,218	0.045 [0.059] N=1,005
Strict normal WAZ -2 to +1	0.678 P=1,321	-0.030 [0.046] N=1,935	-0.035 [0.049] N=1,789	-0.047 [0.051] N=1,608	-0.054 [0.054] N=1,373	-0.050 [0.057] N=1,130
Strict normal WHZ -2 to +1	0.522 P=884	-0.012 [0.046] N=1,687	-0.012 [0.049] N=1,570	-0.009 [0.052] N=1,411	-0.031 [0.057] N=1,208	-0.042 [0.063] N=995
Strict normal BMIZ -2 to +1	0.511 P=853	-0.024 [0.047] N=1,654	-0.017 [0.050] N=1,541	-0.010 [0.054] N=1,382	-0.035 [0.061] N=1,184	-0.044 [0.068] N=977
Above-normal height HAZ above +3	0.070 P=120	-0.038 [0.024] N=1,705	**-0.044* [0.026] N=1,581**	-0.045 [0.030] N=1,420	-0.038 [0.031] N=1,218	**-0.064** [0.032] N=1,005**
Above-normal weight WAZ above +1	0.247 P=470	0.005 [0.045] N=1,935	0.022 [0.048] N=1,789	0.041 [0.050] N=1,608	0.042 [0.055] N=1,373	0.018 [0.059] N=1,130
Above-normal WHZ above +1	0.360 P=598	0.046 [0.043] N=1,687	0.037 [0.045] N=1,570	0.037 [0.050] N=1,411	0.049 [0.054] N=1,208	0.073 [0.059] N=995
Above-normal BMIZ above +1	0.360 P=583	0.055 [0.044] N=1,654	0.048 [0.048] N=1,541	0.036 [0.054] N=1,382	0.035 [0.060] N=1,184	0.051 [0.067] N=977

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.004 [0.056] N=1,437	0.025 [0.062] N=1,313	0.019 [0.068] N=1,152	0.057 [0.079] N=950	-0.005 [0.107] N=737
Not underweight WAZ at least -2	-0.034 [0.031] N=1,642	-0.014 [0.033] N=1,496	-0.003 [0.037] N=1,315	-0.021 [0.045] N=1,080	-0.093 [0.062] N=837
Neither wasted nor overweight WHZ -2 to +2	0.033 [0.057] N=1,420	0.037 [0.059] N=1,303	0.078 [0.066] N=1,144	0.063 [0.085] N=941	**0.159* [0.089] N=728**
Neither low nor high BMIZ -2 to +2	0.012 [0.060] N=1,393	0.030 [0.064] N=1,280	0.064 [0.070] N=1,121	0.065 [0.090] N=923	0.064 [0.092] N=716
Strict normal HAZ -2 to +3	0.019 [0.066] N=1,437	0.055 [0.073] N=1,313	0.050 [0.080] N=1,152	0.060 [0.098] N=950	0.084 [0.127] N=737
Strict normal WAZ -2 to +1	0.024 [0.062] N=1,642	0.027 [0.068] N=1,496	0.012 [0.073] N=1,315	0.005 [0.086] N=1,080	0.047 [0.098] N=837
Strict normal WHZ -2 to +1	0.042 [0.064] N=1,420	0.055 [0.070] N=1,303	0.092 [0.078] N=1,144	0.082 [0.092] N=941	0.113 [0.100] N=728
Strict normal BMIZ -2 to +1	0.008 [0.065] N=1,393	0.027 [0.069] N=1,280	0.065 [0.078] N=1,121	0.034 [0.095] N=923	0.068 [0.101] N=716
Above-normal height HAZ above +3	-0.023 [0.034] N=1,437	-0.030 [0.038] N=1,313	-0.031 [0.048] N=1,152	-0.004 [0.054] N=950	-0.088 [0.064] N=737
Above-normal weight WAZ above +1	-0.059 [0.059] N=1,642	-0.040 [0.066] N=1,496	-0.015 [0.070] N=1,315	-0.026 [0.086] N=1,080	-0.140 [0.096] N=837
Above-normal WHZ above +1	-0.004 [0.060] N=1,420	-0.029 [0.067] N=1,303	-0.059 [0.078] N=1,144	-0.065 [0.092] N=941	-0.058 [0.105] N=728
Above-normal BMIZ above +1	0.038 [0.062] N=1,393	0.023 [0.069] N=1,280	-0.020 [0.082] N=1,121	-0.042 [0.094] N=923	-0.058 [0.103] N=716

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=1,338	-0.006 [0.038] N=1,705	0.002 [0.041] N=1,581	-0.004 [0.042] N=1,420	0.008 [0.045] N=1,218	-0.030 [0.049] N=1,005
Not underweight WAZ at least -2	0.924 P=1,791	-0.030 [0.022] N=1,935	-0.020 [0.022] N=1,789	-0.014 [0.024] N=1,608	-0.018 [0.026] N=1,373	-0.040 [0.031] N=1,130
Neither wasted nor overweight WHZ -2 to +2	0.685 P=1,158	0.007 [0.046] N=1,687	0.003 [0.047] N=1,570	0.018 [0.052] N=1,411	0.005 [0.059] N=1,208	0.023 [0.066] N=995
Neither low nor high BMIZ -2 to +2	0.652 P=1,084	-0.000 [0.044] N=1,654	0.005 [0.046] N=1,541	0.015 [0.048] N=1,382	0.009 [0.055] N=1,184	-0.003 [0.060] N=977
Strict normal HAZ -2 to +3	0.703 P=1,218	0.029 [0.043] N=1,705	0.042 [0.045] N=1,581	0.038 [0.047] N=1,420	0.044 [0.051] N=1,218	0.030 [0.057] N=1,005
Strict normal WAZ -2 to +1	0.678 P=1,321	-0.029 [0.046] N=1,935	-0.038 [0.048] N=1,789	-0.051 [0.050] N=1,608	-0.058 [0.054] N=1,373	-0.054 [0.057] N=1,130
Strict normal WHZ -2 to +1	0.522 P=884	-0.018 [0.046] N=1,687	-0.023 [0.049] N=1,570	-0.020 [0.052] N=1,411	-0.040 [0.057] N=1,208	-0.050 [0.062] N=995
Strict normal BMIZ -2 to +1	0.511 P=853	-0.030 [0.047] N=1,654	-0.026 [0.050] N=1,541	-0.019 [0.054] N=1,382	-0.042 [0.060] N=1,184	-0.049 [0.067] N=977
Above-normal height HAZ above +3	0.070 P=120	-0.035 [0.024] N=1,705	-0.040 [0.025] N=1,581	-0.042 [0.029] N=1,420	-0.036 [0.029] N=1,218	**-0.060* [0.031] N=1,005**
Above-normal weight WAZ above +1	0.247 P=470	-0.001 [0.044] N=1,935	0.018 [0.047] N=1,789	0.037 [0.049] N=1,608	0.040 [0.054] N=1,373	0.014 [0.058] N=1,130
Above-normal WHZ above +1	0.360 P=598	0.046 [0.043] N=1,687	0.041 [0.046] N=1,570	0.042 [0.050] N=1,411	0.054 [0.054] N=1,208	0.076 [0.059] N=995
Above-normal BMIZ above +1	0.360 P=583	0.056 [0.045] N=1,654	0.052 [0.048] N=1,541	0.040 [0.054] N=1,382	0.039 [0.059] N=1,184	0.055 [0.066] N=977

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.007 [0.056] N=1,437	0.011 [0.062] N=1,313	0.010 [0.068] N=1,152	0.060 [0.077] N=950	-0.002 [0.105] N=737
Not underweight WAZ at least -2	-0.039 [0.030] N=1,642	-0.021 [0.033] N=1,496	-0.009 [0.036] N=1,315	-0.019 [0.044] N=1,080	-0.091 [0.063] N=837
Neither wasted nor overweight WHZ -2 to +2	0.026 [0.058] N=1,420	0.024 [0.061] N=1,303	0.070 [0.068] N=1,144	0.058 [0.087] N=941	0.148 [0.089] N=728
Neither low nor high BMIZ -2 to +2	0.006 [0.061] N=1,393	0.018 [0.064] N=1,280	0.057 [0.071] N=1,121	0.060 [0.091] N=923	0.056 [0.092] N=716
Strict normal HAZ -2 to +3	0.014 [0.065] N=1,437	0.039 [0.072] N=1,313	0.042 [0.079] N=1,152	0.069 [0.096] N=950	0.089 [0.125] N=737
Strict normal WAZ -2 to +1	0.026 [0.062] N=1,642	0.022 [0.068] N=1,496	0.010 [0.073] N=1,315	0.007 [0.086] N=1,080	0.051 [0.097] N=837
Strict normal WHZ -2 to +1	0.035 [0.065] N=1,420	0.040 [0.072] N=1,303	0.080 [0.080] N=1,144	0.075 [0.096] N=941	0.103 [0.105] N=728
Strict normal BMIZ -2 to +1	0.001 [0.066] N=1,393	0.012 [0.071] N=1,280	0.053 [0.080] N=1,121	0.027 [0.099] N=923	0.059 [0.106] N=716
Above-normal height HAZ above +3	-0.021 [0.034] N=1,437	-0.028 [0.038] N=1,313	-0.031 [0.048] N=1,152	-0.009 [0.055] N=950	-0.091 [0.065] N=737
Above-normal weight WAZ above +1	-0.064 [0.058] N=1,642	-0.044 [0.065] N=1,496	-0.019 [0.070] N=1,315	-0.026 [0.086] N=1,080	-0.142 [0.096] N=837
Above-normal WHZ above +1	-0.002 [0.062] N=1,420	-0.021 [0.070] N=1,303	-0.051 [0.080] N=1,144	-0.062 [0.094] N=941	-0.056 [0.108] N=728
Above-normal BMIZ above +1	0.041 [0.064] N=1,393	0.031 [0.072] N=1,280	-0.013 [0.084] N=1,121	-0.038 [0.097] N=923	-0.052 [0.108] N=716

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.773 P=1,338	-0.016 [0.039] N=1,705	-0.008 [0.041] N=1,581	-0.015 [0.043] N=1,420	-0.007 [0.046] N=1,218	-0.044 [0.050] N=1,005
Not underweight WAZ at least -2	0.924 P=1,791	-0.033 [0.022] N=1,935	-0.023 [0.023] N=1,789	-0.017 [0.024] N=1,608	-0.023 [0.027] N=1,373	-0.045 [0.032] N=1,130
Neither wasted nor overweight WHZ -2 to +2	0.685 P=1,158	0.004 [0.046] N=1,687	-0.000 [0.048] N=1,570	0.016 [0.052] N=1,411	0.002 [0.059] N=1,208	0.027 [0.066] N=995
Neither low nor high BMIZ -2 to +2	0.652 P=1,084	-0.005 [0.044] N=1,654	0.002 [0.046] N=1,541	0.011 [0.049] N=1,382	0.002 [0.056] N=1,184	-0.002 [0.061] N=977
Strict normal HAZ -2 to +3	0.703 P=1,218	0.019 [0.044] N=1,705	0.031 [0.046] N=1,581	0.025 [0.048] N=1,420	0.026 [0.052] N=1,218	0.014 [0.058] N=1,005
Strict normal WAZ -2 to +1	0.678 P=1,321	-0.033 [0.046] N=1,935	-0.042 [0.049] N=1,789	-0.056 [0.051] N=1,608	-0.061 [0.055] N=1,373	-0.053 [0.059] N=1,130
Strict normal WHZ -2 to +1	0.522 P=884	-0.023 [0.046] N=1,687	-0.027 [0.050] N=1,570	-0.026 [0.053] N=1,411	-0.045 [0.058] N=1,208	-0.050 [0.063] N=995
Strict normal BMIZ -2 to +1	0.511 P=853	-0.034 [0.048] N=1,654	-0.030 [0.051] N=1,541	-0.024 [0.054] N=1,382	-0.050 [0.060] N=1,184	-0.052 [0.067] N=977
Above-normal height HAZ above +3	0.070 P=120	-0.035 [0.024] N=1,705	-0.039 [0.026] N=1,581	-0.040 [0.030] N=1,420	-0.033 [0.031] N=1,218	**-0.059* [0.032] N=1,005**
Above-normal weight WAZ above +1	0.247 P=470	-0.000 [0.044] N=1,935	0.019 [0.047] N=1,789	0.039 [0.049] N=1,608	0.038 [0.054] N=1,373	0.009 [0.059] N=1,130
Above-normal WHZ above +1	0.360 P=598	0.051 [0.044] N=1,687	0.046 [0.047] N=1,570	0.047 [0.051] N=1,411	0.058 [0.055] N=1,208	0.079 [0.061] N=995
Above-normal BMIZ above +1	0.360 P=583	0.061 [0.045] N=1,654	0.057 [0.049] N=1,541	0.045 [0.054] N=1,382	0.045 [0.060] N=1,184	0.058 [0.067] N=977

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.010 [0.057] N=1,437	0.011 [0.063] N=1,313	0.013 [0.069] N=1,152	0.066 [0.080] N=950	0.004 [0.108] N=737
Not underweight WAZ at least -2	-0.040 [0.031] N=1,642	-0.021 [0.033] N=1,496	-0.010 [0.037] N=1,315	-0.021 [0.045] N=1,080	-0.096 [0.062] N=837
Neither wasted nor overweight WHZ -2 to +2	0.022 [0.058] N=1,420	0.025 [0.060] N=1,303	0.069 [0.067] N=1,144	0.053 [0.086] N=941	0.138 [0.090] N=728
Neither low nor high BMIZ -2 to +2	0.003 [0.061] N=1,393	0.021 [0.065] N=1,280	0.057 [0.071] N=1,121	0.056 [0.090] N=923	0.046 [0.092] N=716
Strict normal HAZ -2 to +3	0.013 [0.066] N=1,437	0.040 [0.073] N=1,313	0.044 [0.079] N=1,152	0.075 [0.098] N=950	0.103 [0.130] N=737
Strict normal WAZ -2 to +1	0.026 [0.062] N=1,642	0.024 [0.068] N=1,496	0.011 [0.073] N=1,315	0.009 [0.084] N=1,080	0.040 [0.097] N=837
Strict normal WHZ -2 to +1	0.034 [0.065] N=1,420	0.044 [0.071] N=1,303	0.081 [0.079] N=1,144	0.067 [0.094] N=941	0.091 [0.107] N=728
Strict normal BMIZ -2 to +1	0.003 [0.067] N=1,393	0.022 [0.072] N=1,280	0.059 [0.080] N=1,121	0.023 [0.097] N=923	0.056 [0.108] N=716
Above-normal height HAZ above +3	-0.023 [0.033] N=1,437	-0.028 [0.038] N=1,313	-0.031 [0.048] N=1,152	-0.010 [0.053] N=950	-0.099 [0.065] N=737
Above-normal weight WAZ above +1	-0.067 [0.059] N=1,642	-0.045 [0.065] N=1,496	-0.021 [0.069] N=1,315	-0.030 [0.085] N=1,080	-0.136 [0.095] N=837
Above-normal WHZ above +1	-0.003 [0.060] N=1,420	-0.024 [0.068] N=1,303	-0.053 [0.079] N=1,144	-0.056 [0.095] N=941	-0.044 [0.109] N=728
Above-normal BMIZ above +1	0.039 [0.063] N=1,393	0.026 [0.071] N=1,280	-0.016 [0.083] N=1,121	-0.033 [0.097] N=923	-0.043 [0.109] N=716

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.771 P=1,238	-0.013 [0.041] N=1,580	-0.000 [0.044] N=1,471	-0.007 [0.046] N=1,317	0.000 [0.049] N=1,138	-0.041 [0.053] N=938
Not underweight WAZ at least -2	0.924 P=1,657	-0.018 [0.023] N=1,790	-0.007 [0.024] N=1,660	0.000 [0.026] N=1,488	-0.007 [0.029] N=1,278	-0.024 [0.036] N=1,054
Neither wasted nor overweight WHZ -2 to +2	0.684 P=1,075	0.018 [0.046] N=1,564	0.018 [0.046] N=1,462	0.032 [0.052] N=1,311	0.018 [0.059] N=1,131	0.027 [0.066] N=931
Neither low nor high BMIZ -2 to +2	0.654 P=1,009	-0.004 [0.047] N=1,532	0.006 [0.048] N=1,433	0.016 [0.052] N=1,283	0.012 [0.060] N=1,108	-0.002 [0.066] N=914
Strict normal HAZ -2 to +3	0.703 P=1,132	0.037 [0.048] N=1,580	0.056 [0.051] N=1,471	0.051 [0.053] N=1,317	0.050 [0.057] N=1,138	0.039 [0.064] N=938
Strict normal WAZ -2 to +1	0.674 P=1,216	-0.033 [0.048] N=1,790	-0.037 [0.050] N=1,660	-0.047 [0.053] N=1,488	-0.057 [0.057] N=1,278	-0.059 [0.061] N=1,054
Strict normal WHZ -2 to +1	0.520 P=819	-0.020 [0.047] N=1,564	-0.019 [0.050] N=1,462	-0.017 [0.054] N=1,311	-0.041 [0.058] N=1,131	-0.068 [0.063] N=931
Strict normal BMIZ -2 to +1	0.512 P=793	-0.041 [0.049] N=1,532	-0.031 [0.051] N=1,433	-0.021 [0.056] N=1,283	-0.047 [0.062] N=1,108	-0.062 [0.068] N=914
Above-normal height HAZ above +3	0.068 P=106	**-0.051** [0.025] N=1,580**	**-0.057** [0.027] N=1,471**	**-0.058* [0.031] N=1,317**	-0.050 [0.031] N=1,138	**-0.080** [0.033] N=938**
Above-normal weight WAZ above +1	0.251 P=441	0.015 [0.046] N=1,790	0.030 [0.049] N=1,660	0.048 [0.051] N=1,488	0.050 [0.055] N=1,278	0.036 [0.061] N=1,054
Above-normal WHZ above +1	0.362 P=556	0.072 [0.044] N=1,564	0.062 [0.047] N=1,462	0.062 [0.052] N=1,311	0.077 [0.056] N=1,131	**0.117* [0.063] N=931**
Above-normal BMIZ above +1	0.361 P=541	**0.081* [0.046] N=1,532**	0.070 [0.048] N=1,433	0.058 [0.054] N=1,283	0.061 [0.060] N=1,108	0.092 [0.067] N=914

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.003 [0.060] N=1,330	0.029 [0.066] N=1,221	0.031 [0.072] N=1,067	0.078 [0.085] N=888	0.010 [0.118] N=688
Not underweight WAZ at least -2	-0.030 [0.032] N=1,517	-0.013 [0.034] N=1,387	-0.004 [0.038] N=1,215	-0.026 [0.045] N=1,005	-0.099 [0.068] N=781
Neither wasted nor overweight WHZ -2 to +2	0.042 [0.059] N=1,315	0.049 [0.060] N=1,213	0.092 [0.069] N=1,062	0.092 [0.087] N=882	**0.185** [0.092] N=682**
Neither low nor high BMIZ -2 to +2	0.001 [0.063] N=1,289	0.024 [0.065] N=1,190	0.056 [0.074] N=1,040	0.071 [0.094] N=865	0.084 [0.089] N=671
Strict normal HAZ -2 to +3	0.030 [0.070] N=1,330	0.069 [0.075] N=1,221	0.070 [0.083] N=1,067	0.085 [0.103] N=888	0.106 [0.134] N=688
Strict normal WAZ -2 to +1	0.039 [0.062] N=1,517	0.047 [0.067] N=1,387	0.041 [0.074] N=1,215	0.026 [0.085] N=1,005	0.059 [0.101] N=781
Strict normal WHZ -2 to +1	0.060 [0.065] N=1,315	0.078 [0.071] N=1,213	0.120 [0.080] N=1,062	0.114 [0.097] N=882	0.134 [0.105] N=682
Strict normal BMIZ -2 to +1	-0.002 [0.066] N=1,289	0.025 [0.071] N=1,190	0.066 [0.081] N=1,040	0.042 [0.100] N=865	0.084 [0.103] N=671
Above-normal height HAZ above +3	-0.033 [0.034] N=1,330	-0.040 [0.039] N=1,221	-0.039 [0.048] N=1,067	-0.007 [0.054] N=888	-0.097 [0.063] N=688
Above-normal weight WAZ above +1	-0.070 [0.060] N=1,517	-0.059 [0.065] N=1,387	-0.045 [0.071] N=1,215	-0.052 [0.085] N=1,005	-0.158 [0.096] N=781
Above-normal WHZ above +1	-0.004 [0.062] N=1,315	-0.037 [0.069] N=1,213	-0.074 [0.078] N=1,062	-0.075 [0.097] N=882	-0.042 [0.110] N=682
Above-normal BMIZ above +1	0.042 [0.065] N=1,289	0.014 [0.071] N=1,190	-0.034 [0.083] N=1,040	-0.055 [0.098] N=865	-0.063 [0.109] N=671

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.771 P=1,238	-0.014 [0.041] N=1,580	-0.001 [0.044] N=1,471	-0.009 [0.046] N=1,317	-0.002 [0.049] N=1,138	-0.044 [0.054] N=938
Not underweight WAZ at least -2	0.924 P=1,657	-0.018 [0.023] N=1,790	-0.007 [0.024] N=1,660	-0.001 [0.026] N=1,488	-0.009 [0.029] N=1,278	-0.026 [0.035] N=1,054
Neither wasted nor overweight WHZ -2 to +2	0.684 P=1,075	0.016 [0.046] N=1,564	0.015 [0.047] N=1,462	0.031 [0.052] N=1,311	0.018 [0.059] N=1,131	0.030 [0.066] N=931
Neither low nor high BMIZ -2 to +2	0.654 P=1,009	-0.008 [0.047] N=1,532	0.004 [0.048] N=1,433	0.016 [0.052] N=1,283	0.013 [0.060] N=1,108	0.003 [0.065] N=914
Strict normal HAZ -2 to +3	0.703 P=1,132	0.038 [0.048] N=1,580	0.056 [0.051] N=1,471	0.051 [0.053] N=1,317	0.050 [0.057] N=1,138	0.039 [0.065] N=938
Strict normal WAZ -2 to +1	0.674 P=1,216	-0.034 [0.048] N=1,790	-0.039 [0.050] N=1,660	-0.049 [0.053] N=1,488	-0.058 [0.056] N=1,278	-0.059 [0.060] N=1,054
Strict normal WHZ -2 to +1	0.520 P=819	-0.022 [0.047] N=1,564	-0.021 [0.049] N=1,462	-0.016 [0.054] N=1,311	-0.037 [0.058] N=1,131	-0.054 [0.062] N=931
Strict normal BMIZ -2 to +1	0.512 P=793	-0.048 [0.049] N=1,532	-0.036 [0.051] N=1,433	-0.023 [0.056] N=1,283	-0.046 [0.062] N=1,108	-0.055 [0.067] N=914
Above-normal height HAZ above +3	0.068 P=106	**-0.052** [0.025] N=1,580**	**-0.058** [0.027] N=1,471**	**-0.060* [0.031] N=1,317**	-0.052 [0.031] N=1,138	**-0.083** [0.033] N=938**
Above-normal weight WAZ above +1	0.251 P=441	0.016 [0.046] N=1,790	0.032 [0.048] N=1,660	0.048 [0.051] N=1,488	0.050 [0.055] N=1,278	0.033 [0.060] N=1,054
Above-normal WHZ above +1	0.362 P=556	0.072 [0.044] N=1,564	0.062 [0.046] N=1,462	0.059 [0.051] N=1,311	0.071 [0.056] N=1,131	**0.106* [0.062] N=931**
Above-normal BMIZ above +1	0.361 P=541	**0.084* [0.045] N=1,532**	0.072 [0.048] N=1,433	0.057 [0.054] N=1,283	0.059 [0.059] N=1,108	0.085 [0.066] N=914

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.001 [0.060] N=1,330	0.030 [0.066] N=1,221	0.032 [0.071] N=1,067	0.079 [0.084] N=888	0.016 [0.116] N=688
Not underweight WAZ at least -2	-0.028 [0.032] N=1,517	-0.009 [0.034] N=1,387	-0.001 [0.039] N=1,215	-0.024 [0.045] N=1,005	-0.094 [0.068] N=781
Neither wasted nor overweight WHZ -2 to +2	0.041 [0.058] N=1,315	0.047 [0.059] N=1,213	0.090 [0.069] N=1,062	0.088 [0.087] N=882	**0.186** [0.092] N=682**
Neither low nor high BMIZ -2 to +2	-0.005 [0.062] N=1,289	0.018 [0.065] N=1,190	0.054 [0.073] N=1,040	0.067 [0.094] N=865	0.083 [0.088] N=671
Strict normal HAZ -2 to +3	0.032 [0.070] N=1,330	0.068 [0.075] N=1,221	0.073 [0.082] N=1,067	0.091 [0.101] N=888	0.124 [0.131] N=688
Strict normal WAZ -2 to +1	0.036 [0.063] N=1,517	0.043 [0.068] N=1,387	0.040 [0.074] N=1,215	0.030 [0.085] N=1,005	0.077 [0.100] N=781
Strict normal WHZ -2 to +1	0.048 [0.065] N=1,315	0.066 [0.070] N=1,213	0.113 [0.080] N=1,062	0.113 [0.096] N=882	0.152 [0.104] N=682
Strict normal BMIZ -2 to +1	-0.017 [0.067] N=1,289	0.012 [0.071] N=1,190	0.059 [0.081] N=1,040	0.035 [0.101] N=865	0.084 [0.103] N=671
Above-normal height HAZ above +3	-0.032 [0.034] N=1,330	-0.039 [0.039] N=1,221	-0.041 [0.048] N=1,067	-0.012 [0.055] N=888	-0.108 [0.065] N=688
Above-normal weight WAZ above +1	-0.064 [0.060] N=1,517	-0.052 [0.066] N=1,387	-0.040 [0.071] N=1,215	-0.053 [0.085] N=1,005	**-0.170* [0.097] N=781**
Above-normal WHZ above +1	0.007 [0.062] N=1,315	-0.025 [0.068] N=1,213	-0.066 [0.078] N=1,062	-0.075 [0.097] N=882	-0.058 [0.113] N=682
Above-normal BMIZ above +1	0.055 [0.065] N=1,289	0.025 [0.071] N=1,190	-0.027 [0.083] N=1,040	-0.049 [0.099] N=865	-0.062 [0.110] N=671

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.780 P=1,185	-0.050 [0.047] N=1,513	-0.045 [0.048] N=1,370	-0.030 [0.050] N=1,196	-0.044 [0.056] N=1,018	-0.052 [0.064] N=826
Not underweight WAZ at least -2	0.931 P=1,591	-0.006 [0.026] N=1,710	-0.002 [0.027] N=1,560	-0.003 [0.029] N=1,361	-0.004 [0.030] N=1,155	0.011 [0.030] N=929
Neither wasted nor overweight WHZ -2 to +2	0.686 P=1,026	**-0.100* [0.053] N=1,501**	-0.091 [0.055] N=1,361	-0.096 [0.059] N=1,190	-0.053 [0.061] N=1,011	-0.057 [0.067] N=819
Neither low nor high BMIZ -2 to +2	0.659 P=963	**-0.169*** [0.054] N=1,468**	**-0.156*** [0.058] N=1,331**	**-0.141** [0.063] N=1,164**	**-0.107* [0.065] N=990**	**-0.118* [0.069] N=806**
Strict normal HAZ -2 to +3	0.709 P=1,078	-0.047 [0.045] N=1,513	-0.045 [0.046] N=1,370	-0.030 [0.047] N=1,196	-0.030 [0.052] N=1,018	-0.059 [0.060] N=826
Strict normal WAZ -2 to +1	0.683 P=1,169	0.003 [0.045] N=1,710	-0.010 [0.047] N=1,560	-0.012 [0.049] N=1,361	-0.034 [0.054] N=1,155	-0.014 [0.059] N=929
Strict normal WHZ -2 to +1	0.519 P=770	**-0.143*** [0.052] N=1,501**	**-0.152*** [0.053] N=1,361**	**-0.148** [0.058] N=1,190**	-0.098 [0.063] N=1,011	**-0.127* [0.070] N=819**
Strict normal BMIZ -2 to +1	0.518 P=754	**-0.137** [0.054] N=1,468**	**-0.138** [0.056] N=1,331**	**-0.110* [0.061] N=1,164**	-0.065 [0.065] N=990	-0.080 [0.072] N=806
Above-normal height HAZ above +3	0.071 P=107	-0.003 [0.028] N=1,513	-0.000 [0.029] N=1,370	-0.001 [0.032] N=1,196	-0.014 [0.035] N=1,018	0.007 [0.042] N=826
Above-normal weight WAZ above +1	0.247 P=422	-0.009 [0.039] N=1,710	0.008 [0.042] N=1,560	0.009 [0.042] N=1,361	0.029 [0.045] N=1,155	0.026 [0.051] N=929
Above-normal WHZ above +1	0.364 P=553	**0.115** [0.050] N=1,501**	**0.119** [0.052] N=1,361**	0.092 [0.056] N=1,190	0.091 [0.061] N=1,011	0.115 [0.069] N=819
Above-normal BMIZ above +1	0.354 P=524	0.081 [0.052] N=1,468	0.076 [0.053] N=1,331	0.042 [0.057] N=1,164	0.034 [0.067] N=990	0.046 [0.075] N=806

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.061 [0.073] N=1,305	-0.048 [0.075] N=1,162	-0.026 [0.082] N=988	-0.062 [0.101] N=810	-0.087 [0.127] N=618
Not underweight WAZ at least -2	-0.030 [0.040] N=1,479	-0.025 [0.043] N=1,329	-0.034 [0.049] N=1,130	-0.046 [0.054] N=924	-0.010 [0.056] N=698
Neither wasted nor overweight WHZ -2 to +2	**-0.206*** [0.063] N=1,293**	**-0.194*** [0.067] N=1,153**	**-0.233*** [0.073] N=982**	**-0.166* [0.084] N=803**	**-0.189* [0.101] N=611**
Neither low nor high BMIZ -2 to +2	**-0.249*** [0.063] N=1,270**	**-0.228*** [0.070] N=1,133**	**-0.225*** [0.076] N=966**	**-0.168* [0.089] N=792**	**-0.191* [0.105] N=608**
Strict normal HAZ -2 to +3	-0.042 [0.066] N=1,305	-0.029 [0.069] N=1,162	-0.003 [0.073] N=988	-0.002 [0.089] N=810	-0.058 [0.113] N=618
Strict normal WAZ -2 to +1	0.039 [0.067] N=1,479	0.027 [0.071] N=1,329	0.032 [0.078] N=1,130	-0.009 [0.089] N=924	0.066 [0.106] N=698
Strict normal WHZ -2 to +1	**-0.200*** [0.072] N=1,293**	**-0.219*** [0.077] N=1,153**	**-0.229*** [0.086] N=982**	-0.123 [0.100] N=803	-0.193 [0.129] N=611
Strict normal BMIZ -2 to +1	**-0.204** [0.080] N=1,270**	**-0.208** [0.083] N=1,133**	**-0.187** [0.094] N=966**	-0.088 [0.111] N=792	-0.122 [0.137] N=608
Above-normal height HAZ above +3	-0.020 [0.034] N=1,305	-0.019 [0.034] N=1,162	-0.023 [0.041] N=988	-0.059 [0.045] N=810	-0.029 [0.061] N=618
Above-normal weight WAZ above +1	-0.069 [0.059] N=1,479	-0.052 [0.063] N=1,329	-0.066 [0.067] N=1,130	-0.037 [0.075] N=924	-0.076 [0.094] N=698
Above-normal WHZ above +1	0.119 [0.076] N=1,293	0.125 [0.079] N=1,153	0.080 [0.091] N=982	0.070 [0.098] N=803	0.107 [0.121] N=611
Above-normal BMIZ above +1	0.081 [0.080] N=1,270	0.073 [0.082] N=1,133	0.022 [0.095] N=966	0.001 [0.112] N=792	0.021 [0.135] N=608

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.780 P=1,185	-0.050 [0.047] N=1,513	-0.044 [0.048] N=1,370	-0.030 [0.050] N=1,196	-0.044 [0.056] N=1,018	-0.052 [0.064] N=826
Not underweight WAZ at least -2	0.931 P=1,591	-0.005 [0.026] N=1,710	-0.002 [0.027] N=1,560	-0.002 [0.029] N=1,361	-0.004 [0.030] N=1,155	0.011 [0.031] N=929
Neither wasted nor overweight WHZ -2 to +2	0.686 P=1,026	**-0.097* [0.054] N=1,501**	-0.087 [0.055] N=1,361	-0.093 [0.059] N=1,190	-0.052 [0.062] N=1,011	-0.058 [0.068] N=819
Neither low nor high BMIZ -2 to +2	0.659 P=963	**-0.166*** [0.054] N=1,468**	**-0.152*** [0.058] N=1,331**	**-0.137** [0.062] N=1,164**	-0.106 [0.064] N=990	**-0.119* [0.069] N=806**
Strict normal HAZ -2 to +3	0.709 P=1,078	-0.046 [0.045] N=1,513	-0.043 [0.046] N=1,370	-0.029 [0.048] N=1,196	-0.030 [0.052] N=1,018	-0.059 [0.060] N=826
Strict normal WAZ -2 to +1	0.683 P=1,169	0.005 [0.045] N=1,710	-0.009 [0.047] N=1,560	-0.011 [0.049] N=1,361	-0.033 [0.053] N=1,155	-0.015 [0.059] N=929
Strict normal WHZ -2 to +1	0.519 P=770	**-0.141*** [0.052] N=1,501**	**-0.150*** [0.054] N=1,361**	**-0.145** [0.058] N=1,190**	-0.098 [0.063] N=1,011	**-0.127* [0.071] N=819**
Strict normal BMIZ -2 to +1	0.518 P=754	**-0.135** [0.054] N=1,468**	**-0.135** [0.056] N=1,331**	**-0.108* [0.061] N=1,164**	-0.064 [0.066] N=990	-0.080 [0.072] N=806
Above-normal height HAZ above +3	0.071 P=107	-0.004 [0.028] N=1,513	-0.001 [0.029] N=1,370	-0.001 [0.032] N=1,196	-0.014 [0.035] N=1,018	0.007 [0.042] N=826
Above-normal weight WAZ above +1	0.247 P=422	-0.010 [0.039] N=1,710	0.007 [0.041] N=1,560	0.009 [0.042] N=1,361	0.029 [0.045] N=1,155	0.026 [0.051] N=929
Above-normal WHZ above +1	0.364 P=553	**0.115** [0.050] N=1,501**	**0.119** [0.052] N=1,361**	0.092 [0.056] N=1,190	0.091 [0.061] N=1,011	0.114 [0.069] N=819
Above-normal BMIZ above +1	0.354 P=524	0.082 [0.052] N=1,468	0.076 [0.053] N=1,331	0.041 [0.057] N=1,164	0.034 [0.067] N=990	0.046 [0.075] N=806

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.061 [0.073] N=1,305	-0.045 [0.075] N=1,162	-0.022 [0.082] N=988	-0.063 [0.101] N=810	-0.091 [0.128] N=618
Not underweight WAZ at least -2	-0.028 [0.041] N=1,479	-0.024 [0.043] N=1,329	-0.032 [0.049] N=1,130	-0.042 [0.054] N=924	-0.006 [0.057] N=698
Neither wasted nor overweight WHZ -2 to +2	**-0.196*** [0.063] N=1,293**	**-0.181*** [0.067] N=1,153**	**-0.216*** [0.072] N=982**	**-0.149* [0.083] N=803**	**-0.168* [0.100] N=611**
Neither low nor high BMIZ -2 to +2	**-0.240*** [0.063] N=1,270**	**-0.215*** [0.070] N=1,133**	**-0.205*** [0.075] N=966**	**-0.153* [0.089] N=792**	**-0.178* [0.105] N=608**
Strict normal HAZ -2 to +3	-0.038 [0.067] N=1,305	-0.022 [0.070] N=1,162	0.003 [0.074] N=988	-0.002 [0.090] N=810	-0.061 [0.113] N=618
Strict normal WAZ -2 to +1	0.042 [0.066] N=1,479	0.031 [0.070] N=1,329	0.035 [0.077] N=1,130	-0.006 [0.088] N=924	0.068 [0.104] N=698
Strict normal WHZ -2 to +1	**-0.194*** [0.071] N=1,293**	**-0.210*** [0.075] N=1,153**	**-0.215** [0.083] N=982**	-0.115 [0.099] N=803	-0.183 [0.127] N=611
Strict normal BMIZ -2 to +1	**-0.199** [0.079] N=1,270**	**-0.200** [0.083] N=1,133**	**-0.175* [0.093] N=966**	-0.082 [0.110] N=792	-0.121 [0.136] N=608
Above-normal height HAZ above +3	-0.023 [0.034] N=1,305	-0.023 [0.035] N=1,162	-0.025 [0.041] N=988	-0.061 [0.046] N=810	-0.030 [0.061] N=618
Above-normal weight WAZ above +1	-0.071 [0.058] N=1,479	-0.054 [0.063] N=1,329	-0.067 [0.066] N=1,130	-0.036 [0.073] N=924	-0.074 [0.092] N=698
Above-normal WHZ above +1	0.120 [0.076] N=1,293	0.125 [0.079] N=1,153	0.077 [0.090] N=982	0.073 [0.098] N=803	0.115 [0.122] N=611
Above-normal BMIZ above +1	0.084 [0.080] N=1,270	0.074 [0.082] N=1,133	0.020 [0.094] N=966	0.005 [0.113] N=792	0.032 [0.136] N=608

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.780 P=1,185	-0.051 [0.046] N=1,513	-0.043 [0.047] N=1,370	-0.028 [0.049] N=1,196	-0.041 [0.054] N=1,018	-0.051 [0.062] N=826
Not underweight WAZ at least -2	0.931 P=1,591	-0.005 [0.026] N=1,710	-0.001 [0.027] N=1,560	-0.000 [0.029] N=1,361	-0.003 [0.030] N=1,155	0.010 [0.030] N=929
Neither wasted nor overweight WHZ -2 to +2	0.686 P=1,026	**-0.098* [0.054] N=1,501**	-0.086 [0.056] N=1,361	-0.092 [0.060] N=1,190	-0.050 [0.063] N=1,011	-0.060 [0.069] N=819
Neither low nor high BMIZ -2 to +2	0.659 P=963	**-0.166*** [0.055] N=1,468**	**-0.151** [0.058] N=1,331**	**-0.136** [0.064] N=1,164**	-0.105 [0.066] N=990	**-0.124* [0.071] N=806**
Strict normal HAZ -2 to +3	0.709 P=1,078	-0.048 [0.044] N=1,513	-0.043 [0.045] N=1,370	-0.026 [0.047] N=1,196	-0.026 [0.051] N=1,018	-0.057 [0.059] N=826
Strict normal WAZ -2 to +1	0.683 P=1,169	0.004 [0.045] N=1,710	-0.010 [0.047] N=1,560	-0.013 [0.050] N=1,361	-0.033 [0.053] N=1,155	-0.016 [0.058] N=929
Strict normal WHZ -2 to +1	0.519 P=770	**-0.140*** [0.052] N=1,501**	**-0.147*** [0.054] N=1,361**	**-0.145** [0.059] N=1,190**	-0.097 [0.064] N=1,011	**-0.130* [0.071] N=819**
Strict normal BMIZ -2 to +1	0.518 P=754	**-0.135** [0.054] N=1,468**	**-0.134** [0.056] N=1,331**	**-0.109* [0.061] N=1,164**	-0.064 [0.066] N=990	-0.085 [0.072] N=806
Above-normal height HAZ above +3	0.071 P=107	-0.003 [0.028] N=1,513	-0.001 [0.029] N=1,370	-0.002 [0.032] N=1,196	-0.015 [0.035] N=1,018	0.006 [0.042] N=826
Above-normal weight WAZ above +1	0.247 P=422	-0.008 [0.040] N=1,710	0.009 [0.042] N=1,560	0.013 [0.043] N=1,361	0.030 [0.046] N=1,155	0.026 [0.051] N=929
Above-normal WHZ above +1	0.364 P=553	**0.115** [0.050] N=1,501**	**0.119** [0.052] N=1,361**	**0.095* [0.056] N=1,190**	0.092 [0.060] N=1,011	**0.117* [0.068] N=819**
Above-normal BMIZ above +1	0.354 P=524	0.082 [0.052] N=1,468	0.076 [0.053] N=1,331	0.044 [0.057] N=1,164	0.035 [0.066] N=990	0.049 [0.073] N=806

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.058 [0.070] N=1,305	-0.041 [0.073] N=1,162	-0.019 [0.079] N=988	-0.052 [0.097] N=810	-0.084 [0.121] N=618
Not underweight WAZ at least -2	-0.026 [0.040] N=1,479	-0.021 [0.044] N=1,329	-0.024 [0.049] N=1,130	-0.035 [0.054] N=924	0.001 [0.056] N=698
Neither wasted nor overweight WHZ -2 to +2	**-0.197*** [0.064] N=1,293**	**-0.180*** [0.068] N=1,153**	**-0.215*** [0.074] N=982**	**-0.146* [0.086] N=803**	-0.170 [0.104] N=611
Neither low nor high BMIZ -2 to +2	**-0.238*** [0.065] N=1,270**	**-0.213*** [0.072] N=1,133**	**-0.202** [0.078] N=966**	-0.145 [0.093] N=792	-0.175 [0.109] N=608
Strict normal HAZ -2 to +3	-0.037 [0.066] N=1,305	-0.019 [0.069] N=1,162	0.008 [0.074] N=988	0.011 [0.088] N=810	-0.055 [0.111] N=618
Strict normal WAZ -2 to +1	0.049 [0.067] N=1,479	0.037 [0.071] N=1,329	0.038 [0.078] N=1,130	0.004 [0.089] N=924	0.074 [0.105] N=698
Strict normal WHZ -2 to +1	**-0.189** [0.073] N=1,293**	**-0.203*** [0.077] N=1,153**	**-0.212** [0.086] N=982**	-0.110 [0.102] N=803	-0.182 [0.131] N=611
Strict normal BMIZ -2 to +1	**-0.190** [0.081] N=1,270**	**-0.190** [0.084] N=1,133**	**-0.168* [0.095] N=966**	-0.071 [0.113] N=792	-0.114 [0.138] N=608
Above-normal height HAZ above +3	-0.021 [0.034] N=1,305	-0.023 [0.035] N=1,162	-0.026 [0.042] N=988	-0.062 [0.046] N=810	-0.029 [0.062] N=618
Above-normal weight WAZ above +1	-0.075 [0.059] N=1,479	-0.059 [0.064] N=1,329	-0.062 [0.068] N=1,130	-0.038 [0.075] N=924	-0.073 [0.092] N=698
Above-normal WHZ above +1	0.115 [0.076] N=1,293	0.119 [0.080] N=1,153	0.077 [0.091] N=982	0.067 [0.098] N=803	0.112 [0.121] N=611
Above-normal BMIZ above +1	0.077 [0.080] N=1,270	0.066 [0.082] N=1,133	0.017 [0.094] N=966	-0.003 [0.112] N=792	0.027 [0.135] N=608

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.780 P=1,185	-0.046 [0.046] N=1,513	-0.037 [0.047] N=1,370	-0.021 [0.050] N=1,196	-0.036 [0.056] N=1,018	-0.050 [0.063] N=826
Not underweight WAZ at least -2	0.931 P=1,591	-0.001 [0.027] N=1,710	0.002 [0.028] N=1,560	0.004 [0.029] N=1,361	0.001 [0.031] N=1,155	0.017 [0.032] N=929
Neither wasted nor overweight WHZ -2 to +2	0.686 P=1,026	**-0.094* [0.053] N=1,501**	-0.083 [0.054] N=1,361	-0.092 [0.058] N=1,190	-0.051 [0.061] N=1,011	-0.058 [0.066] N=819
Neither low nor high BMIZ -2 to +2	0.659 P=963	**-0.162*** [0.054] N=1,468**	**-0.147** [0.057] N=1,331**	**-0.134** [0.062] N=1,164**	-0.104 [0.065] N=990	**-0.117* [0.069] N=806**
Strict normal HAZ -2 to +3	0.709 P=1,078	-0.043 [0.045] N=1,513	-0.036 [0.046] N=1,370	-0.018 [0.048] N=1,196	-0.019 [0.053] N=1,018	-0.053 [0.060] N=826
Strict normal WAZ -2 to +1	0.683 P=1,169	0.009 [0.045] N=1,710	-0.004 [0.047] N=1,560	-0.006 [0.049] N=1,361	-0.027 [0.054] N=1,155	-0.005 [0.059] N=929
Strict normal WHZ -2 to +1	0.519 P=770	**-0.136*** [0.051] N=1,501**	**-0.144*** [0.053] N=1,361**	**-0.143** [0.058] N=1,190**	-0.095 [0.063] N=1,011	**-0.127* [0.069] N=819**
Strict normal BMIZ -2 to +1	0.518 P=754	**-0.125** [0.054] N=1,468**	**-0.123** [0.055] N=1,331**	**-0.100* [0.060] N=1,164**	-0.055 [0.064] N=990	-0.073 [0.071] N=806
Above-normal height HAZ above +3	0.071 P=107	-0.004 [0.028] N=1,513	-0.002 [0.029] N=1,370	-0.002 [0.032] N=1,196	-0.017 [0.036] N=1,018	0.002 [0.042] N=826
Above-normal weight WAZ above +1	0.247 P=422	-0.010 [0.040] N=1,710	0.006 [0.042] N=1,560	0.010 [0.042] N=1,361	0.028 [0.045] N=1,155	0.022 [0.050] N=929
Above-normal WHZ above +1	0.364 P=553	**0.110** [0.050] N=1,501**	**0.113** [0.052] N=1,361**	0.089 [0.056] N=1,190	0.088 [0.060] N=1,011	**0.115* [0.069] N=819**
Above-normal BMIZ above +1	0.354 P=524	0.073 [0.051] N=1,468	0.066 [0.052] N=1,331	0.036 [0.056] N=1,164	0.027 [0.065] N=990	0.043 [0.074] N=806

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.057 [0.070] N=1,305	-0.036 [0.073] N=1,162	-0.006 [0.080] N=988	-0.044 [0.099] N=810	-0.091 [0.125] N=618
Not underweight WAZ at least -2	-0.022 [0.040] N=1,479	-0.018 [0.044] N=1,329	-0.019 [0.049] N=1,130	-0.031 [0.054] N=924	0.004 [0.057] N=698
Neither wasted nor overweight WHZ -2 to +2	**-0.194*** [0.063] N=1,293**	**-0.177*** [0.067] N=1,153**	**-0.216*** [0.073] N=982**	**-0.146* [0.084] N=803**	**-0.173* [0.099] N=611**
Neither low nor high BMIZ -2 to +2	**-0.238*** [0.064] N=1,270**	**-0.212*** [0.070] N=1,133**	**-0.204*** [0.076] N=966**	**-0.152* [0.091] N=792**	**-0.188* [0.105] N=608**
Strict normal HAZ -2 to +3	-0.035 [0.065] N=1,305	-0.013 [0.068] N=1,162	0.022 [0.073] N=988	0.020 [0.088] N=810	-0.056 [0.113] N=618
Strict normal WAZ -2 to +1	0.047 [0.066] N=1,479	0.036 [0.070] N=1,329	0.040 [0.077] N=1,130	0.003 [0.089] N=924	0.078 [0.103] N=698
Strict normal WHZ -2 to +1	**-0.191*** [0.071] N=1,293**	**-0.206*** [0.076] N=1,153**	**-0.216** [0.084] N=982**	-0.113 [0.100] N=803	-0.199 [0.127] N=611
Strict normal BMIZ -2 to +1	**-0.192** [0.079] N=1,270**	**-0.191** [0.083] N=1,133**	**-0.174* [0.093] N=966**	-0.077 [0.111] N=792	-0.130 [0.136] N=608
Above-normal height HAZ above +3	-0.022 [0.034] N=1,305	-0.023 [0.035] N=1,162	-0.028 [0.041] N=988	-0.064 [0.046] N=810	-0.035 [0.063] N=618
Above-normal weight WAZ above +1	-0.069 [0.059] N=1,479	-0.053 [0.063] N=1,329	-0.059 [0.067] N=1,130	-0.035 [0.074] N=924	-0.074 [0.089] N=698
Above-normal WHZ above +1	0.116 [0.075] N=1,293	0.119 [0.079] N=1,153	0.074 [0.089] N=982	0.068 [0.098] N=803	0.129 [0.123] N=611
Above-normal BMIZ above +1	0.077 [0.079] N=1,270	0.065 [0.080] N=1,133	0.018 [0.092] N=966	-0.000 [0.111] N=792	0.042 [0.138] N=608

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.779 P=1,096	-0.061 [0.049] N=1,400	-0.060 [0.050] N=1,268	-0.042 [0.052] N=1,111	-0.048 [0.055] N=944	-0.061 [0.063] N=768
Not underweight WAZ at least -2	0.931 P=1,471	-0.005 [0.027] N=1,581	-0.002 [0.028] N=1,442	0.002 [0.029] N=1,263	-0.004 [0.031] N=1,073	0.006 [0.031] N=866
Neither wasted nor overweight WHZ -2 to +2	0.686 P=950	**-0.098* [0.054] N=1,390**	-0.083 [0.055] N=1,261	-0.087 [0.057] N=1,105	-0.041 [0.059] N=938	-0.046 [0.065] N=763
Neither low nor high BMIZ -2 to +2	0.662 P=898	**-0.167*** [0.056] N=1,359**	**-0.149** [0.058] N=1,233**	**-0.127** [0.062] N=1,082**	-0.092 [0.066] N=920	-0.105 [0.071] N=752
Strict normal HAZ -2 to +3	0.711 P=1,003	-0.055 [0.049] N=1,400	-0.060 [0.050] N=1,268	-0.043 [0.051] N=1,111	-0.030 [0.054] N=944	-0.064 [0.064] N=768
Strict normal WAZ -2 to +1	0.681 P=1,078	-0.004 [0.046] N=1,581	-0.017 [0.049] N=1,442	-0.005 [0.052] N=1,263	-0.029 [0.057] N=1,073	-0.010 [0.061] N=866
Strict normal WHZ -2 to +1	0.521 P=715	**-0.150*** [0.054] N=1,390**	**-0.160*** [0.055] N=1,261**	**-0.153*** [0.058] N=1,105**	-0.100 [0.062] N=938	**-0.127* [0.068] N=763**
Strict normal BMIZ -2 to +1	0.521 P=703	**-0.145** [0.057] N=1,359**	**-0.143** [0.058] N=1,233**	**-0.108* [0.062] N=1,082**	-0.068 [0.066] N=920	-0.080 [0.074] N=752
Above-normal height HAZ above +3	0.067 P=93	-0.006 [0.029] N=1,400	-0.001 [0.029] N=1,268	0.002 [0.032] N=1,111	-0.018 [0.035] N=944	0.003 [0.042] N=768
Above-normal weight WAZ above +1	0.250 P=393	-0.002 [0.040] N=1,581	0.015 [0.042] N=1,442	0.007 [0.044] N=1,263	0.026 [0.047] N=1,073	0.016 [0.051] N=866
Above-normal WHZ above +1	0.362 P=510	**0.122** [0.053] N=1,390**	**0.131** [0.055] N=1,261**	**0.098* [0.058] N=1,105**	0.087 [0.062] N=938	0.105 [0.069] N=763
Above-normal BMIZ above +1	0.352 P=483	0.085 [0.055] N=1,359	0.081 [0.056] N=1,233	0.035 [0.060] N=1,082	0.022 [0.067] N=920	0.024 [0.076] N=752

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.054 [0.079] N=1,203	-0.044 [0.083] N=1,071	-0.013 [0.088] N=914	-0.026 [0.104] N=747	-0.044 [0.137] N=571
Not underweight WAZ at least -2	-0.026 [0.041] N=1,363	-0.020 [0.045] N=1,224	-0.021 [0.050] N=1,045	-0.039 [0.058] N=855	-0.002 [0.062] N=648
Neither wasted nor overweight WHZ -2 to +2	**-0.198*** [0.068] N=1,193**	**-0.173** [0.071] N=1,064**	**-0.200** [0.077] N=908**	-0.111 [0.089] N=741	-0.119 [0.108] N=566
Neither low nor high BMIZ -2 to +2	**-0.263*** [0.065] N=1,170**	**-0.234*** [0.071] N=1,044**	**-0.207*** [0.073] N=893**	-0.146 [0.091] N=731	-0.170 [0.104] N=563
Strict normal HAZ -2 to +3	-0.038 [0.075] N=1,203	-0.034 [0.080] N=1,071	-0.003 [0.082] N=914	0.035 [0.096] N=747	-0.011 [0.133] N=571
Strict normal WAZ -2 to +1	0.033 [0.070] N=1,363	0.024 [0.074] N=1,224	0.053 [0.082] N=1,045	-0.002 [0.094] N=855	0.075 [0.113] N=648
Strict normal WHZ -2 to +1	**-0.215*** [0.077] N=1,193**	**-0.235*** [0.081] N=1,064**	**-0.231** [0.090] N=908**	-0.114 [0.105] N=741	-0.166 [0.141] N=566
Strict normal BMIZ -2 to +1	**-0.225*** [0.082] N=1,170**	**-0.228*** [0.086] N=1,044**	**-0.184* [0.095] N=893**	-0.100 [0.110] N=731	-0.118 [0.145] N=563
Above-normal height HAZ above +3	-0.016 [0.033] N=1,203	-0.010 [0.034] N=1,071	-0.011 [0.039] N=914	-0.061 [0.043] N=747	-0.033 [0.059] N=571
Above-normal weight WAZ above +1	-0.059 [0.062] N=1,363	-0.044 [0.067] N=1,224	-0.074 [0.072] N=1,045	-0.037 [0.080] N=855	-0.077 [0.102] N=648
Above-normal WHZ above +1	**0.140* [0.083] N=1,193**	**0.155* [0.088] N=1,064**	0.096 [0.101] N=908	0.077 [0.109] N=741	0.099 [0.138] N=566
Above-normal BMIZ above +1	0.101 [0.088] N=1,170	0.096 [0.091] N=1,044	0.020 [0.106] N=893	0.005 [0.122] N=731	-0.001 [0.152] N=563

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.779 P=1,096	-0.061 [0.049] N=1,400	-0.058 [0.050] N=1,268	-0.039 [0.051] N=1,111	-0.047 [0.055] N=944	-0.062 [0.063] N=768
Not underweight WAZ at least -2	0.931 P=1,471	-0.004 [0.026] N=1,581	-0.000 [0.028] N=1,442	0.003 [0.029] N=1,263	-0.002 [0.030] N=1,073	0.007 [0.031] N=866
Neither wasted nor overweight WHZ -2 to +2	0.686 P=950	**-0.093* [0.054] N=1,390**	-0.077 [0.054] N=1,261	-0.079 [0.057] N=1,105	-0.033 [0.059] N=938	-0.039 [0.065] N=763
Neither low nor high BMIZ -2 to +2	0.662 P=898	**-0.163*** [0.055] N=1,359**	**-0.144** [0.057] N=1,233**	**-0.121* [0.061] N=1,082**	-0.085 [0.065] N=920	-0.097 [0.068] N=752
Strict normal HAZ -2 to +3	0.711 P=1,003	-0.053 [0.049] N=1,400	-0.055 [0.050] N=1,268	-0.038 [0.051] N=1,111	-0.025 [0.055] N=944	-0.060 [0.064] N=768
Strict normal WAZ -2 to +1	0.681 P=1,078	-0.002 [0.046] N=1,581	-0.013 [0.048] N=1,442	-0.003 [0.051] N=1,263	-0.027 [0.056] N=1,073	-0.010 [0.060] N=866
Strict normal WHZ -2 to +1	0.521 P=715	**-0.146*** [0.053] N=1,390**	**-0.153*** [0.054] N=1,261**	**-0.144** [0.058] N=1,105**	-0.091 [0.062] N=938	**-0.116* [0.069] N=763**
Strict normal BMIZ -2 to +1	0.521 P=703	**-0.142** [0.056] N=1,359**	**-0.140** [0.056] N=1,233**	**-0.104* [0.061] N=1,082**	-0.063 [0.064] N=920	-0.074 [0.072] N=752
Above-normal height HAZ above +3	0.067 P=93	-0.008 [0.029] N=1,400	-0.003 [0.030] N=1,268	-0.001 [0.033] N=1,111	-0.022 [0.036] N=944	-0.001 [0.043] N=768
Above-normal weight WAZ above +1	0.250 P=393	-0.002 [0.040] N=1,581	0.013 [0.042] N=1,442	0.006 [0.044] N=1,263	0.025 [0.046] N=1,073	0.016 [0.050] N=866
Above-normal WHZ above +1	0.362 P=510	**0.123** [0.053] N=1,390**	**0.129** [0.055] N=1,261**	0.095 [0.058] N=1,105	0.084 [0.062] N=938	0.100 [0.070] N=763
Above-normal BMIZ above +1	0.352 P=483	0.087 [0.055] N=1,359	0.082 [0.056] N=1,233	0.035 [0.060] N=1,082	0.023 [0.068] N=920	0.024 [0.077] N=752

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.057 [0.079] N=1,203	-0.046 [0.082] N=1,071	-0.016 [0.087] N=914	-0.038 [0.104] N=747	-0.075 [0.134] N=571
Not underweight WAZ at least -2	-0.026 [0.041] N=1,363	-0.020 [0.044] N=1,224	-0.021 [0.050] N=1,045	-0.041 [0.057] N=855	-0.014 [0.060] N=648
Neither wasted nor overweight WHZ -2 to +2	**-0.198*** [0.067] N=1,193**	**-0.173** [0.071] N=1,064**	**-0.197** [0.076] N=908**	-0.111 [0.089] N=741	-0.130 [0.108] N=566
Neither low nor high BMIZ -2 to +2	**-0.263*** [0.064] N=1,170**	**-0.234*** [0.070] N=1,044**	**-0.207*** [0.072] N=893**	-0.146 [0.090] N=731	**-0.172* [0.101] N=563**
Strict normal HAZ -2 to +3	-0.039 [0.074] N=1,203	-0.033 [0.078] N=1,071	-0.001 [0.080] N=914	0.029 [0.095] N=747	-0.034 [0.129] N=571
Strict normal WAZ -2 to +1	0.034 [0.070] N=1,363	0.027 [0.074] N=1,224	0.055 [0.081] N=1,045	-0.001 [0.094] N=855	0.066 [0.112] N=648
Strict normal WHZ -2 to +1	**-0.216*** [0.076] N=1,193**	**-0.233*** [0.081] N=1,064**	**-0.227** [0.089] N=908**	-0.111 [0.104] N=741	-0.165 [0.139] N=566
Strict normal BMIZ -2 to +1	**-0.229*** [0.083] N=1,170**	**-0.231*** [0.086] N=1,044**	**-0.188** [0.094] N=893**	-0.106 [0.111] N=731	-0.135 [0.142] N=563
Above-normal height HAZ above +3	-0.019 [0.034] N=1,203	-0.013 [0.034] N=1,071	-0.015 [0.040] N=914	-0.067 [0.043] N=747	-0.041 [0.060] N=571
Above-normal weight WAZ above +1	-0.060 [0.062] N=1,363	-0.047 [0.067] N=1,224	-0.076 [0.071] N=1,045	-0.040 [0.079] N=855	-0.081 [0.101] N=648
Above-normal WHZ above +1	**0.141* [0.083] N=1,193**	**0.153* [0.088] N=1,064**	0.092 [0.100] N=908	0.074 [0.107] N=741	0.093 [0.135] N=566
Above-normal BMIZ above +1	0.105 [0.088] N=1,170	0.098 [0.091] N=1,044	0.023 [0.104] N=893	0.011 [0.122] N=731	0.011 [0.150] N=563

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one earliest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.