Table 10 Reduced Form Effects on Frequent Nutrition for Ages 0-3: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Food outcomes require an age above six calendar months and recorded codes 1-9. Codes 1-2 indicate daily or several times weekly consumption. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,447	0.021 [0.032] N=1,721	0.021 [0.032] N=1,588	0.033 [0.035] N=1,430	0.012 [0.036] N=1,226	0.012 [0.041] N=1,010
Vegetables consumed daily or several times weekly	0.765 P=1,318	0.030 [0.043] N=1,721	0.023 [0.045] N=1,588	0.016 [0.048] N=1,430	-0.021 [0.051] N=1,226	-0.051 [0.058] N=1,010
Meat fish or poultry consumed daily or several times weekly	0.565 P=974	0.037 [0.052] N=1,721	0.036 [0.054] N=1,588	0.033 [0.057] N=1,430	0.039 [0.063] N=1,226	0.025 [0.069] N=1,010
Legumes consumed daily or several times weekly	0.556 P=954	0.017 [0.047] N=1,721	0.014 [0.049] N=1,588	0.030 [0.051] N=1,430	0.074 [0.057] N=1,226	0.065 [0.067] N=1,010
Animal products consumed daily or several times weekly	0.853 P=1,468	**0.073** [0.035] N=1,721**	**0.070* [0.036] N=1,588**	0.045 [0.038] N=1,430	0.056 [0.040] N=1,226	0.044 [0.043] N=1,010
Sweets consumed daily or several times weekly	0.467 P=811	-0.039 [0.047] N=1,721	-0.053 [0.048] N=1,588	-0.038 [0.051] N=1,430	-0.013 [0.053] N=1,226	0.014 [0.062] N=1,010
Snack foods consumed daily or several times weekly	0.348 P=597	0.049 [0.042] N=1,721	0.029 [0.044] N=1,588	0.027 [0.048] N=1,430	0.069 [0.050] N=1,226	0.063 [0.055] N=1,010
Packaged soft drinks consumed daily or several times weekly	0.202 P=341	0.005 [0.041] N=1,721	0.010 [0.044] N=1,588	0.002 [0.048] N=1,430	0.008 [0.052] N=1,226	-0.016 [0.059] N=1,010
Grains consumed daily or several times weekly	0.799 P=1,375	0.034 [0.039] N=1,721	0.046 [0.040] N=1,588	0.031 [0.043] N=1,430	0.040 [0.047] N=1,226	0.022 [0.051] N=1,010

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.052 [0.045] N=1,457	0.061 [0.047] N=1,324	**0.091* [0.054] N=1,166**	0.061 [0.065] N=962	0.097 [0.091] N=746
Vegetables consumed daily or several times weekly	0.070 [0.058] N=1,457	0.068 [0.064] N=1,324	0.064 [0.069] N=1,166	-0.013 [0.083] N=962	-0.088 [0.106] N=746
Meat fish or poultry consumed daily or several times weekly	0.014 [0.067] N=1,457	0.009 [0.070] N=1,324	-0.009 [0.075] N=1,166	-0.030 [0.091] N=962	-0.105 [0.111] N=746
Legumes consumed daily or several times weekly	-0.001 [0.067] N=1,457	-0.005 [0.073] N=1,324	0.019 [0.079] N=1,166	0.108 [0.097] N=962	0.087 [0.130] N=746
Animal products consumed daily or several times weekly	0.092 [0.056] N=1,457	0.090 [0.061] N=1,324	0.037 [0.068] N=1,166	0.060 [0.081] N=962	0.037 [0.100] N=746
Sweets consumed daily or several times weekly	-0.076 [0.065] N=1,457	-0.103 [0.069] N=1,324	-0.082 [0.078] N=1,166	-0.043 [0.083] N=962	0.011 [0.112] N=746
Snack foods consumed daily or several times weekly	0.028 [0.060] N=1,457	-0.012 [0.064] N=1,324	-0.024 [0.075] N=1,166	0.056 [0.089] N=962	-0.003 [0.110] N=746
Packaged soft drinks consumed daily or several times weekly	0.015 [0.052] N=1,457	0.029 [0.056] N=1,324	0.021 [0.064] N=1,166	0.034 [0.077] N=962	-0.022 [0.100] N=746
Grains consumed daily or several times weekly	0.065 [0.063] N=1,457	0.095 [0.068] N=1,324	0.069 [0.078] N=1,166	0.104 [0.097] N=962	0.088 [0.133] N=746

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,447	0.021 [0.032] N=1,721	0.020 [0.033] N=1,588	0.032 [0.035] N=1,430	0.011 [0.037] N=1,226	0.011 [0.042] N=1,010
Vegetables consumed daily or several times weekly	0.765 P=1,318	0.030 [0.043] N=1,721	0.022 [0.045] N=1,588	0.015 [0.048] N=1,430	-0.022 [0.051] N=1,226	-0.052 [0.058] N=1,010
Meat fish or poultry consumed daily or several times weekly	0.565 P=974	0.036 [0.052] N=1,721	0.035 [0.054] N=1,588	0.032 [0.057] N=1,430	0.038 [0.063] N=1,226	0.025 [0.070] N=1,010
Legumes consumed daily or several times weekly	0.556 P=954	0.017 [0.047] N=1,721	0.013 [0.050] N=1,588	0.030 [0.052] N=1,430	0.073 [0.058] N=1,226	0.064 [0.068] N=1,010
Animal products consumed daily or several times weekly	0.853 P=1,468	**0.072** [0.034] N=1,721**	**0.068* [0.036] N=1,588**	0.044 [0.038] N=1,430	0.055 [0.040] N=1,226	0.043 [0.043] N=1,010
Sweets consumed daily or several times weekly	0.467 P=811	-0.039 [0.047] N=1,721	-0.054 [0.048] N=1,588	-0.039 [0.051] N=1,430	-0.014 [0.053] N=1,226	0.015 [0.062] N=1,010
Snack foods consumed daily or several times weekly	0.348 P=597	0.049 [0.042] N=1,721	0.029 [0.044] N=1,588	0.027 [0.048] N=1,430	0.068 [0.050] N=1,226	0.062 [0.055] N=1,010
Packaged soft drinks consumed daily or several times weekly	0.202 P=341	0.005 [0.041] N=1,721	0.010 [0.044] N=1,588	0.002 [0.048] N=1,430	0.008 [0.052] N=1,226	-0.016 [0.059] N=1,010
Grains consumed daily or several times weekly	0.799 P=1,375	0.034 [0.039] N=1,721	0.046 [0.040] N=1,588	0.031 [0.043] N=1,430	0.040 [0.047] N=1,226	0.022 [0.051] N=1,010

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.052 [0.045] N=1,457	0.062 [0.047] N=1,324	**0.094* [0.054] N=1,166**	0.063 [0.065] N=962	0.100 [0.091] N=746
Vegetables consumed daily or several times weekly	0.070 [0.058] N=1,457	0.069 [0.064] N=1,324	0.065 [0.069] N=1,166	-0.011 [0.083] N=962	-0.086 [0.106] N=746
Meat fish or poultry consumed daily or several times weekly	0.015 [0.067] N=1,457	0.010 [0.070] N=1,324	-0.007 [0.075] N=1,166	-0.029 [0.091] N=962	-0.104 [0.111] N=746
Legumes consumed daily or several times weekly	0.000 [0.067] N=1,457	-0.004 [0.073] N=1,324	0.021 [0.079] N=1,166	0.110 [0.097] N=962	0.090 [0.130] N=746
Animal products consumed daily or several times weekly	**0.094* [0.055] N=1,457**	0.092 [0.061] N=1,324	0.041 [0.068] N=1,166	0.062 [0.080] N=962	0.042 [0.098] N=746
Sweets consumed daily or several times weekly	-0.076 [0.065] N=1,457	-0.102 [0.069] N=1,324	-0.081 [0.078] N=1,166	-0.042 [0.083] N=962	0.009 [0.112] N=746
Snack foods consumed daily or several times weekly	0.029 [0.061] N=1,457	-0.011 [0.065] N=1,324	-0.023 [0.076] N=1,166	0.057 [0.089] N=962	-0.002 [0.110] N=746
Packaged soft drinks consumed daily or several times weekly	0.016 [0.052] N=1,457	0.029 [0.056] N=1,324	0.021 [0.064] N=1,166	0.034 [0.077] N=962	-0.022 [0.100] N=746
Grains consumed daily or several times weekly	0.065 [0.063] N=1,457	0.096 [0.068] N=1,324	0.070 [0.078] N=1,166	0.104 [0.097] N=962	0.088 [0.133] N=746

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,447	-0.003 [0.032] N=1,721	-0.005 [0.033] N=1,588	0.009 [0.035] N=1,430	-0.009 [0.036] N=1,226	-0.013 [0.040] N=1,010
Vegetables consumed daily or several times weekly	0.765 P=1,318	0.012 [0.044] N=1,721	0.002 [0.046] N=1,588	-0.003 [0.048] N=1,430	-0.039 [0.051] N=1,226	-0.074 [0.058] N=1,010
Meat fish or poultry consumed daily or several times weekly	0.565 P=974	-0.000 [0.051] N=1,721	-0.003 [0.053] N=1,588	-0.001 [0.056] N=1,430	0.008 [0.062] N=1,226	-0.010 [0.070] N=1,010
Legumes consumed daily or several times weekly	0.556 P=954	-0.000 [0.048] N=1,721	-0.004 [0.050] N=1,588	0.015 [0.052] N=1,430	0.062 [0.057] N=1,226	0.053 [0.068] N=1,010
Animal products consumed daily or several times weekly	0.853 P=1,468	**0.058* [0.035] N=1,721**	0.053 [0.036] N=1,588	0.031 [0.038] N=1,430	0.044 [0.040] N=1,226	0.029 [0.043] N=1,010
Sweets consumed daily or several times weekly	0.467 P=811	-0.045 [0.047] N=1,721	-0.062 [0.048] N=1,588	-0.046 [0.051] N=1,430	-0.016 [0.054] N=1,226	0.011 [0.063] N=1,010
Snack foods consumed daily or several times weekly	0.348 P=597	0.052 [0.042] N=1,721	0.032 [0.044] N=1,588	0.027 [0.048] N=1,430	0.072 [0.050] N=1,226	0.069 [0.055] N=1,010
Packaged soft drinks consumed daily or several times weekly	0.202 P=341	0.012 [0.041] N=1,721	0.020 [0.043] N=1,588	0.008 [0.047] N=1,430	0.014 [0.051] N=1,226	-0.007 [0.057] N=1,010
Grains consumed daily or several times weekly	0.799 P=1,375	0.028 [0.039] N=1,721	0.042 [0.040] N=1,588	0.028 [0.043] N=1,430	0.037 [0.047] N=1,226	0.022 [0.052] N=1,010

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.028 [0.047] N=1,457	0.037 [0.050] N=1,324	0.072 [0.056] N=1,166	0.056 [0.071] N=962	0.085 [0.099] N=746
Vegetables consumed daily or several times weekly	0.053 [0.058] N=1,457	0.049 [0.063] N=1,324	0.052 [0.068] N=1,166	-0.012 [0.084] N=962	-0.093 [0.107] N=746
Meat fish or poultry consumed daily or several times weekly	-0.018 [0.064] N=1,457	-0.027 [0.068] N=1,324	-0.034 [0.074] N=1,166	-0.041 [0.091] N=962	-0.134 [0.119] N=746
Legumes consumed daily or several times weekly	-0.017 [0.067] N=1,457	-0.021 [0.073] N=1,324	0.009 [0.078] N=1,166	0.104 [0.097] N=962	0.078 [0.130] N=746
Animal products consumed daily or several times weekly	0.080 [0.054] N=1,457	0.077 [0.059] N=1,324	0.030 [0.067] N=1,166	0.067 [0.079] N=962	0.048 [0.096] N=746
Sweets consumed daily or several times weekly	-0.083 [0.065] N=1,457	-0.112 [0.069] N=1,324	-0.090 [0.077] N=1,166	-0.046 [0.082] N=962	0.005 [0.110] N=746
Snack foods consumed daily or several times weekly	0.030 [0.060] N=1,457	-0.010 [0.064] N=1,324	-0.027 [0.075] N=1,166	0.052 [0.088] N=962	-0.006 [0.109] N=746
Packaged soft drinks consumed daily or several times weekly	0.022 [0.052] N=1,457	0.037 [0.056] N=1,324	0.024 [0.064] N=1,166	0.034 [0.077] N=962	-0.022 [0.100] N=746
Grains consumed daily or several times weekly	0.058 [0.063] N=1,457	0.091 [0.068] N=1,324	0.066 [0.078] N=1,166	0.099 [0.098] N=962	0.085 [0.135] N=746

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.842 P=1,447	-0.005 [0.031] N=1,721	-0.006 [0.033] N=1,588	0.003 [0.035] N=1,430	-0.016 [0.036] N=1,226	-0.022 [0.041] N=1,010
Vegetables consumed daily or several times weekly	0.765 P=1,318	0.014 [0.043] N=1,721	0.007 [0.046] N=1,588	-0.002 [0.048] N=1,430	-0.040 [0.051] N=1,226	-0.074 [0.058] N=1,010
Meat fish or poultry consumed daily or several times weekly	0.565 P=974	-0.000 [0.051] N=1,721	-0.001 [0.053] N=1,588	-0.005 [0.056] N=1,430	0.002 [0.062] N=1,226	-0.020 [0.070] N=1,010
Legumes consumed daily or several times weekly	0.556 P=954	0.005 [0.048] N=1,721	0.004 [0.050] N=1,588	0.019 [0.051] N=1,430	0.063 [0.057] N=1,226	0.055 [0.068] N=1,010
Animal products consumed daily or several times weekly	0.853 P=1,468	0.057 [0.035] N=1,721	0.054 [0.036] N=1,588	0.031 [0.039] N=1,430	0.042 [0.041] N=1,226	0.026 [0.043] N=1,010
Sweets consumed daily or several times weekly	0.467 P=811	-0.045 [0.048] N=1,721	-0.061 [0.048] N=1,588	-0.045 [0.051] N=1,430	-0.015 [0.054] N=1,226	0.013 [0.063] N=1,010
Snack foods consumed daily or several times weekly	0.348 P=597	0.054 [0.042] N=1,721	0.035 [0.044] N=1,588	0.029 [0.049] N=1,430	0.075 [0.050] N=1,226	0.072 [0.055] N=1,010
Packaged soft drinks consumed daily or several times weekly	0.202 P=341	0.014 [0.040] N=1,721	0.020 [0.042] N=1,588	0.011 [0.046] N=1,430	0.019 [0.049] N=1,226	-0.001 [0.055] N=1,010
Grains consumed daily or several times weekly	0.799 P=1,375	0.035 [0.039] N=1,721	0.050 [0.040] N=1,588	0.036 [0.042] N=1,430	0.045 [0.047] N=1,226	0.032 [0.052] N=1,010

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.030 [0.045] N=1,457	0.041 [0.048] N=1,324	0.074 [0.054] N=1,166	0.056 [0.067] N=962	0.070 [0.097] N=746
Vegetables consumed daily or several times weekly	0.055 [0.058] N=1,457	0.054 [0.064] N=1,324	0.051 [0.068] N=1,166	-0.022 [0.084] N=962	-0.121 [0.108] N=746
Meat fish or poultry consumed daily or several times weekly	-0.016 [0.065] N=1,457	-0.020 [0.068] N=1,324	-0.034 [0.073] N=1,166	-0.051 [0.091] N=962	-0.164 [0.121] N=746
Legumes consumed daily or several times weekly	-0.014 [0.069] N=1,457	-0.016 [0.074] N=1,324	0.011 [0.079] N=1,166	0.102 [0.100] N=962	0.067 [0.135] N=746
Animal products consumed daily or several times weekly	0.083 [0.055] N=1,457	0.081 [0.061] N=1,324	0.032 [0.068] N=1,166	0.056 [0.082] N=962	0.029 [0.100] N=746
Sweets consumed daily or several times weekly	-0.077 [0.066] N=1,457	-0.105 [0.069] N=1,324	-0.085 [0.077] N=1,166	-0.040 [0.083] N=962	-0.001 [0.112] N=746
Snack foods consumed daily or several times weekly	0.035 [0.060] N=1,457	-0.007 [0.065] N=1,324	-0.021 [0.076] N=1,166	0.058 [0.089] N=962	-0.001 [0.110] N=746
Packaged soft drinks consumed daily or several times weekly	0.025 [0.051] N=1,457	0.037 [0.055] N=1,324	0.027 [0.064] N=1,166	0.038 [0.076] N=962	-0.010 [0.098] N=746
Grains consumed daily or several times weekly	0.062 [0.063] N=1,457	0.095 [0.067] N=1,324	0.068 [0.077] N=1,166	0.096 [0.098] N=962	0.076 [0.135] N=746

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,339	0.008 [0.033] N=1,596	0.002 [0.035] N=1,478	0.017 [0.037] N=1,329	0.000 [0.039] N=1,143	-0.010 [0.043] N=943
Vegetables consumed daily or several times weekly	0.764 P=1,222	0.018 [0.046] N=1,596	0.008 [0.048] N=1,478	0.005 [0.050] N=1,329	-0.030 [0.053] N=1,143	-0.063 [0.059] N=943
Meat fish or poultry consumed daily or several times weekly	0.568 P=905	0.042 [0.051] N=1,596	0.040 [0.052] N=1,478	0.038 [0.055] N=1,329	0.031 [0.060] N=1,143	0.007 [0.064] N=943
Legumes consumed daily or several times weekly	0.553 P=880	0.022 [0.047] N=1,596	0.011 [0.050] N=1,478	0.035 [0.051] N=1,329	0.072 [0.056] N=1,143	0.055 [0.066] N=943
Animal products consumed daily or several times weekly	0.858 P=1,369	**0.076** [0.036] N=1,596**	**0.072* [0.037] N=1,478**	0.047 [0.038] N=1,329	0.043 [0.041] N=1,143	0.023 [0.044] N=943
Sweets consumed daily or several times weekly	0.468 P=753	-0.029 [0.048] N=1,596	-0.045 [0.049] N=1,478	-0.024 [0.052] N=1,329	0.001 [0.054] N=1,143	0.032 [0.062] N=943
Snack foods consumed daily or several times weekly	0.350 P=557	0.049 [0.044] N=1,596	0.038 [0.046] N=1,478	0.042 [0.051] N=1,329	0.079 [0.052] N=1,143	0.087 [0.057] N=943
Packaged soft drinks consumed daily or several times weekly	0.207 P=324	0.027 [0.040] N=1,596	0.033 [0.042] N=1,478	0.026 [0.046] N=1,329	0.022 [0.049] N=1,143	0.007 [0.055] N=943
Grains consumed daily or several times weekly	0.800 P=1,275	0.031 [0.041] N=1,596	0.039 [0.042] N=1,478	0.023 [0.045] N=1,329	0.028 [0.050] N=1,143	0.004 [0.055] N=943

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.048 [0.047] N=1,349	0.049 [0.049] N=1,231	0.085 [0.057] N=1,082	0.060 [0.067] N=896	0.075 [0.092] N=696
Vegetables consumed daily or several times weekly	0.069 [0.061] N=1,349	0.067 [0.067] N=1,231	0.071 [0.071] N=1,082	0.001 [0.085] N=896	-0.082 [0.105] N=696
Meat fish or poultry consumed daily or several times weekly	0.040 [0.069] N=1,349	0.035 [0.072] N=1,231	0.028 [0.078] N=1,082	-0.020 [0.092] N=896	-0.117 [0.110] N=696
Legumes consumed daily or several times weekly	0.013 [0.070] N=1,349	-0.003 [0.077] N=1,231	0.040 [0.082] N=1,082	0.123 [0.099] N=896	0.083 [0.128] N=696
Animal products consumed daily or several times weekly	**0.114* [0.058] N=1,349**	**0.113* [0.063] N=1,231**	0.066 [0.070] N=1,082	0.066 [0.081] N=896	0.039 [0.102] N=696
Sweets consumed daily or several times weekly	-0.074 [0.068] N=1,349	-0.101 [0.073] N=1,231	-0.079 [0.083] N=1,082	-0.050 [0.088] N=896	-0.021 [0.122] N=696
Snack foods consumed daily or several times weekly	0.019 [0.065] N=1,349	-0.005 [0.070] N=1,231	-0.009 [0.083] N=1,082	0.056 [0.094] N=896	0.013 [0.120] N=696
Packaged soft drinks consumed daily or several times weekly	0.039 [0.053] N=1,349	0.056 [0.056] N=1,231	0.050 [0.066] N=1,082	0.047 [0.077] N=896	0.013 [0.101] N=696
Grains consumed daily or several times weekly	0.073 [0.065] N=1,349	0.098 [0.070] N=1,231	0.064 [0.080] N=1,082	0.093 [0.102] N=896	0.063 [0.139] N=696

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.841 P=1,339	0.005 [0.033] N=1,596	-0.000 [0.034] N=1,478	0.015 [0.037] N=1,329	-0.002 [0.038] N=1,143	-0.012 [0.042] N=943
Vegetables consumed daily or several times weekly	0.764 P=1,222	0.015 [0.045] N=1,596	0.005 [0.048] N=1,478	0.002 [0.050] N=1,329	-0.032 [0.053] N=1,143	-0.067 [0.059] N=943
Meat fish or poultry consumed daily or several times weekly	0.568 P=905	0.044 [0.051] N=1,596	0.041 [0.053] N=1,478	0.042 [0.055] N=1,329	0.035 [0.060] N=1,143	0.012 [0.065] N=943
Legumes consumed daily or several times weekly	0.553 P=880	0.018 [0.048] N=1,596	0.007 [0.050] N=1,478	0.032 [0.051] N=1,329	0.071 [0.056] N=1,143	0.055 [0.065] N=943
Animal products consumed daily or several times weekly	0.858 P=1,369	**0.075** [0.036] N=1,596**	**0.071* [0.037] N=1,478**	0.047 [0.038] N=1,329	0.044 [0.041] N=1,143	0.028 [0.043] N=943
Sweets consumed daily or several times weekly	0.468 P=753	-0.029 [0.048] N=1,596	-0.046 [0.049] N=1,478	-0.025 [0.052] N=1,329	-0.001 [0.053] N=1,143	0.028 [0.061] N=943
Snack foods consumed daily or several times weekly	0.350 P=557	0.046 [0.044] N=1,596	0.034 [0.045] N=1,478	0.038 [0.050] N=1,329	0.073 [0.051] N=1,143	0.075 [0.056] N=943
Packaged soft drinks consumed daily or several times weekly	0.207 P=324	0.023 [0.041] N=1,596	0.029 [0.043] N=1,478	0.022 [0.048] N=1,329	0.018 [0.051] N=1,143	-0.000 [0.057] N=943
Grains consumed daily or several times weekly	0.800 P=1,275	0.030 [0.041] N=1,596	0.038 [0.042] N=1,478	0.021 [0.045] N=1,329	0.026 [0.050] N=1,143	0.001 [0.055] N=943

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.045 [0.047] N=1,349	0.047 [0.049] N=1,231	0.087 [0.057] N=1,082	0.064 [0.067] N=896	0.081 [0.091] N=696
Vegetables consumed daily or several times weekly	0.065 [0.060] N=1,349	0.063 [0.067] N=1,231	0.071 [0.071] N=1,082	0.001 [0.086] N=896	-0.079 [0.106] N=696
Meat fish or poultry consumed daily or several times weekly	0.037 [0.068] N=1,349	0.032 [0.072] N=1,231	0.026 [0.077] N=1,082	-0.019 [0.092] N=896	-0.113 [0.109] N=696
Legumes consumed daily or several times weekly	0.009 [0.070] N=1,349	-0.007 [0.076] N=1,231	0.039 [0.082] N=1,082	0.122 [0.098] N=896	0.085 [0.128] N=696
Animal products consumed daily or several times weekly	**0.111* [0.058] N=1,349**	**0.110* [0.063] N=1,231**	0.064 [0.070] N=1,082	0.063 [0.082] N=896	0.041 [0.101] N=696
Sweets consumed daily or several times weekly	-0.079 [0.067] N=1,349	-0.110 [0.073] N=1,231	-0.084 [0.082] N=1,082	-0.050 [0.088] N=896	-0.018 [0.119] N=696
Snack foods consumed daily or several times weekly	0.015 [0.065] N=1,349	-0.011 [0.070] N=1,231	-0.012 [0.082] N=1,082	0.056 [0.094] N=896	0.014 [0.120] N=696
Packaged soft drinks consumed daily or several times weekly	0.036 [0.053] N=1,349	0.053 [0.056] N=1,231	0.048 [0.066] N=1,082	0.046 [0.077] N=896	0.012 [0.101] N=696
Grains consumed daily or several times weekly	0.071 [0.065] N=1,349	0.097 [0.070] N=1,231	0.067 [0.080] N=1,082	0.094 [0.102] N=896	0.066 [0.140] N=696

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,316	0.028 [0.042] N=1,548	0.031 [0.044] N=1,410	0.033 [0.048] N=1,229	0.014 [0.052] N=1,034	0.031 [0.058] N=829
Vegetables consumed daily or several times weekly	0.771 P=1,198	0.010 [0.055] N=1,548	0.022 [0.058] N=1,410	0.043 [0.062] N=1,229	0.025 [0.068] N=1,034	0.041 [0.076] N=829
Meat fish or poultry consumed daily or several times weekly	0.563 P=878	0.058 [0.054] N=1,548	0.068 [0.058] N=1,410	0.079 [0.062] N=1,229	0.110 [0.069] N=1,034	0.112 [0.077] N=829
Legumes consumed daily or several times weekly	0.559 P=866	0.007 [0.061] N=1,548	0.022 [0.064] N=1,410	0.009 [0.067] N=1,229	-0.013 [0.075] N=1,034	0.004 [0.085] N=829
Animal products consumed daily or several times weekly	0.853 P=1,320	**0.058* [0.035] N=1,548**	**0.063* [0.037] N=1,410**	**0.065* [0.038] N=1,229**	**0.070* [0.041] N=1,034**	**0.092** [0.043] N=829**
Sweets consumed daily or several times weekly	0.484 P=758	-0.067 [0.055] N=1,548	-0.079 [0.057] N=1,410	-0.049 [0.063] N=1,229	-0.065 [0.067] N=1,034	-0.108 [0.074] N=829
Snack foods consumed daily or several times weekly	0.363 P=560	-0.007 [0.049] N=1,548	-0.022 [0.051] N=1,410	-0.018 [0.054] N=1,229	-0.003 [0.056] N=1,034	-0.071 [0.062] N=829
Packaged soft drinks consumed daily or several times weekly	0.200 P=307	0.035 [0.038] N=1,548	0.025 [0.039] N=1,410	0.045 [0.042] N=1,229	0.042 [0.047] N=1,034	-0.029 [0.049] N=829
Grains consumed daily or several times weekly	0.801 P=1,245	**0.105** [0.046] N=1,548**	**0.114** [0.049] N=1,410**	**0.118** [0.052] N=1,229**	**0.117** [0.058] N=1,034**	0.090 [0.064] N=829

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.014 [0.065] N=1,344	-0.017 [0.071] N=1,206	-0.023 [0.083] N=1,025	-0.054 [0.091] N=830	-0.024 [0.122] N=625
Vegetables consumed daily or several times weekly	-0.053 [0.082] N=1,344	-0.039 [0.091] N=1,206	-0.022 [0.105] N=1,025	-0.069 [0.119] N=830	-0.055 [0.160] N=625
Meat fish or poultry consumed daily or several times weekly	-0.030 [0.064] N=1,344	-0.022 [0.071] N=1,206	-0.026 [0.077] N=1,025	-0.010 [0.093] N=830	-0.045 [0.112] N=625
Legumes consumed daily or several times weekly	0.051 [0.078] N=1,344	0.077 [0.084] N=1,206	0.074 [0.093] N=1,025	0.056 [0.111] N=830	0.147 [0.134] N=625
Animal products consumed daily or several times weekly	0.028 [0.054] N=1,344	0.032 [0.060] N=1,206	0.025 [0.064] N=1,025	0.033 [0.071] N=830	0.080 [0.086] N=625
Sweets consumed daily or several times weekly	-0.007 [0.073] N=1,344	-0.025 [0.077] N=1,206	0.059 [0.087] N=1,025	0.051 [0.101] N=830	-0.011 [0.116] N=625
Snack foods consumed daily or several times weekly	0.058 [0.065] N=1,344	0.034 [0.072] N=1,206	0.060 [0.077] N=1,025	0.119 [0.089] N=830	0.000 [0.108] N=625
Packaged soft drinks consumed daily or several times weekly	0.033 [0.054] N=1,344	0.019 [0.059] N=1,206	0.065 [0.067] N=1,025	0.073 [0.083] N=830	-0.101 [0.098] N=625
Grains consumed daily or several times weekly	0.064 [0.055] N=1,344	0.065 [0.060] N=1,206	0.062 [0.064] N=1,025	0.026 [0.075] N=830	-0.094 [0.085] N=625

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,316	0.028 [0.042] N=1,548	0.032 [0.044] N=1,410	0.034 [0.048] N=1,229	0.014 [0.052] N=1,034	0.029 [0.057] N=829
Vegetables consumed daily or several times weekly	0.771 P=1,198	0.010 [0.054] N=1,548	0.023 [0.057] N=1,410	0.044 [0.062] N=1,229	0.025 [0.068] N=1,034	0.039 [0.075] N=829
Meat fish or poultry consumed daily or several times weekly	0.563 P=878	0.059 [0.054] N=1,548	0.070 [0.057] N=1,410	0.081 [0.061] N=1,229	0.110 [0.069] N=1,034	0.110 [0.077] N=829
Legumes consumed daily or several times weekly	0.559 P=866	0.008 [0.061] N=1,548	0.022 [0.064] N=1,410	0.010 [0.067] N=1,229	-0.014 [0.075] N=1,034	0.004 [0.085] N=829
Animal products consumed daily or several times weekly	0.853 P=1,320	**0.060* [0.035] N=1,548**	**0.064* [0.036] N=1,410**	**0.066* [0.038] N=1,229**	**0.070* [0.040] N=1,034**	**0.090** [0.043] N=829**
Sweets consumed daily or several times weekly	0.484 P=758	-0.066 [0.056] N=1,548	-0.078 [0.057] N=1,410	-0.047 [0.063] N=1,229	-0.065 [0.067] N=1,034	-0.109 [0.074] N=829
Snack foods consumed daily or several times weekly	0.363 P=560	-0.006 [0.049] N=1,548	-0.020 [0.051] N=1,410	-0.017 [0.054] N=1,229	-0.003 [0.056] N=1,034	-0.071 [0.061] N=829
Packaged soft drinks consumed daily or several times weekly	0.200 P=307	0.035 [0.038] N=1,548	0.026 [0.039] N=1,410	0.046 [0.042] N=1,229	0.042 [0.047] N=1,034	-0.031 [0.049] N=829
Grains consumed daily or several times weekly	0.801 P=1,245	**0.105** [0.046] N=1,548**	**0.114** [0.049] N=1,410**	**0.118** [0.052] N=1,229**	**0.117** [0.058] N=1,034**	0.091 [0.065] N=829

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.012 [0.065] N=1,344	-0.013 [0.070] N=1,206	-0.019 [0.082] N=1,025	-0.050 [0.091] N=830	-0.017 [0.121] N=625
Vegetables consumed daily or several times weekly	-0.051 [0.081] N=1,344	-0.036 [0.090] N=1,206	-0.017 [0.104] N=1,025	-0.061 [0.116] N=830	-0.044 [0.158] N=625
Meat fish or poultry consumed daily or several times weekly	-0.024 [0.063] N=1,344	-0.015 [0.070] N=1,206	-0.016 [0.076] N=1,025	-0.001 [0.091] N=830	-0.038 [0.112] N=625
Legumes consumed daily or several times weekly	0.054 [0.078] N=1,344	0.079 [0.084] N=1,206	0.077 [0.092] N=1,025	0.062 [0.110] N=830	0.148 [0.134] N=625
Animal products consumed daily or several times weekly	0.033 [0.053] N=1,344	0.039 [0.058] N=1,206	0.033 [0.063] N=1,025	0.042 [0.069] N=830	0.092 [0.082] N=625
Sweets consumed daily or several times weekly	-0.002 [0.073] N=1,344	-0.017 [0.078] N=1,206	0.066 [0.088] N=1,025	0.056 [0.102] N=830	-0.003 [0.117] N=625
Snack foods consumed daily or several times weekly	0.063 [0.065] N=1,344	0.040 [0.072] N=1,206	0.066 [0.077] N=1,025	0.120 [0.088] N=830	0.004 [0.108] N=625
Packaged soft drinks consumed daily or several times weekly	0.035 [0.054] N=1,344	0.021 [0.058] N=1,206	0.069 [0.067] N=1,025	0.077 [0.083] N=830	-0.097 [0.098] N=625
Grains consumed daily or several times weekly	0.066 [0.055] N=1,344	0.066 [0.060] N=1,206	0.061 [0.065] N=1,025	0.019 [0.076] N=830	-0.099 [0.087] N=625

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,316	0.027 [0.040] N=1,548	0.031 [0.042] N=1,410	0.041 [0.046] N=1,229	0.019 [0.050] N=1,034	0.033 [0.055] N=829
Vegetables consumed daily or several times weekly	0.771 P=1,198	0.009 [0.054] N=1,548	0.023 [0.056] N=1,410	0.050 [0.061] N=1,229	0.029 [0.066] N=1,034	0.041 [0.074] N=829
Meat fish or poultry consumed daily or several times weekly	0.563 P=878	0.056 [0.052] N=1,548	0.068 [0.056] N=1,410	0.091 [0.059] N=1,229	**0.119* [0.065] N=1,034**	0.116 [0.071] N=829
Legumes consumed daily or several times weekly	0.559 P=866	0.006 [0.062] N=1,548	0.021 [0.065] N=1,410	0.014 [0.069] N=1,229	-0.009 [0.075] N=1,034	0.007 [0.084] N=829
Animal products consumed daily or several times weekly	0.853 P=1,320	**0.058* [0.035] N=1,548**	**0.063* [0.036] N=1,410**	**0.069* [0.039] N=1,229**	**0.073* [0.041] N=1,034**	**0.092** [0.043] N=829**
Sweets consumed daily or several times weekly	0.484 P=758	-0.065 [0.056] N=1,548	-0.078 [0.057] N=1,410	-0.046 [0.063] N=1,229	-0.064 [0.067] N=1,034	-0.111 [0.074] N=829
Snack foods consumed daily or several times weekly	0.363 P=560	-0.004 [0.049] N=1,548	-0.020 [0.051] N=1,410	-0.018 [0.054] N=1,229	-0.005 [0.056] N=1,034	-0.074 [0.062] N=829
Packaged soft drinks consumed daily or several times weekly	0.200 P=307	0.036 [0.037] N=1,548	0.025 [0.039] N=1,410	0.042 [0.042] N=1,229	0.038 [0.046] N=1,034	-0.035 [0.049] N=829
Grains consumed daily or several times weekly	0.801 P=1,245	**0.104** [0.047] N=1,548**	**0.114** [0.049] N=1,410**	**0.120** [0.053] N=1,229**	**0.117** [0.059] N=1,034**	0.092 [0.065] N=829

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.010 [0.063] N=1,344	-0.011 [0.068] N=1,206	-0.001 [0.080] N=1,025	-0.037 [0.090] N=830	-0.012 [0.119] N=625
Vegetables consumed daily or several times weekly	-0.048 [0.081] N=1,344	-0.032 [0.090] N=1,206	-0.001 [0.104] N=1,025	-0.047 [0.118] N=830	-0.037 [0.160] N=625
Meat fish or poultry consumed daily or several times weekly	-0.021 [0.062] N=1,344	-0.011 [0.069] N=1,206	0.012 [0.075] N=1,025	0.024 [0.091] N=830	-0.025 [0.105] N=625
Legumes consumed daily or several times weekly	0.051 [0.080] N=1,344	0.075 [0.086] N=1,206	0.085 [0.096] N=1,025	0.067 [0.113] N=830	0.149 [0.135] N=625
Animal products consumed daily or several times weekly	0.032 [0.052] N=1,344	0.037 [0.057] N=1,206	0.040 [0.063] N=1,025	0.048 [0.070] N=830	0.093 [0.080] N=625
Sweets consumed daily or several times weekly	-0.002 [0.073] N=1,344	-0.019 [0.078] N=1,206	0.068 [0.088] N=1,025	0.055 [0.102] N=830	-0.003 [0.114] N=625
Snack foods consumed daily or several times weekly	0.064 [0.064] N=1,344	0.039 [0.071] N=1,206	0.059 [0.075] N=1,025	0.111 [0.085] N=830	-0.002 [0.105] N=625
Packaged soft drinks consumed daily or several times weekly	0.032 [0.053] N=1,344	0.016 [0.057] N=1,206	0.057 [0.066] N=1,025	0.063 [0.080] N=830	-0.101 [0.096] N=625
Grains consumed daily or several times weekly	0.064 [0.055] N=1,344	0.063 [0.061] N=1,206	0.063 [0.066] N=1,025	0.013 [0.078] N=830	-0.106 [0.090] N=625

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.849 P=1,316	0.027 [0.041] N=1,548	0.033 [0.043] N=1,410	0.040 [0.048] N=1,229	0.012 [0.051] N=1,034	0.023 [0.056] N=829
Vegetables consumed daily or several times weekly	0.771 P=1,198	0.005 [0.054] N=1,548	0.019 [0.057] N=1,410	0.044 [0.062] N=1,229	0.018 [0.068] N=1,034	0.030 [0.074] N=829
Meat fish or poultry consumed daily or several times weekly	0.563 P=878	0.057 [0.051] N=1,548	0.073 [0.054] N=1,410	0.091 [0.057] N=1,229	**0.112* [0.064] N=1,034**	0.106 [0.069] N=829
Legumes consumed daily or several times weekly	0.559 P=866	0.005 [0.062] N=1,548	0.021 [0.064] N=1,410	0.012 [0.068] N=1,229	-0.012 [0.075] N=1,034	0.008 [0.083] N=829
Animal products consumed daily or several times weekly	0.853 P=1,320	**0.062* [0.034] N=1,548**	**0.067* [0.036] N=1,410**	**0.073* [0.038] N=1,229**	**0.073* [0.040] N=1,034**	**0.092** [0.043] N=829**
Sweets consumed daily or several times weekly	0.484 P=758	-0.060 [0.056] N=1,548	-0.073 [0.058] N=1,410	-0.044 [0.063] N=1,229	-0.062 [0.068] N=1,034	-0.104 [0.075] N=829
Snack foods consumed daily or several times weekly	0.363 P=560	0.001 [0.049] N=1,548	-0.014 [0.051] N=1,410	-0.015 [0.053] N=1,229	0.003 [0.056] N=1,034	-0.064 [0.062] N=829
Packaged soft drinks consumed daily or several times weekly	0.200 P=307	0.042 [0.037] N=1,548	0.030 [0.038] N=1,410	0.045 [0.041] N=1,229	0.046 [0.046] N=1,034	-0.024 [0.050] N=829
Grains consumed daily or several times weekly	0.801 P=1,245	**0.103** [0.047] N=1,548**	**0.111** [0.049] N=1,410**	**0.113** [0.053] N=1,229**	**0.110* [0.059] N=1,034**	0.085 [0.065] N=829

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.005 [0.065] N=1,344	-0.005 [0.070] N=1,206	0.004 [0.084] N=1,025	-0.046 [0.096] N=830	-0.031 [0.125] N=625
Vegetables consumed daily or several times weekly	-0.052 [0.082] N=1,344	-0.034 [0.092] N=1,206	-0.005 [0.108] N=1,025	-0.068 [0.122] N=830	-0.066 [0.163] N=625
Meat fish or poultry consumed daily or several times weekly	-0.015 [0.061] N=1,344	0.003 [0.068] N=1,206	0.021 [0.074] N=1,025	0.017 [0.093] N=830	-0.051 [0.105] N=625
Legumes consumed daily or several times weekly	0.053 [0.079] N=1,344	0.078 [0.086] N=1,206	0.083 [0.095] N=1,025	0.061 [0.113] N=830	0.141 [0.134] N=625
Animal products consumed daily or several times weekly	0.037 [0.050] N=1,344	0.043 [0.056] N=1,206	0.041 [0.060] N=1,025	0.042 [0.068] N=830	0.084 [0.079] N=625
Sweets consumed daily or several times weekly	0.002 [0.074] N=1,344	-0.016 [0.079] N=1,206	0.067 [0.088] N=1,025	0.048 [0.102] N=830	-0.013 [0.114] N=625
Snack foods consumed daily or several times weekly	0.067 [0.065] N=1,344	0.042 [0.071] N=1,206	0.059 [0.075] N=1,025	0.112 [0.085] N=830	-0.001 [0.106] N=625
Packaged soft drinks consumed daily or several times weekly	0.037 [0.053] N=1,344	0.018 [0.056] N=1,206	0.054 [0.065] N=1,025	0.063 [0.079] N=830	-0.103 [0.096] N=625
Grains consumed daily or several times weekly	0.062 [0.055] N=1,344	0.058 [0.061] N=1,206	0.050 [0.066] N=1,025	-0.003 [0.078] N=830	-0.125 [0.092] N=625

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,218	0.024 [0.042] N=1,434	0.030 [0.045] N=1,304	0.044 [0.049] N=1,141	0.018 [0.052] N=959	0.030 [0.057] N=772
Vegetables consumed daily or several times weekly	0.772 P=1,112	0.004 [0.055] N=1,434	0.019 [0.059] N=1,304	0.047 [0.063] N=1,141	0.016 [0.069] N=959	0.020 [0.077] N=772
Meat fish or poultry consumed daily or several times weekly	0.565 P=815	0.055 [0.056] N=1,434	0.065 [0.060] N=1,304	0.087 [0.064] N=1,141	0.098 [0.073] N=959	0.098 [0.082] N=772
Legumes consumed daily or several times weekly	0.559 P=802	0.001 [0.063] N=1,434	0.019 [0.065] N=1,304	0.003 [0.070] N=1,141	-0.034 [0.078] N=959	-0.029 [0.088] N=772
Animal products consumed daily or several times weekly	0.857 P=1,229	**0.062* [0.035] N=1,434**	**0.069* [0.037] N=1,304**	**0.075* [0.039] N=1,141**	**0.073* [0.042] N=959**	**0.101** [0.045] N=772**
Sweets consumed daily or several times weekly	0.490 P=709	-0.081 [0.056] N=1,434	**-0.097* [0.058] N=1,304**	-0.069 [0.064] N=1,141	-0.093 [0.069] N=959	**-0.136* [0.076] N=772**
Snack foods consumed daily or several times weekly	0.369 P=527	-0.024 [0.051] N=1,434	-0.045 [0.054] N=1,304	-0.047 [0.056] N=1,141	-0.032 [0.057] N=959	-0.100 [0.062] N=772
Packaged soft drinks consumed daily or several times weekly	0.207 P=295	0.019 [0.039] N=1,434	0.007 [0.041] N=1,304	0.023 [0.044] N=1,141	0.020 [0.050] N=959	-0.057 [0.052] N=772
Grains consumed daily or several times weekly	0.801 P=1,154	**0.116** [0.046] N=1,434**	**0.123** [0.049] N=1,304**	**0.127** [0.052] N=1,141**	**0.124** [0.059] N=959**	0.095 [0.067] N=772

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.013 [0.063] N=1,242	-0.010 [0.069] N=1,112	0.011 [0.080] N=949	-0.043 [0.089] N=767	-0.031 [0.114] N=580
Vegetables consumed daily or several times weekly	-0.054 [0.081] N=1,242	-0.036 [0.091] N=1,112	-0.004 [0.103] N=949	-0.081 [0.117] N=767	-0.113 [0.155] N=580
Meat fish or poultry consumed daily or several times weekly	-0.022 [0.070] N=1,242	-0.012 [0.078] N=1,112	0.015 [0.085] N=949	-0.013 [0.104] N=767	-0.067 [0.132] N=580
Legumes consumed daily or several times weekly	0.055 [0.083] N=1,242	0.088 [0.089] N=1,112	0.095 [0.098] N=949	0.066 [0.121] N=767	0.118 [0.148] N=580
Animal products consumed daily or several times weekly	0.034 [0.052] N=1,242	0.045 [0.058] N=1,112	0.054 [0.059] N=949	0.044 [0.069] N=767	0.096 [0.081] N=580
Sweets consumed daily or several times weekly	-0.010 [0.075] N=1,242	-0.031 [0.080] N=1,112	0.046 [0.088] N=949	0.019 [0.105] N=767	-0.044 [0.123] N=580
Snack foods consumed daily or several times weekly	0.044 [0.069] N=1,242	0.011 [0.077] N=1,112	0.021 [0.084] N=949	0.071 [0.097] N=767	-0.042 [0.113] N=580
Packaged soft drinks consumed daily or several times weekly	0.012 [0.057] N=1,242	-0.006 [0.062] N=1,112	0.032 [0.070] N=949	0.035 [0.088] N=767	-0.159 [0.100] N=580
Grains consumed daily or several times weekly	0.082 [0.054] N=1,242	0.078 [0.060] N=1,112	0.083 [0.065] N=949	0.028 [0.077] N=767	-0.103 [0.090] N=580

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	0.848 P=1,218	0.027 [0.042] N=1,434	0.032 [0.045] N=1,304	0.046 [0.048] N=1,141	0.016 [0.052] N=959	0.028 [0.057] N=772
Vegetables consumed daily or several times weekly	0.772 P=1,112	0.007 [0.055] N=1,434	0.020 [0.059] N=1,304	0.049 [0.063] N=1,141	0.017 [0.069] N=959	0.020 [0.079] N=772
Meat fish or poultry consumed daily or several times weekly	0.565 P=815	0.056 [0.055] N=1,434	0.067 [0.059] N=1,304	0.088 [0.063] N=1,141	0.096 [0.072] N=959	0.095 [0.081] N=772
Legumes consumed daily or several times weekly	0.559 P=802	0.001 [0.063] N=1,434	0.020 [0.066] N=1,304	0.003 [0.070] N=1,141	-0.039 [0.078] N=959	-0.037 [0.089] N=772
Animal products consumed daily or several times weekly	0.857 P=1,229	**0.063* [0.035] N=1,434**	**0.070* [0.037] N=1,304**	**0.076* [0.039] N=1,141**	**0.073* [0.042] N=959**	**0.100** [0.045] N=772**
Sweets consumed daily or several times weekly	0.490 P=709	-0.082 [0.057] N=1,434	**-0.097* [0.059] N=1,304**	-0.070 [0.065] N=1,141	-0.096 [0.071] N=959	**-0.140* [0.079] N=772**
Snack foods consumed daily or several times weekly	0.369 P=527	-0.022 [0.051] N=1,434	-0.044 [0.053] N=1,304	-0.046 [0.055] N=1,141	-0.032 [0.058] N=959	-0.101 [0.063] N=772
Packaged soft drinks consumed daily or several times weekly	0.207 P=295	0.021 [0.039] N=1,434	0.008 [0.041] N=1,304	0.025 [0.044] N=1,141	0.018 [0.050] N=959	-0.059 [0.052] N=772
Grains consumed daily or several times weekly	0.801 P=1,154	**0.116** [0.046] N=1,434**	**0.122** [0.049] N=1,304**	**0.127** [0.052] N=1,141**	**0.125** [0.059] N=959**	0.096 [0.066] N=772

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Fruit consumed daily or several times weekly	-0.013 [0.064] N=1,242	-0.013 [0.070] N=1,112	0.008 [0.080] N=949	-0.050 [0.088] N=767	-0.032 [0.113] N=580
Vegetables consumed daily or several times weekly	-0.052 [0.081] N=1,242	-0.035 [0.090] N=1,112	-0.001 [0.103] N=949	-0.079 [0.117] N=767	-0.103 [0.155] N=580
Meat fish or poultry consumed daily or several times weekly	-0.022 [0.069] N=1,242	-0.011 [0.077] N=1,112	0.015 [0.083] N=949	-0.017 [0.101] N=767	-0.065 [0.127] N=580
Legumes consumed daily or several times weekly	0.060 [0.083] N=1,242	0.095 [0.089] N=1,112	0.102 [0.098] N=949	0.061 [0.120] N=767	0.123 [0.146] N=580
Animal products consumed daily or several times weekly	0.037 [0.052] N=1,242	0.047 [0.058] N=1,112	0.056 [0.060] N=949	0.049 [0.068] N=767	0.104 [0.079] N=580
Sweets consumed daily or several times weekly	-0.008 [0.075] N=1,242	-0.029 [0.080] N=1,112	0.049 [0.088] N=949	0.022 [0.105] N=767	-0.044 [0.122] N=580
Snack foods consumed daily or several times weekly	0.046 [0.069] N=1,242	0.009 [0.078] N=1,112	0.021 [0.084] N=949	0.075 [0.096] N=767	-0.047 [0.112] N=580
Packaged soft drinks consumed daily or several times weekly	0.013 [0.058] N=1,242	-0.007 [0.062] N=1,112	0.033 [0.071] N=949	0.035 [0.088] N=767	-0.162 [0.103] N=580
Grains consumed daily or several times weekly	0.082 [0.054] N=1,242	0.077 [0.060] N=1,112	0.082 [0.065] N=949	0.029 [0.077] N=767	-0.107 [0.088] N=580

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.