Table 16 Supplementary Reduced Form Effects on WHO Classifications for Ages 0-3: Youngest Child

Age reference: 10 October 2022. Any-child household eligibility; one youngest child within the age interval is retained before outcome exclusions. Normal and above-normal intervals reproduce the existing supplementary definitions. They are alternative classifications, not independent clinical hypotheses. Father RDD estimates are the primary analysis and mother RDD estimates are secondary.

Father RDD primary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,396	0.041 [0.039] N=1,714	0.047 [0.040] N=1,588	0.035 [0.042] N=1,426	0.040 [0.044] N=1,219	0.028 [0.050] N=1,009
Not underweight WAZ at least -2	0.946 P=1,850	-0.027 [0.019] N=1,960	-0.023 [0.020] N=1,814	-0.024 [0.021] N=1,630	-0.011 [0.022] N=1,387	-0.015 [0.029] N=1,144
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,167	0.028 [0.047] N=1,692	0.030 [0.049] N=1,571	0.035 [0.053] N=1,412	0.028 [0.060] N=1,208	0.058 [0.067] N=998
Neither low nor high BMIZ -2 to +2	0.653 P=1,099	0.029 [0.047] N=1,670	0.043 [0.050] N=1,553	0.032 [0.053] N=1,394	0.018 [0.059] N=1,188	0.016 [0.062] N=983
Strict normal HAZ -2 to +3	0.712 P=1,233	0.048 [0.044] N=1,714	0.052 [0.045] N=1,588	0.029 [0.048] N=1,426	0.038 [0.052] N=1,219	0.068 [0.058] N=1,009
Strict normal WAZ -2 to +1	0.639 P=1,255	-0.018 [0.047] N=1,960	-0.024 [0.051] N=1,814	-0.062 [0.054] N=1,630	-0.052 [0.058] N=1,387	-0.038 [0.064] N=1,144
Strict normal WHZ -2 to +1	0.524 P=889	0.005 [0.047] N=1,692	0.002 [0.050] N=1,571	-0.008 [0.052] N=1,412	-0.011 [0.058] N=1,208	-0.010 [0.064] N=998
Strict normal BMIZ -2 to +1	0.509 P=857	-0.014 [0.049] N=1,670	-0.015 [0.052] N=1,553	-0.032 [0.054] N=1,394	-0.047 [0.061] N=1,188	-0.056 [0.066] N=983
Above-normal height HAZ above +3	0.096 P=163	-0.007 [0.026] N=1,714	-0.004 [0.028] N=1,588	0.007 [0.031] N=1,426	0.002 [0.033] N=1,219	-0.040 [0.033] N=1,009
Above-normal weight WAZ above +1	0.307 P=595	-0.009 [0.044] N=1,960	0.000 [0.047] N=1,814	0.038 [0.049] N=1,630	0.041 [0.054] N=1,387	0.023 [0.058] N=1,144
Above-normal WHZ above +1	0.362 P=606	0.039 [0.041] N=1,692	0.032 [0.044] N=1,571	0.050 [0.046] N=1,412	0.040 [0.051] N=1,208	0.065 [0.055] N=998
Above-normal BMIZ above +1	0.366 P=602	0.041 [0.041] N=1,670	0.040 [0.043] N=1,553	0.052 [0.045] N=1,394	0.032 [0.049] N=1,188	0.048 [0.053] N=983

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.002 [0.053] N=1,442	0.002 [0.057] N=1,316	-0.021 [0.064] N=1,154	-0.022 [0.074] N=947	-0.088 [0.106] N=737
Not underweight WAZ at least -2	**-0.048* [0.026] N=1,661**	-0.045 [0.029] N=1,515	-0.051 [0.031] N=1,331	-0.037 [0.035] N=1,088	-0.068 [0.058] N=845
Neither wasted nor overweight WHZ -2 to +2	0.044 [0.056] N=1,423	0.049 [0.059] N=1,302	0.069 [0.064] N=1,143	0.072 [0.082] N=939	**0.219** [0.096] N=729**
Neither low nor high BMIZ -2 to +2	0.072 [0.060] N=1,406	0.105 [0.064] N=1,289	0.107 [0.071] N=1,130	0.120 [0.089] N=924	**0.185** [0.093] N=719**
Strict normal HAZ -2 to +3	-0.020 [0.064] N=1,442	-0.029 [0.067] N=1,316	-0.085 [0.075] N=1,154	-0.106 [0.090] N=947	-0.084 [0.119] N=737
Strict normal WAZ -2 to +1	0.053 [0.063] N=1,661	0.052 [0.071] N=1,515	-0.008 [0.078] N=1,331	0.014 [0.093] N=1,088	0.076 [0.115] N=845
Strict normal WHZ -2 to +1	0.046 [0.060] N=1,423	0.050 [0.067] N=1,302	0.058 [0.071] N=1,143	0.075 [0.088] N=939	0.133 [0.104] N=729
Strict normal BMIZ -2 to +1	0.056 [0.063] N=1,406	0.070 [0.067] N=1,289	0.071 [0.072] N=1,130	0.079 [0.094] N=924	0.134 [0.109] N=719
Above-normal height HAZ above +3	0.018 [0.038] N=1,442	0.031 [0.043] N=1,316	0.064 [0.052] N=1,154	0.084 [0.057] N=947	-0.004 [0.065] N=737
Above-normal weight WAZ above +1	**-0.101* [0.058] N=1,661**	-0.097 [0.065] N=1,515	-0.043 [0.071] N=1,331	-0.051 [0.089] N=1,088	-0.144 [0.108] N=845
Above-normal WHZ above +1	-0.003 [0.054] N=1,423	-0.024 [0.061] N=1,302	-0.024 [0.066] N=1,143	-0.063 [0.079] N=939	-0.056 [0.088] N=729
Above-normal BMIZ above +1	0.005 [0.059] N=1,406	-0.004 [0.065] N=1,289	-0.014 [0.071] N=1,130	-0.075 [0.085] N=924	-0.107 [0.098] N=719

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,396	0.040 [0.038] N=1,714	0.046 [0.039] N=1,588	0.034 [0.042] N=1,426	0.039 [0.044] N=1,219	0.028 [0.050] N=1,009
Not underweight WAZ at least -2	0.946 P=1,850	-0.028 [0.019] N=1,960	-0.024 [0.020] N=1,814	-0.024 [0.021] N=1,630	-0.011 [0.022] N=1,387	-0.016 [0.030] N=1,144
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,167	0.025 [0.047] N=1,692	0.025 [0.049] N=1,571	0.030 [0.053] N=1,412	0.022 [0.061] N=1,208	0.051 [0.068] N=998
Neither low nor high BMIZ -2 to +2	0.653 P=1,099	0.028 [0.047] N=1,670	0.040 [0.050] N=1,553	0.029 [0.053] N=1,394	0.013 [0.060] N=1,188	0.012 [0.063] N=983
Strict normal HAZ -2 to +3	0.712 P=1,233	0.047 [0.044] N=1,714	0.050 [0.044] N=1,588	0.027 [0.047] N=1,426	0.036 [0.052] N=1,219	0.067 [0.058] N=1,009
Strict normal WAZ -2 to +1	0.639 P=1,255	-0.017 [0.048] N=1,960	-0.023 [0.051] N=1,814	-0.061 [0.054] N=1,630	-0.050 [0.058] N=1,387	-0.037 [0.064] N=1,144
Strict normal WHZ -2 to +1	0.524 P=889	0.002 [0.047] N=1,692	-0.000 [0.050] N=1,571	-0.011 [0.053] N=1,412	-0.015 [0.058] N=1,208	-0.013 [0.065] N=998
Strict normal BMIZ -2 to +1	0.509 P=857	-0.015 [0.049] N=1,670	-0.017 [0.052] N=1,553	-0.034 [0.055] N=1,394	-0.051 [0.062] N=1,188	-0.058 [0.066] N=983
Above-normal height HAZ above +3	0.096 P=163	-0.007 [0.026] N=1,714	-0.004 [0.028] N=1,588	0.007 [0.031] N=1,426	0.003 [0.032] N=1,219	-0.039 [0.033] N=1,009
Above-normal weight WAZ above +1	0.307 P=595	-0.010 [0.044] N=1,960	-0.001 [0.047] N=1,814	0.037 [0.049] N=1,630	0.039 [0.054] N=1,387	0.021 [0.058] N=1,144
Above-normal WHZ above +1	0.362 P=606	0.040 [0.042] N=1,692	0.032 [0.045] N=1,571	0.050 [0.047] N=1,412	0.040 [0.051] N=1,208	0.063 [0.055] N=998
Above-normal BMIZ above +1	0.366 P=602	0.041 [0.041] N=1,670	0.041 [0.043] N=1,553	0.053 [0.045] N=1,394	0.032 [0.049] N=1,188	0.047 [0.053] N=983

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.002 [0.053] N=1,442	0.003 [0.057] N=1,316	-0.021 [0.063] N=1,154	-0.023 [0.073] N=947	-0.092 [0.105] N=737
Not underweight WAZ at least -2	**-0.047* [0.026] N=1,661**	-0.045 [0.029] N=1,515	-0.051 [0.031] N=1,331	-0.037 [0.035] N=1,088	-0.067 [0.058] N=845
Neither wasted nor overweight WHZ -2 to +2	0.045 [0.056] N=1,423	0.050 [0.059] N=1,302	0.070 [0.065] N=1,143	0.072 [0.083] N=939	**0.223** [0.096] N=729**
Neither low nor high BMIZ -2 to +2	0.073 [0.060] N=1,406	0.106 [0.064] N=1,289	0.109 [0.071] N=1,130	0.121 [0.090] N=924	**0.188** [0.093] N=719**
Strict normal HAZ -2 to +3	-0.019 [0.063] N=1,442	-0.026 [0.066] N=1,316	-0.082 [0.074] N=1,154	-0.105 [0.090] N=947	-0.083 [0.119] N=737
Strict normal WAZ -2 to +1	0.053 [0.063] N=1,661	0.051 [0.071] N=1,515	-0.009 [0.078] N=1,331	0.013 [0.093] N=1,088	0.075 [0.115] N=845
Strict normal WHZ -2 to +1	0.046 [0.060] N=1,423	0.051 [0.067] N=1,302	0.059 [0.071] N=1,143	0.075 [0.088] N=939	0.133 [0.105] N=729
Strict normal BMIZ -2 to +1	0.057 [0.063] N=1,406	0.071 [0.067] N=1,289	0.072 [0.072] N=1,130	0.079 [0.095] N=924	0.134 [0.110] N=719
Above-normal height HAZ above +3	0.017 [0.038] N=1,442	0.029 [0.043] N=1,316	0.061 [0.052] N=1,154	0.082 [0.056] N=947	-0.009 [0.065] N=737
Above-normal weight WAZ above +1	**-0.100* [0.058] N=1,661**	-0.096 [0.065] N=1,515	-0.042 [0.071] N=1,331	-0.050 [0.088] N=1,088	-0.141 [0.107] N=845
Above-normal WHZ above +1	-0.003 [0.055] N=1,423	-0.024 [0.062] N=1,302	-0.024 [0.066] N=1,143	-0.063 [0.079] N=939	-0.054 [0.088] N=729
Above-normal BMIZ above +1	0.005 [0.059] N=1,406	-0.004 [0.065] N=1,289	-0.014 [0.071] N=1,130	-0.075 [0.085] N=924	-0.104 [0.099] N=719

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,396	0.034 [0.039] N=1,714	0.037 [0.040] N=1,588	0.027 [0.042] N=1,426	0.035 [0.044] N=1,219	0.020 [0.050] N=1,009
Not underweight WAZ at least -2	0.946 P=1,850	**-0.031* [0.018] N=1,960**	-0.028 [0.020] N=1,814	-0.029 [0.020] N=1,630	-0.015 [0.022] N=1,387	-0.021 [0.029] N=1,144
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,167	0.018 [0.047] N=1,692	0.016 [0.049] N=1,571	0.023 [0.053] N=1,412	0.016 [0.060] N=1,208	0.044 [0.067] N=998
Neither low nor high BMIZ -2 to +2	0.653 P=1,099	0.022 [0.047] N=1,670	0.031 [0.050] N=1,553	0.022 [0.053] N=1,394	0.008 [0.059] N=1,188	0.006 [0.062] N=983
Strict normal HAZ -2 to +3	0.712 P=1,233	0.039 [0.043] N=1,714	0.039 [0.044] N=1,588	0.018 [0.047] N=1,426	0.031 [0.051] N=1,219	0.057 [0.057] N=1,009
Strict normal WAZ -2 to +1	0.639 P=1,255	-0.010 [0.047] N=1,960	-0.020 [0.051] N=1,814	-0.059 [0.054] N=1,630	-0.050 [0.059] N=1,387	-0.037 [0.064] N=1,144
Strict normal WHZ -2 to +1	0.524 P=889	-0.004 [0.047] N=1,692	-0.010 [0.050] N=1,571	-0.020 [0.052] N=1,412	-0.023 [0.057] N=1,208	-0.021 [0.064] N=998
Strict normal BMIZ -2 to +1	0.509 P=857	-0.022 [0.049] N=1,670	-0.027 [0.052] N=1,553	-0.043 [0.055] N=1,394	-0.058 [0.061] N=1,188	-0.064 [0.066] N=983
Above-normal height HAZ above +3	0.096 P=163	-0.005 [0.025] N=1,714	-0.002 [0.027] N=1,588	0.009 [0.031] N=1,426	0.004 [0.032] N=1,219	-0.037 [0.032] N=1,009
Above-normal weight WAZ above +1	0.307 P=595	-0.022 [0.042] N=1,960	-0.009 [0.046] N=1,814	0.030 [0.048] N=1,630	0.036 [0.054] N=1,387	0.016 [0.058] N=1,144
Above-normal WHZ above +1	0.362 P=606	0.040 [0.042] N=1,692	0.036 [0.045] N=1,571	0.055 [0.047] N=1,412	0.045 [0.051] N=1,208	0.066 [0.055] N=998
Above-normal BMIZ above +1	0.366 P=602	0.044 [0.041] N=1,670	0.045 [0.044] N=1,553	0.058 [0.046] N=1,394	0.037 [0.050] N=1,188	0.051 [0.053] N=983

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.007 [0.053] N=1,442	-0.008 [0.058] N=1,316	-0.029 [0.063] N=1,154	-0.020 [0.072] N=947	-0.093 [0.104] N=737
Not underweight WAZ at least -2	**-0.050* [0.026] N=1,661**	**-0.049* [0.029] N=1,515**	**-0.054* [0.031] N=1,331**	-0.036 [0.035] N=1,088	-0.067 [0.058] N=845
Neither wasted nor overweight WHZ -2 to +2	0.037 [0.058] N=1,423	0.039 [0.062] N=1,302	0.066 [0.067] N=1,143	0.073 [0.086] N=939	**0.211** [0.097] N=729**
Neither low nor high BMIZ -2 to +2	0.066 [0.061] N=1,406	0.096 [0.065] N=1,289	0.104 [0.073] N=1,130	0.117 [0.091] N=924	**0.177* [0.096] N=719**
Strict normal HAZ -2 to +3	-0.026 [0.063] N=1,442	-0.039 [0.065] N=1,316	-0.090 [0.073] N=1,154	-0.101 [0.088] N=947	-0.084 [0.117] N=737
Strict normal WAZ -2 to +1	0.062 [0.062] N=1,661	0.055 [0.071] N=1,515	-0.005 [0.078] N=1,331	0.017 [0.093] N=1,088	0.077 [0.114] N=845
Strict normal WHZ -2 to +1	0.038 [0.061] N=1,423	0.037 [0.069] N=1,302	0.049 [0.073] N=1,143	0.072 [0.092] N=939	0.118 [0.111] N=729
Strict normal BMIZ -2 to +1	0.047 [0.064] N=1,406	0.054 [0.069] N=1,289	0.060 [0.075] N=1,130	0.071 [0.099] N=924	0.118 [0.116] N=719
Above-normal height HAZ above +3	0.019 [0.038] N=1,442	0.031 [0.043] N=1,316	0.061 [0.052] N=1,154	0.080 [0.057] N=947	-0.009 [0.066] N=737
Above-normal weight WAZ above +1	**-0.111* [0.057] N=1,661**	-0.104 [0.064] N=1,515	-0.049 [0.070] N=1,331	-0.053 [0.089] N=1,088	-0.144 [0.106] N=845
Above-normal WHZ above +1	0.000 [0.055] N=1,423	-0.016 [0.063] N=1,302	-0.016 [0.067] N=1,143	-0.060 [0.081] N=939	-0.047 [0.091] N=729
Above-normal BMIZ above +1	0.010 [0.060] N=1,406	0.007 [0.067] N=1,289	-0.004 [0.072] N=1,130	-0.069 [0.087] N=924	-0.096 [0.102] N=719

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,396	0.026 [0.039] N=1,714	0.027 [0.040] N=1,588	0.016 [0.043] N=1,426	0.023 [0.044] N=1,219	0.005 [0.050] N=1,009
Not underweight WAZ at least -2	0.946 P=1,850	**-0.034* [0.018] N=1,960**	**-0.032* [0.019] N=1,814**	**-0.034* [0.020] N=1,630**	-0.019 [0.022] N=1,387	-0.028 [0.029] N=1,144
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,167	0.017 [0.047] N=1,692	0.015 [0.049] N=1,571	0.022 [0.053] N=1,412	0.015 [0.060] N=1,208	0.049 [0.067] N=998
Neither low nor high BMIZ -2 to +2	0.653 P=1,099	0.018 [0.048] N=1,670	0.029 [0.051] N=1,553	0.019 [0.053] N=1,394	0.004 [0.059] N=1,188	0.008 [0.062] N=983
Strict normal HAZ -2 to +3	0.712 P=1,233	0.032 [0.043] N=1,714	0.029 [0.044] N=1,588	0.007 [0.047] N=1,426	0.019 [0.051] N=1,219	0.043 [0.056] N=1,009
Strict normal WAZ -2 to +1	0.639 P=1,255	-0.012 [0.047] N=1,960	-0.020 [0.051] N=1,814	-0.060 [0.053] N=1,630	-0.049 [0.058] N=1,387	-0.033 [0.065] N=1,144
Strict normal WHZ -2 to +1	0.524 P=889	-0.004 [0.047] N=1,692	-0.009 [0.050] N=1,571	-0.019 [0.052] N=1,412	-0.024 [0.058] N=1,208	-0.016 [0.065] N=998
Strict normal BMIZ -2 to +1	0.509 P=857	-0.023 [0.050] N=1,670	-0.027 [0.053] N=1,553	-0.045 [0.055] N=1,394	-0.061 [0.061] N=1,188	-0.062 [0.067] N=983
Above-normal height HAZ above +3	0.096 P=163	-0.006 [0.026] N=1,714	-0.002 [0.028] N=1,588	0.010 [0.031] N=1,426	0.004 [0.032] N=1,219	-0.038 [0.033] N=1,009
Above-normal weight WAZ above +1	0.307 P=595	-0.022 [0.042] N=1,960	-0.012 [0.046] N=1,814	0.027 [0.048] N=1,630	0.030 [0.054] N=1,387	0.005 [0.059] N=1,144
Above-normal WHZ above +1	0.362 P=606	0.043 [0.042] N=1,692	0.036 [0.045] N=1,571	0.055 [0.047] N=1,412	0.046 [0.052] N=1,208	0.063 [0.056] N=998
Above-normal BMIZ above +1	0.366 P=602	0.046 [0.042] N=1,670	0.046 [0.044] N=1,553	0.058 [0.046] N=1,394	0.038 [0.050] N=1,188	0.048 [0.055] N=983

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.007 [0.054] N=1,442	-0.006 [0.058] N=1,316	-0.025 [0.064] N=1,154	-0.012 [0.074] N=947	-0.090 [0.103] N=737
Not underweight WAZ at least -2	**-0.049* [0.026] N=1,661**	**-0.049* [0.029] N=1,515**	**-0.054* [0.030] N=1,331**	-0.033 [0.035] N=1,088	-0.066 [0.058] N=845
Neither wasted nor overweight WHZ -2 to +2	0.035 [0.057] N=1,423	0.040 [0.061] N=1,302	0.064 [0.066] N=1,143	0.066 [0.085] N=939	**0.198** [0.099] N=729**
Neither low nor high BMIZ -2 to +2	0.062 [0.062] N=1,406	0.096 [0.066] N=1,289	0.101 [0.073] N=1,130	0.112 [0.090] N=924	**0.162* [0.095] N=719**
Strict normal HAZ -2 to +3	-0.025 [0.064] N=1,442	-0.037 [0.066] N=1,316	-0.087 [0.074] N=1,154	-0.093 [0.089] N=947	-0.074 [0.119] N=737
Strict normal WAZ -2 to +1	0.061 [0.062] N=1,661	0.055 [0.071] N=1,515	-0.005 [0.077] N=1,331	0.021 [0.092] N=1,088	0.075 [0.111] N=845
Strict normal WHZ -2 to +1	0.036 [0.061] N=1,423	0.042 [0.068] N=1,302	0.050 [0.072] N=1,143	0.061 [0.091] N=939	0.101 [0.111] N=729
Strict normal BMIZ -2 to +1	0.046 [0.064] N=1,406	0.062 [0.069] N=1,289	0.064 [0.074] N=1,130	0.066 [0.096] N=924	0.108 [0.115] N=719
Above-normal height HAZ above +3	0.018 [0.038] N=1,442	0.032 [0.043] N=1,316	0.062 [0.051] N=1,154	0.080 [0.056] N=947	-0.016 [0.067] N=737
Above-normal weight WAZ above +1	**-0.111* [0.057] N=1,661**	-0.104 [0.064] N=1,515	-0.049 [0.070] N=1,331	-0.054 [0.088] N=1,088	-0.141 [0.104] N=845
Above-normal WHZ above +1	0.000 [0.055] N=1,423	-0.020 [0.062] N=1,302	-0.019 [0.067] N=1,143	-0.054 [0.081] N=939	-0.032 [0.092] N=729
Above-normal BMIZ above +1	0.010 [0.059] N=1,406	0.001 [0.066] N=1,289	-0.009 [0.072] N=1,130	-0.062 [0.087] N=924	-0.080 [0.102] N=719

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,295	0.034 [0.041] N=1,589	0.036 [0.042] N=1,477	0.020 [0.045] N=1,322	0.020 [0.047] N=1,138	-0.003 [0.053] N=941
Not underweight WAZ at least -2	0.947 P=1,712	-0.024 [0.019] N=1,813	-0.021 [0.020] N=1,683	-0.022 [0.021] N=1,508	-0.012 [0.023] N=1,290	-0.021 [0.030] N=1,066
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,085	0.026 [0.047] N=1,571	0.026 [0.048] N=1,465	0.024 [0.052] N=1,314	0.019 [0.059] N=1,133	0.039 [0.066] N=936
Neither low nor high BMIZ -2 to +2	0.656 P=1,025	0.021 [0.051] N=1,549	0.036 [0.054] N=1,446	0.021 [0.059] N=1,296	0.012 [0.066] N=1,113	0.009 [0.072] N=921
Strict normal HAZ -2 to +3	0.714 P=1,148	0.054 [0.047] N=1,589	0.055 [0.047] N=1,477	0.030 [0.050] N=1,322	0.036 [0.056] N=1,138	0.058 [0.062] N=941
Strict normal WAZ -2 to +1	0.639 P=1,159	-0.020 [0.050] N=1,813	-0.018 [0.053] N=1,683	-0.059 [0.057] N=1,508	-0.051 [0.061] N=1,290	-0.051 [0.068] N=1,066
Strict normal WHZ -2 to +1	0.524 P=826	-0.008 [0.049] N=1,571	-0.009 [0.052] N=1,465	-0.025 [0.055] N=1,314	-0.029 [0.060] N=1,133	-0.039 [0.067] N=936
Strict normal BMIZ -2 to +1	0.510 P=799	-0.027 [0.052] N=1,549	-0.023 [0.055] N=1,446	-0.042 [0.059] N=1,296	-0.054 [0.067] N=1,113	-0.068 [0.072] N=921
Above-normal height HAZ above +3	0.094 P=147	-0.020 [0.026] N=1,589	-0.019 [0.028] N=1,477	-0.010 [0.030] N=1,322	-0.016 [0.032] N=1,138	**-0.061* [0.032] N=941**
Above-normal weight WAZ above +1	0.308 P=553	-0.003 [0.047] N=1,813	-0.002 [0.050] N=1,683	0.037 [0.054] N=1,508	0.039 [0.059] N=1,290	0.031 [0.064] N=1,066
Above-normal WHZ above +1	0.363 P=564	0.067 [0.044] N=1,571	0.058 [0.047] N=1,465	0.079 [0.049] N=1,314	0.068 [0.053] N=1,133	**0.103* [0.059] N=936**
Above-normal BMIZ above +1	0.367 P=559	0.070 [0.043] N=1,549	0.064 [0.044] N=1,446	**0.079* [0.047] N=1,296**	0.059 [0.052] N=1,113	0.087 [0.056] N=921

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.012 [0.056] N=1,335	0.017 [0.060] N=1,223	-0.012 [0.066] N=1,068	-0.013 [0.077] N=884	-0.090 [0.116] N=687
Not underweight WAZ at least -2	**-0.046* [0.026] N=1,534**	-0.046 [0.030] N=1,404	**-0.055* [0.032] N=1,229**	-0.050 [0.035] N=1,011	**-0.095* [0.056] N=787**
Neither wasted nor overweight WHZ -2 to +2	0.062 [0.058] N=1,319	0.074 [0.061] N=1,213	0.088 [0.068] N=1,062	0.104 [0.086] N=881	**0.239** [0.106] N=684**
Neither low nor high BMIZ -2 to +2	0.063 [0.062] N=1,302	0.103 [0.065] N=1,199	0.098 [0.076] N=1,049	0.118 [0.095] N=866	**0.179* [0.100] N=674**
Strict normal HAZ -2 to +3	-0.004 [0.068] N=1,335	-0.008 [0.069] N=1,223	-0.068 [0.077] N=1,068	-0.085 [0.094] N=884	-0.060 [0.128] N=687
Strict normal WAZ -2 to +1	0.059 [0.063] N=1,534	0.073 [0.070] N=1,404	0.013 [0.079] N=1,229	0.029 [0.093] N=1,011	0.061 [0.117] N=787
Strict normal WHZ -2 to +1	0.066 [0.062] N=1,319	0.079 [0.069] N=1,213	0.084 [0.076] N=1,062	0.112 [0.092] N=881	0.165 [0.115] N=684
Strict normal BMIZ -2 to +1	0.049 [0.065] N=1,302	0.075 [0.068] N=1,199	0.074 [0.077] N=1,049	0.094 [0.099] N=866	0.145 [0.116] N=674
Above-normal height HAZ above +3	0.016 [0.040] N=1,335	0.025 [0.044] N=1,223	0.056 [0.051] N=1,068	0.072 [0.057] N=884	-0.030 [0.066] N=687
Above-normal weight WAZ above +1	**-0.105* [0.059] N=1,534**	**-0.119* [0.065] N=1,404**	-0.068 [0.073] N=1,229	-0.078 [0.090] N=1,011	-0.156 [0.112] N=787
Above-normal WHZ above +1	-0.005 [0.058] N=1,319	-0.034 [0.064] N=1,213	-0.034 [0.071] N=1,062	-0.072 [0.086] N=881	-0.042 [0.100] N=684
Above-normal BMIZ above +1	0.008 [0.063] N=1,302	-0.015 [0.067] N=1,199	-0.023 [0.074] N=1,049	-0.085 [0.090] N=866	-0.105 [0.109] N=674

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.808 P=1,295	0.034 [0.040] N=1,589	0.036 [0.041] N=1,477	0.019 [0.044] N=1,322	0.018 [0.046] N=1,138	-0.002 [0.052] N=941
Not underweight WAZ at least -2	0.947 P=1,712	-0.023 [0.019] N=1,813	-0.020 [0.020] N=1,683	-0.022 [0.021] N=1,508	-0.013 [0.023] N=1,290	-0.021 [0.030] N=1,066
Neither wasted nor overweight WHZ -2 to +2	0.689 P=1,085	0.027 [0.047] N=1,571	0.027 [0.048] N=1,465	0.028 [0.052] N=1,314	0.025 [0.059] N=1,133	0.049 [0.066] N=936
Neither low nor high BMIZ -2 to +2	0.656 P=1,025	0.019 [0.050] N=1,549	0.036 [0.053] N=1,446	0.024 [0.058] N=1,296	0.017 [0.065] N=1,113	0.019 [0.069] N=921
Strict normal HAZ -2 to +3	0.714 P=1,148	0.053 [0.046] N=1,589	0.054 [0.046] N=1,477	0.028 [0.049] N=1,322	0.033 [0.055] N=1,138	0.057 [0.062] N=941
Strict normal WAZ -2 to +1	0.639 P=1,159	-0.022 [0.050] N=1,813	-0.020 [0.053] N=1,683	-0.061 [0.057] N=1,508	-0.054 [0.062] N=1,290	-0.052 [0.068] N=1,066
Strict normal WHZ -2 to +1	0.524 P=826	-0.007 [0.048] N=1,571	-0.009 [0.052] N=1,465	-0.022 [0.055] N=1,314	-0.022 [0.059] N=1,133	-0.025 [0.065] N=936
Strict normal BMIZ -2 to +1	0.510 P=799	-0.031 [0.052] N=1,549	-0.026 [0.055] N=1,446	-0.042 [0.059] N=1,296	-0.050 [0.066] N=1,113	-0.056 [0.071] N=921
Above-normal height HAZ above +3	0.094 P=147	-0.019 [0.026] N=1,589	-0.018 [0.027] N=1,477	-0.009 [0.030] N=1,322	-0.014 [0.032] N=1,138	**-0.059* [0.033] N=941**
Above-normal weight WAZ above +1	0.308 P=553	-0.001 [0.046] N=1,813	0.000 [0.050] N=1,683	0.039 [0.053] N=1,508	0.041 [0.059] N=1,290	0.032 [0.064] N=1,066
Above-normal WHZ above +1	0.363 P=564	0.064 [0.044] N=1,571	0.056 [0.046] N=1,465	0.074 [0.049] N=1,314	0.062 [0.053] N=1,133	0.091 [0.059] N=936
Above-normal BMIZ above +1	0.367 P=559	**0.071* [0.043] N=1,549**	0.065 [0.044] N=1,446	**0.078* [0.047] N=1,296**	0.055 [0.051] N=1,113	0.075 [0.055] N=921

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.018 [0.056] N=1,335	0.021 [0.060] N=1,223	-0.008 [0.065] N=1,068	-0.008 [0.075] N=884	-0.081 [0.112] N=687
Not underweight WAZ at least -2	-0.042 [0.026] N=1,534	-0.041 [0.029] N=1,404	-0.051 [0.031] N=1,229	-0.045 [0.035] N=1,011	-0.088 [0.057] N=787
Neither wasted nor overweight WHZ -2 to +2	0.057 [0.058] N=1,319	0.068 [0.060] N=1,213	0.083 [0.067] N=1,062	0.103 [0.085] N=881	**0.251** [0.103] N=684**
Neither low nor high BMIZ -2 to +2	0.055 [0.062] N=1,302	0.095 [0.064] N=1,199	0.091 [0.075] N=1,049	0.115 [0.094] N=866	**0.183* [0.097] N=674**
Strict normal HAZ -2 to +3	0.003 [0.066] N=1,335	-0.001 [0.067] N=1,223	-0.062 [0.075] N=1,068	-0.077 [0.091] N=884	-0.051 [0.123] N=687
Strict normal WAZ -2 to +1	0.060 [0.063] N=1,534	0.073 [0.070] N=1,404	0.012 [0.079] N=1,229	0.032 [0.093] N=1,011	0.070 [0.117] N=787
Strict normal WHZ -2 to +1	0.059 [0.061] N=1,319	0.071 [0.067] N=1,213	0.078 [0.075] N=1,062	0.113 [0.090] N=881	0.181 [0.109] N=684
Strict normal BMIZ -2 to +1	0.040 [0.065] N=1,302	0.066 [0.068] N=1,199	0.067 [0.077] N=1,049	0.089 [0.099] N=866	0.150 [0.113] N=674
Above-normal height HAZ above +3	0.014 [0.040] N=1,335	0.023 [0.043] N=1,223	0.053 [0.051] N=1,068	0.069 [0.057] N=884	-0.031 [0.066] N=687
Above-normal weight WAZ above +1	**-0.102* [0.059] N=1,534**	**-0.114* [0.064] N=1,404**	-0.064 [0.073] N=1,229	-0.078 [0.091] N=1,011	-0.158 [0.113] N=787
Above-normal WHZ above +1	0.002 [0.058] N=1,319	-0.024 [0.063] N=1,213	-0.027 [0.070] N=1,062	-0.073 [0.086] N=881	-0.056 [0.098] N=684
Above-normal BMIZ above +1	0.016 [0.063] N=1,302	-0.005 [0.067] N=1,199	-0.016 [0.073] N=1,049	-0.081 [0.090] N=866	-0.109 [0.107] N=674

Mother RDD secondary analysis

Specification 1 Monthly child-age fixed effects No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,251	0.004 [0.043] N=1,534	-0.002 [0.045] N=1,390	0.024 [0.047] N=1,212	0.008 [0.053] N=1,028	0.018 [0.059] N=826
Not underweight WAZ at least -2	0.948 P=1,650	-0.002 [0.022] N=1,745	0.006 [0.022] N=1,590	-0.001 [0.023] N=1,383	0.001 [0.022] N=1,169	0.014 [0.025] N=935
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,043	**-0.090* [0.050] N=1,520**	**-0.092* [0.052] N=1,380**	**-0.093* [0.055] N=1,204**	-0.057 [0.058] N=1,019	-0.057 [0.065] N=819
Neither low nor high BMIZ -2 to +2	0.658 P=982	**-0.136** [0.058] N=1,494**	**-0.129** [0.061] N=1,356**	**-0.123* [0.067] N=1,184**	-0.097 [0.070] N=1,002	-0.119 [0.077] N=808
Strict normal HAZ -2 to +3	0.721 P=1,108	0.008 [0.043] N=1,534	0.007 [0.046] N=1,390	0.019 [0.048] N=1,212	0.017 [0.051] N=1,028	0.034 [0.056] N=826
Strict normal WAZ -2 to +1	0.640 P=1,114	-0.000 [0.049] N=1,745	-0.011 [0.051] N=1,590	-0.002 [0.055] N=1,383	-0.017 [0.058] N=1,169	0.026 [0.066] N=935
Strict normal WHZ -2 to +1	0.518 P=780	**-0.128** [0.050] N=1,520**	**-0.140*** [0.052] N=1,380**	**-0.144*** [0.055] N=1,204**	-0.088 [0.060] N=1,019	**-0.119* [0.071] N=819**
Strict normal BMIZ -2 to +1	0.508 P=758	**-0.120** [0.056] N=1,494**	**-0.123** [0.058] N=1,356**	**-0.108* [0.064] N=1,184**	-0.074 [0.069] N=1,002	-0.126 [0.077] N=808
Above-normal height HAZ above +3	0.095 P=143	-0.004 [0.030] N=1,534	-0.009 [0.032] N=1,390	0.005 [0.035] N=1,212	-0.009 [0.035] N=1,028	-0.015 [0.041] N=826
Above-normal weight WAZ above +1	0.308 P=536	-0.002 [0.042] N=1,745	0.017 [0.045] N=1,590	0.001 [0.048] N=1,383	0.017 [0.051] N=1,169	-0.012 [0.056] N=935
Above-normal WHZ above +1	0.368 P=567	**0.100* [0.051] N=1,520**	**0.111** [0.054] N=1,380**	**0.103* [0.058] N=1,204**	0.092 [0.062] N=1,019	0.117 [0.074] N=819
Above-normal BMIZ above +1	0.365 P=547	0.071 [0.054] N=1,494	0.073 [0.057] N=1,356	0.056 [0.061] N=1,184	0.048 [0.070] N=1,002	0.087 [0.081] N=808

Specification 1 Monthly child-age fixed effects 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.023 [0.068] N=1,328	-0.032 [0.073] N=1,184	0.004 [0.079] N=1,006	-0.046 [0.098] N=822	-0.001 [0.118] N=620
Not underweight WAZ at least -2	-0.006 [0.036] N=1,516	0.008 [0.038] N=1,361	-0.007 [0.042] N=1,154	-0.001 [0.044] N=940	0.029 [0.052] N=706
Neither wasted nor overweight WHZ -2 to +2	**-0.168*** [0.060] N=1,316**	**-0.171*** [0.065] N=1,176**	**-0.196*** [0.071] N=1,000**	**-0.145* [0.081] N=815**	-0.149 [0.097] N=615
Neither low nor high BMIZ -2 to +2	**-0.189*** [0.066] N=1,297**	**-0.174** [0.072] N=1,159**	**-0.179** [0.076] N=987**	-0.140 [0.089] N=805	**-0.194* [0.110] N=611**
Strict normal HAZ -2 to +3	-0.026 [0.065] N=1,328	-0.026 [0.072] N=1,184	-0.017 [0.077] N=1,006	-0.034 [0.092] N=822	0.029 [0.108] N=620
Strict normal WAZ -2 to +1	0.036 [0.070] N=1,516	0.018 [0.075] N=1,361	0.045 [0.083] N=1,154	0.023 [0.092] N=940	0.123 [0.116] N=706
Strict normal WHZ -2 to +1	**-0.155** [0.069] N=1,316**	**-0.178** [0.073] N=1,176**	**-0.193** [0.079] N=1,000**	-0.082 [0.093] N=815	-0.142 [0.126] N=615
Strict normal BMIZ -2 to +1	**-0.146** [0.073] N=1,297**	**-0.151* [0.077] N=1,159**	-0.134 [0.088] N=987	-0.059 [0.103] N=805	-0.187 [0.129] N=611
Above-normal height HAZ above +3	0.003 [0.040] N=1,328	-0.006 [0.044] N=1,184	0.021 [0.052] N=1,006	-0.012 [0.052] N=822	-0.030 [0.073] N=620
Above-normal weight WAZ above +1	-0.042 [0.057] N=1,516	-0.009 [0.062] N=1,361	-0.052 [0.069] N=1,154	-0.025 [0.075] N=940	-0.095 [0.092] N=706
Above-normal WHZ above +1	0.075 [0.073] N=1,316	0.094 [0.079] N=1,176	0.072 [0.089] N=1,000	0.049 [0.095] N=815	0.073 [0.121] N=615
Above-normal BMIZ above +1	0.052 [0.075] N=1,297	0.056 [0.079] N=1,159	0.023 [0.091] N=987	0.009 [0.104] N=805	0.093 [0.131] N=611

Specification 2 Monthly fixed effects and female No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,251	0.004 [0.044] N=1,534	-0.003 [0.046] N=1,390	0.023 [0.047] N=1,212	0.007 [0.053] N=1,028	0.017 [0.058] N=826
Not underweight WAZ at least -2	0.948 P=1,650	-0.001 [0.022] N=1,745	0.007 [0.022] N=1,590	-0.000 [0.023] N=1,383	0.001 [0.022] N=1,169	0.014 [0.025] N=935
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,043	**-0.087* [0.050] N=1,520**	**-0.087* [0.052] N=1,380**	-0.089 [0.055] N=1,204	-0.055 [0.059] N=1,019	-0.056 [0.065] N=819
Neither low nor high BMIZ -2 to +2	0.658 P=982	**-0.133** [0.057] N=1,494**	**-0.125** [0.060] N=1,356**	**-0.119* [0.066] N=1,184**	-0.096 [0.070] N=1,002	-0.119 [0.077] N=808
Strict normal HAZ -2 to +3	0.721 P=1,108	0.008 [0.043] N=1,534	0.007 [0.046] N=1,390	0.018 [0.049] N=1,212	0.016 [0.051] N=1,028	0.033 [0.055] N=826
Strict normal WAZ -2 to +1	0.640 P=1,114	0.000 [0.049] N=1,745	-0.011 [0.051] N=1,590	-0.001 [0.055] N=1,383	-0.016 [0.058] N=1,169	0.026 [0.066] N=935
Strict normal WHZ -2 to +1	0.518 P=780	**-0.126** [0.050] N=1,520**	**-0.137*** [0.052] N=1,380**	**-0.141** [0.055] N=1,204**	-0.088 [0.061] N=1,019	**-0.118* [0.071] N=819**
Strict normal BMIZ -2 to +1	0.508 P=758	**-0.119** [0.056] N=1,494**	**-0.121** [0.058] N=1,356**	**-0.106* [0.064] N=1,184**	-0.073 [0.069] N=1,002	-0.126 [0.077] N=808
Above-normal height HAZ above +3	0.095 P=143	-0.004 [0.030] N=1,534	-0.010 [0.032] N=1,390	0.004 [0.036] N=1,212	-0.009 [0.035] N=1,028	-0.016 [0.041] N=826
Above-normal weight WAZ above +1	0.308 P=536	-0.002 [0.042] N=1,745	0.018 [0.045] N=1,590	0.001 [0.048] N=1,383	0.017 [0.051] N=1,169	-0.012 [0.056] N=935
Above-normal WHZ above +1	0.368 P=567	**0.100* [0.051] N=1,520**	**0.111** [0.054] N=1,380**	**0.102* [0.058] N=1,204**	0.092 [0.062] N=1,019	0.118 [0.073] N=819
Above-normal BMIZ above +1	0.365 P=547	0.071 [0.055] N=1,494	0.072 [0.057] N=1,356	0.055 [0.061] N=1,184	0.048 [0.070] N=1,002	0.087 [0.081] N=808

Specification 2 Monthly fixed effects and female 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.021 [0.068] N=1,328	-0.031 [0.073] N=1,184	0.006 [0.080] N=1,006	-0.048 [0.099] N=822	-0.008 [0.120] N=620
Not underweight WAZ at least -2	-0.005 [0.036] N=1,516	0.010 [0.038] N=1,361	-0.006 [0.042] N=1,154	-0.001 [0.045] N=940	0.029 [0.054] N=706
Neither wasted nor overweight WHZ -2 to +2	**-0.159*** [0.061] N=1,316**	**-0.157** [0.065] N=1,176**	**-0.178** [0.071] N=1,000**	-0.125 [0.082] N=815	-0.126 [0.098] N=615
Neither low nor high BMIZ -2 to +2	**-0.183*** [0.066] N=1,297**	**-0.164** [0.072] N=1,159**	**-0.164** [0.076] N=987**	-0.129 [0.089] N=805	**-0.186* [0.110] N=611**
Strict normal HAZ -2 to +3	-0.021 [0.066] N=1,328	-0.020 [0.073] N=1,184	-0.010 [0.078] N=1,006	-0.031 [0.093] N=822	0.030 [0.110] N=620
Strict normal WAZ -2 to +1	0.035 [0.070] N=1,516	0.016 [0.075] N=1,361	0.042 [0.083] N=1,154	0.020 [0.093] N=940	0.118 [0.117] N=706
Strict normal WHZ -2 to +1	**-0.150** [0.069] N=1,316**	**-0.170** [0.073] N=1,176**	**-0.181** [0.078] N=1,000**	-0.078 [0.093] N=815	-0.136 [0.125] N=615
Strict normal BMIZ -2 to +1	**-0.143* [0.073] N=1,297**	**-0.143* [0.077] N=1,159**	-0.123 [0.088] N=987	-0.054 [0.103] N=805	-0.184 [0.129] N=611
Above-normal height HAZ above +3	-0.000 [0.040] N=1,328	-0.011 [0.044] N=1,184	0.016 [0.052] N=1,006	-0.017 [0.052] N=822	-0.039 [0.073] N=620
Above-normal weight WAZ above +1	-0.040 [0.056] N=1,516	-0.006 [0.062] N=1,361	-0.049 [0.068] N=1,154	-0.021 [0.075] N=940	-0.089 [0.092] N=706
Above-normal WHZ above +1	0.076 [0.073] N=1,316	0.094 [0.079] N=1,176	0.068 [0.089] N=1,000	0.053 [0.095] N=815	0.082 [0.120] N=615
Above-normal BMIZ above +1	0.055 [0.075] N=1,297	0.055 [0.080] N=1,159	0.021 [0.091] N=987	0.012 [0.105] N=805	0.101 [0.131] N=611

Specification 3 Monthly fixed effects female and household income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,251	0.003 [0.042] N=1,534	-0.002 [0.045] N=1,390	0.026 [0.046] N=1,212	0.010 [0.051] N=1,028	0.020 [0.057] N=826
Not underweight WAZ at least -2	0.948 P=1,650	-0.001 [0.022] N=1,745	0.007 [0.022] N=1,590	0.002 [0.023] N=1,383	0.003 [0.022] N=1,169	0.016 [0.025] N=935
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,043	**-0.087* [0.050] N=1,520**	-0.086 [0.052] N=1,380	-0.086 [0.056] N=1,204	-0.051 [0.060] N=1,019	-0.056 [0.066] N=819
Neither low nor high BMIZ -2 to +2	0.658 P=982	**-0.134** [0.058] N=1,494**	**-0.124** [0.061] N=1,356**	**-0.116* [0.067] N=1,184**	-0.093 [0.071] N=1,002	-0.121 [0.078] N=808
Strict normal HAZ -2 to +3	0.721 P=1,108	0.008 [0.043] N=1,534	0.008 [0.046] N=1,390	0.023 [0.049] N=1,212	0.022 [0.051] N=1,028	0.039 [0.055] N=826
Strict normal WAZ -2 to +1	0.640 P=1,114	-0.002 [0.049] N=1,745	-0.013 [0.052] N=1,590	-0.004 [0.055] N=1,383	-0.015 [0.058] N=1,169	0.029 [0.066] N=935
Strict normal WHZ -2 to +1	0.518 P=780	**-0.126** [0.050] N=1,520**	**-0.136*** [0.052] N=1,380**	**-0.141** [0.055] N=1,204**	-0.087 [0.061] N=1,019	**-0.120* [0.072] N=819**
Strict normal BMIZ -2 to +1	0.508 P=758	**-0.120** [0.056] N=1,494**	**-0.120** [0.058] N=1,356**	**-0.107* [0.064] N=1,184**	-0.073 [0.069] N=1,002	**-0.128* [0.077] N=808**
Above-normal height HAZ above +3	0.095 P=143	-0.004 [0.030] N=1,534	-0.011 [0.032] N=1,390	0.002 [0.037] N=1,212	-0.012 [0.036] N=1,028	-0.019 [0.042] N=826
Above-normal weight WAZ above +1	0.308 P=536	0.001 [0.043] N=1,745	0.020 [0.045] N=1,590	0.006 [0.048] N=1,383	0.018 [0.051] N=1,169	-0.013 [0.056] N=935
Above-normal WHZ above +1	0.368 P=567	**0.100* [0.051] N=1,520**	**0.111** [0.054] N=1,380**	**0.103* [0.058] N=1,204**	0.092 [0.062] N=1,019	0.119 [0.073] N=819
Above-normal BMIZ above +1	0.365 P=547	0.072 [0.055] N=1,494	0.072 [0.057] N=1,356	0.058 [0.061] N=1,184	0.049 [0.069] N=1,002	0.089 [0.080] N=808

Specification 3 Monthly fixed effects female and household income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.018 [0.067] N=1,328	-0.028 [0.072] N=1,184	0.013 [0.077] N=1,006	-0.037 [0.096] N=822	-0.001 [0.116] N=620
Not underweight WAZ at least -2	-0.004 [0.036] N=1,516	0.011 [0.038] N=1,361	-0.001 [0.042] N=1,154	0.004 [0.046] N=940	0.031 [0.054] N=706
Neither wasted nor overweight WHZ -2 to +2	**-0.159** [0.063] N=1,316**	**-0.156** [0.066] N=1,176**	**-0.171** [0.073] N=1,000**	-0.116 [0.084] N=815	-0.123 [0.103] N=615
Neither low nor high BMIZ -2 to +2	**-0.182*** [0.067] N=1,297**	**-0.164** [0.073] N=1,159**	**-0.160** [0.078] N=987**	-0.127 [0.092] N=805	-0.187 [0.114] N=611
Strict normal HAZ -2 to +3	-0.020 [0.065] N=1,328	-0.017 [0.073] N=1,184	-0.003 [0.079] N=1,006	-0.020 [0.095] N=822	0.032 [0.113] N=620
Strict normal WAZ -2 to +1	0.037 [0.071] N=1,516	0.017 [0.076] N=1,361	0.039 [0.084] N=1,154	0.023 [0.094] N=940	0.116 [0.118] N=706
Strict normal WHZ -2 to +1	**-0.147** [0.070] N=1,316**	**-0.166** [0.073] N=1,176**	**-0.176** [0.080] N=1,000**	-0.070 [0.093] N=815	-0.133 [0.126] N=615
Strict normal BMIZ -2 to +1	**-0.136* [0.074] N=1,297**	**-0.137* [0.078] N=1,159**	-0.120 [0.089] N=987	-0.052 [0.106] N=805	-0.184 [0.131] N=611
Above-normal height HAZ above +3	0.002 [0.040] N=1,328	-0.011 [0.044] N=1,184	0.017 [0.053] N=1,006	-0.017 [0.052] N=822	-0.032 [0.073] N=620
Above-normal weight WAZ above +1	-0.041 [0.058] N=1,516	-0.006 [0.063] N=1,361	-0.040 [0.069] N=1,154	-0.020 [0.075] N=940	-0.085 [0.092] N=706
Above-normal WHZ above +1	0.073 [0.074] N=1,316	0.091 [0.080] N=1,176	0.066 [0.090] N=1,000	0.047 [0.094] N=815	0.078 [0.118] N=615
Above-normal BMIZ above +1	0.050 [0.075] N=1,297	0.051 [0.080] N=1,159	0.020 [0.091] N=987	0.010 [0.106] N=805	0.101 [0.132] N=611

Specification 4 Monthly fixed effects female and per-person income groups No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,251	0.013 [0.042] N=1,534	0.009 [0.045] N=1,390	0.038 [0.047] N=1,212	0.020 [0.052] N=1,028	0.026 [0.057] N=826
Not underweight WAZ at least -2	0.948 P=1,650	0.002 [0.022] N=1,745	0.011 [0.022] N=1,590	0.005 [0.023] N=1,383	0.005 [0.023] N=1,169	0.019 [0.027] N=935
Neither wasted nor overweight WHZ -2 to +2	0.688 P=1,043	**-0.083* [0.050] N=1,520**	-0.084 [0.051] N=1,380	-0.088 [0.055] N=1,204	-0.053 [0.058] N=1,019	-0.056 [0.064] N=819
Neither low nor high BMIZ -2 to +2	0.658 P=982	**-0.131** [0.057] N=1,494**	**-0.123** [0.060] N=1,356**	**-0.119* [0.066] N=1,184**	-0.098 [0.070] N=1,002	-0.123 [0.077] N=808
Strict normal HAZ -2 to +3	0.721 P=1,108	0.016 [0.043] N=1,534	0.018 [0.046] N=1,390	0.033 [0.049] N=1,212	0.027 [0.051] N=1,028	0.042 [0.055] N=826
Strict normal WAZ -2 to +1	0.640 P=1,114	0.001 [0.049] N=1,745	-0.012 [0.052] N=1,590	-0.002 [0.055] N=1,383	-0.015 [0.058] N=1,169	0.032 [0.065] N=935
Strict normal WHZ -2 to +1	0.518 P=780	**-0.124** [0.049] N=1,520**	**-0.136*** [0.051] N=1,380**	**-0.143*** [0.054] N=1,204**	-0.088 [0.060] N=1,019	**-0.123* [0.070] N=819**
Strict normal BMIZ -2 to +1	0.508 P=758	**-0.113** [0.056] N=1,494**	**-0.115** [0.058] N=1,356**	-0.103 [0.063] N=1,184	-0.073 [0.069] N=1,002	-0.128 [0.077] N=808
Above-normal height HAZ above +3	0.095 P=143	-0.003 [0.030] N=1,534	-0.009 [0.033] N=1,390	0.005 [0.036] N=1,212	-0.008 [0.036] N=1,028	-0.016 [0.042] N=826
Above-normal weight WAZ above +1	0.308 P=536	0.001 [0.043] N=1,745	0.022 [0.046] N=1,590	0.007 [0.048] N=1,383	0.020 [0.051] N=1,169	-0.013 [0.056] N=935
Above-normal WHZ above +1	0.368 P=567	**0.097* [0.051] N=1,520**	**0.109** [0.054] N=1,380**	**0.102* [0.058] N=1,204**	0.093 [0.062] N=1,019	**0.124* [0.073] N=819**
Above-normal BMIZ above +1	0.365 P=547	0.066 [0.054] N=1,494	0.067 [0.056] N=1,356	0.053 [0.061] N=1,184	0.048 [0.069] N=1,002	0.091 [0.081] N=808

Specification 4 Monthly fixed effects female and per-person income groups 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.007 [0.066] N=1,328	-0.012 [0.071] N=1,184	0.037 [0.077] N=1,006	-0.016 [0.097] N=822	0.010 [0.117] N=620
Not underweight WAZ at least -2	-0.000 [0.036] N=1,516	0.017 [0.038] N=1,361	0.006 [0.043] N=1,154	0.008 [0.046] N=940	0.038 [0.056] N=706
Neither wasted nor overweight WHZ -2 to +2	**-0.155** [0.062] N=1,316**	**-0.154** [0.066] N=1,176**	**-0.176** [0.072] N=1,000**	-0.120 [0.084] N=815	-0.134 [0.099] N=615
Neither low nor high BMIZ -2 to +2	**-0.180*** [0.067] N=1,297**	**-0.162** [0.073] N=1,159**	**-0.165** [0.078] N=987**	-0.134 [0.092] N=805	**-0.208* [0.112] N=611**
Strict normal HAZ -2 to +3	-0.012 [0.065] N=1,328	-0.004 [0.072] N=1,184	0.017 [0.078] N=1,006	-0.005 [0.094] N=822	0.044 [0.111] N=620
Strict normal WAZ -2 to +1	0.032 [0.071] N=1,516	0.011 [0.076] N=1,361	0.039 [0.083] N=1,154	0.022 [0.093] N=940	0.123 [0.115] N=706
Strict normal WHZ -2 to +1	**-0.148** [0.069] N=1,316**	**-0.171** [0.073] N=1,176**	**-0.186** [0.079] N=1,000**	-0.081 [0.095] N=815	-0.164 [0.125] N=615
Strict normal BMIZ -2 to +1	**-0.136* [0.074] N=1,297**	**-0.139* [0.078] N=1,159**	-0.124 [0.089] N=987	-0.060 [0.107] N=805	-0.208 [0.133] N=611
Above-normal height HAZ above +3	0.004 [0.040] N=1,328	-0.007 [0.044] N=1,184	0.020 [0.052] N=1,006	-0.011 [0.052] N=822	-0.034 [0.073] N=620
Above-normal weight WAZ above +1	-0.032 [0.058] N=1,516	0.005 [0.063] N=1,361	-0.033 [0.068] N=1,154	-0.014 [0.075] N=940	-0.084 [0.088] N=706
Above-normal WHZ above +1	0.072 [0.073] N=1,316	0.091 [0.079] N=1,176	0.065 [0.088] N=1,000	0.051 [0.095] N=815	0.105 [0.122] N=615
Above-normal BMIZ above +1	0.049 [0.074] N=1,297	0.050 [0.079] N=1,159	0.018 [0.090] N=987	0.013 [0.106] N=805	0.122 [0.136] N=611

Specification 5 Monthly fixed effects female and number of aid types (0-6) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,158	-0.002 [0.045] N=1,421	-0.015 [0.048] N=1,288	0.013 [0.048] N=1,126	-0.002 [0.052] N=952	-0.003 [0.056] N=766
Not underweight WAZ at least -2	0.948 P=1,526	-0.003 [0.023] N=1,614	0.006 [0.024] N=1,470	0.001 [0.025] N=1,283	-0.002 [0.025] N=1,085	0.007 [0.028] N=871
Neither wasted nor overweight WHZ -2 to +2	0.688 P=967	**-0.096* [0.052] N=1,410**	**-0.097* [0.054] N=1,281**	-0.092 [0.056] N=1,119	-0.058 [0.060] N=946	-0.058 [0.065] N=763
Neither low nor high BMIZ -2 to +2	0.662 P=917	**-0.123** [0.059] N=1,385**	**-0.111* [0.062] N=1,258**	-0.095 [0.067] N=1,101	-0.070 [0.073] N=931	-0.091 [0.081] N=753
Strict normal HAZ -2 to +3	0.724 P=1,032	0.011 [0.046] N=1,421	0.005 [0.050] N=1,288	0.017 [0.050] N=1,126	0.017 [0.052] N=952	0.028 [0.056] N=766
Strict normal WAZ -2 to +1	0.640 P=1,030	-0.008 [0.050] N=1,614	-0.020 [0.053] N=1,470	0.001 [0.058] N=1,283	-0.016 [0.062] N=1,085	0.031 [0.069] N=871
Strict normal WHZ -2 to +1	0.520 P=726	**-0.140*** [0.052] N=1,410**	**-0.157*** [0.054] N=1,281**	**-0.155*** [0.056] N=1,119**	-0.100 [0.061] N=946	**-0.124* [0.071] N=763**
Strict normal BMIZ -2 to +1	0.511 P=706	**-0.117** [0.057] N=1,385**	**-0.122** [0.059] N=1,258**	-0.095 [0.064] N=1,101	-0.067 [0.069] N=931	-0.111 [0.079] N=753
Above-normal height HAZ above +3	0.092 P=126	-0.013 [0.031] N=1,421	-0.019 [0.033] N=1,288	-0.004 [0.037] N=1,126	-0.019 [0.037] N=952	-0.031 [0.044] N=766
Above-normal weight WAZ above +1	0.309 P=496	0.005 [0.044] N=1,614	0.026 [0.047] N=1,470	-0.000 [0.051] N=1,283	0.014 [0.054] N=1,085	-0.023 [0.057] N=871
Above-normal WHZ above +1	0.366 P=524	**0.112** [0.052] N=1,410**	**0.131** [0.056] N=1,281**	**0.114* [0.060] N=1,119**	0.098 [0.063] N=946	0.116 [0.074] N=763
Above-normal BMIZ above +1	0.364 P=507	0.077 [0.057] N=1,385	0.085 [0.060] N=1,258	0.054 [0.065] N=1,101	0.043 [0.071] N=931	0.069 [0.084] N=753

Specification 5 Monthly fixed effects female and number of aid types (0-6) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.002 [0.074] N=1,228	-0.021 [0.081] N=1,095	0.022 [0.086] N=933	-0.012 [0.105] N=759	0.024 [0.131] N=573
Not underweight WAZ at least -2	-0.001 [0.039] N=1,399	0.014 [0.042] N=1,255	0.004 [0.047] N=1,068	0.004 [0.052] N=870	0.033 [0.062] N=656
Neither wasted nor overweight WHZ -2 to +2	**-0.167** [0.067] N=1,217**	**-0.163** [0.072] N=1,088**	**-0.172** [0.076] N=926**	-0.102 [0.091] N=753	-0.090 [0.106] N=570
Neither low nor high BMIZ -2 to +2	**-0.188*** [0.069] N=1,198**	**-0.164** [0.075] N=1,071**	**-0.152* [0.077] N=914**	-0.101 [0.094] N=744	-0.163 [0.114] N=566
Strict normal HAZ -2 to +3	-0.005 [0.069] N=1,228	-0.010 [0.079] N=1,095	0.004 [0.081] N=933	0.007 [0.099] N=759	0.075 [0.123] N=573
Strict normal WAZ -2 to +1	0.021 [0.071] N=1,399	0.004 [0.077] N=1,255	0.054 [0.088] N=1,068	0.014 [0.097] N=870	0.114 [0.122] N=656
Strict normal WHZ -2 to +1	**-0.171** [0.074] N=1,217**	**-0.199** [0.079] N=1,088**	**-0.197** [0.085] N=926**	-0.082 [0.099] N=753	-0.108 [0.138] N=570
Strict normal BMIZ -2 to +1	**-0.155** [0.078] N=1,198**	**-0.161* [0.083] N=1,071**	-0.120 [0.092] N=914	-0.054 [0.105] N=744	-0.164 [0.137] N=566
Above-normal height HAZ above +3	0.002 [0.039] N=1,228	-0.010 [0.043] N=1,095	0.018 [0.052] N=933	-0.019 [0.054] N=759	-0.050 [0.078] N=573
Above-normal weight WAZ above +1	-0.022 [0.059] N=1,399	0.010 [0.066] N=1,255	-0.049 [0.073] N=1,068	-0.010 [0.079] N=870	-0.081 [0.095] N=656
Above-normal WHZ above +1	0.095 [0.080] N=1,217	0.125 [0.088] N=1,088	0.085 [0.099] N=926	0.058 [0.102] N=753	0.059 [0.132] N=570
Above-normal BMIZ above +1	0.071 [0.082] N=1,198	0.083 [0.089] N=1,071	0.025 [0.101] N=914	0.014 [0.110] N=744	0.069 [0.140] N=566

Specification 6 Monthly fixed effects female and any aid (0/1) No donut hole

Outcome	Mean	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	0.816 P=1,158	-0.002 [0.045] N=1,421	-0.013 [0.048] N=1,288	0.015 [0.048] N=1,126	-0.001 [0.052] N=952	-0.002 [0.056] N=766
Not underweight WAZ at least -2	0.948 P=1,526	-0.002 [0.023] N=1,614	0.006 [0.024] N=1,470	0.002 [0.025] N=1,283	0.000 [0.024] N=1,085	0.010 [0.027] N=871
Neither wasted nor overweight WHZ -2 to +2	0.688 P=967	**-0.091* [0.052] N=1,410**	**-0.091* [0.053] N=1,281**	-0.086 [0.056] N=1,119	-0.050 [0.060] N=946	-0.049 [0.065] N=763
Neither low nor high BMIZ -2 to +2	0.662 P=917	**-0.119** [0.058] N=1,385**	**-0.106* [0.061] N=1,258**	-0.090 [0.066] N=1,101	-0.064 [0.071] N=931	-0.084 [0.078] N=753
Strict normal HAZ -2 to +3	0.724 P=1,032	0.012 [0.046] N=1,421	0.007 [0.050] N=1,288	0.019 [0.050] N=1,126	0.021 [0.053] N=952	0.032 [0.056] N=766
Strict normal WAZ -2 to +1	0.640 P=1,030	-0.005 [0.050] N=1,614	-0.017 [0.053] N=1,470	0.004 [0.058] N=1,283	-0.012 [0.061] N=1,085	0.035 [0.067] N=871
Strict normal WHZ -2 to +1	0.520 P=726	**-0.136*** [0.051] N=1,410**	**-0.152*** [0.053] N=1,281**	**-0.149*** [0.056] N=1,119**	-0.092 [0.061] N=946	-0.114 [0.071] N=763
Strict normal BMIZ -2 to +1	0.511 P=706	**-0.113** [0.057] N=1,385**	**-0.118** [0.059] N=1,258**	-0.091 [0.063] N=1,101	-0.063 [0.067] N=931	-0.107 [0.077] N=753
Above-normal height HAZ above +3	0.092 P=126	-0.014 [0.031] N=1,421	-0.020 [0.034] N=1,288	-0.004 [0.037] N=1,126	-0.022 [0.037] N=952	-0.034 [0.044] N=766
Above-normal weight WAZ above +1	0.309 P=496	0.003 [0.044] N=1,614	0.023 [0.047] N=1,470	-0.002 [0.051] N=1,283	0.012 [0.053] N=1,085	-0.025 [0.057] N=871
Above-normal WHZ above +1	0.366 P=524	**0.111** [0.053] N=1,410**	**0.129** [0.056] N=1,281**	**0.111* [0.060] N=1,119**	0.096 [0.063] N=946	0.113 [0.075] N=763
Above-normal BMIZ above +1	0.364 P=507	0.076 [0.058] N=1,385	0.084 [0.060] N=1,258	0.053 [0.064] N=1,101	0.043 [0.071] N=931	0.070 [0.085] N=753

Specification 6 Monthly fixed effects female and any aid (0/1) 12 month donut hole

Outcome	8 years	7 years	6 years	5 years	4 years
Not stunted HAZ at least -2	-0.003 [0.073] N=1,228	-0.019 [0.080] N=1,095	0.023 [0.085] N=933	-0.019 [0.105] N=759	0.009 [0.129] N=573
Not underweight WAZ at least -2	-0.003 [0.040] N=1,399	0.012 [0.042] N=1,255	0.002 [0.047] N=1,068	0.001 [0.052] N=870	0.025 [0.060] N=656
Neither wasted nor overweight WHZ -2 to +2	**-0.167** [0.066] N=1,217**	**-0.163** [0.071] N=1,088**	**-0.170** [0.076] N=926**	-0.101 [0.090] N=753	-0.096 [0.105] N=570
Neither low nor high BMIZ -2 to +2	**-0.188*** [0.068] N=1,198**	**-0.164** [0.075] N=1,071**	**-0.150* [0.077] N=914**	-0.100 [0.094] N=744	-0.155 [0.112] N=566
Strict normal HAZ -2 to +3	-0.006 [0.070] N=1,228	-0.012 [0.079] N=1,095	0.001 [0.081] N=933	-0.001 [0.099] N=759	0.056 [0.120] N=573
Strict normal WAZ -2 to +1	0.021 [0.072] N=1,399	0.002 [0.078] N=1,255	0.050 [0.089] N=1,068	0.008 [0.098] N=870	0.099 [0.121] N=656
Strict normal WHZ -2 to +1	**-0.173** [0.074] N=1,217**	**-0.202** [0.079] N=1,088**	**-0.198** [0.084] N=926**	-0.082 [0.098] N=753	-0.112 [0.136] N=570
Strict normal BMIZ -2 to +1	**-0.157** [0.078] N=1,198**	**-0.165** [0.083] N=1,071**	-0.124 [0.092] N=914	-0.060 [0.106] N=744	-0.178 [0.135] N=566
Above-normal height HAZ above +3	0.003 [0.039] N=1,228	-0.007 [0.044] N=1,095	0.022 [0.052] N=933	-0.018 [0.053] N=759	-0.047 [0.076] N=573
Above-normal weight WAZ above +1	-0.023 [0.059] N=1,399	0.010 [0.065] N=1,255	-0.049 [0.073] N=1,068	-0.007 [0.078] N=870	-0.074 [0.094] N=656
Above-normal WHZ above +1	0.095 [0.080] N=1,217	0.124 [0.088] N=1,088	0.082 [0.098] N=926	0.059 [0.100] N=753	0.061 [0.130] N=570
Above-normal BMIZ above +1	0.072 [0.082] N=1,198	0.084 [0.089] N=1,071	0.026 [0.100] N=914	0.023 [0.111] N=744	0.089 [0.139] N=566

Notes: Cells report the OLS policy coefficient, birth-month-clustered standard error in brackets, and N. Exact child-month fixed effects for analysis months 0 to 47 are included but not displayed. Specification 2 adds female; specifications 3 and 4 separately add five household-income and five per-person-income groups; specifications 5 and 6 separately add the categorical number of aid types (0 as reference) and any aid. Aid and income controls are not combined. Aid specifications exclude households with a blank or non-yes/no answer on any of the six main aid questions. Columns use symmetric 8- to 4-year bandwidths around the January 1987 cutoff. Every regression includes reform eligibility and split linear trends. Donut estimates exclude running-variable months -12 through +11 and show only the policy estimate, standard error, and N. Regressions use FAKTOR_FERT child survey weights. The sample retains one latest-born eligible child per household. Significant policy coefficients are bold. P in the mean column is the unweighted number of positive outcomes in the no-donut 8-year sample. *** p<0.01, ** p<0.05, * p<0.10.